

Data Validation Package

June 2009
Water Sampling at the
Monument Valley, Arizona,
Processing Site

October 2009



U.S. DEPARTMENT OF
ENERGY

Legacy
Management

This page intentionally left blank

Contents

Sampling Event Summary	1
Monument Valley, Arizona, Processing Site Sample Locations	3
Data Assessment Summary.....	5
Water Sampling Field Activities Verification Checklist	7
Laboratory Performance Assessment.....	9
Sampling Quality Control Assessment	16
Certification	18

Attachment 1—Assessment of Anomalous Data

Potential Outliers Report

Attachment 2—Data Presentation

Groundwater Quality Data
Surface Water Quality Data
Static Water Level Data
Time-Concentration Graphs

Attachment 3—Sampling and Analysis Work Order

Attachment 4—Trip Report

This page intentionally left blank

Sampling Event Summary

Site: Monument Valley, Arizona, Processing Site

Sampling Period: June 8-10, 2009

Thirty-five groundwater samples and one surface water sample were collected at the Monument Valley, Arizona, Processing Site to monitor groundwater contaminants as specified in the 1999 *Final Site Observational Work Plan for the UMTRA Project Site at Monument Valley, Arizona*. Sampling and analysis was conducted as specified in the *Sampling and Analysis Plan for U.S. Department of Energy Office of Legacy Management Sites (LMS/PLN/S04351, continually updated)*. Water levels were measured at each sampled well. Duplicate samples were collected from locations 0655 and 0669.

Time-concentration plots for ammonia as nitrogen, chloride, nitrate + nitrite as nitrogen, sulfate, uranium, and vanadium are included with the results data. The data from this sampling event are consistent with values previously obtained. Widely fluctuating uranium concentrations in wells 0657 and 0662 have been previously noted and this trend continues with the data from this sampling event. Ongoing erosion of a former uranium mine located upgradient from the site may be affecting the uranium concentrations at these locations. Nitrate + nitrite as nitrogen concentrations in wells 0655, 0662, 0761, 0762, 0764, and 0771 have been increasing, which is consistent with downgradient movement of the contaminant plume.

Wells with analyte concentrations that exceeded U.S. Environmental Protection Agency (EPA) groundwater standards are listed in Table 1.

Table 1. Monument Valley Locations That Exceed Standards


Analyte	Standard ^a (mg/L)	Site Code	Location	Concentration (mg/L)
Nitrate + Nitrite as Nitrogen	10	MON01	0606	230
			0648	57
			0653	43
			0655	150
			0656	20
			0662	24
			0761	34
			0762	100
			0764	42
			0765	120
			0766	120
Uranium	0.044	MON01	0657	0.12
			0662	0.085


^aStandards are listed in 40 CFR 192.02 Table 1 to Subpart A.


The Navajo Nation's proposed cleanup standard for sulfate is 250 milligrams per liter (mg/L). The ratios of sulfate:chloride concentrations vary depending on whether the source is related to past millsite activities or if it occurs naturally. Tailings fluids were enriched in nitrate and sulfate but had relatively low chloride concentrations. A sulfate:chloride ratio greater than 10 is a good indication of groundwater contamination resulting from milling activities. The proposed sulfate treatment goal for Monument Valley will incorporate both criteria. The treatment goal will be achieved when the sulfate concentration is less than 250 mg/L *or* the sulfate:chloride ratio is less than 10. Table 2 lists sulfate concentrations and sulfate:chloride ratios.

Table 2. Sulfate Results

Location	Sulfate Concentration (mg/L)	Sulfate : Chloride	Treatment Goal Achieved ?
0402	21	2	Yes
0775	24	5	Yes
0619	27	6	Yes
0776	29	6	Yes
0767	31	6	Yes
0774	32	7	Yes
0652	60	4	Yes
0768	82	6	Yes
0760	84	9	Yes
0727	90	8	Yes
0650	95	8	Yes
0602	100	8	Yes
0604	100	10	Yes
0603	110	9	Yes
0605	110	6	Yes
0651	110	10	Yes
0669	110	14	Yes
0772	110	8	Yes
0711	120	9	Yes
0719	120	8	Yes
0657	140	19	Yes
0656	160	12	Yes
0770	190	15	Yes
0764	300	27	No
0662	310	26	No
0606	380	21	No
0761	460	33	No
0765	600	38	No
0715	710	8	Yes
0648	860	34	No
0655	1000	59	No
0766	1000	29	No
0653	1100	42	No
0762	1400	23	No
0771	1400	78	No


 David Miller
 Site Lead, S.M. Stoller


 Date



LEGEND ● Sampled Well Location ■ Surface Water Location --- Site Boundary — Road --- Drainage ■ Pond		U.S. DEPARTMENT OF ENERGY <small>GRAND JUNCTION, COLORADO</small>	<small>Work Performed by</small> S.M. Stoller Corporation <small>Under DOE Contract No. DE-AM01-07LM00060</small>
		Sampling Locations Monument Valley, AZ, Processing Site	
DATE PREPARED: July 30, 2009		FILENAME: S0573100	

M:\LTS\111\0015\05\000\S05731\S0573100.mxd BrownH 7/30/2009 11:07:47 AM

Monument Valley, Arizona, Processing Site Sample Locations

This page intentionally left blank

Data Assessment Summary

This page intentionally left blank

Water Sampling Field Activities Verification Checklist

Project	Monument Valley, Arizona	Date(s) of Water Sampling	June 8-10, 2009
Date(s) of Verification	July 30, 2009	Name of Verifier	Gretchen Baer

	Response (Yes, No, NA)	Comments
1. Is the SAP the primary document directing field procedures? List other documents, SOPs, instructions.	Yes	Work order letter dated May 12, 2009.
2. Were the sampling locations specified in the planning documents sampled?	No	Private location 0617 and monitor well 0777 were deleted from the sampling list at the direction of the site lead.
3. Was a pre-trip calibration conducted as specified in the above-named documents?	Yes	
4. Was an operational check of the field equipment conducted daily? Did the operational checks meet criteria?	Yes	
	Yes	
5. Were the number and types (alkalinity, temperature, specific conductance, pH, turbidity, DO, ORP) of field measurements taken as specified?	Yes	
6. Was the category of the well documented?	Yes	
7. Were the following conditions met when purging a Category I well: Was one pump/tubing volume purged prior to sampling?	Yes	
Did the water level stabilize prior to sampling?	Yes	
Did pH, specific conductance, and turbidity measurements stabilize prior to sampling?	No	Turbidity was >10 NTU @ location 0760. Data are qualified as "Q."
Was the flow rate less than 500 mL/min?	Yes	
If a portable pump was used, was there a 4-hour delay between pump installation and sampling?	NA	

Water Sampling Field Activities Verification Checklist (continued)

	Response (Yes, No, NA)	Comments
8. Were the following conditions met when purging a Category II well:		
Was the flow rate less than 500 mL/min?	Yes	
Was one pump/tubing volume removed prior to sampling?	Yes	
9. Were duplicates taken at a frequency of one per 20 samples?	Yes	Dups were collected @ 0655 and 0669.
10. Were equipment blanks taken at a frequency of one per 20 samples that were collected with nondedicated equipment?	NA	
11. Were trip blanks prepared and included with each shipment of VOC samples?	NA	
12. Were QC samples assigned a fictitious site identification number?	Yes	QC samples are also listed in trip report.
Was the true identity of the samples recorded on the Quality Assurance Sample Log or in the Field Data Collection System (FDSC) report?	Yes	
13. Were samples collected in the containers specified?	Yes	
14. Were samples filtered and preserved as specified?	Yes	Samples with turbidity >10 were filtered.
15. Were the number and types of samples collected as specified?	Yes	
16. Were chain of custody records completed and was sample custody maintained?	Yes	
17. Are field data sheets signed and dated by both team members (hardcopies) or are dates present for the "Date Completed" fields (FDSC)?	Yes	
18. Was all other pertinent information documented on the field data sheets?	Yes	
19. Was the presence or absence of ice in the cooler documented at every sample location?	Yes	
20. Were water levels measured at the locations specified in the planning documents?	NA	

Laboratory Performance Assessment

General Information

Report Number (RIN): 09052333
Sample Event: June 8-10, 2009
Site(s): Monument Valley, Arizona
Laboratory: ALS Laboratory Group, Fort Collins, Colorado
Work Order No.: 0906150
Analysis: Metals and Wet Chemistry
Validator: Gretchen Baer
Review Date: July 30, 2009

This validation was performed according to the *Environmental Procedures Catalog*, (LMS/PRO/S04325, continually updated) "Standard Practice for Validation of Laboratory Data," GT-9(P). The procedure was applied at Level 3, Data Validation. See attached Data Validation Worksheets for supporting documentation on the data review and validation. All analyses were successfully completed. The samples were prepared and analyzed using accepted procedures based on methods specified by line item code, which are listed in Table 3.

Table 3. Analytes and Methods

Analyte	Line Item Code	Prep Method	Analytical Method
Ammonia as N	WCH-A-005	MCAWW 350.1	MCAWW 350.1
Chloride	MIS-A-039	SW-856 9056	SW-856 9056
Nitrite + Nitrate as N	WCH-A-022	MCAWW 353.2	MCAWW 353.2
Sulfate	MIS-A-044	SW-856 9056	SW-856 9056
Uranium, Vanadium	LMM-02	SW-846 3005A	SW-846 6020A

Data Qualifier Summary

Analytical results were qualified as listed in Table 4. Refer to the sections below for an explanation of the data qualifiers applied.

Table 4. Data Qualifier Summary

Sample Number	Location	Analyte	Flag	Reason
0906150-1	0402	Uranium	U	Less than 5 times the calibration blank
0906150-5	0605	Uranium	U	Less than 5 times the calibration blank
0906150-30	0768	Uranium	U	Less than 5 times the calibration blank

Sample Shipping/Receiving

ALS Laboratory Group in Fort Collins, Colorado, received 38 water samples on June 16, 2009, accompanied by a Chain of Custody (COC) form. Copies of the two air bills were included in the

receiving documentation. The COC form was checked to confirm that all of the samples were listed with sample collection dates and times, and that signatures and dates were present indicating sample relinquishment and receipt. The COC form was complete with no errors or omissions.

Preservation and Holding Times

The sample shipments were received intact with the temperature inside the iced cooler at 0.2 °C, which complies with requirements. All samples were received in the correct container types and had been preserved correctly for the requested analyses. All samples were analyzed within the applicable holding times.

Laboratory Instrument Calibration

Compliance requirements for satisfactory instrument calibration are established to ensure that the instrument is capable of producing acceptable qualitative and quantitative data for all analytes. Initial calibration demonstrates that the instrument is capable of acceptable performance in the beginning of the analytical run and of producing a linear curve. Compliance requirements for continuing calibration checks are established to ensure that the instrument continues to be capable of producing acceptable qualitative and quantitative data. All laboratory instrument calibrations were performed correctly in accordance with the cited methods.

Method MCAWW 350.1, Ammonia as N

Calibrations were performed using six calibration standards on June 18, 2009. The calibration curve correlation coefficient values were greater than 0.995 and the absolute values of the intercepts were less than 3 times the method detection limit (MDL). Calibration and laboratory spike standards were prepared from independent sources. Initial and continuing calibration verification checks were made at the required frequency resulting in seven verification checks. All calibration checks met the acceptance criteria.

Method MCAWW 353.2, Nitrite + Nitrate as N

Calibrations were performed using seven calibration standards on June 19, 2009. The calibration curve correlation coefficient values were greater than 0.995 and the absolute values of the intercepts were less than 3 times the MDL. Calibration and laboratory spike standards were prepared from independent sources. Initial and continuing calibration verification checks were made at the required frequency resulting in six verification checks. All calibration checks met the acceptance criteria.

Method SW-846 6020A, Uranium and Vanadium

Calibrations were performed for uranium on June 22-23, 2009, using eight standards and for vanadium on June 23, 2009, using seven standards. The calibration curve correlation coefficient values were greater than 0.995 and the absolute values of the intercepts were less than 3 times the MDL. Calibration and laboratory spike standards were prepared from independent sources. Initial and continuing calibration verification checks were made at the required frequency resulting

in 21 verification checks. All calibration checks met the acceptance criteria. Reporting limit verification checks were made at the required frequency to verify the linearity of the calibration curve near the practical quantitation limit (PQL) and all results were within the acceptance range. Mass calibration and resolution verifications were performed at the beginning of each analytical run in accordance with the analytical procedure. Internal standard recoveries associated with requested analytes were stable and within acceptable ranges.

Method SW-846 9056, Chloride and Sulfate

Calibrations were performed using five calibration standards on May 27, 2009. The calibration curve correlation coefficient values were greater than 0.995 and the absolute values of the intercepts were less than 3 times the MDL. Calibration and laboratory spike standards were prepared from independent sources. Initial and continuing calibration verification checks were made at the required frequency resulting in 11 verification checks. All calibration checks met the acceptance criteria.

Method and Calibration Blanks

Method blanks are analyzed to assess any contamination that may have occurred during sample preparation. Calibration blanks are analyzed to assess instrument contamination prior to and during sample analysis. All method blank and calibration blank results were below the PQLs for all analytes. In cases where a blank concentration exceeds the MDL, the associated sample results are qualified with a “U” flag (not detected) when the sample result is greater than the MDL but less than 5 times the blank concentration.

Inductively Coupled Plasma (ICP) Interference Check Sample (ICS) Analysis

ICP interference check samples ICSA and ICSAB were analyzed at the required frequency to verify the instrumental interelement and background correction factors. All check sample results met the acceptance criteria.

Matrix Spike Analysis

Matrix spike and matrix spike duplicate (MS/MSD) samples are used to measure method performance in the sample matrix. The MS/MSD data are not evaluated when the concentration of the unspiked sample is greater than 4 times the spike concentration. The spikes met the recovery and precision criteria for all analytes evaluated.

Laboratory Replicate Analysis

Laboratory replicate sample results demonstrate acceptable laboratory precision. The relative percent difference values for the sample replicates and matrix spike replicates were less than 20 percent for results that are greater than 5 times the PQLs, indicating acceptable precision.

Laboratory Control Sample

Laboratory control samples were analyzed at the correct frequency to provide information on the accuracy of the analytical method and the overall laboratory performance, including sample preparation. All control sample results were acceptable.

Metals Serial Dilution

Serial dilutions were prepared and analyzed for the metals analyses to monitor chemical or physical interferences in the sample matrix. ICP-MS serial dilution data are evaluated when the concentration of the undiluted sample is greater than 100 times the PQL. All evaluated serial dilution data were acceptable.

Detection Limits/Dilutions

Samples were diluted in a consistent and acceptable manner when required. The samples were diluted prior to analysis of uranium and vanadium to reduce interferences. The required detection limits were met for all analytes.

Completeness

Results were reported in the correct units for all analytes requested using contract-required laboratory qualifiers.

Chromatography Peak Integration

The integration of analyte peaks was reviewed for all ion chromatography data. There were no manual integrations performed and all peak integrations were satisfactory.

Electronic Data Deliverable (EDD) File

The EDD file arrived on June 27, 2009. The Sample Management System EDD validation module was used to verify that the EDD file was complete and in compliance with requirements. The module compares the contents of the file to the requested analyses to ensure that all and only the requested data are delivered. The contents of the EDD were manually examined to verify that the sample results accurately reflect the data contained in the sample data package.

SAMPLE MANAGEMENT SYSTEM
General Data Validation Report

RIN: 09052333 Lab Code: PAR Validator: Gretchen Baer Validation Date: 7/30/2009

Project: Monument Valley Analysis Type: Metals General Chem Rad Organics

of Samples: 38 Matrix: WATER Requested Analysis Completed: Yes

Chain of Custody

Present: OK Signed: OK Dated: OK

Sample

Integrity: OK Preservation: OK Temperature: OK

Select Quality Parameters

- Holding Times
- Detection Limits
- Field/Trip Blanks
- Field Duplicates

All analyses were completed within the applicable holding times.

The reported detection limits are equal to or below contract requirements.

There were 2 duplicates evaluated.

SAMPLE MANAGEMENT SYSTEM Metals Data Validation Worksheet

RIN: 09052333 **Lab Code:** PAR **Date Due:** 7/14/2009
Matrix: Water **Site Code:** MON **Date Completed:** 6/30/2009

Analyte	Date Analyzed	CALIBRATION						Method Blank	LCS %R	MS %R	MSD %R	Dup. RPD	ICSAB %R	Serial Dil. %R	CRI %R
		Int.	R^2	ICV	CCV	ICB	CCB								
URANIUM	06/22/2009	0.0000	1.0000	OK	OK	OK	OK	OK	92.0	94.0	94.0	0.0	105.0		116.0
URANIUM	06/23/2009	0.0000	1.0000	OK	OK	OK	OK	OK	101.0	101.0	101.0	0.0	102.0		115.0
URANIUM	06/23/2009											2.0		2.0	
VANADIUM	06/23/2009	-0.0080	1.0000	OK	OK	OK	OK	OK	100.0	100.0	100.0	0.0	99.0		96.0
VANADIUM	06/23/2009							OK	98.0	99.0	100.0	0.0			
VANADIUM	06/23/2009											0.0			

SAMPLE MANAGEMENT SYSTEM

Wet Chemistry Data Validation Worksheet

RIN: 09052333 **Lab Code:** PAR **Date Due:** 7/14/2009
Matrix: Water **Site Code:** MON **Date Completed:** 6/30/2009

Analyte	Date Analyzed	CALIBRATION						Method Blank	LCS %R	MS %R	MSD %R	DUP RPD	Serial Dil. %R
		Int.	R^2	ICV	CCV	ICB	CCB						
AMMONIA AS N	06/18/2009	-0.030	1.0000	OK	OK	OK	OK	OK	96.00	80.0	81.0	0	
AMMONIA AS N	06/18/2009							OK	97.00	78.0	79.0	2.00	
CHLORIDE	06/17/2009	0.028	1.0000	OK	OK	OK	OK	OK	94.00	102.0	100.0	2.00	
CHLORIDE	06/17/2009							OK	97.00	103.0	101.0	1.00	
CHLORIDE	06/17/2009									99.0			
CHLORIDE	06/18/2009									101.0			
NITRATE/NITRITE AS N	06/19/2009	-0.006	0.9999	OK	OK	OK	OK	OK	107.00	99.0	98.0	0	
NITRATE/NITRITE AS N	06/19/2009								101.00	91.0	84.0	3.00	
SULFATE	06/17/2009	0.328	0.9999	OK	OK	OK	OK	OK	97.00	97.0	95.0	1.00	
SULFATE	06/17/2009							OK	98.00	109.0	109.0	0	
SULFATE	06/17/2009									101.0			
SULFATE	06/18/2009									105.0			

Sampling Quality Control Assessment

The following information summarizes and assesses quality control for this sampling event.

Sampling Protocol

Monitor wells were sampled using either a peristaltic pump and dedicated tubing or a dedicated bladder pump. The surface water location was sampled by pumping directly from the pond with dedicated tubing. Sample results for monitor wells were qualified with an “F” flag in the database, indicating the wells were purged and sampled using the low-flow sampling method. Wells 0402 and 0764 were qualified with a “Q” flag, indicating the data are qualitative because these wells were classified as Category II. Well 0760 was qualified with a “Q” flag because the turbidity criterion was not met during purging.

Equipment Blank Assessment

No equipment blanks were taken because all samples were collected using dedicated equipment.

Field Duplicate Assessment

Field duplicate samples are collected and analyzed as an indication of overall precision of the measurement process. The precision observed includes both field and laboratory precision and has more variability than laboratory duplicates, which measure only laboratory performance. Duplicate samples were collected from locations 0655 and 0669. The duplicate results were acceptable, meeting the EPA recommended laboratory duplicate criteria of less than 20 percent relative difference for results that are greater than 5 times the PQL.

SAMPLE MANAGEMENT SYSTEM
Validation Report: Field Duplicates

Page 1 of 1

RIN: 09052333 Lab Code: PAR Project: Monument Valley Validation Date: 7/30/2009

Duplicate: 2711

Sample: 0655

Analyte	Sample			Duplicate			RPD	RER	Units
	Result	Flag	Error	Result	Flag	Error			
AMMONIA AS N	170			180			5.71		MG/L
CHLORIDE	17			17					MG/L
NITRATE/NITRITE AS N	150			160			6.45		MG/L
SULFATE	1000			1000			0		MG/L
URANIUM	13			14			7.41		UG/L
VANADIUM	6.3			6.3			0		UG/L

Duplicate: 2712

Sample: 0669

Analyte	Sample			Duplicate			RPD	RER	Units
	Result	Flag	Error	Result	Flag	Error			
AMMONIA AS N	1.8			1.5			18.18		MG/L
CHLORIDE	8.1			7.7			5.06		MG/L
NITRATE/NITRITE AS N	8.3			7.5			10.13		MG/L
SULFATE	110			110			0		MG/L
URANIUM	6.2			6.7			7.75		UG/L
VANADIUM	53			52			1.90		UG/L

Certification

All laboratory analytical quality control criteria were met except as qualified in this report. The data qualifiers listed on the SEEPro database reports are defined on the last page of each report. All data in this package are considered validated and available for use.

Laboratory Coordinator: Steve Donivan 10-5-2009
Steve Donivan Date

Data Validation Lead: Gretchen Baer 10/5/09
Gretchen Baer Date

Attachment 1
Assessment of Anomalous Data

This page intentionally left blank

Potential Outliers Report

This page intentionally left blank

Potential Outliers Report

Potential outliers are measurements that are extremely large or small relative to the rest of the data and, therefore, are suspected of misrepresenting the population from which they were collected. Potential outliers may result from transcription errors, data-coding errors, or measurement system problems. However, outliers may also represent true extreme values of a distribution and indicate more variability in the population than was expected.

Statistical outlier tests give probabilistic evidence that an extreme value does not "fit" with the distribution of the remainder of the data and is therefore a statistical outlier. These tests should only be used to identify data points that require further investigation. The tests alone cannot determine whether a statistical outlier should be discarded or corrected within a data set.

There are three steps involved in identifying extreme values or outliers:

1. Identify extreme values that may be potential outliers by generating the Outliers Report using the Sample Management System from data in the SEEPro database. The application compares the new data set with historical data and lists the new data that fall outside the historical data range. A determination is also made if the data are normally distributed using the Shapiro-Wilk Test.
2. Apply the appropriate statistical test. Dixon's Extreme Value test is used to test for statistical outliers when the sample size is less than or equal to 25. This test considers both extreme values that are much smaller than the rest of the data (case 1) and extreme values that are much larger than the rest of the data (case 2). This test is valid only if the data without the suspected outlier are normally distributed. Rosner's Test is a parametric test that is used to detect outliers for sample sizes of 25 or more. This test also assumes that the data without the suspected outliers are normally distributed.
3. Scientifically review statistical outliers and decide on their disposition.

Four results were identified as potentially anomalous. The chloride and sulfate results for well 0602 were identified as potential outliers because of the low variability of the historical data. Chloride and sulfate have not been tested at 0602 since 2001; because the gap between the June 2009 data and the previous data is eight years, high or low points do not necessarily indicate errors in the data. The chloride result for location 0655 had a concentration lower than previously observed. Recent results for chloride indicate downward trending at this location. The uranium result for location 0619 had a concentration lower than previously observed. Examination of historical data shows that uranium results have been fluctuating seasonally but generally trending downward at this location since 2005. The results from this sampling event are acceptable as qualified.

This page intentionally left blank

Attachment 2

Data Presentation

This page intentionally left blank

Groundwater Quality Data

This page intentionally left blank

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0402 WELL Tribal Well No. 08-0643.

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)	Result	Qualifiers			Detection Limit	Uncertainty
						Lab	Data	QA		
Ammonia Total as N	mg/L	06/10/2009	0001	5.17 - 9.63	0.1	U	FQ	#	0.1	
Chloride	mg/L	06/10/2009	0001	5.17 - 9.63	12		FQ	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	0001	5.17 - 9.63	0.22		FQ	#	0.01	
Oxidation Reduction Potential	mV	06/10/2009	N001	5.17 - 9.63	21		FQ	#		
pH	s.u.	06/10/2009	N001	5.17 - 9.63	8.78		FQ	#		
Specific Conductance	umhos /cm	06/10/2009	N001	5.17 - 9.63	592		FQ	#		
Sulfate	mg/L	06/10/2009	0001	5.17 - 9.63	21		FQ	#	2.5	
Temperature	C	06/10/2009	N001	5.17 - 9.63	17.68		FQ	#		
Turbidity	NTU	06/10/2009	N001	5.17 - 9.63	21		FQ	#		
Uranium	mg/L	06/10/2009	0001	5.17 - 9.63	0.000021	B	UFQ	#	0.0000045	
Vanadium	mg/L	06/10/2009	0001	5.17 - 9.63	0.00014	U	FQ	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0602 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	19.5	- 29.5	0.1	U	F	#	0.1	
Chloride	mg/L	06/10/2009	N001	19.5	- 29.5	13		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	19.5	- 29.5	0.78		F	#	0.01	
Oxidation Reduction Potential	mV	06/10/2009	N001	19.5	- 29.5	30		F	#		
pH	s.u.	06/10/2009	N001	19.5	- 29.5	7.89		F	#		
Specific Conductance	umhos/cm	06/10/2009	N001	19.5	- 29.5	657		F	#		
Sulfate	mg/L	06/10/2009	N001	19.5	- 29.5	100		F	#	2.5	
Temperature	C	06/10/2009	N001	19.5	- 29.5	18.07		F	#		
Turbidity	NTU	06/10/2009	N001	19.5	- 29.5	3.91		F	#		
Uranium	mg/L	06/10/2009	N001	19.5	- 29.5	0.0036		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	19.5	- 29.5	0.00071		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0603 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	43	- 53	0.17		F	#	0.1	
Chloride	mg/L	06/10/2009	N001	43	- 53	12		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	43	- 53	0.39		F	#	0.01	
Oxidation Reduction Potential	mV	06/10/2009	N001	43	- 53	21		F	#		
pH	s.u.	06/10/2009	N001	43	- 53	7.96		F	#		
Specific Conductance	umhos /cm	06/10/2009	N001	43	- 53	633		F	#		
Sulfate	mg/L	06/10/2009	N001	43	- 53	110		F	#	2.5	
Temperature	C	06/10/2009	N001	43	- 53	16.31		F	#		
Turbidity	NTU	06/10/2009	N001	43	- 53	6.64		F	#		
Uranium	mg/L	06/10/2009	N001	43	- 53	0.003		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	43	- 53	0.00058		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0604 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	13	- 28	0.1	U	F	#	0.1	
Chloride	mg/L	06/09/2009	N001	13	- 28	10		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	13	- 28	0.065		F	#	0.01	
Oxidation Reduction Potential	mV	06/09/2009	N001	13	- 28	-98		F	#		
pH	s.u.	06/09/2009	N001	13	- 28	8.28		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	13	- 28	604		F	#		
Sulfate	mg/L	06/09/2009	N001	13	- 28	100		F	#	2.5	
Temperature	C	06/09/2009	N001	13	- 28	16.31		F	#		
Turbidity	NTU	06/09/2009	N001	13	- 28	9.09		F	#		
Uranium	mg/L	06/09/2009	N001	13	- 28	0.0022		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	13	- 28	0.0022		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0605 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	14	- 29	0.39		F	#	0.1	
Chloride	mg/L	06/09/2009	N001	14	- 29	18		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	14	- 29	0.01	U	F	#	0.01	
Oxidation Reduction Potential	mV	06/09/2009	N001	14	- 29	-163		F	#		
pH	s.u.	06/09/2009	N001	14	- 29	8.3		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	14	- 29	606		F	#		
Sulfate	mg/L	06/09/2009	N001	14	- 29	110		F	#	2.5	
Temperature	C	06/09/2009	N001	14	- 29	16.37		F	#		
Turbidity	NTU	06/09/2009	N001	14	- 29	3.33		F	#		
Uranium	mg/L	06/09/2009	N001	14	- 29	0.000075	B	UF	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	14	- 29	0.00014	B	F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0606 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	32	- 42	120		F	#	10	
Chloride	mg/L	06/09/2009	N001	32	- 42	18		F	#	2	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	32	- 42	230		F	#	2	
Oxidation Reduction Potential	mV	06/09/2009	N001	32	- 42	205		F	#		
pH	s.u.	06/09/2009	N001	32	- 42	7.13		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	32	- 42	2881		F	#		
Sulfate	mg/L	06/09/2009	N001	32	- 42	380		F	#	5	
Temperature	C	06/09/2009	N001	32	- 42	16.78		F	#		
Turbidity	NTU	06/09/2009	N001	32	- 42	3.06		F	#		
Uranium	mg/L	06/09/2009	N001	32	- 42	0.0082		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	32	- 42	0.00033		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0619 WELL Water Use Permit No. 92-082.

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)	Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/08/2009	N001	103.9 - 153.9	0.1	U	F	#	0.1	
Chloride	mg/L	06/08/2009	N001	103.9 - 153.9	4.8		F	#	0.2	
Nitrate + Nitrite as Nitrogen	mg/L	06/08/2009	N001	103.9 - 153.9	0.82		F	#	0.01	
Oxidation Reduction Potential	mV	06/08/2009	N001	103.9 - 153.9	103		F	#		
pH	s.u.	06/08/2009	N001	103.9 - 153.9	7.91		F	#		
Specific Conductance	umhos/cm	06/08/2009	N001	103.9 - 153.9	380		F	#		
Sulfate	mg/L	06/08/2009	N001	103.9 - 153.9	27		F	#	0.5	
Temperature	C	06/08/2009	N001	103.9 - 153.9	17.18		F	#		
Turbidity	NTU	06/08/2009	N001	103.9 - 153.9	1.79		F	#		
Uranium	mg/L	06/08/2009	N001	103.9 - 153.9	0.0066		F	#	0.0000045	
Vanadium	mg/L	06/08/2009	N001	103.9 - 153.9	0.021		F	#	0.00045	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0648 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	38.5	- 88.5	7.4		F	#	0.2	
Chloride	mg/L	06/10/2009	N001	38.5	- 88.5	25		F	#	4	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	38.5	- 88.5	57		F	#	0.5	
Oxidation Reduction Potential	mV	06/10/2009	N001	38.5	- 88.5	62		F	#		
pH	s.u.	06/10/2009	N001	38.5	- 88.5	7.57		F	#		
Specific Conductance	umhos /cm	06/10/2009	N001	38.5	- 88.5	2202		F	#		
Sulfate	mg/L	06/10/2009	N001	38.5	- 88.5	860		F	#	10	
Temperature	C	06/10/2009	N001	38.5	- 88.5	17.96		F	#		
Turbidity	NTU	06/10/2009	N001	38.5	- 88.5	2.13		F	#		
Uranium	mg/L	06/10/2009	N001	38.5	- 88.5	0.0097		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	38.5	- 88.5	0.011		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0650 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	77.5	- 97.5	0.1	U	F	#	0.1	
Chloride	mg/L	06/09/2009	N001	77.5	- 97.5	12		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	77.5	- 97.5	1.3		F	#	0.01	
Oxidation Reduction Potential	mV	06/09/2009	N001	77.5	- 97.5	55		F	#		
pH	s.u.	06/09/2009	N001	77.5	- 97.5	8.32		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	77.5	- 97.5	616		F	#		
Sulfate	mg/L	06/09/2009	N001	77.5	- 97.5	95		F	#	2.5	
Temperature	C	06/09/2009	N001	77.5	- 97.5	17.17		F	#		
Turbidity	NTU	06/09/2009	N001	77.5	- 97.5	1.96		F	#		
Uranium	mg/L	06/09/2009	N001	77.5	- 97.5	0.0021		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	77.5	- 97.5	0.004		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0651 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	20	- 80	0.1	U	F	#	0.1	
Chloride	mg/L	06/10/2009	N001	20	- 80	11		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	20	- 80	0.12		F	#	0.01	
Oxidation Reduction Potential	mV	06/10/2009	N001	20	- 80	35		F	#		
pH	s.u.	06/10/2009	N001	20	- 80	8.37		F	#		
Specific Conductance	umhos /cm	06/10/2009	N001	20	- 80	634		F	#		
Sulfate	mg/L	06/10/2009	N001	20	- 80	110		F	#	2.5	
Temperature	C	06/10/2009	N001	20	- 80	17.18		F	#		
Turbidity	NTU	06/10/2009	N001	20	- 80	9.98		F	#		
Uranium	mg/L	06/10/2009	N001	20	- 80	0.0021		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	20	- 80	0.012		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0652 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	34	- 54	0.1	U	F	#	0.1	
Chloride	mg/L	06/10/2009	N001	34	- 54	14		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	34	- 54	4.4		F	#	0.05	
Oxidation Reduction Potential	mV	06/10/2009	N001	34	- 54	44		F	#		
pH	s.u.	06/10/2009	N001	34	- 54	8.09		F	#		
Specific Conductance	umhos /cm	06/10/2009	N001	34	- 54	559		F	#		
Sulfate	mg/L	06/10/2009	N001	34	- 54	60		F	#	2.5	
Temperature	C	06/10/2009	N001	34	- 54	17.47		F	#		
Turbidity	NTU	06/10/2009	N001	34	- 54	2.12		F	#		
Uranium	mg/L	06/10/2009	N001	34	- 54	0.0042		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	34	- 54	0.012		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0653 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	56	- 76	0.1	U	F	#	0.1	
Chloride	mg/L	06/10/2009	N001	56	- 76	26		F	#	4	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	56	- 76	43		F	#	0.5	
Oxidation Reduction Potential	mV	06/10/2009	N001	56	- 76	51		F	#		
pH	s.u.	06/10/2009	N001	56	- 76	7.55		F	#		
Specific Conductance	umhos /cm	06/10/2009	N001	56	- 76	2498		F	#		
Sulfate	mg/L	06/10/2009	N001	56	- 76	1100		F	#	10	
Temperature	C	06/10/2009	N001	56	- 76	17.2		F	#		
Turbidity	NTU	06/10/2009	N001	56	- 76	2.18		F	#		
Uranium	mg/L	06/10/2009	N001	56	- 76	0.0095		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	56	- 76	0.008		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0655 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	38	- 58	170		F	#	10	
Ammonia Total as N	mg/L	06/09/2009	N002	38	- 58	180		F	#	10	
Chloride	mg/L	06/09/2009	N001	38	- 58	17		F	#	4	
Chloride	mg/L	06/09/2009	N002	38	- 58	17		F	#	4	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	38	- 58	150		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N002	38	- 58	160		F	#	1	
Oxidation Reduction Potential	mV	06/09/2009	N001	38	- 58	169		F	#		
pH	s.u.	06/09/2009	N001	38	- 58	7.32		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	38	- 58	3588		F	#		
Sulfate	mg/L	06/09/2009	N001	38	- 58	1000		F	#	10	
Sulfate	mg/L	06/09/2009	N002	38	- 58	1000		F	#	10	
Temperature	C	06/09/2009	N001	38	- 58	17.11		F	#		
Turbidity	NTU	06/09/2009	N001	38	- 58	2.54		F	#		
Uranium	mg/L	06/09/2009	N001	38	- 58	0.013		F	#	0.0000045	
Uranium	mg/L	06/09/2009	N002	38	- 58	0.014		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	38	- 58	0.0063		F	#	0.00014	
Vanadium	mg/L	06/09/2009	N002	38	- 58	0.0063		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0656 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	38	- 58	46		F	#	5	
Chloride	mg/L	06/09/2009	N001	38	- 58	13		F	#	2	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	38	- 58	20		F	#	0.1	
Oxidation Reduction Potential	mV	06/09/2009	N001	38	- 58	132		F	#		
pH	s.u.	06/09/2009	N001	38	- 58	7.87		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	38	- 58	1025		F	#		
Sulfate	mg/L	06/09/2009	N001	38	- 58	160		F	#	5	
Temperature	C	06/09/2009	N001	38	- 58	16.78		F	#		
Turbidity	NTU	06/09/2009	N001	38	- 58	2.45		F	#		
Uranium	mg/L	06/09/2009	N001	38	- 58	0.0054		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	38	- 58	0.0013		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0657 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/08/2009	N001	121	- 136	0.1	U	F	#	0.1	
Chloride	mg/L	06/08/2009	N001	121	- 136	7.2		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/08/2009	N001	121	- 136	4.3		F	#	0.05	
Oxidation Reduction Potential	mV	06/08/2009	N001	121	- 136	109		F	#		
pH	s.u.	06/08/2009	N001	121	- 136	7.63		F	#		
Specific Conductance	umhos/cm	06/08/2009	N001	121	- 136	656		F	#		
Sulfate	mg/L	06/08/2009	N001	121	- 136	140		F	#	2.5	
Temperature	C	06/08/2009	N001	121	- 136	18.47		F	#		
Turbidity	NTU	06/08/2009	N001	121	- 136	2.52		F	#		
Uranium	mg/L	06/08/2009	N001	121	- 136	0.12		F	#	0.000022	
Vanadium	mg/L	06/08/2009	N001	121	- 136	0.058		F	#	0.00045	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0662 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/08/2009	N001	37.5	- 67.5	0.1	U	F	#	0.1	
Chloride	mg/L	06/08/2009	N001	37.5	- 67.5	12		F	#	2	
Nitrate + Nitrite as Nitrogen	mg/L	06/08/2009	N001	37.5	- 67.5	24		F	#	0.2	
Oxidation Reduction Potential	mV	06/08/2009	N001	37.5	- 67.5	116		F	#		
pH	s.u.	06/08/2009	N001	37.5	- 67.5	7.35		F	#		
Specific Conductance	umhos /cm	06/08/2009	N001	37.5	- 67.5	1099		F	#		
Sulfate	mg/L	06/08/2009	N001	37.5	- 67.5	310		F	#	5	
Temperature	C	06/08/2009	N001	37.5	- 67.5	17.37		F	#		
Turbidity	NTU	06/08/2009	N001	37.5	- 67.5	1.85		F	#		
Uranium	mg/L	06/08/2009	N001	37.5	- 67.5	0.085		F	#	0.000022	
Vanadium	mg/L	06/08/2009	N001	37.5	- 67.5	0.027		F	#	0.00045	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0669 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	34	- 54	1.8		F	#	0.1	
Ammonia Total as N	mg/L	06/09/2009	N002	34	- 54	1.5		F	#	0.1	
Chloride	mg/L	06/09/2009	N001	34	- 54	8.1		F	#	1	
Chloride	mg/L	06/09/2009	N002	34	- 54	7.7		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	34	- 54	8.3		F	#	0.05	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N002	34	- 54	7.5		F	#	0.05	
Oxidation Reduction Potential	mV	06/09/2009	N001	34	- 54	99		F	#		
pH	s.u.	06/09/2009	N001	34	- 54	7.64		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	34	- 54	652		F	#		
Sulfate	mg/L	06/09/2009	N001	34	- 54	110		F	#	2.5	
Sulfate	mg/L	06/09/2009	N002	34	- 54	110		F	#	2.5	
Temperature	C	06/09/2009	N001	34	- 54	20.97		F	#		
Turbidity	NTU	06/09/2009	N001	34	- 54	3.01		F	#		
Uranium	mg/L	06/09/2009	N001	34	- 54	0.0062		F	#	0.000045	
Uranium	mg/L	06/09/2009	N002	34	- 54	0.0067		F	#	0.000045	
Vanadium	mg/L	06/09/2009	N001	34	- 54	0.053		F	#	0.00045	
Vanadium	mg/L	06/09/2009	N002	34	- 54	0.052		F	#	0.00045	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0711 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	25.5	- 30.5	0.1	U	F	#	0.1	
Chloride	mg/L	06/10/2009	N001	25.5	- 30.5	14		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	25.5	- 30.5	0.56		F	#	0.01	
Oxidation Reduction Potential	mV	06/10/2009	N001	25.5	- 30.5	31		F	#		
pH	s.u.	06/10/2009	N001	25.5	- 30.5	7.94		F	#		
Specific Conductance	umhos /cm	06/10/2009	N001	25.5	- 30.5	696		F	#		
Sulfate	mg/L	06/10/2009	N001	25.5	- 30.5	120		F	#	2.5	
Temperature	C	06/10/2009	N001	25.5	- 30.5	17.1		F	#		
Turbidity	NTU	06/10/2009	N001	25.5	- 30.5	7.07		F	#		
Uranium	mg/L	06/10/2009	N001	25.5	- 30.5	0.0038		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	25.5	- 30.5	0.0012		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0715 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	16	- 21	0.1	U	F	#	0.1	
Chloride	mg/L	06/10/2009	N001	16	- 21	93		F	#	4	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	16	- 21	0.76		F	#	0.01	
Oxidation Reduction Potential	mV	06/10/2009	N001	16	- 21	29		F	#		
pH	s.u.	06/10/2009	N001	16	- 21	7.97		F	#		
Specific Conductance	umhos/cm	06/10/2009	N001	16	- 21	531		F	#		
Sulfate	mg/L	06/10/2009	N001	16	- 21	710		F	#	10	
Temperature	C	06/10/2009	N001	16	- 21	16.11		F	#		
Turbidity	NTU	06/10/2009	N001	16	- 21	4.44		F	#		
Uranium	mg/L	06/10/2009	N001	16	- 21	0.0029		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	16	- 21	0.00067		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0719 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)	Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	19.35 - 24.35	0.1	U	F	#	0.1	
Chloride	mg/L	06/10/2009	N001	19.35 - 24.35	15		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	19.35 - 24.35	0.83		F	#	0.01	
Oxidation Reduction Potential	mV	06/10/2009	N001	19.35 - 24.35	31		F	#		
pH	s.u.	06/10/2009	N001	19.35 - 24.35	7.89		F	#		
Specific Conductance	umhos /cm	06/10/2009	N001	19.35 - 24.35	730		F	#		
Sulfate	mg/L	06/10/2009	N001	19.35 - 24.35	120		F	#	2.5	
Temperature	C	06/10/2009	N001	19.35 - 24.35	17		F	#		
Turbidity	NTU	06/10/2009	N001	19.35 - 24.35	3.06		F	#		
Uranium	mg/L	06/10/2009	N001	19.35 - 24.35	0.0038		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	19.35 - 24.35	0.0042		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0727 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	23.73	- 28.78	0.1	U	F	#	0.1	
Chloride	mg/L	06/10/2009	N001	23.73	- 28.78	11		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	23.73	- 28.78	0.87		F	#	0.01	
Oxidation Reduction Potential	mV	06/10/2009	N001	23.73	- 28.78	30		F	#		
pH	s.u.	06/10/2009	N001	23.73	- 28.78	7.96		F	#		
Specific Conductance	umhos/cm	06/10/2009	N001	23.73	- 28.78	594		F	#		
Sulfate	mg/L	06/10/2009	N001	23.73	- 28.78	90		F	#	2.5	
Temperature	C	06/10/2009	N001	23.73	- 28.78	16.91		F	#		
Turbidity	NTU	06/10/2009	N001	23.73	- 28.78	6.33		F	#		
Uranium	mg/L	06/10/2009	N001	23.73	- 28.78	0.002		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	23.73	- 28.78	0.0023		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0760 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	0001	55	- 75	0.1	U	FQ	#	0.1	
Chloride	mg/L	06/09/2009	0001	55	- 75	9.1		FQ	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	0001	55	- 75	0.025		FQ	#	0.01	
Oxidation Reduction Potential	mV	06/09/2009	N001	55	- 75	-106		FQ	#		
pH	s.u.	06/09/2009	N001	55	- 75	8.27		FQ	#		
Specific Conductance	umhos /cm	06/09/2009	N001	55	- 75	523		FQ	#		
Sulfate	mg/L	06/09/2009	0001	55	- 75	84		FQ	#	2.5	
Temperature	C	06/09/2009	N001	55	- 75	18		FQ	#		
Turbidity	NTU	06/09/2009	N001	55	- 75	23.9		FQ	#		
Uranium	mg/L	06/09/2009	0001	55	- 75	0.00024		FQ	#	0.0000045	
Vanadium	mg/L	06/09/2009	0001	55	- 75	0.00014	U	FQ	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0761 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	39	- 49	0.1	U	F	#	0.1	
Chloride	mg/L	06/09/2009	N001	39	- 49	14		F	#	4	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	39	- 49	34		F	#	0.2	
Oxidation Reduction Potential	mV	06/09/2009	N001	39	- 49	81		F	#		
pH	s.u.	06/09/2009	N001	39	- 49	7.37		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	39	- 49	1416		F	#		
Sulfate	mg/L	06/09/2009	N001	39	- 49	460		F	#	10	
Temperature	C	06/09/2009	N001	39	- 49	17.61		F	#		
Turbidity	NTU	06/09/2009	N001	39	- 49	5.07		F	#		
Uranium	mg/L	06/09/2009	N001	39	- 49	0.03		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	39	- 49	0.0017		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0762 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	29	- 49	0.1	U	F	#	0.1	
Chloride	mg/L	06/09/2009	N001	29	- 49	61		F	#	10	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	29	- 49	100		F	#	1	
Oxidation Reduction Potential	mV	06/09/2009	N001	29	- 49	78		F	#		
pH	s.u.	06/09/2009	N001	29	- 49	7.55		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	29	- 49	3655		F	#		
Sulfate	mg/L	06/09/2009	N001	29	- 49	1400		F	#	25	
Temperature	C	06/09/2009	N001	29	- 49	17.27		F	#		
Turbidity	NTU	06/09/2009	N001	29	- 49	4.22		F	#		
Uranium	mg/L	06/09/2009	N001	29	- 49	0.011		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	29	- 49	0.0075		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0764 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	47	- 52	0.1	U	FQ	#	0.1	
Chloride	mg/L	06/09/2009	N001	47	- 52	11		FQ	#	2	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	47	- 52	42		FQ	#	0.5	
Oxidation Reduction Potential	mV	06/09/2009	N001	47	- 52	79		FQ	#		
pH	s.u.	06/09/2009	N001	47	- 52	7.7		FQ	#		
Specific Conductance	umhos /cm	06/09/2009	N001	47	- 52	1224		FQ	#		
Sulfate	mg/L	06/09/2009	N001	47	- 52	300		FQ	#	5	
Temperature	C	06/09/2009	N001	47	- 52	19.95		FQ	#		
Turbidity	NTU	06/09/2009	N001	47	- 52	4.51		FQ	#		
Uranium	mg/L	06/09/2009	N001	47	- 52	0.013		FQ	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	47	- 52	0.016		FQ	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0765 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/10/2009	N001	58.6	- 88.7	120		F	#	10	
Chloride	mg/L	06/10/2009	N001	58.6	- 88.7	16		F	#	2	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	N001	58.6	- 88.7	120		F	#	1	
Oxidation Reduction Potential	mV	06/10/2009	N001	58.6	- 88.7	75		F	#		
pH	s.u.	06/10/2009	N001	58.6	- 88.7	7.45		F	#		
Specific Conductance	umhos /cm	06/10/2009	N001	58.6	- 88.7	2558		F	#		
Sulfate	mg/L	06/10/2009	N001	58.6	- 88.7	600		F	#	5	
Temperature	C	06/10/2009	N001	58.6	- 88.7	19.92		F	#		
Turbidity	NTU	06/10/2009	N001	58.6	- 88.7	2.79		F	#		
Uranium	mg/L	06/10/2009	N001	58.6	- 88.7	0.01		F	#	0.0000045	
Vanadium	mg/L	06/10/2009	N001	58.6	- 88.7	0.007		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0766 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	47.2	- 57.2	140		F	#	10	
Chloride	mg/L	06/09/2009	N001	47.2	- 57.2	35		F	#	4	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	47.2	- 57.2	120		F	#	1	
Oxidation Reduction Potential	mV	06/09/2009	N001	47.2	- 57.2	139		F	#		
pH	s.u.	06/09/2009	N001	47.2	- 57.2	7.52		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	47.2	- 57.2	2594		F	#		
Sulfate	mg/L	06/09/2009	N001	47.2	- 57.2	1000		F	#	10	
Temperature	C	06/09/2009	N001	47.2	- 57.2	17.32		F	#		
Turbidity	NTU	06/09/2009	N001	47.2	- 57.2	7.72		F	#		
Uranium	mg/L	06/09/2009	N001	47.2	- 57.2	0.011		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	47.2	- 57.2	0.0052		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0767 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	43.5	- 63.5	0.1	U	F	#	0.1	
Chloride	mg/L	06/09/2009	N001	43.5	- 63.5	5		F	#	0.2	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	43.5	- 63.5	0.01	U	F	#	0.01	
Oxidation Reduction Potential	mV	06/09/2009	N001	43.5	- 63.5	-111		F	#		
pH	s.u.	06/09/2009	N001	43.5	- 63.5	8.04		F	#		
Specific Conductance	umhos/cm	06/09/2009	N001	43.5	- 63.5	401		F	#		
Sulfate	mg/L	06/09/2009	N001	43.5	- 63.5	31		F	#	0.5	
Temperature	C	06/09/2009	N001	43.5	- 63.5	17.68		F	#		
Turbidity	NTU	06/09/2009	N001	43.5	- 63.5	2.43		F	#		
Uranium	mg/L	06/09/2009	N001	43.5	- 63.5	0.00067		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	43.5	- 63.5	0.00014	U	F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0768 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	24.4	- 44.4	0.47		F	#	0.1	
Chloride	mg/L	06/09/2009	N001	24.4	- 44.4	14		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	24.4	- 44.4	0.01	U	F	#	0.01	
Oxidation Reduction Potential	mV	06/09/2009	N001	24.4	- 44.4	-183		F	#		
pH	s.u.	06/09/2009	N001	24.4	- 44.4	8.25		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	24.4	- 44.4	512		F	#		
Sulfate	mg/L	06/09/2009	N001	24.4	- 44.4	82		F	#	2.5	
Temperature	C	06/09/2009	N001	24.4	- 44.4	16.79		F	#		
Turbidity	NTU	06/09/2009	N001	24.4	- 44.4	9.7		F	#		
Uranium	mg/L	06/09/2009	N001	24.4	- 44.4	0.000088	B	UF	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	24.4	- 44.4	0.00028	B	F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0770 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	54.9	- 64.9	33		F	#	5	
Chloride	mg/L	06/09/2009	N001	54.9	- 64.9	13		F	#	2	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	54.9	- 64.9	19		F	#	0.2	
Oxidation Reduction Potential	mV	06/09/2009	N001	54.9	- 64.9	127		F	#		
pH	s.u.	06/09/2009	N001	54.9	- 64.9	7.66		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	54.9	- 64.9	1044		F	#		
Sulfate	mg/L	06/09/2009	N001	54.9	- 64.9	190		F	#	5	
Temperature	C	06/09/2009	N001	54.9	- 64.9	16.87		F	#		
Turbidity	NTU	06/09/2009	N001	54.9	- 64.9	2.79		F	#		
Uranium	mg/L	06/09/2009	N001	54.9	- 64.9	0.0058		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	54.9	- 64.9	0.00062		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0771 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	57.4	- 77.4	240		F	#	10	
Chloride	mg/L	06/09/2009	N001	57.4	- 77.4	18		F	#	4	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	57.4	- 77.4	180		F	#	1	
Oxidation Reduction Potential	mV	06/09/2009	N001	57.4	- 77.4	187		F	#		
pH	s.u.	06/09/2009	N001	57.4	- 77.4	7.34		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	57.4	- 77.4	4407		F	#		
Sulfate	mg/L	06/09/2009	N001	57.4	- 77.4	1400		F	#	10	
Temperature	C	06/09/2009	N001	57.4	- 77.4	17.31		F	#		
Turbidity	NTU	06/09/2009	N001	57.4	- 77.4	2.31		F	#		
Uranium	mg/L	06/09/2009	N001	57.4	- 77.4	0.014		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	57.4	- 77.4	0.0078		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0772 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/08/2009	N001	7.4	- 27.4	3.4		F	#	0.1	
Chloride	mg/L	06/08/2009	N001	7.4	- 27.4	13		F	#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/08/2009	N001	7.4	- 27.4	1.1		F	#	0.01	
Oxidation Reduction Potential	mV	06/08/2009	N001	7.4	- 27.4	82		F	#		
pH	s.u.	06/08/2009	N001	7.4	- 27.4	7.85		F	#		
Specific Conductance	umhos /cm	06/08/2009	N001	7.4	- 27.4	697		F	#		
Sulfate	mg/L	06/08/2009	N001	7.4	- 27.4	110		F	#	2.5	
Temperature	C	06/08/2009	N001	7.4	- 27.4	15.88		F	#		
Turbidity	NTU	06/08/2009	N001	7.4	- 27.4	3.18		F	#		
Uranium	mg/L	06/08/2009	N001	7.4	- 27.4	0.007		F	#	0.0000045	
Vanadium	mg/L	06/08/2009	N001	7.4	- 27.4	0.013		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0774 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/08/2009	N001	45	- 55	0.1	U	F	#	0.1	
Chloride	mg/L	06/08/2009	N001	45	- 55	4.8		F	#	0.2	
Nitrate + Nitrite as Nitrogen	mg/L	06/08/2009	N001	45	- 55	1		F	#	0.01	
Oxidation Reduction Potential	mV	06/08/2009	N001	45	- 55	114		F	#		
pH	s.u.	06/08/2009	N001	45	- 55	7.79		F	#		
Specific Conductance	umhos /cm	06/08/2009	N001	45	- 55	391		F	#		
Sulfate	mg/L	06/08/2009	N001	45	- 55	32		F	#	0.5	
Temperature	C	06/08/2009	N001	45	- 55	18.35		F	#		
Turbidity	NTU	06/08/2009	N001	45	- 55	3.9		F	#		
Uranium	mg/L	06/08/2009	N001	45	- 55	0.038		F	#	0.0000045	
Vanadium	mg/L	06/08/2009	N001	45	- 55	0.02		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0775 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/09/2009	N001	142	- 167	0.1	U	F	#	0.1	
Chloride	mg/L	06/09/2009	N001	142	- 167	5		F	#	0.2	
Nitrate + Nitrite as Nitrogen	mg/L	06/09/2009	N001	142	- 167	0.59		F	#	0.01	
Oxidation Reduction Potential	mV	06/09/2009	N001	142	- 167	77		F	#		
pH	s.u.	06/09/2009	N001	142	- 167	7.92		F	#		
Specific Conductance	umhos /cm	06/09/2009	N001	142	- 167	390		F	#		
Sulfate	mg/L	06/09/2009	N001	142	- 167	24		F	#	0.5	
Temperature	C	06/09/2009	N001	142	- 167	19.07		F	#		
Turbidity	NTU	06/09/2009	N001	142	- 167	2.48		F	#		
Uranium	mg/L	06/09/2009	N001	142	- 167	0.003		F	#	0.0000045	
Vanadium	mg/L	06/09/2009	N001	142	- 167	0.0006		F	#	0.00014	

Groundwater Quality Data by Location (USEE100) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0776 WELL

Parameter	Units	Sample Date	Sample ID	Depth Range (Ft BLS)		Result	Lab	Qualifiers Data	QA	Detection Limit	Uncertainty
Ammonia Total as N	mg/L	06/08/2009	N001	99.5	- 149.5	0.1	U	F	#	0.1	
Chloride	mg/L	06/08/2009	N001	99.5	- 149.5	4.9		F	#	0.2	
Nitrate + Nitrite as Nitrogen	mg/L	06/08/2009	N001	99.5	- 149.5	0.75		F	#	0.01	
Oxidation Reduction Potential	mV	06/08/2009	N001	99.5	- 149.5	124		F	#		
pH	s.u.	06/08/2009	N001	99.5	- 149.5	7.85		F	#		
Specific Conductance	umhos /cm	06/08/2009	N001	99.5	- 149.5	388		F	#		
Sulfate	mg/L	06/08/2009	N001	99.5	- 149.5	29		F	#	0.5	
Temperature	C	06/08/2009	N001	99.5	- 149.5	17.35		F	#		
Turbidity	NTU	06/08/2009	N001	99.5	- 149.5	2.35		F	#		
Uranium	mg/L	06/08/2009	N001	99.5	- 149.5	0.0086		F	#	0.0000045	
Vanadium	mg/L	06/08/2009	N001	99.5	- 149.5	0.016		F	#	0.00014	

SAMPLE ID CODES: 000X = Filtered sample (0.45 µm). N00X = Unfiltered sample. X = replicate number.

LAB QUALIFIERS:

- * Replicate analysis not within control limits.
- > Result above upper detection limit.
- A TIC is a suspected aldol-condensation product.
- B Inorganic: Result is between the IDL and CRDL. Organic: Analyte also found in method blank.
- C Pesticide result confirmed by GC-MS.
- D Analyte determined in diluted sample.
- E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
- H Holding time expired, value suspect.
- I Increased detection limit due to required dilution.

J Estimated
N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
P > 25% difference in detected pesticide or Aroclor concentrations between 2 columns.
U Analytical result below detection limit.
W Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.
X,Y,Z Laboratory defined qualifier, see case narrative.

DATA QUALIFIERS:

F	Low flow sampling method used.	G	Possible grout contamination, pH > 9.	J	Estimated value.
L	Less than 3 bore volumes purged prior to sampling.	Q	Qualitative result due to sampling technique.	R	Unusable result.
U	Parameter analyzed for but was not detected.	X	Location is undefined.		

QA QUALIFIER:

Validated according to quality assurance guidelines.

Surface Water Quality Data

This page intentionally left blank

Surface Water Quality Data by Location (USEE102) FOR SITE MON01, Monument Valley Processing Site

REPORT DATE: 9/22/2009

Location: 0623 SURFACE LOCATION

Parameter	Units	Sample		Result	Qualifiers			Detection Limit	Uncertainty
		Date	ID		Lab	Data	QA		
Ammonia Total as N	mg/L	06/10/2009	0001	0.1	U		#	0.1	
Chloride	mg/L	06/10/2009	0001	9.1			#	1	
Nitrate + Nitrite as Nitrogen	mg/L	06/10/2009	0001	0.01	U		#	0.01	
Oxidation Reduction Potential	mV	06/10/2009	N001	104			#		
pH	s.u.	06/10/2009	N001	7.99			#		
Specific Conductance	umhos/cm	06/10/2009	N001	666			#		
Sulfate	mg/L	06/10/2009	0001	35			#	2.5	
Temperature	C	06/10/2009	N001	20.79			#		
Turbidity	NTU	06/10/2009	N001	15			#		
Uranium	mg/L	06/10/2009	0001	0.00065			#	0.000045	
Vanadium	mg/L	06/10/2009	0001	0.001			#	0.00014	

SAMPLE ID CODES: 000X = Filtered sample (0.45 µm). N00X = Unfiltered sample. X = replicate number.

LAB QUALIFIERS:

- * Replicate analysis not within control limits.
- > Result above upper detection limit.
- A TIC is a suspected aldol-condensation product.
- B Inorganic: Result is between the IDL and CRDL. Organic: Analyte also found in method blank.
- C Pesticide result confirmed by GC-MS.
- D Analyte determined in diluted sample.
- E Inorganic: Estimate value because of interference, see case narrative. Organic: Analyte exceeded calibration range of the GC-MS.
- H Holding time expired, value suspect.
- I Increased detection limit due to required dilution.
- J Estimated
- N Inorganic or radiochemical: Spike sample recovery not within control limits. Organic: Tentatively identified compound (TIC).
- P > 25% difference in detected pesticide or Aroclor concentrations between 2 columns.
- U Analytical result below detection limit.

W Post-digestion spike outside control limits while sample absorbance < 50% of analytical spike absorbance.
X,Y,Z Laboratory defined qualifier, see case narrative.

DATA QUALIFIERS:

F	Low flow sampling method used.	G	Possible grout contamination, pH > 9.	J	Estimated value.
L	Less than 3 bore volumes purged prior to sampling.	Q	Qualitative result due to sampling technique.	R	Unusable result.
U	Parameter analyzed for but was not detected.	X	Location is undefined.		

QA QUALIFIER:

Validated according to quality assurance guidelines.

Static Water Level Data

This page intentionally left blank

STATIC WATER LEVELS (USEE700) FOR SITE MON01, Monument Valley Processing Site
REPORT DATE: 9/22/2009

Location Code	Flow Code	Top of Casing Elevation (Ft)	Measurement Date	Measurement Time	Depth From Top of Casing (Ft)	Water Elevation (Ft)	Water Level Flag
0402	U	4840.3	06/10/2009	12:10:28	4.95	4835.35	
0602	U	4864.43	06/10/2009	11:05:09	9.83	4854.6	
0603	U	4849.41	06/10/2009	08:30:58	11.7	4837.71	
0604	C	4840.42	06/09/2009	18:55:40	9.77	4830.65	
0605	C	4835.07	06/09/2009	18:35:34	11.19	4823.88	
0606	D	4864.73	06/09/2009	08:50:57	36.91	4827.82	
0619	O	4888.63	06/08/2009	18:15:00	59.95	4828.68	
0648	N	4835.14	06/10/2009	15:05:41	34.71	4800.43	
0650	D	4794.28	06/09/2009	16:25:02	20.38	4773.9	
0651	C	4787.88	06/10/2009	13:50:34	9.89	4777.99	
0652	C	4808.93	06/10/2009	13:10:30	19.05	4789.88	
0653	D	4837.08	06/10/2009	14:50:03	36.55	4800.53	
0655	D	4862.06	06/09/2009	10:00:05	40.99	4821.07	
0656	D	4856.33	06/09/2009	11:00:32	38.51	4817.82	
0657	O	4878.99	06/08/2009	19:05:18	52.73	4826.26	
0662	D	4878.56	06/08/2009	18:40:33	52	4826.56	
0669	D	4867.19	06/09/2009	12:45:58	50.98	4816.21	
0711			06/10/2009	08:55:20	11.88		
0715			06/10/2009	09:20:51	11.22		
0719			06/10/2009	10:30:51	12.69		
0727			06/10/2009	10:10:29	14.62		
0760	D	4814.8	06/09/2009	17:05:10	25.83	4788.97	
0761	D	4835.02	06/09/2009	15:20:56	43.39	4791.63	
0762	D	4820.74	06/09/2009	15:55:25	32.75	4787.99	
0764	D	4851.53	06/09/2009	19:15:27	50.24	4801.29	
0765	D	4848.45	06/10/2009	15:40:19	36.78	4811.67	
0766	D	4847.97	06/09/2009	11:55:41	37.31	4810.66	
0767	D	4808.25	06/09/2009	17:40:57	7.16	4801.09	
0768	D	4820.73	06/09/2009	18:10:33	14.59	4806.14	

STATIC WATER LEVELS (USEE700) FOR SITE MON01, Monument Valley Processing Site
REPORT DATE: 9/22/2009

Location Code	Flow Code	Top of Casing Elevation (Ft)	Measurement Date	Measurement Time	Depth From Top of Casing (Ft)	Water Elevation (Ft)	Water Level Flag
0770	D	4857.26	06/09/2009	11:25:47	34.32	4822.94	
0771	D	4863.26	06/09/2009	09:25:38	42.96	4820.3	
0772	O	4847.6	06/08/2009	19:40:17	12.71	4834.89	
0774	O	4880.14	06/08/2009	17:45:28	51.78	4828.36	
0775	D	4879.68	06/09/2009	14:25:05	53.27	4826.41	
0776	O	4883.33	06/08/2009	17:15:56	55.66	4827.67	


FLOW CODES: B BACKGROUND C CROSS GRADIENT D DOWN GRADIENT F OFF SITE
 N UNKNOWN O ON SITE U UPGRADIENT

WATER LEVEL FLAGS: D Dry F FLOWING


Time-Concentration Graphs

This page intentionally left blank


Monument Valley Processing Site Ammonia Total as N Concentration




Monument Valley Processing Site Ammonia Total as N Concentration




Monument Valley Processing Site Ammonia Total as N Concentration




Monument Valley Processing Site Chloride Concentration




Monument Valley Processing Site Chloride Concentration




Monument Valley Processing Site Chloride Concentration




Monument Valley Processing Site
Nitrate + Nitrite as Nitrogen Concentration
Maximum Concentration Limit = 10.0 mg/L




Monument Valley Processing Site
Nitrate + Nitrite as Nitrogen Concentration
Maximum Concentration Limit = 10.0 mg/L




Monument Valley Processing Site
Nitrate + Nitrite as Nitrogen Concentration
Maximum Concentration Limit = 10.0 mg/L




**Monument Valley Processing Site
Sulfate Concentration
Proposed Cleanup Standard = 250 mg/L**




**Monument Valley Processing Site
Sulfate Concentration
Proposed Cleanup Standard = 250 mg/L**




**Monument Valley Processing Site
Sulfate Concentration
Proposed Cleanup Standard = 250 mg/L**




Monument Valley Processing Site
Uranium Concentration
Maximum Concentration Limit = 0.044 mg/L



Monument Valley Processing Site
Uranium Concentration
Maximum Concentration Limit = 0.044 mg/L




Monument Valley Processing Site
Uranium Concentration
Maximum Concentration Limit = 0.044 mg/L




Monument Valley Processing Site Vanadium Concentration



Monument Valley Processing Site Vanadium Concentration



Monument Valley Processing Site Vanadium Concentration



Attachment 3
Sampling and Analysis Work Order

This page intentionally left blank



established 1959

Task Order LM00-501
Control Number 09-0748

May 12, 2009

U.S. Department of Energy
Office of Legacy Management
ATTN: Richard Bush
Site Manager
2597 B ¼ Road
Grand Junction, CO 81503

SUBJECT: Contract No. DE-AM01-07LM00060, Stoller
June 2009 Environmental Sampling at the Monument Valley, Arizona,
Processing Site

REFERENCE: Task Order LM-501-02-114-402, Monument Valley, AZ, Processing Site

Dear Mr. Bush:

The purpose of this letter is to inform you of the upcoming sampling event at Monument Valley, Arizona. Enclosed are the map and tables specifying sample locations and analytes for monitoring at the Monument Valley processing site. Water quality data will be collected from monitor wells at this site as part of the routine environmental sampling currently scheduled to begin the week of June 8, 2009.

The following lists show the monitor wells (with zone of completion) and surface locations scheduled to be sampled during this event.

Monitor Wells*

402 Al	617 Al	653 Al	669 Al	760 Al	766 Al	772 Al
602 Al	619 Dc	655 Al	711 Nr	761 Al	767 Al	774 Al
603 Al	648 Al	656 Al	715 Nr	762 Al	768 Al	775 Dc
604 Al	650 Al	657 Dc	719 Nr	764 Al	770 Al	776 Dc
605 Al	651 Al	662 Al	727 Nr	765 Al	771 Al	777 Al
606 Al	652 Al					

*NOTE: Al = Alluvium; Dc = Dechelley Member of the Cutler Formation; Nr = no recovery of data for classifying

Surface Location

623


The S.M. Stoller Corporation 2597 B ¼ Road Grand Junction, CO 81503 (970) 248-6000 Fax: (970) 248-6040

Richard Bush
Control Number 09-0748
Page 2

All samples will be collected as directed in the *Sampling and Analysis Plan for U.S. Department of Energy Office of Legacy Management Sites*. Access agreements are covered under the cooperative agreement.

Please call me at (970) 248-6652, if you have any questions.

Sincerely,



David E. Miller
Site Lead

DEM/lcg/lb

Enclosures (3)

cc: (electronic)

Steve Donovan, Stoller
Lauren Goodnight, Stoller
Dave Miller, Stoller
EDD Delivery
rc-grand.junction

Constituent Sampling Breakdown

Site	Monument Valley		Required Detection Limit (mg/L)	Analytical Method	Line Item Code
Analyte	Groundwater	Surface Water			
Approx. No. Samples/yr	38	0			
<i>Field Measurements</i>					
Alkalinity					
Dissolved Oxygen					
Redox Potential	X				
pH	X				
Specific Conductance	X				
Turbidity	X				
Temperature	X				
<i>Laboratory Measurements</i>					
Aluminum					
Ammonia as N (NH3-N)	X		0.1	EPA 350.1	WCH-A-005
Calcium					
Chloride	X		0.5	SW-846 9056	MIS-A_039
Chromium					
Gross Beta					
Iron					
Lead					
Magnesium					
Manganese					
Molybdenum					
Nickel					
Nickel-63					
Nitrate + Nitrite as N (NO3+NO2)-N	X		0.05	EPA 353.1	WCH-A-022
Potassium					
Selenium					
Silica					
Sodium					
Strontium					
Sulfate	X		0.5	SW-846 9056	MIS-A-044
Sulfide					
Total Dissolved Solids					
Total Organic Carbon					
Uranium	X		0.0001	SW-846 6020	LMM-02
Vanadium	X		0.0003	SW-846 6020	IMM-02
Zinc					
Total No. of Analytes	6	0			

Note: All analyte samples are considered unfiltered unless stated otherwise. All private well samples are to be unfiltered. The total number of analytes does not include field parameters.

This page intentionally left blank

Attachment 4

Trip Report

This page intentionally left blank

Memorandum

DATE: June 18, 2009

TO: David Miller

FROM: Gretchen Baer

SUBJECT: Trip Report

Site: Monument Valley, Processing Site.

Dates of Sampling Event: June 8-10, 2009

Team Members: Gretchen Baer and Joe Trevino

Number of Locations Sampled: Water samples for metals, anions, nitrate + nitrite as N, and ammonia as N, were collected from 35 monitor wells and one surface location for a total of 36 locations. An additional sample volume was collected for U of A per D. Miller field request.

Locations Not Sampled/Reason: Private location 0617 and monitor well 0777 were deleted from the sampling list at the direction of the site lead.

Location Specific Information:

Location IDs	Comments
0765	Additional volume collected for U of A.
0648	Total depth needs to be corrected in SEEPPro.
0602	Installed new 3/8" tubing prior to sampling.
0766	Well pad is severely undermined.
0764	Well pad is severely undermined. Well went dry during purge (after ~1L had purged). Measured all field parameters. Collected all sample aliquots after well recovered.
0619, 0776	Bad check valve: water is drawn backwards between pump cycles.
0760	Turbidity requirement could not be met at this Cat I well.
0651	Black specks are visible in the sample. Turbidity was <10 NTUs.

For the U of A sample collected from location 0765, large Nalgene bottles were not available in the field, so a 1-gallon bottle of distilled water was purchased, emptied, and used. The sample was transferred to 1-liter Nalgene bottles before shipment from Grand Junction.

All times are MDT.

Quality Control Sample Cross Reference: The following are the false identifications assigned to the quality control samples.

False ID	Ticket Number	True ID	Sample Type	Associated Matrix
2711	HGZ 960	0655	Duplicate	Groundwater
2712	HGZ 961	0669	Duplicate	Groundwater

RIN Number Assigned: All samples were assigned to RIN 09052333.

Sample Shipment: Samples were shipped overnight via FedEx to ALS Laboratory Group, Fort Collins, CO, from Grand Junction, CO, on June 15, 2009.

Water Level Measurements: Water levels were measured at all sampled wells.

Well Inspection Summary: Wind has removed sand from beneath the well pads at several locations, most notably at 0764 and 0766.

Field Variance: None.

Equipment: Wells were sampled with a peristaltic pump and dedicated tubing or a dedicated bladder pump. The surface water location was sampled using a peristaltic pump and dedicated tubing. Because all equipment was dedicated or disposable, equipment blanks were not required. The check valves in wells 0619 and 0776 seem to be malfunctioning; water is drawn backwards between pump cycles.

Institutional Controls

Fences, Gates, Locks: All were in good condition.

Signs: Not applicable

Trespassing/Site Disturbances: None observed.

Site Issues:

Disposal Cell/Drainage Structure Integrity: Not applicable.

Vegetation/Noxious Weed Concerns: None observed.

Maintenance Requirements: Well pads mentioned above.

Access Issues: None.

Corrective Action Taken: None.

GRB/lcg

cc: (electronic)
Rich Bush, DOE
Steve Donovan, Stoller
EDD Delivery