7.0 References

10 CFR 1021. U.S. Department of Energy, "National Environmental Policy Act Implementing Procedures," *Code of Federal Regulations*, January 1, 2003.

10 CFR 1022. U.S. Department of Energy, "Compliance with Floodplain/Wetlands Environmental Review Requirements," *Code of Federal Regulations*, January 1, 2003.

33 CFR 323. Corps of Engineers, Department of the Army, "Permits for Discharges of Dredged or Fill Material Into Waters of the United States," *Code of Federal Regulations*, July 1, 2002.

40 CFR 192. U.S. Environmental Protection Agency, "Health and Environmental Protection Standards for Uranium and Thorium Mill Tailings," *Code of Federal Regulations*, July 1, 2002.

40 CFR 230. U.S. Environmental Protection Agency, "Section 404(b)(1) Guidelines for Specification of Disposal Sites for Dredged or Fill Material," *Code of Federal Regulations*, July 1, 2002.

40 CFR 231. U.S. Environmental Protection Agency, "Section 404(c) Procedures," *Code of Federal Regulations*, July 1, 2002.

40 CFR 261. U.S. Environmental Protection Agency, "Identification and Listing of Hazardous Waste," *Code of Federal Regulations*, July 1, 2002.

40 CFR 300. U.S. Environmental Protection Agency, "National Oil and Hazardous Substances Pollution Contingency Plan," *Code of Federal Regulations*, July 1, 2002.

40 CFR 1500. Council on Environmental Quality, "Purpose, Policy, and Mandate," *Code of Federal Regulations*, July 1, 2002.

16 USC 470. "National Historic Preservation Act," *United States Code*, 2002.

Rule R313-15-301. "Dose Limits for Individual Members of the Public," *Utah Administrative Code* (U.A.C.), March 3, 2003.

Rule R317-2. "Standards of Quality for Waters of the State," *Utah Administrative Code*, March 3, 2003.

Rule R317-6. "Ground Water Quality Protection," *Utah Administrative Code*, March 3, 2003.

American Society for Testing and Materials (ASTM), 1993. *Standard Test Method for 24-h Batch-Type Measurement of Contaminant Sorption by Soils and Sediments*, Designation 4646–87 (reapproved).

Andrews, D., 1994. Don Andrews, Natural Resource Conservation Service, Monticello, Utah, personal communication with B.D. Smith, December 21, 1994.

Bent, A.C., 1963. *Life Histories of North American Flycatchers, Larks, Swallows, and Their Allies*, Dover Publications, Inc., New York.

Bouwer, H. and R.C. Rice, 1976. "A slug test for determining hydraulic conductivity of unconfined aquifers with completely or partially penetrating wells, *Water Resour. Res.*, 12(3):423–428.

Dames & Moore, 1992. *Revised Final Report, Monticello Remedial action Project, 1991 Millsite Characterization Study*, Vols. 1 and 2, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, February.

Domenico, P.A., and F.W. Schwartz, 1998. *Physical and Chemical Hydrogeology*, Second Edition, John Wiley & Sons, Inc., 506 p.

GJO 210. *Environmental Sciences Laboratory Procedures Manual*, U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, continuously updated.

Henningson, G.M. 1997. "Results and Interpretation of Exposures to Radionuclides and Other Metals in Tissues of Deer and Beef from Monticello Creek, Utah; Monticello OU III Site," Memorandum to Paul Mushovic, 8EPR–FF, RPM, Monticello NPL Site, November 13.

Hoff, D., 2000. "Review of the Baseline Ecological Risk Assessment for OU III Soil and Sediment Area," memorandum to Paul Mushovic, RPM, Monticello Mill Tailings Site, from Dale Hoff, Regional Ecotoxicologist, July.

ISCORS, 2002. Interagency Steering Committee on Radiation Standards, *A Method for Estimating Radiation Risk from TEDE*, Technical Report No. 1, July.

Kaplan, D.J. et al., 2000. "Gravel-Corrected Kd Values," *Ground Water*, 38(6):851–857, November–December.

King, J.R., 1955. "Notes on the life history of Traill's Flycatcher (*Empidonax traillii*) in Southwestern Washington," *The Auk*, 72:148–173.

Liang, L., N.E. Korte, G.R. Moline, and O.R. West, 2001. *Long-Term Monitoring of Permeable Reactive Barriers Progress Report*, ORNL/TM-2001/1, prepared by Oak Ridge National Laboratory for U.S. Department of Energy, February.

McDonald, M.G., and W.W. Harbaugh, 1988. *A Modular Three-Dimensional Finite-Difference Ground-Water Flow Model, Techniques of Water Resources Investigations of the United States Geological Survey*, Book 6, Chapter A1.

Monticello, 2003. Municipal well pumping records for water year 2002. Provided to the U.S. Department of Energy by Nathan Langston, city of Monticello Public Works Director, December 10, 2002.

Morrison, S.J., 2003. "Performance evaluation of a permeable reactive barrier using reaction products as tracers," *Environ. Sci. Technol.*, May, 37(10):2302–2309.

Naftz, D.L., C.C. Fuller, J.A. Davis, S.J. Morrison, E.M. Feltcorn, G.W. Freethey, R.C. Rowland, C. Wilkowske, and M. Piana, 2002. "Field demonstration of three permeable reactive barriers to control uranium contamination in groundwater, Fry Canyon, Utah," Chapter 14 in *Handbook of Groundwater Remediation Using Permeable Reactive Barriers, Application to Radionuclides, Trace Metals, and Nutrients*, Eds. Naftz, D.L., Morrison, S.J., Davis, J.A., and Fuller, C.C.

O'Hannesin, S.F., and R.W. Gillham, 1998. "Long-term performance of an in situ 'iron wall' for remediation of VOCs," *Ground Water,* 36(1):164–170.

Poche, R. M., 1981. *Ecology of the Spotted Bat (Euderma maculatum) in Southwest Utah,* Utah Division of Wildlife Resources, Publication No. 81–1.

Pollock, D.W., 1989. *Documentation of computer programs to complete and display pathlines using results from the U.S. Geological Survey modular three-dimensional finite-difference ground-water model*, USGS, Open File Report 89–381.

Puls, R.W., and R.T. Wilkin, 2002. "Long-term trends in water quality parameters at two permeable reactive barrier sites," presented at *Containment Workshop I Performance and Verification of Barriers Through Prediction and Monitoring*, Baltimore, Maryland, June 30 – July 2, 2002.

Silvers, A., B.T. Florence, D.L. Rourke, and R.J. Lorimor, 1994."How Children Spend Their Time: A Sample for Use in Exposure and Risk Assessments," *Risk Analysis*, 14(6).

Thompson, K.M., and D.E. Burmaster, 1991. "Parametric Distributions for Soil Ingestion by Children," *Risk Analysis*, 14(4).

U.S. Department of Energy (DOE), 1984. *Monticello Remedial Action Project, Site Analysis Report*, GJ–10, prepared for the U.S. Department of Energy Surplus Facilities Management Program, Richland, Washington, December.

———, 1989. Federal Facility Agreement, U.S. Environmental Protection Agency Region VIII, State of Utah Department of Environmental Quality, U.S. Department of Energy, February 24. Agreement Pursuant to Section 120 of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, and amended by the Superfund Amendments and Reauthorization Act of 1986.

———, 1990. *Monticello Mill Tailings Site: Declaration for the Record of Decision and Record of Decision Summary*, DOE/ID/12584–50, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, August.

———, 1994. *Monticello Mill Tailings Site, Operable Unit I, Alternatives Analysis Data Summary Report,* DOE/ID/12584–176, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, March.

U.S. Department of Energy (DOE), 1996. *Monticello Wetlands Master Plan*, P–GJPO–926, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, March.

———, 1997a. *Monticello Mill Tailings Site, Operable Unit III, Annual Monitoring Program*, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, October.

———, 1997b. *Monticello Remedial Action Project Radiological Sampling and Verification Plan for Operable Unit I*, MRAP–1.3.12, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, May.

———, 1998a. *Monticello Mill Tailings Site, Operable Unit III—Remedial Investigation*, GJO–97–6–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado.

———, 1998b. *Monticello Mill Tailings Site, Operable Unit III—Feasibility Study of Surface Water and Groundwater*, GJO–97–21–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado.

———, 1998c. Action Memorandum to Jack B. Tillman, Manager, Grand Junction Office, from Donald R. Metzler, Operable Unit III Project Manager, "Request for a Non-Time Critical Removal Action at the Monticello Mill Tailings National Priorities List Site, Operable Unit III," June.

———, 1998d. *Record of Decision for an Interim Remedial Action at the Monticello Mill Tailings Site, Operable Unit III—Surface Water and Ground Water, Monticello, Utah*, GJO–98–51–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado.

———, 1998e. *Monticello Mill Tailings, Operable Unit III, Alternative Analysis of Soil and Sediment*, GJO–97–10–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, January.

———, 1998f. *Permeable Reactive Treatment (PeRT) Wall: Results of Laboratory Treatability Testing for the Monticello PeRT Wall*, GJO–98–52–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado.

———, 1998g. *Permeable Reactive Treatment (PeRT) Wall: Results of Field Treatability Studies for the Monticello PeRT Wall*, GJO–98–69–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado.

———, 1998h. *Permeable Reactive Treatment (PeRT) Wall: Characterization Report*, MAC–PTW 1.3.1, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, September.

U.S. Department of Energy (DOE), 1998i. *Monticello Mill Tailings Site, Operable Unit III, Data Summary Report, October 1996 through April 1998*, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, November.

———, 1998j. *Monticello Mill Tailings Site, Operable Unit III, Annual Monitoring Program*, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado.

———, 1999a. Letter to Vernon Cromwell: "Field Characterization Summary, March 1999—Monticello PeRT Wall Project," Dated March 4.

———, 1999b. *Design Specifications for the MMTS PeRT Wall Ground Water Treatment System*, GJO–98–70–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado.

———, 1999c. *Permeable Reactive Treatment (PeRT) Wall for Radionuclides and Metals, Performance Summary Report for the PeRT Wall at Monticello, Utah*, GJO–99–132–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado.

———, 1999d. *Monticello Mill Tailings Site, Operable Unit III, Data Summary Report, October 1998 through July 1999*, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, November.

———, 1999e. *Monticello Mill Tailings Site, Operable Unit III, Interim Remedial Action Surface Water and Ground Water Monitoring Plan*, Rev. 2, MSGRAP 1.3.5–1, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado.

———, 1999f. *Monticello Mill Tailings Site, Operable Unit III, Interim Remedial Action Surface Water and Ground Water Monitoring Plan*, Rev. 3, MSGRAP 1.3.5–1, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, December.

———, 1999g. *Monticello Mill Tailings Site, Operable Unit III, Interim Remedial Action Annual Status Report*, GJO–66–104–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, November.

———, 2000a. *Final Covenant Deferral Request for Transfer of Federal Property in Monticello, Utah*, GJO–2000–140–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, January.

———, 2000b. *Monticello Mill Tailings Site, Operable Unit III, Interim Remedial Action Progress Report, July 1999–July 2000*, GJO–2000–163–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, September.

———, 2000c. *Monticello, Utah, Permeable Reactive Treatment (PeRT) Wall Ground Water Investigation, Work Plan*, GJO–2000–148–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, May.

U.S. Department of Energy (DOE), 2000d. *Monticello Mill Tailings Site, Operable Unit III, Interim Remedial Action Work Plan for Operable Unit III—Surface Water and Ground Water*, GJO–2000–166–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, October.

———, 2000e. *Environmental Sciences Laboratory, Column Leaching of Unsaturated Zone Sediments, Monticello Mill Tailings Site, Operable Unit III, Monticello, Utah*, ESL–RPT–2000–11, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, September.

———, 2000f. *Chemical Mechanism of Uranium by Zero-Valent Iron: Results of a Column Experiment, Permeable Reactive Barrier Project, Monticello, Utah*, ESL-RPT-2000-06, Environmental Sciences Laboratory, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, April.

———, 2001a. *Monticello Mill Tailings Site, Operable Unit III, Interim Remedial Action Progress Report, July 2000–July 2001*, GJO–2001–239–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, August.

———, 2001b. *Monticello Mill Tailings Site, Operable Unit III, Interim Remedial Action Surface Water and Ground Water Monitoring Plan*, Rev. 4, MSGRAP 1.3.5–1, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, December.

———, 2001c. *Environmental Sciences Laboratory, Column Leaching of Saturated Zone Sediments, Monticello Mill Tailings Site–Operable Unit III, Monticello, Utah*, GJO–2001–277–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, July.

———, 2001d. *Environmental Sciences Laboratory, Determination of Distribution Ratios, Monticello Mill Tailings Site–Operable Unit III, Monticello, Utah*, GJO–2001–228–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, July.

———, 2002a. *Monticello Mill Tailings Site, Operable Unit III, Evaluation of the Permeable Reactive Treatment Wall Treatability Study*, GJO–2002–346–TAC, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, September.

———, 2002b. *Environmental Sciences Laboratory, Data Package for Saturated Zone Column Test Location T01–02, Monticello Mill Tailings Site, Operable Unit III*, GJO–2002–340–TAR, prepared for the U.S. Department of Energy Grand Junction Office, Grand Junction, Colorado, June.

U.S. Department of the Interior (DOI), 1998. *Guidelines for interpretation of the Biological Effects of Selected Constituents in Biota, Water, and Sediment*, National Irrigation Water Quality Program Information Report No. 3, November.

U.S. Environmental Protection Agency (EPA), 1988. *Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA*, Interim Final, EPA/540/G-89/004, Office of Emergency and Remedial Response, October.

———, 1989a. *Risk Assessment Guidance for Superfund, Volume 1: Health Evaluation Manual*, Part A, EPA/540/1–89/002, Office of Emergency and Remedial Response, Washington, D.C.

———, 1989b. *Exposure Factors Handbook*, EPA/600/8–89/043, Office of Health and Environmental Assessment.

———, 1991a. "Supplemental Guidance: Standard Default Exposure Factors," *Human Health Evaluation Manual*, OSWER Directive 9285.6–03, Office of Solid Waste and Emergency Response, March.

———, 1991b. *Role of the Baseline Risk Assessment in Superfund Remedy Selection Decisions*, Directive 9355.0-30, Office of Solid Waste and Emergency Response.

———, 1992a. *Framework for Ecological Risk Assessment*, EPA/630/R–92/001, U.S. Environmental Protection Agency Risk Assessment Forum.

———, 1992b. *Guidelines for Exposure Assessment*, EPA/600/2-92/001, Office of Research and Development, Office of Health and Environmental Assessment, Washington, D.C.

———, 1993. *Wildlife Exposure Factors Handbook*, Volume 1 of 2, EPA/600-R-93/187a, Office of Research and Development, U.S. Environmental Protection Agency, Washington, D.C.

———, 1996a. *ECO Update. Ecotox Thresholds*, EPA 540/F–95/038, Office of Solid Waste and Emergency Response, January.

———, 1996b. *Final Guidance: Presumptive Response Strategy and Ex Situ Treatment Technologies for Contaminated Ground Water at CERCLA Sites*, EPA 540/R-96/023, Pre-publication copy, Office of Solid Waste and Emergency Response, October.

———, 1997. *Ecological Risk Guidance for Superfund: Process for Designing and Conducting Ecological Risk Assessments*, Interim Final, U.S. Environmental Protection Agency, Environmental Response Team, Edison, New Jersey, June 5.

———, 1999. *Use of Monitored Natural Attenuation at Superfund, RCRA Corrective Action, and Underground Storage Tank Sites*, OSWER Directive 9200.4–17P, Office of Solid Waste and Emergency Response, April.

———, 2001. Health Effects Assessment Summary Tables, www.epa.gov/radiation/heast (**note:** this reference contains risk coefficients in units of picocuries from Federal Guidance Report No. 13).

———, 2002. *Implementation Guidance for Radionuclides,* http://www.epa.gov/safewater, March.

U.S. Environmental Protection Agency (EPA), 2003. "Risk-Based Concentration Table," U.S. Environmental Protection Agency Region III, available on the Internet at http://www.epa.gov/reg3hwmd/risk/index.htm.

U.S. Fish and Wildlife Service (USFWS), 1996. U.S.F.W.S. Training conducted in Grand Junction, Colorado, May.

———, 2002. *Southwestern Willow Flycatcher Recovery Plan*, Albuquerque, New Mexico.

U.S. Nuclear Regulatory Commission (NRC), 1997. *Radiological Criteria for License Termination*, Final Rule, 62 *Federal Register* 39058–39092, July 21.

Warner, S. D., C.L. Yamane, N.T. Bice, F.S. Szerdy, J. Vogan, D.W. Major, and D. Hankins, 1998a. Technical update: the first commercial subsurface treatment wall composed of granular zero-valent iron, *First International Conference on Remediation of Chlorinated and Recalcitrant Compounds*, Monterey, California.

Warner, S.D., D. Sorel, and C.L. Yamane, 1998b. Performance monitoring of the first commercial subsurface permeable reactive treatment zone composed of zero-valent iron, *in RTDF Permeable Reactive Barriers Action Team Meeting*, Oak Ridge, Tennessee, November 17–19, 1998.

Warner, S.D. 2002. Material stability and application for PRBs: considerations to limit unintended performance, presented at *Containment Workshop I Performance and Verification of Barriers Through Prediction and Monitoring*, Baltimore, Maryland, June 30–July 2, 2002.

Waterloo Hydrogeologic Inc., 2000. Visual MODFLOW Version 2.8.2.52.

Waugh, W.J., 2002. "Monticello Field Lysimetry: Design and Monitoring of an Alternative Cover," Waste Management 2002 Conference, February 24–28, 2002, Tucson, Arizona.

Zheng, C., 1996. *A Modular Three-Dimensional Transport Model for Simulation of Advection, Dispersion and Chemical Reactions of Contaminants in Groundwater Systems*, S.S. Papadopulos & Associates, Inc., Bethesda, Maryland.