DOE–LM/1563–2007

Pinellas Environmental Restoration Project

Semiannual Progress Report for the Young - Rainey STAR Center's 4.5 Acre Site June 2007 Through November 2007

December 2007

U.S. Department of Energy

Office of Legacy Management

Work Performed Under DOE Contract No. DE–AC01–02GJ79491
for the U.S. Department of Energy Office of Legacy Management.
Approved for public release; distribution is unlimited.

DOE−LM/1563-2007

Pinellas Environmental Restoration Project Semiannual Progress Report for the Young – Rainey STAR Center's 4.5 Acre Site

June 2007 Through November 2007

December 2007

Work Performed by S.M. Stoller Corporation under DOE Contract No. DE–AC01–02GJ79491
for the U.S. Department of Energy Office of Legacy Management, Grand Junction, Colorado

Contents

Acronyms and Abbreviations iv
1.0 Introduction 1
1.1 Site Activities 2
2.0 Monitoring Data 3
2.1 Groundwater Elevations and Flow 3
2.2 Groundwater Sampling 3
2.3 Groundwater Analytical Results 4
2.4 Quality Assurance/Quality Control 4
3.0 Data Interpretation 5
3.1 Contaminant Concentration Trends 5
3.2 Geochemical Parameters 6
4.0 Tasks to Be Performed Semiannually 6
5.0 References 6

Figures

Figure 1. Young - Rainey STAR Center Location 7
Figure 2. 4.5 Acre Site Location 8
Figure 3. Groundwater Elevations and Shallow Surficial Aquifer Flow, 4.5 Acre Site, June 2007 9
Figure 4. Groundwater Elevations and Deep Surficial Aquifer Flow, 4.5 Acre Site, June 2007 10
Figure 5. Groundwater Elevations and Shallow Surficial Aquifer Flow, 4.5 Acre Site, September 2007 11
Figure 6. Groundwater Elevations and Deep Surficial Aquifer Flow, 4.5 Acre Site, September 2007 12
Figure 7. 4.5 Acre Site TCOPC Concentrations September 2007 Sampling Event 13
Figure 8. cDCE and VC in PIN20−0502 14
Figure 9. cDCE and VC in PIN20−M001 15
Figure 10. TCE, cDCE, and VC in PIN20−MWL4 16
Figure 11. TCE, cDCE, and VC in PIN20−M063 17
Figure 12. TCE, cDCE, and VC in PIN20−M060 18
Figure 13. TCE, cDCE, and VC in PIN20−M061 19

Tables

Table 1. Water-Level Data at the 4.5 Acre Site 20
Table 2. 4.5 Acre Site Surface Water Elevations 22
Table 3. Field Measurements of Samples Collected at the 4.5 Acre Site 23
Table 4. COPC Concentrations from Wells at the 4.5 Acre Site 24
Table 5. Arsenic Concentrations from Wells at the 4.5 Acre Site 27
Table 6. RPD for Duplicate Samples, 4.5 Acre Site 27

Appendix

Appendix A Laboratory Reports—September 2007 Semiannual Results

Acronyms and Abbreviations

bls	below land surface
cDCE	cis-1,2-DCE
COPC	contaminants of potential concern
CTL	cleanup target level
DCE	dichloroethene
DOE	U.S. Department of Energy
DPE	dual-phase extraction
EPA	U.S. Environmental Protection Agency
F.A.C.	Florida Administrative Code
FDEP	Florida Department of Environmental Protection
ft	feet
IRA	Interim Remedial Action
µg/L	micrograms per liter
µmhos/cm	micromhos per centimeter
MCL	maximum contaminant level
mg/L	milligrams per liter
mV	millivolts
NGVD	national geodetic vertical datum
NTU	Nephelometric Turbidity Units
QA/QC	quality assurance/quality control
RBCA	Risk-Based Corrective Action
RPD	relative percent difference
STAR Center	Young - Rainey Science, Technology, and Research Center
TCE	trichloroethene
TCOPC	total contaminants of potential concern
VC	vinyl chloride
VOCs	volatile organic compounds

1.0 Introduction

The *Pinellas Environmental Restoration Project Semiannual Progress Report 4.5 Acre Site* describes environmental restoration activities for the Pinellas 4.5 Acre Site located in Pinellas County, Largo, Florida (Figure 1). The former U.S. Department of Energy (DOE) Pinellas Plant facility consisted of the 4.5 Acre Site and the Young - Rainey Science, Technology, and Research Center (STAR Center) (Figure 2). The facility was constructed in the mid-1950s as part of a nationwide nuclear weapons research, development, and production complex. Production of weapons-related components ceased in September 1994. However, as a result of these operations, contamination exists in the surficial groundwater beneath the site.

Administration of DOE activities at the 4.5 Acre Site is the responsibility of the DOE Office of Legacy Management in Grand Junction, Colorado. S.M. Stoller Corporation (Stoller), a prime contractor to DOE's Office of Legacy Management, provides technical support to DOE for the remediation and closure of all active solid-waste management units on site and for the 4.5 Acre Site.

The 4.5 Acre Site is located to the northwest of the STAR Center, in the northeast quarter of Section 13, Township 30 South, Range 15 East (Figure 1). DOE owned this parcel from 1957 to 1972, at which time it was sold to a private landowner. During the period of DOE ownership, the property was used for disposal of drums of waste resins and solvents. As a result of this practice, the surficial aquifer was impacted by volatile organic compounds (VOCs), primarily vinyl chloride (VC), toluene, trichloroethene (TCE), and 1,2-dichloroethene (DCE). DOE completed a source removal in 1985.

An Interim Remedial Action (IRA) consisting of groundwater extraction and treatment via air stripping, and a routine groundwater monitoring program were initiated in May 1990. In July 1997, a modification of the IRA, involving the installation of dual-phase extraction (DPE) wells, provided a more aggressive system to remove groundwater contamination. In November 1999, the DPE/air-stripping system was replaced with an in-situ biosparge treatment system.

The *4.5 Acre Site Biosparge System Integration Plan* (DOE 2000) was approved by the Florida Department of Environmental Protection (FDEP) on January 17, 2001. This plan states that performance monitoring would be undertaken on a quarterly basis. Therefore, in April 2001, performance monitoring of the remedial system through the use of direct push technology was undertaken. However, the biosparge systems were shut off in May 2003 with no plans to restart them and no performance monitoring data have been collected since April 2003. Subsequent monitoring was then adapted to fit the new remediation scenario and performance monitoring as defined in the *Interim Remedial Action Plan for Ground Water Recovery at the 4.5 Acre Site* (DOE 2003b).

The IRA Plan for Ground Water Recovery at the 4.5 Acre Site was submitted to FDEP on August 29, 2003, and approved by FDEP on September 19, 2003. Implementation of the IRA Plan commenced on March 8, 2004, when construction activities began on the IRA treatment system. The treatment system consisted of an extraction well field (three recovery wells), pumps and associated piping, a transmission water pipeline, a utility connection, a low profile tray air stripper unit, and effluent piping. The new IRA system began operations on April 26, 2004.

The IRA system was a temporary measure that was outlined in the *Remedial Action Plan for the Pinellas 4.5 Acre Site* (DOE 2001) as a contingency option in the event that biosparging resulted in extending the contaminant plume. In April 2005, the *Pinellas Environmental Restoration Project 4.5 Acre Site Remedial Action Plan Addendum* (DOE 2005) was submitted to FDEP. This document presented a proposed final action for the 4.5 Acre Site that involves the closure of the site using the provisions of the recently adopted State of Florida Global Risk-Based Corrective Action (RBCA) regulations.

Technical discussions between FDEP and DOE regarding the proposed final action continue. Part of DOE's proposed final action for the 4.5 Acre Site was to shut down the IRA system and begin a 2-year monitoring period. Approval from FDEP to shut down the IRA system was received on December 20, 2005, thus commencing the DOE's 2-year monitoring period.

Although DOE has conducted numerous remediation activities at the 4.5 Acre Site since 1985, FDEP has recently suggested that, based on elevated levels of VOCs in groundwater, a source of VOCs may remain in the subsurface, and that removal of contaminated soil may be necessary (FDEP 2005). To investigate this concern, 1,172 soil samples were collected from 138 soil borings installed at two areas of the site during the summer of 2007. Analytical results demonstrated that the following contaminants were present in site sediments at concentrations that likely represent a source of contamination to groundwater: TCE; cis-1,2-DCE; trans-1,2-DCE; and toluene. Results from this characterization effort can be found in the *4.5 Acre Site Source Characterization Data Report* (DOE 2007).

DOE is currently preparing a feasibility study that evaluates the various treatment technologies that can be used to remediate the source areas identified in the October 2007 report. Once the treatment technology identified in the feasibility study has been approved by FDEP, implementation of the feasibility study can begin. At this time, the source area treatment technology implementation is scheduled to begin in September 2008.

This document is the semiannual progress report for the 4.5 Acre Site for June 2007 through November 2007, as requested by FDEP. The results of monitoring activities and a summary of ongoing and projected work are provided in this report.

1.1 Site Activities

- Obtained water-level measurements from all monitoring wells on September 11, 2007.
- Conducted the semiannual sampling event (i.e., collected groundwater samples from 41 monitoring wells in September 2007.) Forty-one wells were sampled for VOCs and analyzed using U.S. Environmental Protection Agency (EPA) SW-846 Method 8260. Two wells were sampled for arsenic and analyzed using EPA SW-846 Method 6010.
- Reported the results of the semiannual sampling event (this document).

2.0 Monitoring Data

2.1 Groundwater Elevations and Flow

On June 8, 2007, and September 11, 2007, depth-to-water measurements were taken in all monitoring wells and former recovery wells at the 4.5 Acre Site. The depth to water in each well was measured with an electronic water-level indicator. The June and September groundwater elevation data are listed in Table 1. Surface water elevations for Pond 5 (southeast of the 4.5 Acre Site), the West Pond (east), and the pond immediately north of the 4.5 Acre Site are listed in Table 2. The water elevation data were used to construct contours of water levels in the shallow and deep portions of the surficial aquifer for June (Figure 3 and Figure 4, respectively) and September (Figure 5 and Figure 6).

These interpretative contours show that the water table was about 0.5 feet (ft) higher in September 2007 than in June 2007. Groundwater in the shallow surficial aquifer generally flows to the west. However, in both June and September, the surface water elevation in the pond immediately north of the 4.5 Acre Site was higher than the water table elevation in the north part of the site, indicating that there is also a component of flow toward the south (onto the 4.5 Acre Site) from the pond. Groundwater in the deep surficial aquifer flows to the west-northwest.

The average hydraulic gradient across the site was approximately 0.002 feet per foot in June and September 2007. This gradient is the same as that observed the previous year at the site. Calculations using Darcy's Law along with approximations of 1 ft/day for hydraulic conductivity and 0.3 for effective porosity indicate that groundwater at the site is estimated to move about 2 to 3 ft/year. This velocity is on the low end of previously observed velocities of 2 to 10 ft/year.

2.2 Groundwater Sampling

Groundwater samples were collected from 41 monitoring wells at the 4.5 Acre Site in September 2007. Samples from all 41 wells were analyzed for VOCs and samples from 2 wells were analyzed for arsenic.

All samples were collected in accordance with the Stoller *Sampling Procedures for the Young - Rainey STAR Center and 4.5 Acre Site* (DOE 2006a), using FDEP procedures. All samples were submitted to TestAmerica, Tampa, Florida for analysis. TestAmerica in Tampa, Florida, is accredited by the Florida Department of Health in accordance with the National Environmental Laboratory Accreditation Conference, certification number E84282. VOCs were analyzed using EPA method SW-846 8260B. Arsenic was analyzed using EPA method SW-846 6010B. All monitoring wells were micropurged using a dedicated bladder pump, and sampling was performed when the field measurements stabilized. Table 5 lists field measurements of pH, specific conductance, dissolved oxygen, oxidation-reduction potential, turbidity, and temperature recorded at the time the samples were collected. Measurements were made with a flow cell and a multiparameter instrument.

2.3 Groundwater Analytical Results

Table 4 presents individual contaminants of potential concern (COPC) and total COPCs (TCOPCs) concentrations in samples collected from wells at the 4.5 Acre Site. The previous two semiannual results are included in Table 4 for comparison. Arsenic data are shown in Table 5. Figure 7 shows the TCOPCs concentrations for September 2007.

The maximum TCOPCs value detected in September was 3,220 micrograms per liter (µg/L) at PIN20−M001. The compound detected at the highest concentration in PIN20−M001 was VC at a concentration of 2,200 µg/L.

Laboratory reports for semiannual samples collected in September 2007 are provided in Appendix A.

2.4 Quality Assurance/Quality Control

The results from the analytical laboratory, TestAmerica, were checked for quality assurance/quality control (QA/QC) through duplicate samples and trip blanks. Detected analytes for each duplicate sample collected from the 4.5 Acre Site are listed in Table 5. The duplicate sample results were compared and the relative percent differences (RPDs) between the results were calculated. Sample PIN20−M060 had RPD values of 113 percent and 77 percent for cis-1,2-DCE and trans-1,2-DCE, respectively. Sample PIN20−MWL4 had an RPD value of 41 percent for TCE. Sample PIN12−0524 had an RPD value of 57 percent for 1,1-DCE and sample PIN15−0568 had an RPD value of 63 percent for aluminum. There is no evidence of laboratory errors that would result in high RPD values. The low precision may be attributable to variations in sample collection and sample handling. All other data passed QA/QC criteria at a Class A level, indicating that the data may be used for quantitative and qualitative purposes.

As specified in *Sampling Procedures for the Young - Rainey STAR Center and 4.5 Acre Site* (DOE 2006), duplicate samples should be collected at a frequency of one duplicate for every 20 or fewer samples. For the STAR Center and the 4.5 Acre Site, there were 160 groundwater samples collected, with 8 duplicate samples collected. The duplicate requirements for this sampling event were met. There were 10 trip blanks collected during this event. All trip blank results were negative.

A data validation software module for identifying and tracking anomalous groundwater data points within the SeePRO database was used to generate a report of analytical results that fall outside of historical minimum or maximum values. The results for well PIN20−M063 appear anomalous due to a significant decrease in the concentrations of all analytes. For example, March 2007 to September 2007, TCE concentrations decreased from 800 µg/L to 7 µg/L, cDCE decreased from 5,400 µg/L to 150 µg/L, and VC decreased from 2,900 µg/L to 160 µg/L. One possible explanation for these decreases include a change in groundwater flow or soil contaminant concentrations due to the large number of soil borings that were installed near this well during the summer of 2007. Concentration decreases were observed in a few other wells at the 4.5 Acre Site, but these were not as significant as those observed in M063. Another possible explanation is a sample handling problem. The results for this well will be tracked to determine if the September 2007 results are truly anomalous.

3.0 Data Interpretation

This data interpretation section is included to aid in evaluating plume stability. This section consists of plots showing contaminant concentration trends (Section 3.1), plume maps (Section 3.2), and a discussion of site geochemistry (Section 3.3).

While most of the previous documents for the 4.5 Acre Site have compared groundwater contaminant concentrations to drinking water standards (i.e., maximum contaminant levels [MCLs]), those standards are not the applicable default Cleanup Target Levels (CTLs) for the purposes of evaluating site remediation under RBCA. Based on a comprehensive review of background data for the site (DOE 2003a), it was determined that the shallow groundwater in the site vicinity is naturally elevated in aluminum and iron at levels far exceeding State of Florida Secondary Drinking Water Standards (Chapter 62-550, Florida Administrative Code [F.A.C.]). Specifically, the average background concentration of 1.1 milligrams/liter (mg/L) for aluminum exceeds the 0.2 mg/L secondary standard, and the average background concentration for iron of 9.3 mg/L exceeds the 0.3 mg/L secondary standard. The ambient shallow groundwater in the area is, therefore, designated as "poor quality" as defined in 62-780.200 (35), F.A.C. Thus, the applicable groundwater CTLs are those for groundwater of "low yield/poor quality" provided in Table 1 of Chapter 62-777, F.A.C. In essence, these CTL values are a factor of 10 higher than the MCL values.

3.1 Contaminant Concentration Trends

Figure 8 and Figure 9 show the cDCE and VC concentration trends in wells PIN20−0502 and −M001, respectively. These two wells, located hydraulically downgradient from the area of highest contaminant concentrations, have shown increasing concentration trends over the last few years. This appears to be a result of past operation of the biosparging system, as described in previous reports. However, it appears that the contaminant concentrations in both wells are now decreasing.

Figure 10 and Figure 11 show TCE, cDCE, and VC concentration trends in wells PIN20−MWL4 and −M063. These two wells are in the area of highest contaminant concentrations on the eastern side of the site. Concentrations in these wells have shown an overall decreasing trend. The contaminant concentrations in well M063 decreased by at least an order of magnitude from March 2007 to September 2007. As discussed in Section 2.4, the values measured in September 2007 may be anomalous; future monitoring will be necessary to determine if this decrease is real.

Figure 12 and Figure 13 show TCE, cDCE, and VC concentration trends in wells PIN20−M060 and −M061. These wells are in the area of elevated contaminant concentrations near the southwest property boundary. The contaminant concentrations in these wells do not show distinct trends, with both wells exhibiting significant increases and decreases over time.

3.2 Geochemical Parameters

Geochemical parameters measured in the field in all wells at the 4.5 Acre Site during September 2007 are summarized in Table 3. Conditions across the site generally are reducing as evidenced by the low values of dissolved oxygen and oxygen reduction potential.

4.0 Tasks to Be Performed Semiannually

The following tasks are scheduled during the next semiannual period (December 2007through May 2008).

- Semiannual sampling and analysis of groundwater in March 2008.
- Collect water-level measurements in March 2008.

5.0 References

DOE (U.S. Department of Energy), 2000. *4.5 Acre Site Biosparge System Integration Plan*, GJO–2000–182–TAR, MAC–PIN 25.5.1.1, prepared by U.S. Department of Energy, Grand Junction Office, Grand Junction, Colorado, December.

DOE (U.S. Department of Energy), 2001. *Remedial Action Plan for the Pinellas 4.5 Acre Site*, U.S. Department of Energy, Grand Junction Office, Grand Junction, Colorado, July.

DOE (U.S. Department of Energy), 2003a. *Historical Review and Evaluation of Contaminants of Potential Concern*, GJO-2002-359-TAC, February.

DOE (U.S. Department of Energy), 2003b. *Pinellas Environmental Restoration Project Interim Remedial Action Plan for Ground Water Recovery at the 4.5 Acre Site*, GJO-2003-480-TAC, prepared by U.S. Department of Energy, Grand Junction Office, Grand Junction, Colorado, August.

DOE (U.S. Department of Energy), 2005. *Pinellas Environmental Restoration Project 4.5 Acre Site Remedial Action Plan Addendum*, DOE-LM/GJ858-2005, prepared by the U.S. Department of Energy Office of Legacy Management, Grand Junction, Colorado, April.

DOE (U.S. Department of Energy), 2006. *Pinellas Environmental Restoration Project Sampling Procedures for the Young - Rainey STAR Center and 4.5 Acre Site,* DOE-LM/GJ1159-2006, prepared by U.S. Department of Energy Office of Legacy Management, Grand Junction, Colorado, April.

DOE (U.S. Department of Energy), 2007. *4.5 Acre Site Source Characterization Data Report,* DOE-LM/1549-2007, prepared by U.S. Department of Energy Office of Legacy Management, Grand Junction, Colorado, December.

FDEP (Florida Department of Environmental Protection), 2005. Letter from John Armstrong (FDEP) to David Ingle, dated July 7, 2005.



m:\pin\041\0010\02\n00444\n0044400.apr d50849 1/10/2002, 8:29 N0044400-07

Figure 1. Young - Rainey STAR Center Location



Figure 2. 4.5 Acre Site Location



Figure 3. Groundwater Elevations and Shallow Surficial Aquifer Flow, 4.5 Acre Site, June 2007



Figure 4. Groundwater Elevations and Deep Surficial Aquifer Flow, 4.5 Acre Site, June 2007



Figure 5. Groundwater Elevations and Shallow Surficial Aquifer Flow, 4.5 Acre Site, September 2007



Figure 6. Groundwater Elevations and Deep Surficial Aquifer Flow, 4.5 Acre Site, September 2007



Figure 7. 4.5 Acre Site TCOPC Concentrations September 2007 Sampling Event



Figure 8. cDCE and VC in PIN20−0502



Figure 9. cDCE and VC in PIN20−M001



Figure 10. TCE, cDCE, and VC in PIN20−MWL4



Figure 11. TCE, cDCE, and VC in PIN20−M063



Figure 12. TCE, cDCE, and VC in PIN20−M060



Figure 13. TCE, cDCE, and VC in PIN20−M061

Table 1. Water-Level Data at the 4.5 Acre Site

Location	Measurement		Water Depth From Land Surface (ft)	Ground Water Elevation (ft NGVD)
	Date	Time		
PIN02	**Sitewide Piezometers**			
PZ01	06/08/07	09:30	2.61	15.39
	09/11/07	10:58	2.35	15.65
PZ07	06/08/07	09:35	2.86	15.04
	09/11/07	11:01	2.51	15.39
PIN20	**4.5 Acre Site**			
0502	06/08/07	08:23	2.60	14.80
	09/11/07	10:02	2.35	15.05
0503	06/08/07	08:25	2.73	14.67
	09/11/07	10:02	2.33	15.07
M001	06/08/07	09:09	2.89	14.71
	09/11/07	10:00	2.56	15.04
M003	06/08/07	08:46	3.51	14.69
	09/11/07	10:31	3.15	15.05
M005	06/08/07	08:44	3.59	14.71
	09/11/07	10:31	3.13	15.17
M007	06/08/07	08:38	4.63	14.82
	09/11/07	08:55	4.20	15.25
M011	06/08/07	08:30	3.04	15.06
	09/11/07	09:57	2.60	15.50
M012	06/08/07	08:29	2.91	15.09
	09/11/07	09:56	2.43	15.57
M015	06/08/07	09:11	3.13	14.37
	09/11/07	10:12	2.63	14.87
M019	06/08/07	08:32	3.41	14.59
	09/11/07	10:22	3.00	15.00
M023	06/08/07	08:17	4.60	14.87
	09/11/07	10:06	4.27	15.20
M024	06/08/07	08:21	2.86	14.94
	09/11/07	10:05	2.57	15.23
M025	06/08/07	08:15	2.03	14.27
	09/11/07	10:08	1.55	14.75
M028	06/08/07	08:35	3.33	14.87
	09/11/07	08:58	2.86	15.34
M035	06/08/07	08:02	4.18	14.62
	09/11/07	11:26	3.88	14.92
M036	06/08/07	07:58	4.56	14.74
	09/11/07	11:25	4.19	15.11
M049	06/08/07	08:33	2.90	14.90
	09/11/07	09:33	2.42	15.38
M053	06/08/07	08:20	3.02	14.18
	09/11/07	10:17	2.54	14.66
M054	06/08/07	08:27	2.55	15.15
	09/11/07	10:03	2.18	15.52
M055	06/08/07	08:13	3.37	14.03
	09/11/07	10:10	2.78	14.62

Table 1 (continued). Water-Level Data at the 4.5 Acre Site

Location	Measurement		Water Depth From Land Surface (ft)	Ground Water Elevation (ft NGVD)
	Date	Time		
M056	06/08/07	08:18	2.98	14.12
	09/11/07	10:16	2.47	14.63
M057	06/08/07	08:24	3.53	14.37
	09/11/07	10:19	3.09	14.81
M058	06/08/07	08:29	3.16	14.54
	09/11/07	10:21	2.75	14.95
M059	06/08/07	08:36	3.13	14.67
	09/11/07	10:29	2.74	15.06
M060	06/08/07	08:50	2.47	14.86
	09/11/07	10:26	2.04	15.29
M061	06/08/07	08:47	2.43	14.85
	09/11/07	10:27	1.98	15.30
M062	06/08/07	09:01	2.83	15.00
	09/11/07	09:02	2.26	15.57
M063	06/08/07	09:04	3.17	14.93
	09/11/07	09:30	2.77	15.33
M064	06/08/07	09:06	2.39	15.32
	09/11/07	09:58	1.95	15.76
M18D	06/08/07	08:26	3.26	14.44
	09/11/07	10:20	2.83	14.87
M22D	06/08/07	08:48	3.09	14.71
	09/11/07	10:29	2.72	15.08
M38D	06/08/07	07:56	5.00	13.50
	09/11/07	11:18	4.65	13.85
M40D	06/08/07	08:02	4.74	14.66
	09/11/07	11:24	4.32	15.08
M40S	06/08/07	08:00	4.37	14.83
	09/11/07	11:23	4.11	15.09
M41D	06/08/07	07:59	4.91	14.19
	09/11/07	11:20	4.40	14.70
MWL1	06/08/07	08:52	3.56	14.68
	09/11/07	07:29	3.08	15.16
MWL2	06/08/07	08:54	3.14	14.63
	09/11/07	09:27	2.55	15.22
MWL3	06/08/07	08:56	3.34	14.36
	09/11/07	09:25	2.44	15.26
MWL4	06/08/07	08:58	2.87	14.87
	09/11/07	09:20	2.36	15.38
MWL5	06/08/07	09:00	3.71	14.86
	09/11/07	09:32	3.18	15.39
MWL6	06/08/07	09:21	3.44	15.01
	09/11/07	10:52	2.97	15.48
RW01	06/08/07	08:11	3.47	14.13
	09/11/07	10:11	2.93	14.67
RW02	06/08/07	08:22	2.81	14.29
	09/11/07	10:18	2.30	14.80
RW03	06/08/07	08:34	2.98	14.62
	09/11/07	10:23	2.58	15.02

Table 2. 4.5 Acre Site Surface Water Elevations

Location	Measurement		Water Depth From Land Surface (ft)	Groundwater Elevation (ft NGVD)
	Date	Time		
PIN01	**Pond 5**			
P501	6/8/2007			13.50
	9/11/2007	14:11		13.46
P502	6/8/2007	13:11		13.74
	9/11/2007	14:12		13.78
PIN02	**West Pond**			
W005	6/8/2007	09:56		13.71
	9/11/2007	14:18		13.79
PIN20	**4.5 Acre Site**			
BP01	6/8/2007	10:01		14.16
	9/11/2007	10:47		15.44

Table 3. Field Measurements of Samples Collected at the 4.5 Acre Site

Location	Screen Depth (ft bls)	Temperature (°C)	Specific Conductance (µmhos/cm)[a]	Turbidity (NTU)	pH	Oxidation Reduction Potential (mV)	Dissolved Oxygen (mg/L)
PIN20	**4.5 Acre Site**						
0502	21.2–31.2	27	1,496	14.1	6.44	-57	0.65
0503	13.2–23.2	27.2	1,516	30	6.41	-48.1	1.35
M001	20–25	27.78	1,491	15	6.7	-100.5	0.29
M003	9–14	28.08	1,050	2.8	6.8	-16.2	0.32
M005	25.8–30.7	26.65	1,225	2.9	6.5	-76.8	0.47
M007	25.3–30.3	25.45	1,420	1.3	6.83	-86.3	0.73
M011	23.7–28.7	26.03	880	4.6	6.84	-108.3	0.54
M012	8.6–13.6	27.17	741	6.8	6.73	-53.3	0.44
M015	20.8–25.8	26.72	1,208	3.6	6.8	-99.3	0.33
M019	22–27	27.36	2,339	18	6.52	-79.4	0.89
M023	19.8–24.8	25.7	1,010	33	6.56	-92.5	1.22
M024	8.7–13.7	26.8	885	7	6.49	-69.4	1.28
M025	8.6–13.6	26.15	2,192	14	6.72	-98.3	0.3
M028	22–27	26.11	871	2.8	6.76	-138	0.4
M035	9–14	26.04	2,357	9.3	6.85	-103.9	0.41
M036	25–30	26.45	799	1.9	6.94	-102.3	0.36
M049	20–30	25.76	1,006	400	6.85	-127.5	0.31
M053	20–30	25.59	1,454	9.7	6.55	-105.1	0.51
M054	20–30	26.4	1,178	14	6.47	-99.2	0.4
M055	21–31	26.14	1,292	22	6.96	-95.1	0.22
M056	19–29	25.8	1,547	9.4	6.48	-115.5	0.54
M057	20–30	25.6	1,696	2.9	6.53	-111.1	0.46
M058	18–28	25.8	2,206	33	6.58	-112.1	0.31
M059	19–29	25.22	1,237	19	6.58	-86.1	0.47
M060	18–28	26.7	848	43	6.94	-202.1	0.33
M061	20–30	26.32	1,332	15.3	6.86	-114.9	0.32
M062	20–30	25.62	1,873	80	6.48	-82.2	0.28
M063	19.5–29.5	25.3	2,215	45	6.08	-94.3	0.44
M064	15–25	27.65	3,186	130	6.29	-74.9	1.16
M18D	20–30	26.19	1,867	18	6.6	-106.5	0.35
M22D	20–30	25.18	1,177	11	6.8	-87.5	0.51
M38D	20–30	25.73	829	2.1	6.98	-101	0.65
M40D	18–28	26.07	1,273	8.3	6.93	-135.2	0.3
M40S	4–14	28.01	229	6.1	6.38	64.9	1
M41D	16–26	25.44	2,016	8.9	6.83	-110	0.44
MWL1	21–26	25.94	2,256	9.4	6.16	-97.2	0.55
MWL2	21–26	28.33	2,617	11	6.52	-88.4	0.41
MWL3	21–26	26.48	1,725	5.2	6.51	-106.7	0.78
MWL4	20.8–25.8	26.35	853	6.8	6.85	-101.9	0.35
MWL5	20.8–25.8	26.68	821	4.8	6.83	-113.4	0.92
MWL6	21.5–26.5	26.7	593	6.1	6.87	-65.6	0.48

Table 4. COPC Concentrations from Wells at the 4.5 Acre Site[a]
(reported in micrograms per liter)

Location	Screen Depth (ft)	Date Sampled	TCE	cis-1,2-DCE	trans-1,2-DCE	Total 1,2-DCE[b]	Vinyl chloride	Benzene	TCOPC[c]
FDEP MCL			**3**	**70**	**100**	**63**	**1**	**1**	
PIN20	**4.5 Acre Site**								
0502	21.2–31.2	9/11/06	<0.5	90.8	1.3	92.1	225	<0.5	317.1
		3/2/07	<0.5	95	1.5	96.5	190	<0.5	286.5
		9/14/07	<0.5	43	<0.44	43	89	<0.5	132
0503	13.2–23.2	9/19/06	<0.5	<0.5	<0.5	ND	0.77J	<0.5	ND
		3/2/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/14/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M001	20–25	9/9/06	<0.5	2,370	229	2,599	3,370	3.5	5,972.5
		3/2/07	<2.5	1,500	160	1,660	2,300	<2.5	3,960
		9/17/07	<2.5	930	90	1,020	2,200	<2.5	3,220
M003	9–14	3/1/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/12/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M005	25.8–30.7	3/1/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/12/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M007	25.3–30.3	3/1/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/13/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M011	23.7–28.7	9/20/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/2/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/17/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M012	8.6–13.6	9/20/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/2/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/17/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M015	20.8–25.8	10/2/06	<0.5	<0.5	<0.5	ND	0.69J	<0.5	ND
		3/6/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/17/07	<0.5	<0.65	<0.44	ND	2.1	<0.5	2.1
M019	22–27	9/19/06	<0.5	0.84J	<0.5	0.84J	0.6J	<0.5	ND
		3/1/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/12/07	<0.5	<0.65	<0.44	ND	0.81J	<0.5	ND
M023	19.8–24.8	9/12/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/2/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/14/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M024	8.7–13.7	9/12/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/2/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/14/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M025	8.6–13.6	9/12/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/2/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/17/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M028	22–27	9/20/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/2/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/13/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M035	9–14	9/14/06	<0.5	3.9	<0.5	3.9	<0.5	<0.5	3.9
		3/7/07	<0.5	2.4	0.45J	2.4	<0.5	<0.5	2.4
		9/14/07	<0.5	3.4	<0.44	3.4	<0.5	<0.5	3.4

Table 4 (continued). COPC Concentrations from Wells at the 4.5 Acre Site (reported in micrograms per liter)

Location	Screen Depth (ft)	Date Sampled	TCE	cis-1,2-DCE	trans-1,2-DCE	Total 1,2-DCE[b]	Vinyl chloride	Benzene	TCOPC[c]
FDEP MCL			**3**	**70**	**100**	**63**	**1**	**1**	
M036	25–30	9/14/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/7/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/14/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M049	20–30	9/20/06	<0.5	6.2	0.57J	6.2	4	<0.5	10.2
		3/2/07	<0.5	5.1	<0.44	5.1	4.6	<0.5	9.7
		9/13/07	<0.5	3.7	<0.44	3.7	2.3	<0.5	6
M053	20–30	9/19/06	<0.5	2.4	<0.5	2.4	1.4	<0.5	3.8
		3/1/07	<0.5	8.3	<0.44	8.3	1.5	<0.5	9.8
		9/12/07	<0.5	11	<0.44	11	3.4	<0.5	14.4
M054	20–30	3/2/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/14/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M055	21–31	9/12/06	<0.5	2.3	<0.5	2.3	2.7	<0.5	5
		3/2/07	<0.5	2.6	<0.44	2.6	4	<0.5	6.6
		9/17/07	<0.5	<0.65	<0.44	ND	3.2	<0.5	3.2
M056	19–29	9/19/06	<0.5	4.2	<0.5	4.2	2.8	<0.5	7
		3/2/07	<0.5	4.1	<0.44	4.1	3.9	<0.5	8
		9/12/07	<0.5	4	<0.44	4	7.3	<0.5	11.3
M057	20–30	9/13/06	<0.5	14.8	<0.5	14.8	1.9	<0.5	16.7
		3/1/07	<0.5	19	<0.44	19	3.2	<0.5	22.2
		9/12/07	<0.5	18	<0.44	18	5.3	<0.5	23.3
M058	18–28	9/19/06	<0.5	2.2	<0.5	2.2	1.6	<0.5	3.8
		3/1/07	<0.5	1.6	<0.44	1.6	1.7	<0.5	3.3
		9/12/07	<0.5	<0.65	<0.44	ND	3.3	<0.5	3.3
M059	19–29	9/11/06	<0.5	3.7	1	4.7	12	<0.5	16.7
		3/1/07	<0.5	<0.65	<0.44	ND	4.1	<0.5	4.1
		9/12/07	<0.5	<0.65	<0.44	ND	9.5	<0.5	9.5
M060	18–28	9/13/06	<10	470	142	612	3,500	<10	4,112
		3/1/07	9.9	460	100	560	1,700	<2.5	2,269.9
		9/13/07	<1	28	20	48	2,000	<1	2,048
M061	20–30	9/13/06	2,220	3,120	153	3,273	416	<2.5	5,909
		3/1/07	150	900	69	969	320	<1	1,439
		9/13/07	220	1,200	68	1,268	330	<2.5	1,818
M062	20–30	9/12/06	<10	648	<10	648	1,930	<10	2,578
		3/1/07	4.8	300	5	305	600	1.5	911.3
		9/17/07	<0.5	160	3.1	163.1	830	<0.5	993.1
M063	19.5–29.5	9/12/06	1,930	6,540	486	7,026	2,210	<50	11,166
		3/2/07	800	5,400	320	5,720	2,900	<5	9,420
		9/18/07	7	150	19	169	160	<0.5	336
M064	15–25	9/11/06	<0.5	1.2	<0.5	1.2	5.8	<0.5	7
		3/6/07	<0.5	<0.65	<0.44	ND	1.1	<0.5	1.1
		9/17/07	<0.5	<0.65	<0.44	ND	2.7	<0.5	2.7
M18D	20–30	9/19/06	<0.5	14.5	0.65J	14.5	5.8	<0.5	20.3
		3/1/07	<0.5	15	<0.44	15	4.6	<0.5	19.6
		9/12/07	<0.5	13	0.74J	13	10	<0.5	23

Table 4 (continued). COPC Concentrations from Wells at the 4.5 Acre Site (reported in micrograms per liter)

Location	Screen Depth (ft)	Date Sampled	TCE	cis-1,2-DCE	trans-1,2-DCE	Total 1,2-DCE[b]	Vinyl chloride	Benzene	TCOPC[c]
FDEP MCL			**3**	**70**	**100**	**63**	**1**	**1**	
M22D	20–30	9/19/06	<0.5	<0.5	<0.5	ND	0.72J	<0.5	ND
		3/1/07	<0.5	<0.65	<0.44	ND	1.1	<0.5	1.1
		9/13/07	<0.5	<0.65	<0.44	ND	1.4	<0.5	1.4
M38D	20–30	9/14/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/7/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/14/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M40D	18–28	9/14/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/7/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/14/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M40S	4–14	9/14/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/7/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/14/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
M41D	16–26	9/14/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/7/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/14/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
MWL1	21–26	9/20/06	<0.5	<0.5	<0.5	ND	5.4	3.1	8.5
		3/6/07	<0.5	<0.65	<0.44	ND	5.5	2.5	8
		9/14/07	<0.5	<0.65	<0.44	ND	4	1.9	5.9
MWL2	21–26	10/2/06	<0.5	1.7	5.7	7.4	19.6	<0.5	27
		3/6/07	<0.5	1.3	2.9	4.2	16	<0.5	20.2
		9/14/07	<0.5	<0.65	2.7	2.7	19	<0.5	21.7
MWL3	21–26	10/2/06	<25	305	<25	305	2,760	<25	3,065
		3/6/07	<0.5	71	6.5	77.5	1,500	<0.5	1,577.5
		9/14/07	<0.5	26	6.5	32.5	1,400	<0.5	1,432.5
MWL4	20.8–25.8	10/2/06	135	2,400	105	2,505	700	<10	3,340
		3/6/07	64	1,400	66	1,466	460	<0.5	1,990
		9/17/07	10	570	35	605	340	<0.5	955
MWL5	20.8–25.8	3/6/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/13/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
MWL6	21.5–26.5	10/2/06	<0.5	<0.5	<0.5	ND	<0.5	<0.5	ND
		3/6/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND
		9/17/07	<0.5	<0.65	<0.44	ND	<0.5	<0.5	ND

[a]"<" values are reporting limits.
[b]Total 1,2–DCE is the sum of cis–1,2–DCE and trans–1,2–DCE.
[c]TCOPC is the sum of the individual COPC concentrations. The cis–1,2–DCE and trans–1,2–DCE values are not part of the TCOPC value because these values are included in the total 1,2–DCE value. "J" values are not included in the TCOPC value.
ND = Not detected.
J = Estimated value, result is between the reporting limit and the method detection limit.
Arsenic, while a COPC, is not included in this table, nor in the TCOPC value.

Table 5. Arsenic Concentrations from Wells at the 4.5 Acre Site

Location	Sample Date	Concentration (mg/L)
0502	9/14/07	<0.0048
0503	9/14/07	0.027

"<" values are method detection limits.

Table 6. RPD for Duplicate Samples, 4.5 Acre Site

Sample ID	Analyte	S	D	RPD	MDL	5xMDL	Fail?
PIN20–M001	cis-1,2-Dichloroethylene	930	770	19	13	65	
PIN20–M001	trans-1,2-Dichloroethylene	90	100	11	0.44	2.2	
PIN20–M001	Vinyl chloride	2,200	1,800	20	10	50	
PIN20–M060	cis-1,2-Dichloroethylene	28	100	113	1.3	6.5	Yes
PIN20–M060	trans-1,2-Dichloroethylene	20	45	77	0.88	4.4	Yes
PIN20–M060	Vinyl chloride	2,000	2,100	5	10	50	
PIN20–MWL4	cis-1,2-Dichloroethylene	570	530	7	3.3	16.5	
PIN20–MWL4	trans-1,2-Dichloroethylene	35	33	6	0.44	2.2	
PIN20–MWL4	Trichloroethylene	10	6.6	41	0.5	2.5	Yes
PIN20–MWL4	Vinyl chloride	340	320	6	2.5	12.5	

S = Original sample (N001), VOC concentrations in μg/L and metals in mg/L.
D = Duplicate sample (N002), VOC concentrations in μg/L and metals in mg/L.
RL = Reporting limit.
Fail = Volatiles "fail" when the RPD is greater than ± 30% and the concentration is more than 5 times the reporting limit. Metals "fail" when the samples are more than 5 times the reporting limit and the RPD is greater than 20%. For metals samples that are less than 5 times the reporting limit the difference must be less than ± the reporting limit (this includes the case when only one of the duplicate/sample values is less than 5 times the reporting limit).

Appendix A

Laboratory Reports—September 2007 Semiannual Results

ANALYTICAL REPORT

Job Number: 660-18295-1

Job Description: Star Center

For:
S.M. Stoller Corporation
2597 B 3/4 Road
Grand Junction, CO 81503

Attention: Mr. Charles Tabor

Nancy Robertson
Project Manager II
nancy.robertson@testamericainc.com
10/26/2007
Revision: 1

Methods: FDEP, DOH Certification #: E84282, E81005, E81010 These test results meet all the requirements of NELAC unless specified in the case narrative. All questions regarding this test report should be directed to the TestAmerica Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request. The results contained in this test report relate only to these samples included herein.

Case Narrative:	TestAmerica Project 660-18295 Revised	
Date:	October 26, 2007	
Client:	S.M. Stoller Corporation	
Project:	Star Center	
Laboratory:	TestAmerica Tampa	
Analysis Requested:	8260B, 6010B	

Fifty-two liquid samples were received in good condition on 9.14.07 and logged in as TestAmerica Project 660-18295. The samples are identified as follows:

STL Log No.	Sample ID	Date Collected
660-18295-1	PIN24-0800	9/12/2007
660-18295-2	PIN20-M056-N001	9/12/2007
660-18295-3	PIN20-M053-N001	9/12/2007
660-18295-4	PIN20-M057-N001	9/12/2007
660-18295-5	PIN20-M005-N001	9/12/2007
660-18295-6	PIN20-M003-N001	9/12/2007
660-18295-7	PIN20-M18D-N001	9/12/2007
660-18295-8	PIN20-M058-N001	9/12/2007
660-18295-9	PIN20-M019-N001	9/12/2007
660-18295-10	PIN20-M059-N001	9/12/2007
660-18295-11	PIN20-M22D-N001	9/13/2007
660-18295-12	PIN20-M007-N001	9/13/2007
660-18295-13	PIN20-M028-N001	9/13/2007
660-18295-14	PIN24-0700	9/12/2007
660-18295-15	PIN15-M03S-N001	9/12/2007
660-18295-16	PIN15-M03D-N001	9/12/2007
660-18295-17	PIN15-M16D-N001	9/12/2007
660-18295-18	PIN15-M16S-N001	9/12/2007
660-18295-19	PIN15-0584-N001	9/12/2007
660-18295-20	PIN15-0537-N001	9/12/2007
660-18295-21	PIN15-RW16-N001	9/12/2007
660-18295-22	PIN15-M32S-N001	9/12/2007
660-18295-23	PIN15-M32D-N001	9/12/2007
660-18295-24	PIN15-0592-N001	9/13/2007
660-18295-25	PIN15-0515-N001	9/13/2007
660-18295-26	PIN15-0514-N001	9/13/2007
660-18295-27	PIN15-0516-N001	9/13/2007
660-18295-28	PIN15-0535-N001	9/13/2007
660-18295-29	PIN15-0530-N001	9/13/2007
660-18295-30	PIN15-M27D-N001	9/13/2007
660-18295-31	PIN15-M27S-N001	9/13/2007
660-18295-32	PIN15-0585-N001	9/13/2007
660-18295-33	PIN15-0586-N001	9/13/2007
660-18295-34	PIN24-0508	9/13/2007
660-18295-35	PIN15-0588-N001	9/13/2007
660-18295-36	PIN20-M061-N001	9/13/2007
660-18295-37	PIN20-M060-N001	9/13/2007
660-18295-38	PIN24-0502	9/13/2007
660-18295-39	PIN20-M049-N001	9/13/2007

660-18295-40	PIN20-MWL5-N001	9/13/2007
660-18295-41	PIN24-0600	9/12/2007
660-18295-42	PIN10-0500-N001	9/12/2007
660-18295-43	PIN09-0500-N001	9/12/2007
660-18295-44	PIN12-0521-N001	9/12/2007
660-18295-45	PIN12-S36B-N001	9/13/2007
660-18295-46	PIN12-S29C-N001	9/13/2007
660-18295-47	PIN12-S30B-N001	9/13/2007
660-18295-48	PIN12-S32B-N001	9/13/2007
660-18295-49	PIN12-S31B-N001	9/13/2007
660-18295-50	PIN12-S37B-N001	9/13/2007
660-18295-51	PIN12-S33C-N001	9/13/2007
660-18295-52	PIN12-S35B-N001	9/13/2007

No QA/QC issues were noted.

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18295-2	**PIN20-M056-N001**					
cis-1,2-Dichloroethylene		4.0		1.0	ug/L	8260B
Vinyl chloride		7.3		1.0	ug/L	8260B
660-18295-3	**PIN20-M053-N001**					
cis-1,2-Dichloroethylene		11		1.0	ug/L	8260B
Vinyl chloride		3.4		1.0	ug/L	8260B
660-18295-4	**PIN20-M057-N001**					
cis-1,2-Dichloroethylene		18		1.0	ug/L	8260B
Vinyl chloride		5.3		1.0	ug/L	8260B
660-18295-7	**PIN20-M18D-N001**					
cis-1,2-Dichloroethylene		13		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.74	J	1.0	ug/L	8260B
Vinyl chloride		10		1.0	ug/L	8260B
660-18295-8	**PIN20-M058-N001**					
Vinyl chloride		3.3		1.0	ug/L	8260B
660-18295-9	**PIN20-M019-N001**					
Vinyl chloride		0.81	J	1.0	ug/L	8260B
660-18295-10	**PIN20-M059-N001**					
Vinyl chloride		9.5		1.0	ug/L	8260B
660-18295-11	**PIN20-M22D-N001**					
Vinyl chloride		1.4		1.0	ug/L	8260B
660-18295-15	**PIN15-M03S-N001**					
Total Recoverable						
Aluminum		5.1		0.20	mg/L	6010B
Arsenic		0.075		0.010	mg/L	6010B
Iron		41		0.050	mg/L	6010B
Manganese		0.054		0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18295-16	**PIN15-M03D-N001**					
Total Recoverable						
Aluminum		4.2		0.20	mg/L	6010B
Iron		6.5		0.050	mg/L	6010B
Manganese		0.0049	B	0.010	mg/L	6010B
660-18295-17	**PIN15-M16D-N001**					
Total Recoverable						
Aluminum		0.47		0.20	mg/L	6010B
Iron		3.0		0.050	mg/L	6010B
Manganese		0.0042	B	0.010	mg/L	6010B
660-18295-18	**PIN15-M16S-N001**					
Total Recoverable						
Aluminum		1.4		0.20	mg/L	6010B
Iron		3.5		0.050	mg/L	6010B
Manganese		0.034		0.010	mg/L	6010B
660-18295-19	**PIN15-0584-N001**					
Vinyl chloride		1.8		1.0	ug/L	8260B
Total Recoverable						
Aluminum		67		0.20	mg/L	6010B
Iron		38		0.050	mg/L	6010B
Manganese		0.046		0.010	mg/L	6010B
660-18295-20	**PIN15-0537-N001**					
Benzene		3.2		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		120		1.0	ug/L	8260B
Vinyl chloride		450	M	10	ug/L	8260B
Total Recoverable						
Iron		3.2		0.050	mg/L	6010B
Manganese		0.011		0.010	mg/L	6010B
660-18295-21	**PIN15-RW16-N001**					
Total Recoverable						
Iron		3.9		0.050	mg/L	6010B
Manganese		0.017		0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18295-22	**PIN15-M32S-N001**					
Total Recoverable						
Aluminum		0.60		0.20	mg/L	6010B
Arsenic		0.018		0.010	mg/L	6010B
Iron		3.6		0.050	mg/L	6010B
Manganese		0.082		0.010	mg/L	6010B
660-18295-23	**PIN15-M32D-N001**					
Total Recoverable						
Aluminum		0.23		0.20	mg/L	6010B
Iron		5.3		0.050	mg/L	6010B
Manganese		0.0096	B	0.010	mg/L	6010B
660-18295-24	**PIN15-0592-N001**					
Benzene		29		1.0	ug/L	8260B
Ethylbenzene		1.1		1.0	ug/L	8260B
m,p-Xylene		2.0		2.0	ug/L	8260B
Toluene		0.94	J	1.0	ug/L	8260B
Total Recoverable						
Aluminum		27		0.20	mg/L	6010B
Iron		17		0.050	mg/L	6010B
Manganese		0.036		0.010	mg/L	6010B
660-18295-25	**PIN15-0515-N001**					
Total Recoverable						
Aluminum		0.081	B	0.20	mg/L	6010B
Iron		1.0		0.050	mg/L	6010B
Manganese		0.010		0.010	mg/L	6010B
660-18295-26	**PIN15-0514-N001**					
Total Recoverable						
Aluminum		2.3		0.20	mg/L	6010B
Iron		1.7		0.050	mg/L	6010B
Manganese		0.0097	B	0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18295-27	**PIN15-0516-N001**					
Total Recoverable						
Aluminum		0.14	B	0.20	mg/L	6010B
Iron		6.7		0.050	mg/L	6010B
Manganese		0.029		0.010	mg/L	6010B
660-18295-28	**PIN15-0535-N001**					
Total Recoverable						
Aluminum		5.0		0.20	mg/L	6010B
Iron		1.8		0.050	mg/L	6010B
Manganese		0.0099	B	0.010	mg/L	6010B
660-18295-29	**PIN15-0530-N001**					
Total Recoverable						
Aluminum		1.1		0.20	mg/L	6010B
Iron		2.3		0.050	mg/L	6010B
Manganese		0.034		0.010	mg/L	6010B
660-18295-30	**PIN15-M27D-N001**					
Total Recoverable						
Aluminum		0.69		0.20	mg/L	6010B
Iron		0.90		0.050	mg/L	6010B
Manganese		0.0098	B	0.010	mg/L	6010B
660-18295-31	**PIN15-M27S-N001**					
Total Recoverable						
Iron		1.9		0.050	mg/L	6010B
Manganese		0.11		0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18295-32	**PIN15-0585-N001**					
Benzene		0.86	J	1.0	ug/L	8260B
cis-1,2-Dichloroethylene		140		1.0	ug/L	8260B
1,1-Dichlorethylene		1.2		1.0	ug/L	8260B
Toluene		9.0		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.92	J	1.0	ug/L	8260B
Trichloroethylene		180		2.0	ug/L	8260B
Vinyl chloride		28		1.0	ug/L	8260B
Total Recoverable						
Aluminum		10		0.20	mg/L	6010B
Iron		6.6		0.050	mg/L	6010B
Manganese		0.016		0.010	mg/L	6010B
660-18295-33	**PIN15-0586-N001**					
Benzene		3.0	J	5.0	ug/L	8260B
cis-1,2-Dichloroethylene		1400		20	ug/L	8260B
1,1-Dichlorethylene		6.9		5.0	ug/L	8260B
Toluene		28		5.0	ug/L	8260B
trans-1,2-Dichloroethylene		4.8	J	5.0	ug/L	8260B
Trichloroethylene		430		5.0	ug/L	8260B
Vinyl chloride		490		5.0	ug/L	8260B
Total Recoverable						
Aluminum		18		0.20	mg/L	6010B
Iron		16		0.050	mg/L	6010B
Manganese		0.049		0.010	mg/L	6010B
660-18295-34	**PIN24-0508**					
Benzene		3.5	J	5.0	ug/L	8260B
cis-1,2-Dichloroethylene		1300		20	ug/L	8260B
1,1-Dichlorethylene		6.0		5.0	ug/L	8260B
Toluene		31		5.0	ug/L	8260B
trans-1,2-Dichloroethylene		4.8	J	5.0	ug/L	8260B
Trichloroethylene		450		5.0	ug/L	8260B
Vinyl chloride		500		5.0	ug/L	8260B
Total Recoverable						
Aluminum		21		0.20	mg/L	6010B
Iron		18		0.050	mg/L	6010B
Manganese		0.052		0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18295-35	**PIN15-0588-N001**					
Benzene		1.8		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		170		2.0	ug/L	8260B
1,1-Dichlorethylene		1.1		1.0	ug/L	8260B
Toluene		9.0		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.1		1.0	ug/L	8260B
Trichloroethylene		1.1		1.0	ug/L	8260B
Vinyl chloride		8.8		1.0	ug/L	8260B
Total Recoverable						
Aluminum		0.84		0.20	mg/L	6010B
Iron		3.3		0.050	mg/L	6010B
Manganese		0.25		0.010	mg/L	6010B
660-18295-36	**PIN20-M061-N001**					
cis-1,2-Dichloroethylene		1200		20	ug/L	8260B
1,1-Dichlorethylene		9.1		5.0	ug/L	8260B
trans-1,2-Dichloroethylene		68		5.0	ug/L	8260B
Trichloroethylene		220		5.0	ug/L	8260B
Vinyl chloride		330		5.0	ug/L	8260B
660-18295-37	**PIN20-M060-N001**					
cis-1,2-Dichloroethylene		28		2.0	ug/L	8260B
trans-1,2-Dichloroethylene		20		2.0	ug/L	8260B
Vinyl chloride		2000	M	20	ug/L	8260B
660-18295-38	**PIN24-0502**					
cis-1,2-Dichloroethylene		100		2.0	ug/L	8260B
1,1-Dichlorethylene		0.97	J	2.0	ug/L	8260B
trans-1,2-Dichloroethylene		45		2.0	ug/L	8260B
Vinyl chloride		2100		20	ug/L	8260B
660-18295-39	**PIN20-M049-N001**					
cis-1,2-Dichloroethylene		3.7		1.0	ug/L	8260B
Vinyl chloride		2.3		1.0	ug/L	8260B
660-18295-43	**PIN09-0500-N001**					
Total Recoverable						
Arsenic		0.0077	B	0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation | Job Number: 660-18295-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18295-46	**PIN12-S29C-N001**					
1,1-Dichloroethane		2.0		1.0	ug/L	8260B
Vinyl chloride		4.8		1.0	ug/L	8260B
660-18295-47	**PIN12-S30B-N001**					
Benzene		1.6		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		6000		50	ug/L	8260B
1,1-Dichlorethylene		120		1.0	ug/L	8260B
1,1-Dichloroethane		9.1		1.0	ug/L	8260B
Toluene		0.58	J	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		330		25	ug/L	8260B
Trichloroethylene		350		25	ug/L	8260B
Vinyl chloride		2100		25	ug/L	8260B
660-18295-48	**PIN12-S32B-N001**					
1,1-Dichloroethane		2.6		1.0	ug/L	8260B
Total Recoverable						
Arsenic		0.011		0.010	mg/L	6010B
660-18295-49	**PIN12-S31B-N001**					
Total Recoverable						
Arsenic		0.018		0.010	mg/L	6010B
660-18295-50	**PIN12-S37B-N001**					
cis-1,2-Dichloroethylene		3.7		1.0	ug/L	8260B
Dichlorodifluoromethane		9.5		5.0	ug/L	8260B
Vinyl chloride		3.4		1.0	ug/L	8260B
660-18295-51	**PIN12-S33C-N001**					
cis-1,2-Dichloroethylene		1700		13	ug/L	8260B
1,1-Dichlorethylene		110		2.0	ug/L	8260B
trans-1,2-Dichloroethylene		29		2.0	ug/L	8260B
Trichloroethylene		43		2.0	ug/L	8260B
Vinyl chloride		1100		13	ug/L	8260B
Total Recoverable						
Arsenic		0.0048	B	0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-18295-52	**PIN12-S35B-N001**				
cis-1,2-Dichloroethylene		14000	200	ug/L	8260B
1,1-Dichlorethylene		90	50	ug/L	8260B
trans-1,2-Dichloroethylene		3300	50	ug/L	8260B
Trichloroethylene		7500	50	ug/L	8260B
Vinyl chloride		9300	200	ug/L	8260B
Total Recoverable					
Arsenic		0.017	0.010	mg/L	6010B

METHOD SUMMARY

Client: S.M. Stoller Corporation | Job Number: 660-18295-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	TAL TAM	SW846 8260B	
Purge-and-Trap	TAL TAM		SW846 5030B
Inductively Coupled Plasma - Atomic Emission Spectrometry	TAL TAM	SW846 6010B	
Acid Digestion of Waters for Total Recoverable or	TAL TAM		SW846 3005A

Lab References:

TAL TAM = TestAmerica Tampa

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Method	Analyst	Analyst ID
SW846 8260B	Perez, Julian	JP
SW846 6010B	Fox, Greg	GF

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-18295-1	PIN24-0800	Water	09/12/2007 0720	09/14/2007 0900
660-18295-2	PIN20-M056-N001	Water	09/12/2007 0940	09/14/2007 0900
660-18295-3	PIN20-M053-N001	Water	09/12/2007 1000	09/14/2007 0900
660-18295-4	PIN20-M057-N001	Water	09/12/2007 1020	09/14/2007 0900
660-18295-5	PIN20-M005-N001	Water	09/12/2007 1055	09/14/2007 0900
660-18295-6	PIN20-M003-N001	Water	09/12/2007 1100	09/14/2007 0900
660-18295-7	PIN20-M18D-N001	Water	09/12/2007 1340	09/14/2007 0900
660-18295-8	PIN20-M058-N001	Water	09/12/2007 1435	09/14/2007 0900
660-18295-9	PIN20-M019-N001	Water	09/12/2007 1510	09/14/2007 0900
660-18295-10	PIN20-M059-N001	Water	09/12/2007 1533	09/14/2007 0900
660-18295-11	PIN20-M22D-N001	Water	09/13/2007 0845	09/14/2007 0900
660-18295-12	PIN20-M007-N001	Water	09/13/2007 0917	09/14/2007 0900
660-18295-13	PIN20-M028-N001	Water	09/13/2007 0948	09/14/2007 0900
660-18295-14	PIN24-0700	Water	09/12/2007 0840	09/14/2007 0900
660-18295-15	PIN15-M03S-N001	Water	09/12/2007 1002	09/14/2007 0900
660-18295-16	PIN15-M03D-N001	Water	09/12/2007 1031	09/14/2007 0900
660-18295-17	PIN15-M16D-N001	Water	09/12/2007 1059	09/14/2007 0900
660-18295-18	PIN15-M16S-N001	Water	09/12/2007 1121	09/14/2007 0900
660-18295-19	PIN15-0584-N001	Water	09/12/2007 1314	09/14/2007 0900
660-18295-20	PIN15-0537-N001	Water	09/12/2007 1342	09/14/2007 0900
660-18295-21	PIN15-RW16-N001	Water	09/12/2007 1409	09/14/2007 0900
660-18295-22	PIN15-M32S-N001	Water	09/12/2007 1441	09/14/2007 0900
660-18295-23	PIN15-M32D-N001	Water	09/12/2007 1506	09/14/2007 0900
660-18295-24	PIN15-0592-N001	Water	09/13/2007 0845	09/14/2007 0900
660-18295-25	PIN15-0515-N001	Water	09/13/2007 0914	09/14/2007 0900
660-18295-26	PIN15-0514-N001	Water	09/13/2007 0933	09/14/2007 0900
660-18295-27	PIN15-0516-N001	Water	09/13/2007 0959	09/14/2007 0900
660-18295-28	PIN15-0535-N001	Water	09/13/2007 1025	09/14/2007 0900
660-18295-29	PIN15-0530-N001	Water	09/13/2007 1049	09/14/2007 0900
660-18295-30	PIN15-M27D-N001	Water	09/13/2007 1121	09/14/2007 0900
660-18295-31	PIN15-M27S-N001	Water	09/13/2007 1141	09/14/2007 0900
660-18295-32	PIN15-0585-N001	Water	09/13/2007 1350	09/14/2007 0900
660-18295-33	PIN15-0586-N001	Water	09/13/2007 1428	09/14/2007 0900
660-18295-34	PIN24-0508	Water	09/13/2007 1444	09/14/2007 0900
660-18295-35	PIN15-0588-N001	Water	09/13/2007 1525	09/14/2007 0900
660-18295-36	PIN20-M061-N001	Water	09/13/2007 1037	09/14/2007 0900
660-18295-37	PIN20-M060-N001	Water	09/13/2007 1305	09/14/2007 0900
660-18295-38	PIN24-0502	Water	09/13/2007 1232	09/14/2007 0900
660-18295-39	PIN20-M049-N001	Water	09/13/2007 1406	09/14/2007 0900
660-18295-40	PIN20-MWL5-N001	Water	09/13/2007 1458	09/14/2007 0900
660-18295-41	PIN24-0600	Water	09/12/2007 1100	09/14/2007 0900
660-18295-42	PIN10-0500-N001	Water	09/12/2007 1350	09/14/2007 0900
660-18295-43	PIN09-0500-N001	Water	09/12/2007 1416	09/14/2007 0900
660-18295-44	PIN12-0521-N001	Water	09/12/2007 1442	09/14/2007 0900
660-18295-45	PIN12-S36B-N001	Water	09/13/2007 0851	09/14/2007 0900
660-18295-46	PIN12-S29C-N001	Water	09/13/2007 0919	09/14/2007 0900

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-18295-47	PIN12-S30B-N001	Water	09/13/2007 0945	09/14/2007 0900
660-18295-48	PIN12-S32B-N001	Water	09/13/2007 1015	09/14/2007 0900
660-18295-49	PIN12-S31B-N001	Water	09/13/2007 1040	09/14/2007 0900
660-18295-50	PIN12-S37B-N001	Water	09/13/2007 1329	09/14/2007 0900
660-18295-51	PIN12-S33C-N001	Water	09/13/2007 1404	09/14/2007 0900
660-18295-52	PIN12-S35B-N001	Water	09/13/2007 1440	09/14/2007 0900

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN24-0800**

Lab Sample ID: 660-18295-1
Client Matrix: Water

Date Sampled: 09/12/2007 0720
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2007 2328
Date Prepared: 09/20/2007 2328

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2020.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	114	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M056-N001**

Lab Sample ID: 660-18295-2
Client Matrix: Water

Date Sampled: 09/12/2007 0940
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2007 2349
Date Prepared: 09/20/2007 2349

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2021.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	4.0		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	7.3		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M053-N001**

Lab Sample ID: 660-18295-3
Client Matrix: Water

Date Sampled: 09/12/2007 1000
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0010
Date Prepared: 09/21/2007 0010

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2022.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	11		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	3.4		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	109	74 - 126
Toluene-d8 (Surr)	116	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M057-N001**

Lab Sample ID: 660-18295-4
Client Matrix: Water

Date Sampled: 09/12/2007 1020
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0030
Date Prepared: 09/21/2007 0030

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2023.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	18		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	5.3		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	119	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M005-N001**

Lab Sample ID: 660-18295-5
Client Matrix: Water

Date Sampled: 09/12/2007 1055
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0051
Date Prepared: 09/21/2007 0051

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2024.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M003-N001**

Lab Sample ID: 660-18295-6
Client Matrix: Water

Date Sampled: 09/12/2007 1100
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0112
Date Prepared: 09/21/2007 0112

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2025.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M18D-N001**

Lab Sample ID: 660-18295-7
Client Matrix: Water

Date Sampled: 09/12/2007 1340
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0132
Date Prepared: 09/21/2007 0132

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2026.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	13		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.74	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	10		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	114	74 - 126
Toluene-d8 (Surr)	114	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M058-N001**

Lab Sample ID: 660-18295-8
Client Matrix: Water

Date Sampled: 09/12/2007 1435
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0153
Date Prepared: 09/21/2007 0153

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2027.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	3.3		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M019-N001**

Lab Sample ID: 660-18295-9
Client Matrix: Water

Date Sampled: 09/12/2007 1510
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0214
Date Prepared: 09/21/2007 0214

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2028.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.81	J	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	108	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M059-N001**

Lab Sample ID: 660-18295-10
Client Matrix: Water

Date Sampled: 09/12/2007 1533
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0234
Date Prepared: 09/21/2007 0234

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2029.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	9.5		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M22D-N001**

Lab Sample ID: 660-18295-11
Client Matrix: Water

Date Sampled: 09/13/2007 0845
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0255
Date Prepared: 09/21/2007 0255

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2030.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	1.4		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	116	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M007-N001**

Lab Sample ID: 660-18295-12
Client Matrix: Water

Date Sampled: 09/13/2007 0917
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0316
Date Prepared: 09/21/2007 0316

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2031.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M028-N001**

Lab Sample ID: 660-18295-13
Client Matrix: Water

Date Sampled: 09/13/2007 0948
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0336
Date Prepared: 09/21/2007 0336

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2032.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	109	74 - 126
Toluene-d8 (Surr)	116	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN24-0700**

Lab Sample ID: 660-18295-14
Client Matrix: Water

Date Sampled: 09/12/2007 0840
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0357
Date Prepared: 09/21/2007 0357

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2033.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0584-N001**

Lab Sample ID: 660-18295-19
Client Matrix: Water

Date Sampled: 09/12/2007 1314
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0418
Date Prepared: 09/21/2007 0418

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2034.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	1.8		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0537-N001**

Lab Sample ID: 660-18295-20
Client Matrix: Water

Date Sampled: 09/12/2007 1342
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0438
Date Prepared: 09/21/2007 0438

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2035.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	3.2		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	120		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	119	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0537-N001**

Lab Sample ID: 660-18295-20
Client Matrix: Water

Date Sampled: 09/12/2007 1342
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/24/2007 0101
Date Prepared: 09/24/2007 0101

Analysis Batch: 660-50896
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2322.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	450	M	5.0	10

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0592-N001**

Lab Sample ID: 660-18295-24
Client Matrix: Water

Date Sampled: 09/13/2007 0845
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/21/2007 0459
Date Prepared: 09/21/2007 0459

Analysis Batch: 660-50786

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2036.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	29		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	1.1		0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	2.0		0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.94	J	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	114	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0585-N001**

Lab Sample ID: 660-18295-32
Client Matrix: Water

Date Sampled: 09/13/2007 1350
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 0020
Date Prepared: 09/24/2007 0020

Analysis Batch: 660-50896

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2320.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.86	J	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	140		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.2		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	9.0		0.51	1.0
trans-1,2-Dichloroethylene	0.92	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	28		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	120	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0585-N001**

Lab Sample ID: 660-18295-32
Client Matrix: Water

Date Sampled: 09/13/2007 1350
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 2.0
Date Analyzed: 09/25/2007 0049
Date Prepared: 09/25/2007 0049

Analysis Batch: 660-50888
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2427.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Trichloroethylene	180		1.0	2.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0586-N001**

Lab Sample ID: 660-18295-33
Client Matrix: Water

Date Sampled: 09/13/2007 1428
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/25/2007 0130
Date Prepared: 09/25/2007 0130

Analysis Batch: 660-50888

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2429.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	3.0	J	2.5	5.0
Bromodichloromethane	1.8	U	1.8	5.0
Bromoform	2.9	U	2.9	5.0
Carbon tetrachloride	2.1	U	2.1	5.0
Chlorobenzene	3.2	U	3.2	5.0
Chloroethane	13	U	13	25
2-Chloroethyl vinyl ether	4.8	U	4.8	25
Chloroform	4.5	U	4.5	5.0
cis-1,3-Dichloropropene	0.70	U	0.70	5.0
Dibromochloromethane	1.7	U	1.7	5.0
1,1-Dichlorethylene	6.9		2.3	5.0
Dichlorodifluoromethane	13	U	13	25
1,1-Dichloroethane	2.6	U	2.6	5.0
1,2-Dichloroethane	2.9	U	2.9	5.0
1,2-Dichloropropane	2.6	U	2.6	5.0
Ethylbenzene	2.2	U	2.2	5.0
m-Dichlorobenzene	3.2	U	3.2	5.0
Methyl bromide	13	U	13	25
Methylene Chloride	20	U	20	25
Methyl tert-butyl ether	2.2	U	2.2	5.0
m,p-Xylene	3.0	U	3.0	10
o-Dichlorobenzene	2.2	U	2.2	5.0
o-Xylene	2.5	U	2.5	5.0
p-Dichlorobenzene	2.6	U	2.6	5.0
1,1,2,2-Tetrachloroethane	0.75	U	0.75	5.0
Tetrachloroethylene	2.5	U	2.5	5.0
Toluene	28		2.6	5.0
trans-1,2-Dichloroethylene	4.8	J	2.2	5.0
trans-1,3-Dichloropropene	0.70	U	0.70	5.0
1,1,1-Trichloroethane	2.3	U	2.3	5.0
1,1,2-Trichloroethane	2.4	U	2.4	5.0
Trichloroethylene	430		2.5	5.0
Trichlorofluoromethane	13	U	13	25
Vinyl chloride	490		2.5	5.0
Methyl chloride	5.0	U	5.0	20

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	101	74 - 126
Toluene-d8 (Surr)	90	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0586-N001**

Lab Sample ID: 660-18295-33
Client Matrix: Water

Date Sampled: 09/13/2007 1428
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 20
Date Analyzed: 09/24/2007 0122
Date Prepared: 09/24/2007 0122

Analysis Batch: 660-50896
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2323.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	1400		13	20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN24-0508**

Lab Sample ID: 660-18295-34
Client Matrix: Water

Date Sampled: 09/13/2007 1444
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/25/2007 0151
Date Prepared: 09/25/2007 0151

Analysis Batch: 660-50888

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2430.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	3.5	J	2.5	5.0
Bromodichloromethane	1.8	U	1.8	5.0
Bromoform	2.9	U	2.9	5.0
Carbon tetrachloride	2.1	U	2.1	5.0
Chlorobenzene	3.2	U	3.2	5.0
Chloroethane	13	U	13	25
2-Chloroethyl vinyl ether	4.8	U	4.8	25
Chloroform	4.5	U	4.5	5.0
cis-1,3-Dichloropropene	0.70	U	0.70	5.0
Dibromochloromethane	1.7	U	1.7	5.0
1,1-Dichlorethylene	6.0		2.3	5.0
Dichlorodifluoromethane	13	U	13	25
1,1-Dichloroethane	2.6	U	2.6	5.0
1,2-Dichloroethane	2.9	U	2.9	5.0
1,2-Dichloropropane	2.6	U	2.6	5.0
Ethylbenzene	2.2	U	2.2	5.0
m-Dichlorobenzene	3.2	U	3.2	5.0
Methyl bromide	13	U	13	25
Methylene Chloride	20	U	20	25
Methyl tert-butyl ether	2.2	U	2.2	5.0
m,p-Xylene	3.0	U	3.0	10
o-Dichlorobenzene	2.2	U	2.2	5.0
o-Xylene	2.5	U	2.5	5.0
p-Dichlorobenzene	2.6	U	2.6	5.0
1,1,2,2-Tetrachloroethane	0.75	U	0.75	5.0
Tetrachloroethylene	2.5	U	2.5	5.0
Toluene	31		2.6	5.0
trans-1,2-Dichloroethylene	4.8	J	2.2	5.0
trans-1,3-Dichloropropene	0.70	U	0.70	5.0
1,1,1-Trichloroethane	2.3	U	2.3	5.0
1,1,2-Trichloroethane	2.4	U	2.4	5.0
Trichloroethylene	450		2.5	5.0
Trichlorofluoromethane	13	U	13	25
Vinyl chloride	500		2.5	5.0
Methyl chloride	5.0	U	5.0	20

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN24-0508**

Lab Sample ID: 660-18295-34
Client Matrix: Water

Date Sampled: 09/13/2007 1444
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 20
Date Analyzed: 09/24/2007 0143
Date Prepared: 09/24/2007 0143

Analysis Batch: 660-50896
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2324.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	1300		13	20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0588-N001**

Lab Sample ID: 660-18295-35
Client Matrix: Water

Date Sampled: 09/13/2007 1525
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 0040
Date Prepared: 09/24/2007 0040

Analysis Batch: 660-50896

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2321.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.8		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.1		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	9.0		0.51	1.0
trans-1,2-Dichloroethylene	1.1		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	1.1		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	8.8		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	113	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN15-0588-N001**

Lab Sample ID: 660-18295-35
Client Matrix: Water

Date Sampled: 09/13/2007 1525
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 2.0
Date Analyzed: 09/25/2007 0109
Date Prepared: 09/25/2007 0109

Analysis Batch: 660-50888
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2428.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	170		1.3	2.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M061-N001**

Lab Sample ID: 660-18295-36
Client Matrix: Water

Date Sampled: 09/13/2007 1037
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/25/2007 0211
Date Prepared: 09/25/2007 0211

Analysis Batch: 660-50888

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2431.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	2.5	U	2.5	5.0
Bromodichloromethane	1.8	U	1.8	5.0
Bromoform	2.9	U	2.9	5.0
Carbon tetrachloride	2.1	U	2.1	5.0
Chlorobenzene	3.2	U	3.2	5.0
Chloroethane	13	U	13	25
2-Chloroethyl vinyl ether	4.8	U	4.8	25
Chloroform	4.5	U	4.5	5.0
cis-1,3-Dichloropropene	0.70	U	0.70	5.0
Dibromochloromethane	1.7	U	1.7	5.0
1,1-Dichlorethylene	9.1		2.3	5.0
Dichlorodifluoromethane	13	U	13	25
1,1-Dichloroethane	2.6	U	2.6	5.0
1,2-Dichloroethane	2.9	U	2.9	5.0
1,2-Dichloropropane	2.6	U	2.6	5.0
Ethylbenzene	2.2	U	2.2	5.0
m-Dichlorobenzene	3.2	U	3.2	5.0
Methyl bromide	13	U	13	25
Methylene Chloride	20	U	20	25
Methyl tert-butyl ether	2.2	U	2.2	5.0
m,p-Xylene	3.0	U	3.0	10
o-Dichlorobenzene	2.2	U	2.2	5.0
o-Xylene	2.5	U	2.5	5.0
p-Dichlorobenzene	2.6	U	2.6	5.0
1,1,2,2-Tetrachloroethane	0.75	U	0.75	5.0
Tetrachloroethylene	2.5	U	2.5	5.0
Toluene	2.6	U	2.6	5.0
trans-1,2-Dichloroethylene	68		2.2	5.0
trans-1,3-Dichloropropene	0.70	U	0.70	5.0
1,1,1-Trichloroethane	2.3	U	2.3	5.0
1,1,2-Trichloroethane	2.4	U	2.4	5.0
Trichloroethylene	220		2.5	5.0
Trichlorofluoromethane	13	U	13	25
Vinyl chloride	330		2.5	5.0
Methyl chloride	5.0	U	5.0	20

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	92	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M061-N001**

Lab Sample ID: 660-18295-36
Client Matrix: Water

Date Sampled: 09/13/2007 1037
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 20
Date Analyzed: 09/24/2007 0203
Date Prepared: 09/24/2007 0203

Analysis Batch: 660-50896
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2325.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	1200		13	20

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M060-N001**

Lab Sample ID: 660-18295-37
Client Matrix: Water

Date Sampled: 09/13/2007 1305
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 2.0
Date Analyzed: 09/25/2007 1857
Date Prepared: 09/25/2007 1857

Analysis Batch: 660-50904

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2529.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.0	U	1.0	2.0
Bromodichloromethane	0.70	U	0.70	2.0
Bromoform	1.2	U	1.2	2.0
Carbon tetrachloride	0.84	U	0.84	2.0
Chlorobenzene	1.3	U	1.3	2.0
Chloroethane	5.0	U	5.0	10
2-Chloroethyl vinyl ether	1.9	U	1.9	10
Chloroform	1.8	U	1.8	2.0
cis-1,2-Dichloroethylene	28		1.3	2.0
cis-1,3-Dichloropropene	0.28	U	0.28	2.0
Dibromochloromethane	0.68	U	0.68	2.0
1,1-Dichlorethylene	0.90	U	0.90	2.0
Dichlorodifluoromethane	5.0	U	5.0	10
1,1-Dichloroethane	1.0	U	1.0	2.0
1,2-Dichloroethane	1.1	U	1.1	2.0
1,2-Dichloropropane	1.0	U	1.0	2.0
Ethylbenzene	0.88	U	0.88	2.0
m-Dichlorobenzene	1.3	U	1.3	2.0
Methyl bromide	5.0	U	5.0	10
Methylene Chloride	8.0	U	8.0	10
Methyl tert-butyl ether	0.88	U	0.88	2.0
m,p-Xylene	1.2	U	1.2	4.0
o-Dichlorobenzene	0.88	U	0.88	2.0
o-Xylene	1.0	U	1.0	2.0
p-Dichlorobenzene	1.0	U	1.0	2.0
1,1,2,2-Tetrachloroethane	0.30	U	0.30	2.0
Tetrachloroethylene	1.0	U	1.0	2.0
Toluene	1.0	U	1.0	2.0
trans-1,2-Dichloroethylene	20		0.88	2.0
trans-1,3-Dichloropropene	0.28	U	0.28	2.0
1,1,1-Trichloroethane	0.92	U	0.92	2.0
1,1,2-Trichloroethane	0.94	U	0.94	2.0
Trichloroethylene	1.0	U	1.0	2.0
Trichlorofluoromethane	5.0	U	5.0	10
Methyl chloride	2.0	U	2.0	8.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	113	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M060-N001**

Lab Sample ID: 660-18295-37
Client Matrix: Water

Date Sampled: 09/13/2007 1305
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 20
Date Analyzed: 09/24/2007 0224
Date Prepared: 09/24/2007 0224

Analysis Batch: 660-50896
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2326.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	2000	M	10	20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN24-0502**

Lab Sample ID: 660-18295-38
Client Matrix: Water

Date Sampled: 09/13/2007 1232
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 2.0
Date Analyzed: 09/25/2007 1918
Date Prepared: 09/25/2007 1918

Analysis Batch: 660-50904

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2530.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.0	U	1.0	2.0
Bromodichloromethane	0.70	U	0.70	2.0
Bromoform	1.2	U	1.2	2.0
Carbon tetrachloride	0.84	U	0.84	2.0
Chlorobenzene	1.3	U	1.3	2.0
Chloroethane	5.0	U	5.0	10
2-Chloroethyl vinyl ether	1.9	U	1.9	10
Chloroform	1.8	U	1.8	2.0
cis-1,2-Dichloroethylene	100		1.3	2.0
cis-1,3-Dichloropropene	0.28	U	0.28	2.0
Dibromochloromethane	0.68	U	0.68	2.0
1,1-Dichlorethylene	0.97	J	0.90	2.0
Dichlorodifluoromethane	5.0	U	5.0	10
1,1-Dichloroethane	1.0	U	1.0	2.0
1,2-Dichloroethane	1.1	U	1.1	2.0
1,2-Dichloropropane	1.0	U	1.0	2.0
Ethylbenzene	0.88	U	0.88	2.0
m-Dichlorobenzene	1.3	U	1.3	2.0
Methyl bromide	5.0	U	5.0	10
Methylene Chloride	8.0	U	8.0	10
Methyl tert-butyl ether	0.88	U	0.88	2.0
m,p-Xylene	1.2	U	1.2	4.0
o-Dichlorobenzene	0.88	U	0.88	2.0
o-Xylene	1.0	U	1.0	2.0
p-Dichlorobenzene	1.0	U	1.0	2.0
1,1,2,2-Tetrachloroethane	0.30	U	0.30	2.0
Tetrachloroethylene	1.0	U	1.0	2.0
Toluene	1.0	U	1.0	2.0
trans-1,2-Dichloroethylene	45		0.88	2.0
trans-1,3-Dichloropropene	0.28	U	0.28	2.0
1,1,1-Trichloroethane	0.92	U	0.92	2.0
1,1,2-Trichloroethane	0.94	U	0.94	2.0
Trichloroethylene	1.0	U	1.0	2.0
Trichlorofluoromethane	5.0	U	5.0	10
Methyl chloride	2.0	U	2.0	8.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	123	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN24-0502**

Lab Sample ID: 660-18295-38
Client Matrix: Water

Date Sampled: 09/13/2007 1232
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 20
Date Analyzed: 09/24/2007 0245
Date Prepared: 09/24/2007 0245

Analysis Batch: 660-50896
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2327.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	2100		10	20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-M049-N001**

Lab Sample ID: 660-18295-39
Client Matrix: Water

Date Sampled: 09/13/2007 1406
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 0305
Date Prepared: 09/24/2007 0305

Analysis Batch: 660-50896

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2328.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	3.7		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	2.3		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN20-MWL5-N001**

Lab Sample ID: 660-18295-40
Client Matrix: Water

Date Sampled: 09/13/2007 1458
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 0326
Date Prepared: 09/24/2007 0326

Analysis Batch: 660-50896

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2329.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	107	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN24-0600**

Lab Sample ID: 660-18295-41
Client Matrix: Water

Date Sampled: 09/12/2007 1100
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 0347
Date Prepared: 09/24/2007 0347

Analysis Batch: 660-50896

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2330.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	118	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN10-0500-N001**

Lab Sample ID: 660-18295-42
Client Matrix: Water

Date Sampled: 09/12/2007 1350
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 0407
Date Prepared: 09/24/2007 0407

Analysis Batch: 660-50896

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2331.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	118	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN09-0500-N001**

Lab Sample ID: 660-18295-43
Client Matrix: Water

Date Sampled: 09/12/2007 1416
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 0428
Date Prepared: 09/24/2007 0428

Analysis Batch: 660-50896

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2332.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	102	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-0521-N001**

Lab Sample ID: 660-18295-44
Client Matrix: Water

Date Sampled: 09/12/2007 1442
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 0510
Date Prepared: 09/24/2007 0510

Analysis Batch: 660-50896

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2334.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	117	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S36B-N001**

Lab Sample ID: 660-18295-45
Client Matrix: Water

Date Sampled: 09/13/2007 0851
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/25/2007 1959
Date Prepared: 09/25/2007 1959

Analysis Batch: 660-50904

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2532.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S29C-N001**

Lab Sample ID: 660-18295-46
Client Matrix: Water

Date Sampled: 09/13/2007 0919
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 0449
Date Prepared: 09/24/2007 0449

Analysis Batch: 660-50896

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2333.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	2.0		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	4.8		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	122	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S30B-N001**

Lab Sample ID: 660-18295-47
Client Matrix: Water

Date Sampled: 09/13/2007 0945
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 1938
Date Prepared: 09/24/2007 1938

Analysis Batch: 660-50888

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2412.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.6		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	120		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	9.1		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.58	J	0.51	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	120	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S30B-N001**

Lab Sample ID: 660-18295-47
Client Matrix: Water

Date Sampled: 09/13/2007 0945
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 25
Date Analyzed: 09/25/2007 1707
Date Prepared: 09/25/2007 1707

Analysis Batch: 660-50904
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2524.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
trans-1,2-Dichloroethylene	330		11	25
Trichloroethylene	350		13	25
Vinyl chloride	2100		13	25

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S30B-N001**

Lab Sample ID: 660-18295-47
Client Matrix: Water

Date Sampled: 09/13/2007 0945
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 50
Date Analyzed: 09/25/2007 2102
Date Prepared: 09/25/2007 2102

Analysis Batch: 660-50904
Run Type: DL2

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2535.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	6000		33	50

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S32B-N001**

Lab Sample ID: 660-18295-48
Client Matrix: Water

Date Sampled: 09/13/2007 1015
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 1958
Date Prepared: 09/24/2007 1958

Analysis Batch: 660-50888

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2413.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	2.6		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	115	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S31B-N001**

Lab Sample ID: 660-18295-49
Client Matrix: Water

Date Sampled: 09/13/2007 1040
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/24/2007 2019
Date Prepared: 09/24/2007 2019

Analysis Batch: 660-50888

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2414.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	118	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S37B-N001**

Lab Sample ID: 660-18295-50

Client Matrix: Water

Date Sampled: 09/13/2007 1329

Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Preparation: 5030B

Dilution: 1.0

Date Analyzed: 09/24/2007 2040

Date Prepared: 09/24/2007 2040

Analysis Batch: 660-50888

Instrument ID: BVMH GC/MS

Lab File ID: 2HI2415.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	3.7		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	9.5		2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	3.4		0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	115	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S33C-N001**

Lab Sample ID: 660-18295-51

Client Matrix: Water

Date Sampled: 09/13/2007 1404

Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Preparation: 5030B

Dilution: 2.0

Date Analyzed: 09/25/2007 1735

Date Prepared: 09/25/2007 1735

Analysis Batch: 660-50904

Instrument ID: BVMH GC/MS

Lab File ID: 1HI2525.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.0	U	1.0	2.0
Bromodichloromethane	0.70	U	0.70	2.0
Bromoform	1.2	U	1.2	2.0
Carbon tetrachloride	0.84	U	0.84	2.0
Chlorobenzene	1.3	U	1.3	2.0
Chloroethane	5.0	U	5.0	10
2-Chloroethyl vinyl ether	1.9	U	1.9	10
Chloroform	1.8	U	1.8	2.0
cis-1,3-Dichloropropene	0.28	U	0.28	2.0
Dibromochloromethane	0.68	U	0.68	2.0
1,1-Dichlorethylene	110		0.90	2.0
Dichlorodifluoromethane	5.0	U	5.0	10
1,1-Dichloroethane	1.0	U	1.0	2.0
1,2-Dichloroethane	1.1	U	1.1	2.0
1,2-Dichloropropane	1.0	U	1.0	2.0
Ethylbenzene	0.88	U	0.88	2.0
m-Dichlorobenzene	1.3	U	1.3	2.0
Methyl bromide	5.0	U	5.0	10
Methylene Chloride	8.0	U	8.0	10
Methyl tert-butyl ether	0.88	U	0.88	2.0
m,p-Xylene	1.2	U	1.2	4.0
o-Dichlorobenzene	0.88	U	0.88	2.0
o-Xylene	1.0	U	1.0	2.0
p-Dichlorobenzene	1.0	U	1.0	2.0
1,1,2,2-Tetrachloroethane	0.30	U	0.30	2.0
Tetrachloroethylene	1.0	U	1.0	2.0
Toluene	1.0	U	1.0	2.0
trans-1,2-Dichloroethylene	29		0.88	2.0
trans-1,3-Dichloropropene	0.28	U	0.28	2.0
1,1,1-Trichloroethane	0.92	U	0.92	2.0
1,1,2-Trichloroethane	0.94	U	0.94	2.0
Trichloroethylene	43		1.0	2.0
Trichlorofluoromethane	5.0	U	5.0	10
Methyl chloride	2.0	U	2.0	8.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	121	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S33C-N001**

Lab Sample ID: 660-18295-51
Client Matrix: Water

Date Sampled: 09/13/2007 1404
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 12.5
Date Analyzed: 09/24/2007 2101
Date Prepared: 09/24/2007 2101

Analysis Batch: 660-50888
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2416.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	1700		8.1	13
Vinyl chloride	1100		6.3	13

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S35B-N001**

Lab Sample ID: 660-18295-52
Client Matrix: Water

Date Sampled: 09/13/2007 1440
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 50
Date Analyzed: 09/24/2007 2142
Date Prepared: 09/24/2007 2142

Analysis Batch: 660-50888

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2418.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	25	U	25	50
Bromodichloromethane	18	U	18	50
Bromoform	29	U	29	50
Carbon tetrachloride	21	U	21	50
Chlorobenzene	32	U	32	50
Chloroethane	130	U	130	250
2-Chloroethyl vinyl ether	48	U	48	250
Chloroform	45	U	45	50
cis-1,3-Dichloropropene	7.0	U	7.0	50
Dibromochloromethane	17	U	17	50
1,1-Dichlorethylene	90		23	50
Dichlorodifluoromethane	130	U	130	250
1,1-Dichloroethane	26	U	26	50
1,2-Dichloroethane	29	U	29	50
1,2-Dichloropropane	26	U	26	50
Ethylbenzene	22	U	22	50
m-Dichlorobenzene	32	U	32	50
Methyl bromide	130	U	130	250
Methylene Chloride	200	U	200	250
Methyl tert-butyl ether	22	U	22	50
m,p-Xylene	30	U	30	100
o-Dichlorobenzene	22	U	22	50
o-Xylene	25	U	25	50
p-Dichlorobenzene	26	U	26	50
1,1,2,2-Tetrachloroethane	7.5	U	7.5	50
Tetrachloroethylene	25	U	25	50
Toluene	26	U	26	50
trans-1,2-Dichloroethylene	3300		22	50
trans-1,3-Dichloropropene	7.0	U	7.0	50
1,1,1-Trichloroethane	23	U	23	50
1,1,2-Trichloroethane	24	U	24	50
Trichloroethylene	7500		25	50
Trichlorofluoromethane	130	U	130	250
Methyl chloride	50	U	50	200

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	84	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: **PIN12-S35B-N001**

Lab Sample ID: 660-18295-52
Client Matrix: Water

Date Sampled: 09/13/2007 1440
Date Received: 09/14/2007 0900

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 200
Date Analyzed: 09/24/2007 2121
Date Prepared: 09/24/2007 2121

Analysis Batch: 660-50888
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2417.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	14000		130	200
Vinyl chloride	9300		100	200

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-M03S-N001

Lab Sample ID:	660-18295-15	Date Sampled:	09/12/2007 1002
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50402		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50331		Lab File ID:	7I17A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/17/2007 1401			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1329				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	5.1		0.070	0.20
Arsenic	0.075		0.0048	0.010
Iron	41		0.022	0.050
Manganese	0.054		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-M03D-N001

Lab Sample ID: 660-18295-16
Client Matrix: Water

Date Sampled: 09/12/2007 1031
Date Received: 09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/17/2007 1407
Date Prepared: 09/15/2007 1329

Analysis Batch: 660-50402
Prep Batch: 660-50331

Instrument ID: TJA ICP TRACE
Lab File ID: 7I17A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	4.2		0.070	0.20
Iron	6.5		0.022	0.050
Manganese	0.0049	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-M16D-N001

Lab Sample ID:	660-18295-17	Date Sampled:	09/12/2007 1059
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50402		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50331		Lab File ID:	7I17A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/17/2007 1413			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1329				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.47		0.070	0.20
Iron	3.0		0.022	0.050
Manganese	0.0042	B	0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-M16S-N001

Lab Sample ID: 660-18295-18
Client Matrix: Water

Date Sampled: 09/12/2007 1121
Date Received: 09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/17/2007 1419
Date Prepared: 09/15/2007 1329

Analysis Batch: 660-50402
Prep Batch: 660-50331

Instrument ID: TJA ICP TRACE
Lab File ID: 7I17A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.4		0.070	0.20
Iron	3.5		0.022	0.050
Manganese	0.034		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0584-N001

Lab Sample ID:	660-18295-19	Date Sampled:	09/12/2007 1314
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50402		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50331		Lab File ID:	7I17A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/17/2007 1425			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1329				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	67		0.070	0.20
Iron	38		0.022	0.050
Manganese	0.046		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0537-N001

Lab Sample ID:	660-18295-20	Date Sampled:	09/12/2007 1342
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50402		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50331		Lab File ID:	7I17A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/17/2007 1430			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1329				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.070	U	0.070	0.20
Iron	3.2		0.022	0.050
Manganese	0.011		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-RW16-N001

Lab Sample ID: 660-18295-21
Client Matrix: Water

Date Sampled: 09/12/2007 1409
Date Received: 09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/17/2007 1327
Date Prepared: 09/15/2007 1329

Analysis Batch: 660-50402
Prep Batch: 660-50331

Instrument ID: TJA ICP TRACE
Lab File ID: 7I17A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.070	U	0.070	0.20
Iron	3.9		0.022	0.050
Manganese	0.017		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-M32S-N001

Lab Sample ID:	660-18295-22	Date Sampled:	09/12/2007 1441
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1523			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.60		0.070	0.20
Arsenic	0.018		0.0048	0.010
Iron	3.6		0.022	0.050
Manganese	0.082		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-M32D-N001

Lab Sample ID:	660-18295-23	Date Sampled:	09/12/2007 1506
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1528			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.23		0.070	0.20
Iron	5.3		0.022	0.050
Manganese	0.0096	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0592-N001

Lab Sample ID:	660-18295-24	Date Sampled:	09/13/2007 0845
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1532			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	27		0.070	0.20
Iron	17		0.022	0.050
Manganese	0.036		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0515-N001

Lab Sample ID:	660-18295-25	Date Sampled:	09/13/2007 0914
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1335			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.081	B	0.070	0.20
Iron	1.0		0.022	0.050
Manganese	0.010		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0514-N001

Lab Sample ID:	660-18295-26	Date Sampled:	09/13/2007 0933
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1349			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	2.3		0.070	0.20
Iron	1.7		0.022	0.050
Manganese	0.0097	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0516-N001

Lab Sample ID:	660-18295-27	Date Sampled:	09/13/2007 0959
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1354			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.14	B	0.070	0.20
Iron	6.7		0.022	0.050
Manganese	0.029		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0535-N001

Lab Sample ID:	660-18295-28	Date Sampled:	09/13/2007 1025
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1408			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	5.0		0.070	0.20
Iron	1.8		0.022	0.050
Manganese	0.0099	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0530-N001

Lab Sample ID:	660-18295-29	Date Sampled:	09/13/2007 1049
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1412			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.1		0.070	0.20
Iron	2.3		0.022	0.050
Manganese	0.034		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-M27D-N001

Lab Sample ID:	660-18295-30	Date Sampled:	09/13/2007 1121
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1417			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.69		0.070	0.20
Iron	0.90		0.022	0.050
Manganese	0.0098	B	0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-M27S-N001

Lab Sample ID: 660-18295-31
Client Matrix: Water

Date Sampled: 09/13/2007 1141
Date Received: 09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/19/2007 1422
Date Prepared: 09/15/2007 1336

Analysis Batch: 660-50544
Prep Batch: 660-50332

Instrument ID: TJA ICP
Lab File ID: 7I19B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.070	U	0.070	0.20
Iron	1.9		0.022	0.050
Manganese	0.11		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0585-N001

Lab Sample ID:	660-18295-32	Date Sampled:	09/13/2007 1350
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1427			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	10		0.070	0.20
Iron	6.6		0.022	0.050
Manganese	0.016		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0586-N001

Lab Sample ID:	660-18295-33	Date Sampled:	09/13/2007 1428
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1431			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	18		0.070	0.20
Iron	16		0.022	0.050
Manganese	0.049		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN24-0508

Lab Sample ID: 660-18295-34
Client Matrix: Water

Date Sampled: 09/13/2007 1444
Date Received: 09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/19/2007 1436
Date Prepared: 09/15/2007 1336

Analysis Batch: 660-50544
Prep Batch: 660-50332

Instrument ID: TJA ICP
Lab File ID: 7I19B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	21		0.070	0.20
Iron	18		0.022	0.050
Manganese	0.052		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN15-0588-N001

Lab Sample ID:	660-18295-35	Date Sampled:	09/13/2007 1525
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1441			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.84		0.070	0.20
Iron	3.3		0.022	0.050
Manganese	0.25		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN10-0500-N001

Lab Sample ID:	660-18295-42	Date Sampled:	09/12/2007 1350
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1445			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.0048	U	0.0048	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN09-0500-N001

Lab Sample ID:	660-18295-43	Date Sampled:	09/12/2007 1416
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1450			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.0077	B	0.0048	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN12-S32B-N001

Lab Sample ID: 660-18295-48
Client Matrix: Water

Date Sampled: 09/13/2007 1015
Date Received: 09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/19/2007 1504
Date Prepared: 09/15/2007 1336

Analysis Batch: 660-50544
Prep Batch: 660-50332

Instrument ID: TJA ICP
Lab File ID: 7I19B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.011		0.0048	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN12-S31B-N001

Lab Sample ID: 660-18295-49
Client Matrix: Water

Date Sampled: 09/13/2007 1040
Date Received: 09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/19/2007 1509
Date Prepared: 09/15/2007 1336

Analysis Batch: 660-50544
Prep Batch: 660-50332

Instrument ID: TJA ICP
Lab File ID: 7I19B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.018		0.0048	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN12-S33C-N001

Lab Sample ID: 660-18295-51
Client Matrix: Water

Date Sampled: 09/13/2007 1404
Date Received: 09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/19/2007 1514
Date Prepared: 09/15/2007 1336

Analysis Batch: 660-50544
Prep Batch: 660-50332

Instrument ID: TJA ICP
Lab File ID: 7I19B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.0048	B	0.0048	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Client Sample ID: PIN12-S35B-N001

Lab Sample ID:	660-18295-52	Date Sampled:	09/13/2007 1440
Client Matrix:	Water	Date Received:	09/14/2007 0900

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50544		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50332		Lab File ID:	7I19B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/19/2007 1518			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2007 1336				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.017		0.0048	0.010

DATA REPORTING QUALIFIERS

Client: S.M. Stoller Corporation Job Number: 660-18295-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Analyzed for but not detected.
	J	Indicates an estimated value.
	M	Manual integrated compound.
Metals		
	U	Indicates analyzed for but not detected.
	B	Value less than contract required detection limit but greater than or equal to the Method Detection Limit

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Method Blank - Batch: 660-50786

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-50786/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/20/2007 2145
Date Prepared: 09/20/2007 2145

Analysis Batch: 660-50786
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2015.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	114	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50786

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-50786/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/20/2007 2043
Date Prepared: 09/20/2007 2043

Analysis Batch: 660-50786
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2012.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-50786/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/20/2007 2104
Date Prepared: 09/20/2007 2104

Analysis Batch: 660-50786
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2013.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	119	113	62 - 135	6	37		
Chlorobenzene	110	107	72 - 127	3	22		
1,1-Dichlorethylene	142	134	46 - 147	5	30		
Toluene	113	109	68 - 131	4	33		
Trichloroethylene	117	111	56 - 143	6	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-50786

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-18295-12	Analysis Batch: 660-50786	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 2HI2435.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/25/2007 0334		Final Weight/Volume: 5 mL
Date Prepared:	09/25/2007 0334		

MSD Lab Sample ID:	660-18295-12	Analysis Batch: 660-50786	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 2HI2436.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/25/2007 0355		Final Weight/Volume: 5 mL
Date Prepared:	09/25/2007 0355		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	77	89	62 - 135	15	37		
Chlorobenzene	104	117	72 - 127	11	22		
1,1-Dichlorethylene	89	103	46 - 147	14	30		
Toluene	91	106	68 - 131	16	33		
Trichloroethylene	75	87	56 - 143	15	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Method Blank - Batch: 660-50888

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-50888/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/24/2007 1815
Date Prepared: 09/24/2007 1815

Analysis Batch: 660-50888
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2408.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50888

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-50888/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/24/2007 1713
Date Prepared: 09/24/2007 1713

Analysis Batch: 660-50888
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2405.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-50888/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/24/2007 1733
Date Prepared: 09/24/2007 1733

Analysis Batch: 660-50888
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2406.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	96	98	62 - 135	2	37		
Chlorobenzene	111	116	72 - 127	5	22		
1,1-Dichlorethylene	116	118	46 - 147	2	30		
Toluene	105	106	68 - 131	1	33		
Trichloroethylene	93	95	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Method Blank - Batch: 660-50896

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-50896/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/23/2007 2236
Date Prepared: 09/23/2007 2236

Analysis Batch: 660-50896
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2315.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50896

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-50896/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/23/2007 2134
Date Prepared: 09/23/2007 2134

Analysis Batch: 660-50896
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2312.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-50896/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/23/2007 2154
Date Prepared: 09/23/2007 2154

Analysis Batch: 660-50896
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2313.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	115	111	62 - 135	3	37		
Chlorobenzene	114	106	72 - 127	7	22		
1,1-Dichlorethylene	127	120	46 - 147	5	30		
Toluene	109	107	68 - 131	2	33		
Trichloroethylene	105	102	56 - 143	4	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-50896

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-18295-46	Analysis Batch: 660-50896	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 2HI2433.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/25/2007 0253		Final Weight/Volume: 5 mL
Date Prepared:	09/25/2007 0253		

MSD Lab Sample ID:	660-18295-46	Analysis Batch: 660-50896	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 2HI2434.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/25/2007 0314		Final Weight/Volume: 5 mL
Date Prepared:	09/25/2007 0314		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	82	80	62 - 135	3	37		
Chlorobenzene	103	108	72 - 127	5	22		
1,1-Dichlorethylene	94	98	46 - 147	4	30		
Toluene	100	95	68 - 131	4	33		
Trichloroethylene	82	80	56 - 143	2	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Method Blank - Batch: 660-50904

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-50904/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/25/2007 1212
Date Prepared: 09/25/2007 1212

Analysis Batch: 660-50904
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2510.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
2-Chloroethyl vinyl ether	0.95	U	0.95	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50904

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-50904/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/25/2007 1110
Date Prepared: 09/25/2007 1110

Analysis Batch: 660-50904
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2507.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-50904/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/25/2007 1131
Date Prepared: 09/25/2007 1131

Analysis Batch: 660-50904
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2508.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	86	82	62 - 135	5	37		
Chlorobenzene	113	106	72 - 127	6	22		
1,1-Dichlorethylene	96	92	46 - 147	4	30		
Toluene	102	95	68 - 131	7	33		
Trichloroethylene	84	82	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Method Blank - Batch: 660-50331

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-50331/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/17/2007 1304
Date Prepared: 09/15/2007 1329

Analysis Batch: 660-50402
Prep Batch: 660-50331
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 7I17A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Aluminum	0.070	U	0.070	0.20
Arsenic	0.0048	U	0.0048	0.010
Iron	0.022	U	0.022	0.050
Manganese	0.0014	U	0.0014	0.010

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50331

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-50331/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/17/2007 1309
Date Prepared: 09/15/2007 1329

Analysis Batch: 660-50402
Prep Batch: 660-50331
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 7I17A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-50331/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/17/2007 1315
Date Prepared: 09/15/2007 1329

Analysis Batch: 660-50402
Prep Batch: 660-50331
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 7I17A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Aluminum	99	98	75 - 125	1	20		
Arsenic	97	96	75 - 125	1	20		
Iron	103	102	75 - 125	1	20		
Manganese	102	101	75 - 125	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-50331

Method: 6010B
Preparation: 3005A
Total Recoverable

MS Lab Sample ID:	660-18295-21	Analysis Batch: 660-50402	Instrument ID: TJA ICP TRACE
Client Matrix:	Water	Prep Batch: 660-50331	Lab File ID: 7I17A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/17/2007 1333		Final Weight/Volume: 50 mL
Date Prepared:	09/15/2007 1329		

MSD Lab Sample ID:	660-18295-21	Analysis Batch: 660-50402	Instrument ID: TJA ICP TRACE
Client Matrix:	Water	Prep Batch: 660-50331	Lab File ID: 7I17A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/17/2007 1338		Final Weight/Volume: 50 mL
Date Prepared:	09/15/2007 1329		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Aluminum	106	105	75 - 125	1	20		
Arsenic	98	98	75 - 125	1	20		
Iron	98	98	75 - 125	0	20		
Manganese	99	100	75 - 125	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Method Blank - Batch: 660-50332

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-50332/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2007 1315
Date Prepared: 09/15/2007 1336

Analysis Batch: 660-50544
Prep Batch: 660-50332
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 7I19B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Aluminum	0.070	U	0.070	0.20
Arsenic	0.0048	U	0.0048	0.010
Iron	0.022	U	0.022	0.050
Manganese	0.0014	U	0.0014	0.010

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50332

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-50332/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2007 1321
Date Prepared: 09/15/2007 1336

Analysis Batch: 660-50544
Prep Batch: 660-50332
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 7I19B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-50332/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2007 1326
Date Prepared: 09/15/2007 1336

Analysis Batch: 660-50544
Prep Batch: 660-50332
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 7I19B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Aluminum	98	96	75 - 125	2	20		
Arsenic	94	93	75 - 125	1	20		
Iron	101	102	75 - 125	1	20		
Manganese	100	100	75 - 125	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-50332

Method: 6010B
Preparation: 3005A
Total Recoverable

MS Lab Sample ID:	660-18295-25	Analysis Batch: 660-50544	Instrument ID: TJA ICP
Client Matrix:	Water	Prep Batch: 660-50332	Lab File ID: 7I19B
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/19/2007 1340		Final Weight/Volume: 50 mL
Date Prepared:	09/15/2007 1336		

MSD Lab Sample ID:	660-18295-25	Analysis Batch: 660-50544	Instrument ID: TJA ICP
Client Matrix:	Water	Prep Batch: 660-50332	Lab File ID: 7I19B
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/19/2007 1344		Final Weight/Volume: 50 mL
Date Prepared:	09/15/2007 1336		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Aluminum	102	100	75 - 125	1	20		
Arsenic	96	96	75 - 125	0	20		
Iron	99	105	75 - 125	3	20		
Manganese	99	101	75 - 125	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Stoller *Legacy Management Team*

TestAmerica Tampa 660-18295

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	~~Al, As, Fe, Mn preserved w/HNO3~~	VOC 8260 preserved w/HCl						Samplers Notes
1	PIN24-0800	9-12-07	0720	JW	3				✓						
2	PIN20-M056-N001	9-12-07	0940	JW DC	3				✓						
3	PIN20-M053-N001	9-12-07	1000	JW DC	3				✓						
4	PIN20-M057-N001	9-12-07	1020	JW DC	3				✓						
5	PIN20-M005-N001	9-12-07	1055	JW DC	3				✓						
6	PIN20-M003-N001	9-12-07	1100	JC KL	3				✓						
7	PIN20-M18D-N001	9-12-07	1340	JW DC	3				✓						
8	PIN20-M058-N001	9-12-07	1435	JW DC	3				✓						
9	PIN20-M019-N001	9-12-07	1510	JW DC	3				✓						
10	PIN20-M059-N001	9-12-07	1533	JW DC	3				✓						
11	PIN20-M22D-N001	9-13-07	0845	KC DC	3				✓						
12	PIN20-M007-N001	9.13.07	0917	KC DC	3				✓						
13	PIN20-M028-N001	9.13.07	0948	KC DC	3				✓						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[illegible]	9-14-07	0900	[illegible]	9/14/07	0900	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/14/07	1200	[illegible]	9-14-07	1200	

4° x3 Cooler temp

660-18295

1095

10/26/2007

Stoller *Legacy Management Team*

TestAmerica Tampa 660-18295 1 of 2

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
01	PIN24-0700	9/12/07	0840	SM SB	3			~~1~~	3						
02	PIN15-M03S-N001	9/12/07	1002	SM SB	1			1							
03	PIN15-M03D-N001	9/12/07	1031	SM SB	1		1								
04	PIN15-M16D-N001	9/12/07	1059	SM SB	1		1								
05	PIN15-M16S-N001	9/12/07	1121	SM SB	1		1								
06	PIN15-0584-N001	9/12/07	1314	SM SB	4		1		3						
07	PIN15-0537-N001	9/12/07	1342	SM SB	4		1		3						
08	PIN15-RW16-N001	9/12/07	1409	SM SB	1		1								
09	PIN15-M32S-N001	9/12/07	1441	SM SB	1			1							
10	PIN15-M32D-N001	9/12/07	1506	SM SB	1		1								
11	PIN15-0592-N001	9/13/07	0845	SM SB	4		1		3						
12	PIN15-0515-N001	9/13/07	0914	SM SB	1		1								
13	PIN15-0514-N001	9/13/07	0933	SM SB	1		1								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9/14/07	0800	[signature]	9/14/07	0900	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/14/07	1200	[signature]	9-14-07	1200	

4° X 3 cooler temp 660-18295 2 of 5

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa 660-18295 2 of 2

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
14	PIN15-0516-N001	9/13/07	0959	SM SB	1		1								
15	PIN15-0535-N001	9/13/07	1025	SM SB	1		1								
16	PIN15-0530-N001	9/13/07	1049	SM SB	1		1								
17	PIN15-M27D-N001	9/13/07	1121	SM SB	1		1								
18	PIN15-M27S-N001	9/13/07	1141	SM SB	1		1								
19	PIN15-0585-N001	9/13/07	1350	SM SB	4		1		3						
20	PIN15-0586-N001	9/13/07	1428	SM SB	4		1		3						
21	PIN24-0508	9/13/07	1444	SB SM	4		1		3						
22	PIN15-0588-N001	9/13/07	1525	SM SB	4		1		3						

SM 9/14/07

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
S Morris	9/14/07	0900	[illegible]	9/14/07	0900	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/14/07	1200	[illegible]	9-14-07	1200	

4°C cooler temp

660-18295
3 of 5

10/26/2007

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa 660-18295

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
14	PIN20-M061-N001	9.13.07	1037	KC DC	3				✓						
15	PIN20-M060-N001	9.13.07	1305	KC DC	3				✓						
16	PIN24-0502	9.13.07	1232	KC DC	3				✓						
17	PIN20-M049-N001	9.13.07	1406	KC DC	3				✓						
18	PIN20-MWL5-N001	9.13.07	1458	KC DC	3				✓						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[illegible]	9-14-07	0900	[illegible]	9/14/07	0900	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/14/07	1200	[illegible]	9-14-07	1200	

4° X 3 Coolers temp 660-18295 485

10/26/2007

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa 660-18295

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
1	PIN24-0600	9-12-07	1100	JPC	3				3						
2	PIN10-0500-N001	↓	1350	JPC	4	1			3						
3	PIN09-0500-N001	↓	1416	JPC	4	1			3						
4	PIN12-0521-N001	↓	1442	JPC	3				3						
5	PIN12-S36B-N001	9-13-07	0851	JPC	3				3						
6	PIN12-S29C-N001	↓	0919	JPC	3				3						
7	PIN12-S30B-N001	↓	0945	JPC	3				3						
8	PIN12-S32B-N001	↓	1015	JPC	4	1			3						
9	PIN12-S31B-N001	↓	1040	JPC	4	1			3						
10	PIN12-S37B-N001	↓	1329	JPC	3				3						
11	PIN12-S33C-N001	↓	1404	JPC	4	1			3						
12	PIN12-S35B-N001	↓	1440	JPC	4	1			3						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-14-07	0900	[signature]	9/14/07	0900	
Relinquished by Courier	**Date**	**Time**	**Received by Labratory**	**Date**	**Time**	
[signature]	9/14/07	1200	[signature]	9-14-07	1200	

4°X3 cooler temp 660-18295
5 of 5

10/26/2007

Login Sample Receipt Check List

Client: S.M. Stoller Corporation

Job Number: 660-18295-1

Login Number: 18295
Creator: Fritz, Tina
List Number: 1

List Source: TestAmerica Tampa

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4 oC
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 660-18324-1

Job Description: Star Center

For:
S.M. Stoller Corporation
2597 B 3/4 Road
Grand Junction, CO 81503

Attention: Mr. Charles Tabor

Nancy Robertson
Project Manager II
nancy.robertson@testamericainc.com
10/02/2007

Methods: FDEP, DOH Certification #: E84282, E81005, E81010 These test results meet all the requirements of NELAC unless specified in the case narrative. All questions regarding this test report should be directed to the TestAmerica Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request. The results contained in this test report relate only to these samples included herein.

Case Narrative:	TestAmerica Project 660-18324	
Date:	October 2, 2007	
Client:	S.M. Stoller Corporation	
Project:	Star Center	
Laboratory:	TestAmerica Tampa	
Analysis Requested:	8260B, 6010B	

Fifty liquid samples were received in good condition on 9.18.07 and logged in as TestAmerica Project 660-18324. The samples are identified as follows:

STL Log No.	Sample ID	Date Collected
660-18324-1	PIN24-0801	9/14/2007
660-18324-2	PIN20-M38D-N001	9/14/2007
660-18324-3	PIN20-M41D-N001	9/14/2007
660-18324-4	PIN20-M035-N001	9/14/2007
660-18324-5	PIN20-M40S-N001	9/14/2007
660-18324-6	PIN20-M40D-N001	9/14/2007
660-18324-7	PIN20-M036-N001	9/14/2007
660-18324-8	PIN20-MWL1-N001	9/14/2007
660-18324-9	PIN20-MWL2-N001	9/14/2007
660-18324-10	PIN20-MWL3-N001	9/14/2007
660-18324-11	PIN20-M011-N001	9/17/2007
660-18324-12	PIN20-M012-N001	9/17/2007
660-18324-13	PIN20-MWL6-N001	9/17/2007
660-18324-14	PIN20-M015-N001	9/17/2007
660-18324-15	PIN20-M055-N001	9/17/2007
660-18324-16	PIN20-M025-N001	9/17/2007
660-18324-17	PIN20-M001-N001	9/17/2007
660-18324-18	PIN20-M062-N001	9/17/2007
660-18324-19	PIN24-0500	9/17/2007
660-18324-20	PIN24-0501	9/17/2007
660-18324-21	PIN20-MWL4-N001	9/17/2007
660-18324-22	PIN20-M063-N001	9/18/2007
660-18324-23	PIN24-0602	9/17/2007
660-18324-24	PIN12-S67B-N001	9/17/2007
660-18324-25	PIN12-S67C-N001	9/17/2007
660-18324-26	PIN12-S67D-N001	9/17/2007
660-18324-27	PIN24-0601	9/14/2007
660-18324-28	PIN20-M054-N001	9/14/2007
660-18324-29	PIN20-M024-N001	9/14/2007
660-18324-30	PIN20-M023-N001	9/14/2007
660-18324-31	PIN20-0503-N001	9/14/2007
660-18324-32	PIN20-0502-N001	9/14/2007
660-18324-33	PIN20-M064-N001	9/17/2007
660-18324-34	PIN24-0701	9/14/2007
660-18324-35	PIN15-0587-N001	9/14/2007
660-18324-36	PIN15-0589-N001	9/14/2007
660-18324-37	PIN15-0566-N001	9/14/2007
660-18324-38	PIN15-0567-N001	9/14/2007
660-18324-39	PIN15-0560-N001	9/14/2007

660-18324-40	PIN15-0561-N001	9/14/2007
660-18324-41	PIN15-0564-N001	9/14/2007
660-18324-42	PIN15-0565-N001	9/14/2007
660-18324-43	PIN15-0590-N001	9/17/2007
660-18324-44	PIN15-0591-N001	9/17/2007
660-18324-45	PIN15-0573-N001	9/17/2007
660-18324-46	PIN15-0574-N001	9/17/2007
660-18324-47	PIN15-0576-N001	9/17/2007
660-18324-48	PIN15-0575-N001	9/17/2007
660-18324-49	PIN15-0577-N001	9/17/2007
660-18324-50	PIN15-0578-N001	9/17/2007

8260

The surrogate recovery for 4-Bromofluorobenzene is outside QC limits bias high. The sample is non-detect and the surrogate is flagged with *.

6010 Metals

The Percent Recovery for Aluminum in the MS/MSD associated with sample PIN15-0578-N001 was outside QC limits. The LCS/LCSD indicated acceptable method performance. The sample is flagged with N.

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18324-4	**PIN20-M035-N001**					
cis-1,2-Dichloroethylene		3.4		1.0	ug/L	8260B
660-18324-8	**PIN20-MWL1-N001**					
Benzene		1.9		1.0	ug/L	8260B
Vinyl chloride		4.0		1.0	ug/L	8260B
660-18324-9	**PIN20-MWL2-N001**					
trans-1,2-Dichloroethylene		2.7		1.0	ug/L	8260B
Vinyl chloride		19		1.0	ug/L	8260B
660-18324-10	**PIN20-MWL3-N001**					
cis-1,2-Dichloroethylene		26		1.0	ug/L	8260B
Toluene		0.82	J	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		6.5		1.0	ug/L	8260B
Vinyl chloride		1400		20	ug/L	8260B
660-18324-14	**PIN20-M015-N001**					
Vinyl chloride		2.1		1.0	ug/L	8260B
660-18324-15	**PIN20-M055-N001**					
Vinyl chloride		3.2		1.0	ug/L	8260B
660-18324-17	**PIN20-M001-N001**					
cis-1,2-Dichloroethylene		930		25	ug/L	8260B
1,1-Dichlorethylene		4.6	J	5.0	ug/L	8260B
trans-1,2-Dichloroethylene		90		5.0	ug/L	8260B
Vinyl chloride		2200		25	ug/L	8260B
660-18324-18	**PIN20-M062-N001**					
cis-1,2-Dichloroethylene		160		10	ug/L	8260B
trans-1,2-Dichloroethylene		3.1		1.0	ug/L	8260B
Vinyl chloride		830		10	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-18324-19	**PIN24-0500**				
Benzene		2.1	1.0	ug/L	8260B
cis-1,2-Dichloroethylene		770	20	ug/L	8260B
1,1-Dichlorethylene		3.3	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		100	1.0	ug/L	8260B
Vinyl chloride		1800	20	ug/L	8260B
660-18324-20	**PIN24-0501**				
cis-1,2-Dichloroethylene		530	5.0	ug/L	8260B
1,1-Dichlorethylene		1.4	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		33	1.0	ug/L	8260B
Trichloroethylene		6.6	1.0	ug/L	8260B
Vinyl chloride		320	5.0	ug/L	8260B
660-18324-21	**PIN20-MWL4-N001**				
cis-1,2-Dichloroethylene		570	10	ug/L	8260B
1,1-Dichlorethylene		1.6	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		35	1.0	ug/L	8260B
Trichloroethylene		10	1.0	ug/L	8260B
Vinyl chloride		340	10	ug/L	8260B
660-18324-22	**PIN20-M063-N001**				
cis-1,2-Dichloroethylene		150	1.0	ug/L	8260B
1,1-Dichlorethylene		1.1	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		19	1.0	ug/L	8260B
Trichloroethylene		7.0	1.0	ug/L	8260B
Vinyl chloride		160	10	ug/L	8260B
660-18324-24	**PIN12-S67B-N001**				
cis-1,2-Dichloroethylene		24	1.0	ug/L	8260B
1,1-Dichloroethane		68	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		5.4	1.0	ug/L	8260B
Vinyl chloride		450	4.0	ug/L	8260B
660-18324-25	**PIN12-S67C-N001**				
cis-1,2-Dichloroethylene		190	2.0	ug/L	8260B
1,1-Dichlorethylene		2.8	1.0	ug/L	8260B
1,1-Dichloroethane		2.7	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		39	1.0	ug/L	8260B
Vinyl chloride		130	1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18324-26	**PIN12-S67D-N001**					
cis-1,2-Dichloroethylene		65		1.0	ug/L	8260B
1,1-Dichlorethylene		1.0		1.0	ug/L	8260B
1,1-Dichloroethane		2.2		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		12		1.0	ug/L	8260B
Vinyl chloride		69		1.0	ug/L	8260B
660-18324-31	**PIN20-0503-N001**					
Total Recoverable						
Arsenic		0.027		0.010	mg/L	6010B
660-18324-32	**PIN20-0502-N001**					
cis-1,2-Dichloroethylene		43		1.0	ug/L	8260B
Vinyl chloride		89		1.0	ug/L	8260B
660-18324-33	**PIN20-M064-N001**					
Vinyl chloride		2.7		1.0	ug/L	8260B
660-18324-35	**PIN15-0587-N001**					
cis-1,2-Dichloroethylene		8200		200	ug/L	8260B
1,1-Dichlorethylene		26	J	50	ug/L	8260B
Toluene		1700		50	ug/L	8260B
trans-1,2-Dichloroethylene		27	J	50	ug/L	8260B
Trichloroethylene		1700		50	ug/L	8260B
Vinyl chloride		300		50	ug/L	8260B
Total Recoverable						
Iron		36		0.050	mg/L	6010B
Aluminum		2.7		0.20	mg/L	6010B
Manganese		0.015		0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18324-36	**PIN15-0589-N001**					
Benzene		49		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		630		10	ug/L	8260B
1,1-Dichlorethylene		5.9		1.0	ug/L	8260B
Ethylbenzene		8.3		1.0	ug/L	8260B
m,p-Xylene		7.5		2.0	ug/L	8260B
o-Xylene		6.9		1.0	ug/L	8260B
Toluene		430		10	ug/L	8260B
trans-1,2-Dichloroethylene		2.5		1.0	ug/L	8260B
Trichloroethylene		18		1.0	ug/L	8260B
Vinyl chloride		440		10	ug/L	8260B
Total Recoverable						
Iron		17		0.050	mg/L	6010B
Aluminum		9.9		0.20	mg/L	6010B
Manganese		0.064		0.010	mg/L	6010B
660-18324-37	**PIN15-0566-N001**					
Total Recoverable						
Iron		11		0.050	mg/L	6010B
Aluminum		31		0.20	mg/L	6010B
Manganese		0.018		0.010	mg/L	6010B
660-18324-38	**PIN15-0567-N001**					
Total Recoverable						
Arsenic		0.051		0.010	mg/L	6010B
Iron		15		0.050	mg/L	6010B
Aluminum		0.39		0.20	mg/L	6010B
Manganese		0.087		0.010	mg/L	6010B
660-18324-39	**PIN15-0560-N001**					
Total Recoverable						
Iron		5.7		0.050	mg/L	6010B
Aluminum		0.20	B	0.20	mg/L	6010B
Manganese		0.0045	B	0.010	mg/L	6010B
660-18324-40	**PIN15-0561-N001**					
Total Recoverable						
Iron		1.2		0.050	mg/L	6010B
Aluminum		0.28		0.20	mg/L	6010B
Manganese		0.014		0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18324-41	**PIN15-0564-N001**					
Total Recoverable						
Iron		0.73		0.050	mg/L	6010B
Aluminum		0.48		0.20	mg/L	6010B
Manganese		0.017		0.010	mg/L	6010B
660-18324-42	**PIN15-0565-N001**					
Total Recoverable						
Iron		9.7		0.050	mg/L	6010B
Aluminum		1.1		0.20	mg/L	6010B
Manganese		0.20		0.010	mg/L	6010B
660-18324-43	**PIN15-0590-N001**					
Benzene		2.2		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		17		1.0	ug/L	8260B
Trichloroethylene		2.6		1.0	ug/L	8260B
Total Recoverable						
Iron		1.9		0.050	mg/L	6010B
Aluminum		2.5		0.20	mg/L	6010B
Manganese		0.0079	B	0.010	mg/L	6010B
660-18324-44	**PIN15-0591-N001**					
Benzene		1.3	J	2.0	ug/L	8260B
cis-1,2-Dichloroethylene		410		10	ug/L	8260B
1,1-Dichlorethylene		1.7	J	2.0	ug/L	8260B
Toluene		4.2		2.0	ug/L	8260B
trans-1,2-Dichloroethylene		8.2		2.0	ug/L	8260B
Trichloroethylene		40		2.0	ug/L	8260B
Vinyl chloride		28		2.0	ug/L	8260B
Total Recoverable						
Iron		9.2		0.050	mg/L	6010B
Aluminum		6.4		0.20	mg/L	6010B
Manganese		0.060		0.010	mg/L	6010B
660-18324-45	**PIN15-0573-N001**					
Total Recoverable						
Iron		1.1		0.050	mg/L	6010B
Aluminum		0.12	B	0.20	mg/L	6010B
Manganese		0.14		0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18324-46	**PIN15-0574-N001**					
Total Recoverable						
Iron		2.4		0.050	mg/L	6010B
Aluminum		0.12	B	0.20	mg/L	6010B
Manganese		0.014		0.010	mg/L	6010B
660-18324-47	**PIN15-0576-N001**					
Total Recoverable						
Iron		1.3		0.050	mg/L	6010B
Aluminum		1.2		0.20	mg/L	6010B
Manganese		0.023		0.010	mg/L	6010B
660-18324-48	**PIN15-0575-N001**					
Total Recoverable						
Iron		8.1		0.050	mg/L	6010B
Aluminum		0.23		0.20	mg/L	6010B
Manganese		0.17		0.010	mg/L	6010B
660-18324-49	**PIN15-0577-N001**					
Total Recoverable						
Iron		9.4		0.050	mg/L	6010B
Aluminum		0.19	B	0.20	mg/L	6010B
Manganese		0.21		0.010	mg/L	6010B
660-18324-50	**PIN15-0578-N001**					
Total Recoverable						
Iron		0.79		0.050	mg/L	6010B
Aluminum		0.51	N	0.20	mg/L	6010B
Manganese		0.14		0.010	mg/L	6010B

METHOD SUMMARY

Client: S.M. Stoller Corporation | Job Number: 660-18324-1

Description	Lab Location	Method	Preparation Method
Matrix Water			
Volatile Organic Compounds by GC/MS	TAL TAM	SW846 8260B	
Purge-and-Trap	TAL TAM		SW846 5030B
Inductively Coupled Plasma - Atomic Emission Spectrometry	TAL TAM	SW846 6010B	
Acid Digestion of Waters for Total Recoverable or	TAL TAM		SW846 3005A

Lab References:

TAL TAM = TestAmerica Tampa

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Method	Analyst	Analyst ID
SW846 8260B	Perez, Julian	JP
SW846 6010B	Fox, Greg	GF

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-18324-1	PIN24-0801	Water	09/14/2007 0800	09/18/2007 1050
660-18324-2	PIN20-M38D-N001	Water	09/14/2007 0835	09/18/2007 1050
660-18324-3	PIN20-M41D-N001	Water	09/14/2007 0900	09/18/2007 1050
660-18324-4	PIN20-M035-N001	Water	09/14/2007 0925	09/18/2007 1050
660-18324-5	PIN20-M40S-N001	Water	09/14/2007 0950	09/18/2007 1050
660-18324-6	PIN20-M40D-N001	Water	09/14/2007 1010	09/18/2007 1050
660-18324-7	PIN20-M036-N001	Water	09/14/2007 1035	09/18/2007 1050
660-18324-8	PIN20-MWL1-N001	Water	09/14/2007 1125	09/18/2007 1050
660-18324-9	PIN20-MWL2-N001	Water	09/14/2007 1340	09/18/2007 1050
660-18324-10	PIN20-MWL3-N001	Water	09/14/2007 1415	09/18/2007 1050
660-18324-11	PIN20-M011-N001	Water	09/17/2007 0910	09/18/2007 1050
660-18324-12	PIN20-M012-N001	Water	09/17/2007 0930	09/18/2007 1050
660-18324-13	PIN20-MWL6-N001	Water	09/17/2007 1000	09/18/2007 1050
660-18324-14	PIN20-M015-N001	Water	09/17/2007 1035	09/18/2007 1050
660-18324-15	PIN20-M055-N001	Water	09/17/2007 1110	09/18/2007 1050
660-18324-16	PIN20-M025-N001	Water	09/17/2007 1410	09/18/2007 1050
660-18324-17	PIN20-M001-N001	Water	09/17/2007 1450	09/18/2007 1050
660-18324-18	PIN20-M062-N001	Water	09/17/2007 1530	09/18/2007 1050
660-18324-19	PIN24-0500	Water	09/17/2007 1500	09/18/2007 1050
660-18324-20	PIN24-0501	Water	09/17/2007 1600	09/18/2007 1050
660-18324-21	PIN20-MWL4-N001	Water	09/17/2007 1605	09/18/2007 1050
660-18324-22	PIN20-M063-N001	Water	09/18/2007 0820	09/18/2007 1050
660-18324-23	PIN24-0602	Water	09/17/2007 0900	09/18/2007 1050
660-18324-24	PIN12-S67B-N001	Water	09/17/2007 0940	09/18/2007 1050
660-18324-25	PIN12-S67C-N001	Water	09/17/2007 1010	09/18/2007 1050
660-18324-26	PIN12-S67D-N001	Water	09/17/2007 1050	09/18/2007 1050
660-18324-27	PIN24-0601	Water	09/14/2007 0830	09/18/2007 1050
660-18324-28	PIN20-M054-N001	Water	09/14/2007 0902	09/18/2007 1050
660-18324-29	PIN20-M024-N001	Water	09/14/2007 0938	09/18/2007 1050
660-18324-30	PIN20-M023-N001	Water	09/14/2007 1009	09/18/2007 1050
660-18324-31	PIN20-0503-N001	Water	09/14/2007 1306	09/18/2007 1050
660-18324-32	PIN20-0502-N001	Water	09/14/2007 1335	09/18/2007 1050
660-18324-33	PIN20-M064-N001	Water	09/17/2007 1525	09/18/2007 1050
660-18324-34	PIN24-0701	Water	09/14/2007 0826	09/18/2007 1050
660-18324-35	PIN15-0587-N001	Water	09/14/2007 0901	09/18/2007 1050
660-18324-36	PIN15-0589-N001	Water	09/14/2007 0951	09/18/2007 1050
660-18324-37	PIN15-0566-N001	Water	09/14/2007 1033	09/18/2007 1050
660-18324-38	PIN15-0567-N001	Water	09/14/2007 1059	09/18/2007 1050
660-18324-39	PIN15-0560-N001	Water	09/14/2007 1322	09/18/2007 1050
660-18324-40	PIN15-0561-N001	Water	09/14/2007 1343	09/18/2007 1050
660-18324-41	PIN15-0564-N001	Water	09/14/2007 1411	09/18/2007 1050
660-18324-42	PIN15-0565-N001	Water	09/14/2007 1433	09/18/2007 1050
660-18324-43	PIN15-0590-N001	Water	09/17/2007 0955	09/18/2007 1050
660-18324-44	PIN15-0591-N001	Water	09/17/2007 1052	09/18/2007 1050
660-18324-45	PIN15-0573-N001	Water	09/17/2007 1356	09/18/2007 1050
660-18324-46	PIN15-0574-N001	Water	09/17/2007 1418	09/18/2007 1050

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-18324-47	PIN15-0576-N001	Water	09/17/2007 1435	09/18/2007 1050
660-18324-48	PIN15-0575-N001	Water	09/17/2007 1506	09/18/2007 1050
660-18324-49	PIN15-0577-N001	Water	09/17/2007 1525	09/18/2007 1050
660-18324-50	PIN15-0578-N001	Water	09/17/2007 1547	09/18/2007 1050

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN24-0801**

Lab Sample ID: 660-18324-1
Client Matrix: Water

Date Sampled: 09/14/2007 0800
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1547
Date Prepared: 09/26/2007 1547

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2621.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M38D-N001**

Lab Sample ID: 660-18324-2
Client Matrix: Water

Date Sampled: 09/14/2007 0835
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1608
Date Prepared: 09/26/2007 1608

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2622.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M41D-N001**

Lab Sample ID: 660-18324-3
Client Matrix: Water

Date Sampled: 09/14/2007 0900
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1629
Date Prepared: 09/26/2007 1629

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2623.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	111	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M035-N001**

Lab Sample ID: 660-18324-4
Client Matrix: Water

Date Sampled: 09/14/2007 0925
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1649
Date Prepared: 09/26/2007 1649

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2624.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	3.4		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	114	74 - 126
Toluene-d8 (Surr)	100	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M40S-N001**

Lab Sample ID: 660-18324-5
Client Matrix: Water

Date Sampled: 09/14/2007 0950
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1710
Date Prepared: 09/26/2007 1710

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2625.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	126	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M40D-N001**

Lab Sample ID: 660-18324-6
Client Matrix: Water

Date Sampled: 09/14/2007 1010
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1731
Date Prepared: 09/26/2007 1731

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2626.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	111	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M036-N001**

Lab Sample ID: 660-18324-7
Client Matrix: Water

Date Sampled: 09/14/2007 1035
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1751
Date Prepared: 09/26/2007 1751

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2627.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	117	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-MWL1-N001**

Lab Sample ID: 660-18324-8
Client Matrix: Water

Date Sampled: 09/14/2007 1125
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1812
Date Prepared: 09/26/2007 1812

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2628.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.9		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	4.0		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	112	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-MWL2-N001**

Lab Sample ID: 660-18324-9
Client Matrix: Water

Date Sampled: 09/14/2007 1340
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1833
Date Prepared: 09/26/2007 1833

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2629.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	2.7		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	19		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	112	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-MWL3-N001**

Lab Sample ID: 660-18324-10
Client Matrix: Water

Date Sampled: 09/14/2007 1415
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 1832
Date Prepared: 09/27/2007 1832

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2728.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	26		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.82	J	0.51	1.0
trans-1,2-Dichloroethylene	6.5		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	91	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-MWL3-N001**

Lab Sample ID: 660-18324-10
Client Matrix: Water

Date Sampled: 09/14/2007 1415
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 20
Date Analyzed: 09/27/2007 1935
Date Prepared: 09/27/2007 1935

Analysis Batch: 660-51087
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2731.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	1400		10	20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M011-N001**

Lab Sample ID: 660-18324-11
Client Matrix: Water

Date Sampled: 09/17/2007 0910
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 1547
Date Prepared: 09/27/2007 1547

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2720.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M012-N001**

Lab Sample ID: 660-18324-12
Client Matrix: Water

Date Sampled: 09/17/2007 0930
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 1955
Date Prepared: 09/27/2007 1955

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2732.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-MWL6-N001**

Lab Sample ID: 660-18324-13
Client Matrix: Water

Date Sampled: 09/17/2007 1000
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 2016
Date Prepared: 09/27/2007 2016

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2733.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M015-N001**

Lab Sample ID: 660-18324-14
Client Matrix: Water

Date Sampled: 09/17/2007 1035
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 2037
Date Prepared: 09/27/2007 2037

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2734.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	2.1		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M055-N001**

Lab Sample ID: 660-18324-15
Client Matrix: Water

Date Sampled: 09/17/2007 1110
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 2057
Date Prepared: 09/27/2007 2057

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2735.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	3.2		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M025-N001**

Lab Sample ID: 660-18324-16
Client Matrix: Water

Date Sampled: 09/17/2007 1410
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 2118
Date Prepared: 09/27/2007 2118

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2736.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	114	74 - 126
Toluene-d8 (Surr)	118	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M001-N001**

Lab Sample ID: 660-18324-17
Client Matrix: Water

Date Sampled: 09/17/2007 1450
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/28/2007 0901
Date Prepared: 09/28/2007 0901

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2770.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	2.5	U	2.5	5.0
Bromodichloromethane	1.8	U	1.8	5.0
Bromoform	2.9	U	2.9	5.0
Carbon tetrachloride	2.1	U	2.1	5.0
Chlorobenzene	3.2	U	3.2	5.0
Chloroethane	13	U	13	25
Chloroform	4.5	U	4.5	5.0
cis-1,3-Dichloropropene	0.70	U	0.70	5.0
Dibromochloromethane	1.7	U	1.7	5.0
1,1-Dichlorethylene	4.6	J	2.3	5.0
Dichlorodifluoromethane	13	U	13	25
1,1-Dichloroethane	2.6	U	2.6	5.0
1,2-Dichloroethane	2.9	U	2.9	5.0
1,2-Dichloropropane	2.6	U	2.6	5.0
Ethylbenzene	2.2	U	2.2	5.0
m-Dichlorobenzene	3.2	U	3.2	5.0
Methyl bromide	13	U	13	25
Methyl chloride	5.0	U	5.0	20
Methylene Chloride	20	U	20	25
Methyl tert-butyl ether	2.2	U	2.2	5.0
m,p-Xylene	3.0	U	3.0	10
o-Dichlorobenzene	2.2	U	2.2	5.0
o-Xylene	2.5	U	2.5	5.0
p-Dichlorobenzene	2.6	U	2.6	5.0
1,1,2,2-Tetrachloroethane	0.75	U	0.75	5.0
Tetrachloroethylene	2.5	U	2.5	5.0
Toluene	2.6	U	2.6	5.0
trans-1,2-Dichloroethylene	90		2.2	5.0
trans-1,3-Dichloropropene	0.70	U	0.70	5.0
1,1,1-Trichloroethane	2.3	U	2.3	5.0
1,1,2-Trichloroethane	2.4	U	2.4	5.0
Trichloroethylene	2.5	U	2.5	5.0
Trichlorofluoromethane	13	U	13	25

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M001-N001**

Lab Sample ID: 660-18324-17
Client Matrix: Water

Date Sampled: 09/17/2007 1450
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 25
Date Analyzed: 09/28/2007 0615
Date Prepared: 09/28/2007 0615

Analysis Batch: 660-51191
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2762.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	930		16	25
Vinyl chloride	2200		13	25

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M062-N001**

Lab Sample ID: 660-18324-18
Client Matrix: Water

Date Sampled: 09/17/2007 1530
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 1003
Date Prepared: 09/28/2007 1003

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2773.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	3.1		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M062-N001**

Lab Sample ID:	660-18324-18	Date Sampled:	09/17/2007 1530
Client Matrix:	Water	Date Received:	09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-51195		Instrument ID:	BVMH GC/MS
Preparation:	5030B			Lab File ID:	1HI2814.D
Dilution:	10			Initial Weight/Volume:	5 mL
Date Analyzed:	09/28/2007 1723	Run Type:	DL	Final Weight/Volume:	5 mL
Date Prepared:	09/28/2007 1723				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	160		6.5	10
Vinyl chloride	830		5.0	10

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN24-0500**

Lab Sample ID: 660-18324-19
Client Matrix: Water

Date Sampled: 09/17/2007 1500
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 0431
Date Prepared: 09/28/2007 0431

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2757.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	2.1		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	3.3		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	100		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	96	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN24-0500**

Lab Sample ID: 660-18324-19

Client Matrix: Water

Date Sampled: 09/17/2007 1500

Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Preparation: 5030B

Dilution: 20

Date Analyzed: 09/28/2007 1703

Date Prepared: 09/28/2007 1703

Analysis Batch: 660-51195

Run Type: DL

Instrument ID: BVMH GC/MS

Lab File ID: 1HI2813.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	770		13	20
Vinyl chloride	1800		10	20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN24-0501**

Lab Sample ID: 660-18324-20
Client Matrix: Water

Date Sampled: 09/17/2007 1600
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 0452
Date Prepared: 09/28/2007 0452

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2758.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.4		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	33		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	6.6		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	103	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN24-0501**

Lab Sample ID: 660-18324-20

Client Matrix: Water

Date Sampled: 09/17/2007 1600

Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Preparation: 5030B

Dilution: 5.0

Date Analyzed: 09/28/2007 1744

Date Prepared: 09/28/2007 1744

Analysis Batch: 660-51195

Run Type: DL

Instrument ID: BVMH GC/MS

Lab File ID: 1HI2815.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	530		3.3	5.0
Vinyl chloride	320		2.5	5.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-MWL4-N001**

Lab Sample ID: 660-18324-21
Client Matrix: Water

Date Sampled: 09/17/2007 1605
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 1024
Date Prepared: 09/28/2007 1024

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2774.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.6		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	35		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	10		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	115	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-MWL4-N001**

Lab Sample ID: 660-18324-21

Client Matrix: Water

Date Sampled: 09/17/2007 1605

Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Preparation: 5030B

Dilution: 10

Date Analyzed: 09/28/2007 0656

Date Prepared: 09/28/2007 0656

Analysis Batch: 660-51191

Run Type: DL

Instrument ID: BVMH GC/MS

Lab File ID: 2HI2764.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	570		6.5	10
Vinyl chloride	340		5.0	10

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M063-N001**

Lab Sample ID: 660-18324-22
Client Matrix: Water

Date Sampled: 09/18/2007 0820
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 1826
Date Prepared: 09/28/2007 1826

Analysis Batch: 660-51195

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2817.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	150		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.1		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	19		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	7.0		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M063-N001**

Lab Sample ID: 660-18324-22
Client Matrix: Water

Date Sampled: 09/18/2007 0820
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/28/2007 0922
Date Prepared: 09/28/2007 0922

Analysis Batch: 660-51191
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2771.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	160		5.0	10

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN24-0602**

Lab Sample ID: 660-18324-23
Client Matrix: Water

Date Sampled: 09/17/2007 0900
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 0513
Date Prepared: 09/28/2007 0513

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2759.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN12-S67B-N001**

Lab Sample ID: 660-18324-24
Client Matrix: Water

Date Sampled: 09/17/2007 0940
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 1044
Date Prepared: 09/28/2007 1044

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2775.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	24		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	68		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	5.4		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN12-S67B-N001**

Lab Sample ID:	660-18324-24	Date Sampled:	09/17/2007 0940
Client Matrix:	Water	Date Received:	09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-51191		Instrument ID:	BVMH GC/MS
Preparation:	5030B			Lab File ID:	2HI2766.D
Dilution:	4.0			Initial Weight/Volume:	5 mL
Date Analyzed:	09/28/2007 0738	Run Type: DL		Final Weight/Volume:	5 mL
Date Prepared:	09/28/2007 0738				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	450		2.0	4.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN12-S67C-N001**

Lab Sample ID: 660-18324-25
Client Matrix: Water

Date Sampled: 09/17/2007 1010
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 1108
Date Prepared: 09/28/2007 1108

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2776.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	2.8		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	2.7		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	39		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	130		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	91	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN12-S67C-N001**

Lab Sample ID: 660-18324-25

Client Matrix: Water

Date Sampled: 09/17/2007 1010

Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Preparation: 5030B

Dilution: 2.0

Date Analyzed: 09/28/2007 1805

Date Prepared: 09/28/2007 1805

Analysis Batch: 660-51195

Run Type: DL

Instrument ID: BVMH GC/MS

Lab File ID: 1HI2816.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	190		1.3	2.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN12-S67D-N001**

Lab Sample ID: 660-18324-26
Client Matrix: Water

Date Sampled: 09/17/2007 1050
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 0554
Date Prepared: 09/28/2007 0554

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2761.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	65		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.0		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	2.2		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	12		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	69		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN24-0601**

Lab Sample ID: 660-18324-27
Client Matrix: Water

Date Sampled: 09/14/2007 0830
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1854
Date Prepared: 09/26/2007 1854

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2630.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	111	74 - 126
Toluene-d8 (Surr)	109	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M054-N001**

Lab Sample ID: 660-18324-28
Client Matrix: Water

Date Sampled: 09/14/2007 0902
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1914
Date Prepared: 09/26/2007 1914

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2631.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	121	74 - 126
Toluene-d8 (Surr)	109	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M024-N001**

Lab Sample ID: 660-18324-29
Client Matrix: Water

Date Sampled: 09/14/2007 0938
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1935
Date Prepared: 09/26/2007 1935

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2632.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M023-N001**

Lab Sample ID: 660-18324-30
Client Matrix: Water

Date Sampled: 09/14/2007 1009
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 1956
Date Prepared: 09/26/2007 1956

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2633.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	122	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-0503-N001**

Lab Sample ID: 660-18324-31
Client Matrix: Water

Date Sampled: 09/14/2007 1306
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/26/2007 2017
Date Prepared: 09/26/2007 2017

Analysis Batch: 660-50979

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2634.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	129	*	74 - 126
Toluene-d8 (Surr)	107		77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-0502-N001**

Lab Sample ID: 660-18324-32
Client Matrix: Water

Date Sampled: 09/14/2007 1335
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 1853
Date Prepared: 09/27/2007 1853

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2729.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	43		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	89		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	113	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN20-M064-N001**

Lab Sample ID: 660-18324-33
Client Matrix: Water

Date Sampled: 09/17/2007 1525
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 0533
Date Prepared: 09/28/2007 0533

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2760.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	2.7		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	107	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN24-0701**

Lab Sample ID: 660-18324-34
Client Matrix: Water

Date Sampled: 09/14/2007 0826
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 1607
Date Prepared: 09/27/2007 1607

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2721.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN15-0587-N001**

Lab Sample ID: 660-18324-35
Client Matrix: Water

Date Sampled: 09/14/2007 0901
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 50
Date Analyzed: 09/27/2007 1730
Date Prepared: 09/27/2007 1730

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2725.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	25	U	25	50
Bromodichloromethane	18	U	18	50
Bromoform	29	U	29	50
Carbon tetrachloride	21	U	21	50
Chlorobenzene	32	U	32	50
Chloroethane	130	U	130	250
Chloroform	45	U	45	50
cis-1,3-Dichloropropene	7.0	U	7.0	50
Dibromochloromethane	17	U	17	50
1,1-Dichlorethylene	26	J	23	50
Dichlorodifluoromethane	130	U	130	250
1,1-Dichloroethane	26	U	26	50
1,2-Dichloroethane	29	U	29	50
1,2-Dichloropropane	26	U	26	50
Ethylbenzene	22	U	22	50
m-Dichlorobenzene	32	U	32	50
Methyl bromide	130	U	130	250
Methyl chloride	50	U	50	200
Methylene Chloride	200	U	200	250
Methyl tert-butyl ether	22	U	22	50
m,p-Xylene	30	U	30	100
o-Dichlorobenzene	22	U	22	50
o-Xylene	25	U	25	50
p-Dichlorobenzene	26	U	26	50
1,1,2,2-Tetrachloroethane	7.5	U	7.5	50
Tetrachloroethylene	25	U	25	50
Toluene	1700		26	50
trans-1,2-Dichloroethylene	27	J	22	50
trans-1,3-Dichloropropene	7.0	U	7.0	50
1,1,1-Trichloroethane	23	U	23	50
1,1,2-Trichloroethane	24	U	24	50
Trichloroethylene	1700		25	50
Trichlorofluoromethane	130	U	130	250
Vinyl chloride	300		25	50

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	101	74 - 126
Toluene-d8 (Surr)	100	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN15-0587-N001**

Lab Sample ID: 660-18324-35
Client Matrix: Water

Date Sampled: 09/14/2007 0901
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 200
Date Analyzed: 09/27/2007 1709
Date Prepared: 09/27/2007 1709

Analysis Batch: 660-51087
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2724.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	8200		130	200

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN15-0589-N001**

Lab Sample ID: 660-18324-36
Client Matrix: Water

Date Sampled: 09/14/2007 0951
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/27/2007 1812
Date Prepared: 09/27/2007 1812

Analysis Batch: 660-51087

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2727.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	49		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	5.9		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	8.3		0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	7.5		0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	6.9		0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
trans-1,2-Dichloroethylene	2.5		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	18		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	114	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN15-0589-N001**

Lab Sample ID:	660-18324-36	Date Sampled:	09/14/2007 0951
Client Matrix:	Water	Date Received:	09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-51087		Instrument ID:	BVMH GC/MS
Preparation:	5030B			Lab File ID:	1HI2726.D
Dilution:	10			Initial Weight/Volume:	5 mL
Date Analyzed:	09/27/2007 1751	Run Type:	DL	Final Weight/Volume:	5 mL
Date Prepared:	09/27/2007 1751				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	630		6.5	10
Toluene	430		5.1	10
Vinyl chloride	440		5.0	10

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN15-0590-N001**

Lab Sample ID: 660-18324-43
Client Matrix: Water

Date Sampled: 09/17/2007 0955
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 1846
Date Prepared: 09/28/2007 1846

Analysis Batch: 660-51195

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2818.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	2.2		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	17		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	2.6		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	114	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN15-0591-N001**

Lab Sample ID: 660-18324-44
Client Matrix: Water

Date Sampled: 09/17/2007 1052
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 2.0
Date Analyzed: 09/28/2007 0942
Date Prepared: 09/28/2007 0942

Analysis Batch: 660-51191

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2772.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.3	J	1.0	2.0
Bromodichloromethane	0.70	U	0.70	2.0
Bromoform	1.2	U	1.2	2.0
Carbon tetrachloride	0.84	U	0.84	2.0
Chlorobenzene	1.3	U	1.3	2.0
Chloroethane	5.0	U	5.0	10
Chloroform	1.8	U	1.8	2.0
cis-1,3-Dichloropropene	0.28	U	0.28	2.0
Dibromochloromethane	0.68	U	0.68	2.0
1,1-Dichlorethylene	1.7	J	0.90	2.0
Dichlorodifluoromethane	5.0	U	5.0	10
1,1-Dichloroethane	1.0	U	1.0	2.0
1,2-Dichloroethane	1.1	U	1.1	2.0
1,2-Dichloropropane	1.0	U	1.0	2.0
Ethylbenzene	0.88	U	0.88	2.0
m-Dichlorobenzene	1.3	U	1.3	2.0
Methyl bromide	5.0	U	5.0	10
Methyl chloride	2.0	U	2.0	8.0
Methylene Chloride	8.0	U	8.0	10
Methyl tert-butyl ether	0.88	U	0.88	2.0
m,p-Xylene	1.2	U	1.2	4.0
o-Dichlorobenzene	0.88	U	0.88	2.0
o-Xylene	1.0	U	1.0	2.0
p-Dichlorobenzene	1.0	U	1.0	2.0
1,1,2,2-Tetrachloroethane	0.30	U	0.30	2.0
Tetrachloroethylene	1.0	U	1.0	2.0
Toluene	4.2		1.0	2.0
trans-1,2-Dichloroethylene	8.2		0.88	2.0
trans-1,3-Dichloropropene	0.28	U	0.28	2.0
1,1,1-Trichloroethane	0.92	U	0.92	2.0
1,1,2-Trichloroethane	0.94	U	0.94	2.0
Trichloroethylene	40		1.0	2.0
Trichlorofluoromethane	5.0	U	5.0	10
Vinyl chloride	28		1.0	2.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	90	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: **PIN15-0591-N001**

Lab Sample ID: 660-18324-44
Client Matrix: Water

Date Sampled: 09/17/2007 1052
Date Received: 09/18/2007 1050

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/28/2007 0840
Date Prepared: 09/28/2007 0840

Analysis Batch: 660-51191
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2769.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	410		6.5	10

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN20-0503-N001

Lab Sample ID:	660-18324-31	Date Sampled:	09/14/2007 1306
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1527			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.027		0.0048	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN20-0502-N001

Lab Sample ID:	660-18324-32	Date Sampled:	09/14/2007 1335
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1523			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.0048	U	0.0048	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0587-N001

Lab Sample ID:	660-18324-35	Date Sampled:	09/14/2007 0901
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1518			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	36		0.022	0.050
Aluminum	2.7		0.070	0.20
Manganese	0.015		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0589-N001

Lab Sample ID:	660-18324-36	Date Sampled:	09/14/2007 0951
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1514			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	17		0.022	0.050
Aluminum	9.9		0.070	0.20
Manganese	0.064		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0566-N001

Lab Sample ID:	660-18324-37	Date Sampled:	09/14/2007 1033
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1459			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	11		0.022	0.050
Aluminum	31		0.070	0.20
Manganese	0.018		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0567-N001

Lab Sample ID:	660-18324-38	Date Sampled:	09/14/2007 1059
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1455			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.051		0.0048	0.010
Iron	15		0.022	0.050
Aluminum	0.39		0.070	0.20
Manganese	0.087		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0560-N001

Lab Sample ID:	660-18324-39	Date Sampled:	09/14/2007 1322
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1450			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	5.7		0.022	0.050
Aluminum	0.20	B	0.070	0.20
Manganese	0.0045	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0561-N001

Lab Sample ID:	660-18324-40	Date Sampled:	09/14/2007 1343
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1446			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	1.2		0.022	0.050
Aluminum	0.28		0.070	0.20
Manganese	0.014		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0564-N001

Lab Sample ID:	660-18324-41	Date Sampled:	09/14/2007 1411
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1441			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	0.73		0.022	0.050
Aluminum	0.48		0.070	0.20
Manganese	0.017		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0565-N001

Lab Sample ID:	660-18324-42	Date Sampled:	09/14/2007 1433
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1437			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	9.7		0.022	0.050
Aluminum	1.1		0.070	0.20
Manganese	0.20		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0590-N001

Lab Sample ID: 660-18324-43
Client Matrix: Water

Date Sampled: 09/17/2007 0955
Date Received: 09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/25/2007 1432
Date Prepared: 09/18/2007 1648

Analysis Batch: 660-50861
Prep Batch: 660-50511

Instrument ID: TJA ICP
Lab File ID: 7I25B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	1.9		0.022	0.050
Aluminum	2.5		0.070	0.20
Manganese	0.0079	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0591-N001

Lab Sample ID:	660-18324-44	Date Sampled:	09/17/2007 1052
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1428			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	9.2		0.022	0.050
Aluminum	6.4		0.070	0.20
Manganese	0.060		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0573-N001

Lab Sample ID:	660-18324-45	Date Sampled:	09/17/2007 1356
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1423			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	1.1		0.022	0.050
Aluminum	0.12	B	0.070	0.20
Manganese	0.14		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0574-N001

Lab Sample ID:	660-18324-46	Date Sampled:	09/17/2007 1418
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1419			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	2.4		0.022	0.050
Aluminum	0.12	B	0.070	0.20
Manganese	0.014		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0576-N001

Lab Sample ID:	660-18324-47	Date Sampled:	09/17/2007 1435
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1404			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	1.3		0.022	0.050
Aluminum	1.2		0.070	0.20
Manganese	0.023		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0575-N001

Lab Sample ID:	660-18324-48	Date Sampled:	09/17/2007 1506
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1400			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	8.1		0.022	0.050
Aluminum	0.23		0.070	0.20
Manganese	0.17		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0577-N001

Lab Sample ID:	660-18324-49	Date Sampled:	09/17/2007 1525
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1355			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	9.4		0.022	0.050
Aluminum	0.19	B	0.070	0.20
Manganese	0.21		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Client Sample ID: PIN15-0578-N001

Lab Sample ID:	660-18324-50	Date Sampled:	09/17/2007 1547
Client Matrix:	Water	Date Received:	09/18/2007 1050

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50861		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-50511		Lab File ID:	7I25B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/25/2007 1342			Final Weight/Volume:	50 mL
Date Prepared:	09/18/2007 1648				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Iron	0.79		0.022	0.050
Aluminum	0.51	N	0.070	0.20
Manganese	0.14		0.0014	0.010

DATA REPORTING QUALIFIERS

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Analyzed for but not detected.
	J	Indicates an estimated value.
	*	Surrogate exceeds the control limit
Metals		
	U	Indicates analyzed for but not detected.
	N	Spiked sample recovery is not within control limits.
	B	Value less than contract required detection limit but greater than or equal to the Method Detection Limit

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Method Blank - Batch: 660-50979

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-50979/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/26/2007 1301
Date Prepared: 09/26/2007 1301

Analysis Batch: 660-50979
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2613.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	114	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50979

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-50979/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/26/2007 1159
Date Prepared: 09/26/2007 1159

Analysis Batch: 660-50979
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2610.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-50979/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/26/2007 1220
Date Prepared: 09/26/2007 1220

Analysis Batch: 660-50979
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2611.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	77	71	62 - 135	8	37		
Chlorobenzene	117	104	72 - 127	11	22		
1,1-Dichlorethylene	96	88	46 - 147	9	30		
Toluene	103	96	68 - 131	8	33		
Trichloroethylene	78	73	56 - 143	6	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Method Blank - Batch: 660-51087

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-51087/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/27/2007 1505
Date Prepared: 09/27/2007 1505

Analysis Batch: 660-51087
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2718.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	92	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-51087

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-51087/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/27/2007 1239
Date Prepared: 09/27/2007 1239

Analysis Batch: 660-51087
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2711.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-51087/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/27/2007 1300
Date Prepared: 09/27/2007 1300

Analysis Batch: 660-51087
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2712.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	114	107	62 - 135	6	37		
Chlorobenzene	111	110	72 - 127	1	22		
1,1-Dichlorethylene	127	114	46 - 147	11	30		
Toluene	116	110	68 - 131	5	33		
Trichloroethylene	119	107	56 - 143	11	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-51087

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-18324-11	Analysis Batch:	660-51087	Instrument ID:	BVMH GC/MS
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	2HJ0118.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	10/01/2007 1510			Final Weight/Volume:	5 mL
Date Prepared:	10/01/2007 1510				

MSD Lab Sample ID:	660-18324-11	Analysis Batch:	660-51087	Instrument ID:	BVMH GC/MS
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	2HJ0119.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	10/01/2007 1531			Final Weight/Volume:	5 mL
Date Prepared:	10/01/2007 1531				

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	105	98	62 - 135	7	37		
Chlorobenzene	120	111	72 - 127	7	22		
1,1-Dichlorethylene	125	111	46 - 147	11	30		
Toluene	127	120	68 - 131	6	33		
Trichloroethylene	109	100	56 - 143	8	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Method Blank - Batch: 660-51191

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-51191/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/28/2007 0350
Date Prepared: 09/28/2007 0350

Analysis Batch: 660-51191
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2755.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-51191

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-51191/16
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/28/2007 1210
Date Prepared: 09/28/2007 1210

Analysis Batch: 660-51191
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2779.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-51191/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/28/2007 0308
Date Prepared: 09/28/2007 0308

Analysis Batch: 660-51191
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI2753.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	91	104	62 - 135	13	37		
Chlorobenzene	117	118	72 - 127	0	22		
1,1-Dichlorethylene	108	116	46 - 147	7	30		
Toluene	116	118	68 - 131	1	33		
Trichloroethylene	95	107	56 - 143	12	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-51191

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-18324-23	Analysis Batch:	660-51191	Instrument ID:	BVMH GC/MS
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	2HJ0120.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	10/01/2007 1552			Final Weight/Volume:	5 mL
Date Prepared:	10/01/2007 1552				

MSD Lab Sample ID:	660-18324-23	Analysis Batch:	660-51191	Instrument ID:	BVMH GC/MS
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	2HJ0121.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	10/01/2007 1612			Final Weight/Volume:	5 mL
Date Prepared:	10/01/2007 1612				

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	99	98	62 - 135	1	37		
Chlorobenzene	111	111	72 - 127	0	22		
1,1-Dichlorethylene	114	113	46 - 147	1	30		
Toluene	121	117	68 - 131	3	33		
Trichloroethylene	98	100	56 - 143	2	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Method Blank - Batch: 660-51195

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-51195/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/28/2007 1540
Date Prepared: 09/28/2007 1540

Analysis Batch: 660-51195
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2809.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-51195

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-51195/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/28/2007 1438
Date Prepared: 09/28/2007 1438

Analysis Batch: 660-51195
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2806.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-51195/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/28/2007 1458
Date Prepared: 09/28/2007 1458

Analysis Batch: 660-51195
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2807.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	107	110	62 - 135	2	37		
Chlorobenzene	116	126	72 - 127	8	22		
1,1-Dichlorethylene	130	134	46 - 147	3	30		
Toluene	123	130	68 - 131	6	33		
Trichloroethylene	106	110	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Method Blank - Batch: 660-50511

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-50511/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/25/2007 1323
Date Prepared: 09/18/2007 1648

Analysis Batch: 660-50861
Prep Batch: 660-50511
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 7I25B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Arsenic	0.0048	U	0.0048	0.010
Iron	0.022	U	0.022	0.050
Aluminum	0.070	U	0.070	0.20
Manganese	0.0014	U	0.0014	0.010

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50511

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-50511/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/25/2007 1328
Date Prepared: 09/18/2007 1648

Analysis Batch: 660-50861
Prep Batch: 660-50511
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 7I25B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-50511/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/25/2007 1333
Date Prepared: 09/18/2007 1648

Analysis Batch: 660-50861
Prep Batch: 660-50511
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 7I25B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Arsenic	99	100	75 - 125	1	20		
Iron	110	110	75 - 125	0	20		
Aluminum	101	101	75 - 125	0	20		
Manganese	107	107	75 - 125	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-50511

Method: 6010B
Preparation: 3005A
Total Recoverable

MS Lab Sample ID:	660-18324-50	Analysis Batch: 660-50861	Instrument ID: TJA ICP
Client Matrix:	Water	Prep Batch: 660-50511	Lab File ID: 7I25B
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/25/2007 1346		Final Weight/Volume: 50 mL
Date Prepared:	09/18/2007 1648		

MSD Lab Sample ID:	660-18324-50	Analysis Batch: 660-50861	Instrument ID: TJA ICP
Client Matrix:	Water	Prep Batch: 660-50511	Lab File ID: 7I25B
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/25/2007 1351		Final Weight/Volume: 50 mL
Date Prepared:	09/18/2007 1648		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Arsenic	104	101	75 - 125	3	20		
Iron	102	112	75 - 125	5	20		
Aluminum	144	139	75 - 125	3	20	N	N
Manganese	103	103	75 - 125	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

COD-18324

TestAmerica Tampa 1 of 2

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
1	PIN24-0801	9-14-07	0800	JW DC	3				✓						
2	PIN20-M38D-N001	9-14-07	0835	JW DC	3				✓						
3	PIN20-M41D-N001	9-14-07	0900	JW DC	3				✓						
4	PIN20-M035-N001	9-14-07	0925	JW DC	3				✓						
5	PIN20-M40S-N001	9-14-07	0950	JW DC	3				✓						
6	PIN20-M40D-N001	9-14-07	1010	JW DC	3				✓						
7	PIN20-M036-N001	9-14-07	1035	JW DC	3				✓						
8	PIN20-MWL1-N001	9-14-07	1125	JW DC	3				✓						
9	PIN20-MWL2-N001	9-14-07	1340	JW DC	3				✓						
10	PIN20-MWL3-N001	9-14-07	1415	JW DC	3				✓						
11	PIN20-M011-N001	9-17-07	0910	JW DC	3				✓						
12	PIN20-M012-N001	9-17-07	0930	JW DC	3				✓						
13	PIN20-MWL6-N001	9-17-07	1000	JW DC	3				✓						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-18-07	0935	[signature]	9/18/07	0935	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	4°, 4° Cooler temps
[signature]	9/18/07	1650				

Stoller — Legacy Management Team

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049 2 of 2

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl							Samplers Notes
14	PIN20-M015-N001	9-17-07	1035	JW DC	3				✓							
15	PIN20-M055-N001	9-17-07	1110	JW DC	3				✓							
16	PIN20-M025-N001	9-17-07	1410	JW DC	3				✓							
17	PIN20-M001-N001	9-17-07	1450	JW DC	3				✓							
18	PIN20-M062-N001	9-17-07	1530	JW DC	3				✓							
19	PIN24-0500	9-17-07	1500	JW DC	3				✓							
20	PIN24-0501	9-17-07	1600	JW DC	3				✓							
21	PIN20-MWL4-N001	9-17-07	1605	JW DC	3				✓							
22	PIN20-M063-N001	9-18-07	0820	JW DC	3				✓							

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-18-07	0955	[signature]	9/18/07	0955	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/18/07	1010				

4°, 4° cooler temps

10/02/2007

Page 96 of 101

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
1	PIN24-0602	9/17/07	0900	JPC	3				3						
2	PIN12-S67B-N001	↓	0940	JPC	3				3						
3	PIN12-S67C-N001	↓	1010	JPC	3				3						
4	PIN12-S67D-N001	↓	1050	JPC	3				3						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-18-07	0935	[signature]	9/18/07	0935	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/18/07	1000				

4°, 4° Cooler temps

10/02/2007

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
1	PIN24-0601	9-14-07	0830	JPC	3				3						
2	PIN20-M054-N001		0902	JPC	3				3						
3	PIN20-M024-N001		0938	JPC	3				3						
4	PIN20-M023-N001		1009	JPC	3				3						
5	PIN20-0503-N001		1306	JPC	4	1			3						
6	PIN20-0502-N001		1335	JPC	4	1			3						
7	PIN20-M064-N001	9/17/07	1525	JPC	3				3						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-18-07	0955	[signature]	9/18/07	0955	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/18/07	10:50				

4°, 4° Cooler temps

10/02/2007

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

1 of 2

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
01	PIN24-0701	9/14/07	0826	SM SB	3				3						
02	PIN15-0587-N001	9/14/07	0901	SM SB	4		1		3						
03	PIN15-0589-N001	9/14/07	0951	SM SB	4		1		3						
04	PIN15-0566-N001	9/14/07	1033	SM SB	1		1								
05	PIN15-0567-N001	9/14/07	1059	SM SB	1			1							
06	PIN15-0560-N001	9/14/07	1322	SM SB	1		1								
07	PIN15-0561-N001	9/14/07	1343	SM SB	1		1								
08	PIN15-0564-N001	9/14/07	1411	SM SB	1		1								
09	PIN15-0565-N001	9/14/07	1433	SM SB	1		1								
10	PIN15-0590-N001	9/17/07	0955	SM SB	4		1		3						
11	PIN15-0591-N001	9/17/07	1052	SM SB	4		1		3						
12	PIN15-0573-N001	9/17/07	1356	SM SB	1		1								
13	PIN15-0574-N001	9/17/07	1418	SM SB	1		1								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
S Thomas	9/18/07	0930	[illegible]	9/18/07	0930	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/18/07	1050				

4°, 4° cooler temps

10/02/2007

Stoller — Legacy Management Team

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

2 of 2

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
14	PIN15-0576-N001	9/17/07	1435	SM SB	1		1								
15	PIN15-0575-N001	9/17/07	1500	SM SB	1		1								
16	PIN15-0577-N001	9/17/07	1525	SM SB	1		1								
17	PIN15-0578-N001	9/17/07	1547	SM SB	1		1								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9/18/07	0935	[signature]	9/18/07	0925	
Relinquished by Courier	Date	Time	Received by Laboratory	Date	Time	
[signature]	~~9/18/07~~ 9/18/07	1058				

4°, 4° Cooler temps

10/02/2007

Login Sample Receipt Check List

Client: S.M. Stoller Corporation

Job Number: 660-18324-1

Login Number: 18324

List Source: TestAmerica Tampa

List Number: 1

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 660-18419-1

Job Description: Pinellas Star

For:
S.M. Stoller Corporation
2597 B 3/4 Road
Grand Junction, CO 81503

Attention: Mr. Charles Tabor

Nancy Robertson
Project Manager II
nancy.robertson@testamericainc.com
10/03/2007

Methods: FDEP, DOH Certification #: E84282, E81005, E81010 These test results meet all the requirements of NELAC unless specified in the case narrative. All questions regarding this test report should be directed to the TestAmerica Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request. The results contained in this test report relate only to these samples included herein.

TestAmerica Laboratories, Inc.
TestAmerica Tampa 6712 Benjamin Road, Suite 100, Tampa, FL 33634
Tel (813) 885-7427 Fax (813) 885-7049 www.testamericainc.com

Case Narrative:	TestAmerica Project 660-18419	
Date:	October 3, 2007	
Client:	S.M. Stoller Corporation	
Project:	Pinellas Star	
Laboratory:	TestAmerica Tampa	
Analysis Requested:	8260B, 6010B	

Sixty-two liquid samples were received in good condition on 9.20.07 and logged in as TestAmerica Project 660-18419. The samples are identified as follows:

STL Log No.	Sample ID	Date Collected
660-18419-1	PIN24-0603	9/18/2007
660-18419-2	PIN12-0520-N001	9/18/2007
660-18419-3	PIN06-0500-N001	9/18/2007
660-18419-4	PIN06-0501-N001	9/18/2007
660-18419-5	PIN12-0523-N001	9/18/2007
660-18419-6	PIN12-0522-N001	9/18/2007
660-18419-7	PIN12-0510-N001	9/18/2007
660-18419-8	PIN12-0509-N001	9/18/2007
660-18419-9	PIN12-S72B-N001	9/19/2007
660-18419-10	PIN12-S72C-N001	9/19/2007
660-18419-11	PIN12-S72D-N001	9/19/2007
660-18419-12	PIN12-S73D-N001	9/19/2007
660-18419-13	PIN12-S73C-N001	9/19/2007
660-18419-14	PIN12-S73B-N001	9/19/2007
660-18419-15	PIN24-0802	9/18/2007
660-18419-16	PIN12-0517-N001	9/18/2007
660-18419-17	PIN12-0518-N001	9/18/2007
660-18419-18	PIN12-0525-N001	9/18/2007
660-18419-19	PIN24-0503	9/18/2007
660-18419-20	PIN12-0524-N001	9/18/2007
660-18419-21	PIN21-0505-N001	9/18/2007
660-18419-22	PIN21-0504-N001	9/18/2007
660-18419-23	PIN12-0513-N001	9/19/2007
660-18419-24	PIN12-0514-N001	9/19/2007
660-18419-25	PIN12-S68C-N001	9/19/2007
660-18419-26	PIN12-S68D-N001	9/19/2007
660-18419-27	PIN24-0504	9/19/2007
660-18419-28	PIN24-0702	9/18/2007
660-18419-29	PIN15-0506-N001	9/18/2007
660-18419-30	PIN15-0507-N001	9/18/2007
660-18419-31	PIN15-0520-N001	9/18/2007
660-18419-32	PIN15-0534-N001	9/18/2007
660-18419-33	PIN15-0518-N001	9/18/2007
660-18419-34	PIN15-M24D-N001	9/18/2007
660-18419-35	PIN15-M33D-N001	9/18/2007
660-18419-36	PIN15-0562-N001	9/18/2007
660-18419-37	PIN15-0563-N001	9/18/2007
660-18419-38	PIN15-M14S-N001	9/18/2007
660-18419-39	PIN15-M14D-N001	9/18/2007

660-18419-40	PIN15-0559-N001	9/19/2007
660-18419-41	PIN12-S68B-N001	9/19/2007
660-18419-42	PIN21-0512-N001	9/19/2007
660-18419-43	PIN12-0526-N001	9/19/2007
660-18419-44	PIN21-0502-N001	9/19/2007
660-18419-45	PIN21-0503-N001	9/19/2007
660-18419-46	PIN12-S69B-N001	9/20/2007
660-18419-47	PIN12-S69C-N001	9/20/2007
660-18419-48	PIN12-S69D-N001	9/20/2007
660-18419-49	PIN15-0571-N001	9/19/2007
660-18419-50	PIN15-0572-N001	9/19/2007
660-18419-51	PIN15-0570-N001	9/19/2007
660-18419-52	PIN15-0510-N001	9/19/2007
660-18419-53	PIN24-0506	9/19/2007
660-18419-54	PIN24-0507	9/19/2007
660-18419-55	PIN15-0568-N001	9/19/2007
660-18419-56	PIN15-0569-N001	9/19/2007
660-18419-57	PIN12-S71B-N001	9/19/2007
660-18419-58	PIN12-S71C-N001	9/19/2007
660-18419-59	PIN12-S71D-N001	9/19/2007
660-18419-60	PIN12-S70B-N001	9/20/2007
660-18419-61	PIN12-S70C-N001	9/20/2007
660-18419-62	PIN12-S70D-N001	9/20/2007

8260

The surrogate recovery for 4-Bromofluorobenzene was outside QC limits bias high on sample PIN12-S72B-N001. The sample was non detect and is flagged with *.

6010 Metals

The Percent Recovery for Aluminum in the MS/MSD associated with sample PIN15-0562-N001 was outside QC limits. The LCS/LCSD indicated acceptable method performance. The sample is flagged with N.

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18419-4	**PIN06-0501-N001**					
Total Recoverable						
Arsenic		0.020		0.010	mg/L	6010B
660-18419-5	**PIN12-0523-N001**					
cis-1,2-Dichloroethylene		32		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		22		1.0	ug/L	8260B
Trichloroethylene		1.0		1.0	ug/L	8260B
Vinyl chloride		20		1.0	ug/L	8260B
660-18419-10	**PIN12-S72C-N001**					
1,1-Dichloroethane		2.6		1.0	ug/L	8260B
660-18419-13	**PIN12-S73C-N001**					
trans-1,2-Dichloroethylene		3.9		1.0	ug/L	8260B
Vinyl chloride		18		1.0	ug/L	8260B
660-18419-17	**PIN12-0518-N001**					
Vinyl chloride		1.9		1.0	ug/L	8260B
660-18419-18	**PIN12-0525-N001**					
cis-1,2-Dichloroethylene		1.6		1.0	ug/L	8260B
Vinyl chloride		0.66	J	1.0	ug/L	8260B
Total Recoverable						
Arsenic		0.026		0.010	mg/L	6010B
660-18419-19	**PIN24-0503**					
cis-1,2-Dichloroethylene		770		20	ug/L	8260B
1,1-Dichlorethylene		52		20	ug/L	8260B
trans-1,2-Dichloroethylene		14	J	20	ug/L	8260B
Vinyl chloride		1700		20	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18419-20	**PIN12-0524-N001**					
Benzene		0.70	J	1.0	ug/L	8260B
cis-1,2-Dichloroethylene		770		20	ug/L	8260B
1,1-Dichlorethylene		29		1.0	ug/L	8260B
1,1-Dichloroethane		1.3		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		10		1.0	ug/L	8260B
Trichloroethylene		4.3		1.0	ug/L	8260B
Vinyl chloride		1600		20	ug/L	8260B
660-18419-21	**PIN21-0505-N001**					
1,1-Dichloroethane		1.2		1.0	ug/L	8260B
660-18419-23	**PIN12-0513-N001**					
1,1-Dichloroethane		9.4		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.59	J	1.0	ug/L	8260B
660-18419-24	**PIN12-0514-N001**					
cis-1,2-Dichloroethylene		5.8		1.0	ug/L	8260B
1,1-Dichloroethane		8.5		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		15		1.0	ug/L	8260B
Vinyl chloride		42		1.0	ug/L	8260B
660-18419-25	**PIN12-S68C-N001**					
cis-1,2-Dichloroethylene		4.2		1.0	ug/L	8260B
1,1-Dichloroethane		5.1		1.0	ug/L	8260B
Vinyl chloride		10		1.0	ug/L	8260B
660-18419-26	**PIN12-S68D-N001**					
cis-1,2-Dichloroethylene		56		1.0	ug/L	8260B
1,1-Dichlorethylene		1.0		1.0	ug/L	8260B
1,1-Dichloroethane		5.3		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.1		1.0	ug/L	8260B
Vinyl chloride		80		1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18419-27	**PIN24-0504**					
cis-1,2-Dichloroethylene		64		1.0	ug/L	8260B
1,1-Dichlorethylene		1.1		1.0	ug/L	8260B
1,1-Dichloroethane		6.0		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.2		1.0	ug/L	8260B
Vinyl chloride		91		1.0	ug/L	8260B
660-18419-29	**PIN15-0506-N001**					
Total Recoverable						
Aluminum		3.8		0.20	mg/L	6010B
Iron		2.0		0.050	mg/L	6010B
Manganese		0.010		0.010	mg/L	6010B
660-18419-30	**PIN15-0507-N001**					
Total Recoverable						
Aluminum		1.7		0.20	mg/L	6010B
Iron		1.1		0.050	mg/L	6010B
Manganese		0.017		0.010	mg/L	6010B
660-18419-31	**PIN15-0520-N001**					
Total Recoverable						
Aluminum		0.15	B	0.20	mg/L	6010B
Iron		0.76		0.050	mg/L	6010B
Manganese		0.018		0.010	mg/L	6010B
660-18419-32	**PIN15-0534-N001**					
Total Recoverable						
Aluminum		1.9		0.20	mg/L	6010B
Iron		0.65		0.050	mg/L	6010B
Manganese		0.019		0.010	mg/L	6010B
660-18419-33	**PIN15-0518-N001**					
Total Recoverable						
Aluminum		0.98		0.20	mg/L	6010B
Iron		1.0		0.050	mg/L	6010B
Manganese		0.011		0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18419-34	**PIN15-M24D-N001**					
Total Recoverable						
Aluminum		8.6		0.20	mg/L	6010B
Iron		1.1		0.050	mg/L	6010B
Manganese		0.014		0.010	mg/L	6010B
660-18419-35	**PIN15-M33D-N001**					
Total Recoverable						
Aluminum		6.9		0.20	mg/L	6010B
Iron		2.0		0.050	mg/L	6010B
Manganese		0.014		0.010	mg/L	6010B
660-18419-36	**PIN15-0562-N001**					
Total Recoverable						
Aluminum		1.2	N	0.20	mg/L	6010B
Iron		4.9		0.050	mg/L	6010B
Manganese		0.0096	B	0.010	mg/L	6010B
660-18419-37	**PIN15-0563-N001**					
Total Recoverable						
Aluminum		0.35		0.20	mg/L	6010B
Iron		8.6		0.050	mg/L	6010B
Manganese		0.072		0.010	mg/L	6010B
660-18419-38	**PIN15-M14S-N001**					
Total Recoverable						
Aluminum		0.31		0.20	mg/L	6010B
Arsenic		0.074		0.010	mg/L	6010B
Iron		13		0.050	mg/L	6010B
Manganese		0.013		0.010	mg/L	6010B
660-18419-39	**PIN15-M14D-N001**					
Total Recoverable						
Aluminum		6.1		0.20	mg/L	6010B
Iron		5.8		0.050	mg/L	6010B
Manganese		0.0079	B	0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18419-40	**PIN15-0559-N001**					
Total Recoverable						
Aluminum		1.8		0.20	mg/L	6010B
Iron		0.44		0.050	mg/L	6010B
Manganese		0.0071	B	0.010	mg/L	6010B
660-18419-41	**PIN12-S68B-N001**					
Total Recoverable						
Arsenic		0.060		0.010	mg/L	6010B
660-18419-42	**PIN21-0512-N001**					
cis-1,2-Dichloroethylene		5.9		1.0	ug/L	8260B
1,1-Dichloroethane		1.6		1.0	ug/L	8260B
Vinyl chloride		14		1.0	ug/L	8260B
660-18419-43	**PIN12-0526-N001**					
cis-1,2-Dichloroethylene		1.9		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.3		1.0	ug/L	8260B
Vinyl chloride		3.0		1.0	ug/L	8260B
660-18419-47	**PIN12-S69C-N001**					
Vinyl chloride		1.0		1.0	ug/L	8260B
660-18419-48	**PIN12-S69D-N001**					
Vinyl chloride		0.54	J	1.0	ug/L	8260B
660-18419-49	**PIN15-0571-N001**					
Total Recoverable						
Aluminum		1.1		0.20	mg/L	6010B
Iron		3.4		0.050	mg/L	6010B
Manganese		0.010		0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18419-50	**PIN15-0572-N001**					
Total Recoverable						
Aluminum		2.3		0.20	mg/L	6010B
Iron		0.96		0.050	mg/L	6010B
Manganese		0.010		0.010	mg/L	6010B
660-18419-51	**PIN15-0570-N001**					
Total Recoverable						
Aluminum		9.4		0.20	mg/L	6010B
Iron		1.6		0.050	mg/L	6010B
Manganese		0.024		0.010	mg/L	6010B
660-18419-52	**PIN15-0510-N001**					
Total Recoverable						
Aluminum		0.32		0.20	mg/L	6010B
Iron		4.6		0.050	mg/L	6010B
Manganese		0.032		0.010	mg/L	6010B
660-18419-53	**PIN24-0506**					
Total Recoverable						
Aluminum		1.8		0.20	mg/L	6010B
Iron		1.2		0.050	mg/L	6010B
Manganese		0.0060	B	0.010	mg/L	6010B
660-18419-54	**PIN24-0507**					
Vinyl chloride		22		1.0	ug/L	8260B
Total Recoverable						
Aluminum		1.4		0.20	mg/L	6010B
Iron		3.2		0.050	mg/L	6010B
Manganese		0.018		0.010	mg/L	6010B
660-18419-55	**PIN15-0568-N001**					
Total Recoverable						
Aluminum		0.94		0.20	mg/L	6010B
Iron		1.2		0.050	mg/L	6010B
Manganese		0.0058	B	0.010	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation | Job Number: 660-18419-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-18419-56	**PIN15-0569-N001**					
Vinyl chloride		21		1.0	ug/L	8260B
Total Recoverable						
Aluminum		1.5		0.20	mg/L	6010B
Iron		3.2		0.050	mg/L	6010B
Manganese		0.018		0.010	mg/L	6010B
660-18419-58	**PIN12-S71C-N001**					
cis-1,2-Dichloroethylene		20		1.0	ug/L	8260B
1,1-Dichlorethylene		1.3		1.0	ug/L	8260B
1,1-Dichloroethane		2.4		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		14		1.0	ug/L	8260B
Vinyl chloride		45		1.0	ug/L	8260B
660-18419-59	**PIN12-S71D-N001**					
cis-1,2-Dichloroethylene		7.7		1.0	ug/L	8260B
1,1-Dichlorethylene		1.0		1.0	ug/L	8260B
1,1-Dichloroethane		1.3		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		4.8		1.0	ug/L	8260B
Vinyl chloride		19		1.0	ug/L	8260B
660-18419-60	**PIN12-S70B-N001**					
cis-1,2-Dichloroethylene		16		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.61	J	1.0	ug/L	8260B
Vinyl chloride		22		1.0	ug/L	8260B
660-18419-61	**PIN12-S70C-N001**					
cis-1,2-Dichloroethylene		25		1.0	ug/L	8260B
1,1-Dichlorethylene		1.5		1.0	ug/L	8260B
1,1-Dichloroethane		8.5		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		11		1.0	ug/L	8260B
Vinyl chloride		35		1.0	ug/L	8260B
660-18419-62	**PIN12-S70D-N001**					
cis-1,2-Dichloroethylene		17		1.0	ug/L	8260B
1,1-Dichlorethylene		1.6		1.0	ug/L	8260B
1,1-Dichloroethane		6.1		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		7.4		1.0	ug/L	8260B
Vinyl chloride		19		1.0	ug/L	8260B

METHOD SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	TAL TAM	SW846 8260B	
Purge-and-Trap	TAL TAM		SW846 5030B
Inductively Coupled Plasma - Atomic Emission Spectrometry	TAL TAM	SW846 6010B	
Acid Digestion of Waters for Total Recoverable or	TAL TAM		SW846 3005A

Lab References:

TAL TAM = TestAmerica Tampa

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Method	Analyst	Analyst ID
SW846 8260B	Davidson, Sean	SD
SW846 8260B	Mathew, Pinky	PM
SW846 8260B	Stolz, Dawn	DS
SW846 6010B	Fox, Greg	GF

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-18419-1	PIN24-0603	Water	09/18/2007 0840	09/20/2007 1347
660-18419-2	PIN12-0520-N001	Water	09/18/2007 0923	09/20/2007 1347
660-18419-3	PIN06-0500-N001	Water	09/18/2007 0952	09/20/2007 1347
660-18419-4	PIN06-0501-N001	Water	09/18/2007 1026	09/20/2007 1347
660-18419-5	PIN12-0523-N001	Water	09/18/2007 1344	09/20/2007 1347
660-18419-6	PIN12-0522-N001	Water	09/18/2007 1412	09/20/2007 1347
660-18419-7	PIN12-0510-N001	Water	09/18/2007 1537	09/20/2007 1347
660-18419-8	PIN12-0509-N001	Water	09/18/2007 1616	09/20/2007 1347
660-18419-9	PIN12-S72B-N001	Water	09/19/2007 0948	09/20/2007 1347
660-18419-10	PIN12-S72C-N001	Water	09/19/2007 1025	09/20/2007 1347
660-18419-11	PIN12-S72D-N001	Water	09/19/2007 1100	09/20/2007 1347
660-18419-12	PIN12-S73D-N001	Water	09/19/2007 1407	09/20/2007 1347
660-18419-13	PIN12-S73C-N001	Water	09/19/2007 1434	09/20/2007 1347
660-18419-14	PIN12-S73B-N001	Water	09/19/2007 1506	09/20/2007 1347
660-18419-15	PIN24-0802	Water	09/18/2007 0835	09/20/2007 1347
660-18419-16	PIN12-0517-N001	Water	09/18/2007 1030	09/20/2007 1347
660-18419-17	PIN12-0518-N001	Water	09/18/2007 1050	09/20/2007 1347
660-18419-18	PIN12-0525-N001	Water	09/18/2007 1350	09/20/2007 1347
660-18419-19	PIN24-0503	Water	09/18/2007 1400	09/20/2007 1347
660-18419-20	PIN12-0524-N001	Water	09/18/2007 1425	09/20/2007 1347
660-18419-21	PIN21-0505-N001	Water	09/18/2007 1510	09/20/2007 1347
660-18419-22	PIN21-0504-N001	Water	09/18/2007 1530	09/20/2007 1347
660-18419-23	PIN12-0513-N001	Water	09/19/2007 0820	09/20/2007 1347
660-18419-24	PIN12-0514-N001	Water	09/19/2007 0910	09/20/2007 1347
660-18419-25	PIN12-S68C-N001	Water	09/19/2007 1200	09/20/2007 1347
660-18419-26	PIN12-S68D-N001	Water	09/19/2007 1225	09/20/2007 1347
660-18419-27	PIN24-0504	Water	09/19/2007 1220	09/20/2007 1347
660-18419-28	PIN24-0702	Water	09/18/2007 0809	09/20/2007 1347
660-18419-29	PIN15-0506-N001	Water	09/18/2007 0833	09/20/2007 1347
660-18419-30	PIN15-0507-N001	Water	09/18/2007 0851	09/20/2007 1347
660-18419-31	PIN15-0520-N001	Water	09/18/2007 0912	09/20/2007 1347
660-18419-32	PIN15-0534-N001	Water	09/18/2007 0931	09/20/2007 1347
660-18419-33	PIN15-0518-N001	Water	09/18/2007 0957	09/20/2007 1347
660-18419-34	PIN15-M24D-N001	Water	09/18/2007 1031	09/20/2007 1347
660-18419-35	PIN15-M33D-N001	Water	09/18/2007 1051	09/20/2007 1347
660-18419-36	PIN15-0562-N001	Water	09/18/2007 1337	09/20/2007 1347
660-18419-37	PIN15-0563-N001	Water	09/18/2007 1355	09/20/2007 1347
660-18419-38	PIN15-M14S-N001	Water	09/18/2007 1425	09/20/2007 1347
660-18419-39	PIN15-M14D-N001	Water	09/18/2007 1446	09/20/2007 1347
660-18419-40	PIN15-0559-N001	Water	09/19/2007 0825	09/20/2007 1347
660-18419-41	PIN12-S68B-N001	Water	09/19/2007 1250	09/20/2007 1347
660-18419-42	PIN21-0512-N001	Water	09/19/2007 1325	09/20/2007 1347
660-18419-43	PIN12-0526-N001	Water	09/19/2007 1355	09/20/2007 1347
660-18419-44	PIN21-0502-N001	Water	09/19/2007 1420	09/20/2007 1347
660-18419-45	PIN21-0503-N001	Water	09/19/2007 1445	09/20/2007 1347
660-18419-46	PIN12-S69B-N001	Water	09/20/2007 0900	09/20/2007 1347

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-18419-47	PIN12-S69C-N001	Water	09/20/2007 1000	09/20/2007 1347
660-18419-48	PIN12-S69D-N001	Water	09/20/2007 1030	09/20/2007 1347
660-18419-49	PIN15-0571-N001	Water	09/19/2007 0854	09/20/2007 1347
660-18419-50	PIN15-0572-N001	Water	09/19/2007 0919	09/20/2007 1347
660-18419-51	PIN15-0570-N001	Water	09/19/2007 0947	09/20/2007 1347
660-18419-52	PIN15-0510-N001	Water	09/19/2007 1006	09/20/2007 1347
660-18419-53	PIN24-0506	Water	09/19/2007 1028	09/20/2007 1347
660-18419-54	PIN24-0507	Water	09/19/2007 1041	09/20/2007 1347
660-18419-55	PIN15-0568-N001	Water	09/19/2007 1045	09/20/2007 1347
660-18419-56	PIN15-0569-N001	Water	09/19/2007 1111	09/20/2007 1347
660-18419-57	PIN12-S71B-N001	Water	09/19/2007 1335	09/20/2007 1347
660-18419-58	PIN12-S71C-N001	Water	09/19/2007 1448	09/20/2007 1347
660-18419-59	PIN12-S71D-N001	Water	09/19/2007 1511	09/20/2007 1347
660-18419-60	PIN12-S70B-N001	Water	09/20/2007 0837	09/20/2007 1347
660-18419-61	PIN12-S70C-N001	Water	09/20/2007 0913	09/20/2007 1347
660-18419-62	PIN12-S70D-N001	Water	09/20/2007 0943	09/20/2007 1347

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN24-0603**

Lab Sample ID: 660-18419-1
Client Matrix: Water

Date Sampled: 09/18/2007 0840
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1641
Date Prepared: 10/01/2007 1641

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0118.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	86	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0520-N001**

Lab Sample ID: 660-18419-2
Client Matrix: Water

Date Sampled: 09/18/2007 0923
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1706
Date Prepared: 10/01/2007 1706

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0119.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	83	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN06-0500-N001**

Lab Sample ID: 660-18419-3
Client Matrix: Water

Date Sampled: 09/18/2007 0952
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1731
Date Prepared: 10/01/2007 1731

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0120.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	80	74 - 126
Toluene-d8 (Surr)	100	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN06-0501-N001**

Lab Sample ID: 660-18419-4
Client Matrix: Water

Date Sampled: 09/18/2007 1026
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1756
Date Prepared: 10/01/2007 1756

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0121.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	89	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0523-N001**

Lab Sample ID: 660-18419-5
Client Matrix: Water

Date Sampled: 09/18/2007 1344
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1820
Date Prepared: 10/01/2007 1820

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0122.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	32		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	22		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	1.0		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	20		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	87	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0522-N001**

Lab Sample ID: 660-18419-6
Client Matrix: Water

Date Sampled: 09/18/2007 1412
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1845
Date Prepared: 10/01/2007 1845

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0123.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	76	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0510-N001**

Lab Sample ID: 660-18419-7
Client Matrix: Water

Date Sampled: 09/18/2007 1537
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1910
Date Prepared: 10/01/2007 1910

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0124.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	80	74 - 126
Toluene-d8 (Surr)	103	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0509-N001**

Lab Sample ID: 660-18419-8
Client Matrix: Water

Date Sampled: 09/18/2007 1616
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1935
Date Prepared: 10/01/2007 1935

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0125.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	82	74 - 126
Toluene-d8 (Surr)	109	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S72B-N001**

Lab Sample ID: 660-18419-9
Client Matrix: Water

Date Sampled: 09/19/2007 0948
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 2000
Date Prepared: 10/01/2007 2000

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0126.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec		Acceptance Limits
4-Bromofluorobenzene	96		74 - 126
Toluene-d8 (Surr)	127	*	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S72C-N001**

Lab Sample ID: 660-18419-10
Client Matrix: Water

Date Sampled: 09/19/2007 1025
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 2025
Date Prepared: 10/01/2007 2025

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0127.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	2.6		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	87	74 - 126
Toluene-d8 (Surr)	103	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S72D-N001**

Lab Sample ID: 660-18419-11
Client Matrix: Water

Date Sampled: 09/19/2007 1100
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 2049
Date Prepared: 10/01/2007 2049

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0128.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	79	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S73D-N001**

Lab Sample ID: 660-18419-12
Client Matrix: Water

Date Sampled: 09/19/2007 1407
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 2114
Date Prepared: 10/01/2007 2114

Analysis Batch: 660-51222

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0129.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	76	74 - 126
Toluene-d8 (Surr)	96	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S73C-N001**

Lab Sample ID: 660-18419-13
Client Matrix: Water

Date Sampled: 09/19/2007 1434
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/02/2007 0059
Date Prepared: 10/02/2007 0059

Analysis Batch: 660-51271

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0138.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	3.9		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	18		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	80	74 - 126
Toluene-d8 (Surr)	103	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S73B-N001**

Lab Sample ID: 660-18419-14
Client Matrix: Water

Date Sampled: 09/19/2007 1506
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/02/2007 0124
Date Prepared: 10/02/2007 0124

Analysis Batch: 660-51271

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0139.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	85	74 - 126
Toluene-d8 (Surr)	109	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN24-0802**

Lab Sample ID: 660-18419-15
Client Matrix: Water

Date Sampled: 09/18/2007 0835
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/02/2007 0149
Date Prepared: 10/02/2007 0149

Analysis Batch: 660-51271

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0140.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	91	74 - 126
Toluene-d8 (Surr)	107	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0517-N001**

Lab Sample ID: 660-18419-16
Client Matrix: Water

Date Sampled: 09/18/2007 1030
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 2105
Date Prepared: 09/28/2007 2105

Analysis Batch: 660-51133

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2827.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	118	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0518-N001**

Lab Sample ID: 660-18419-17
Client Matrix: Water

Date Sampled: 09/18/2007 1050
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/28/2007 2130
Date Prepared: 09/28/2007 2130

Analysis Batch: 660-51133

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2828.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	1.9		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0525-N001**

Lab Sample ID: 660-18419-18
Client Matrix: Water

Date Sampled: 09/18/2007 1350
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/02/2007 1457
Date Prepared: 10/02/2007 1457

Analysis Batch: 660-51287

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0211.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	1.6		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.66	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	83	74 - 126
Toluene-d8 (Surr)	90	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN24-0503**

Lab Sample ID: 660-18419-19
Client Matrix: Water

Date Sampled: 09/18/2007 1400
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 20
Date Analyzed: 10/02/2007 1612
Date Prepared: 10/02/2007 1612

Analysis Batch: 660-51287

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0214.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	10	U	10	20
Bromodichloromethane	7.0	U	7.0	20
Bromoform	12	U	12	20
Carbon tetrachloride	8.4	U	8.4	20
Chlorobenzene	13	U	13	20
Chloroethane	50	U	50	100
Chloroform	18	U	18	20
cis-1,2-Dichloroethylene	770		13	20
cis-1,3-Dichloropropene	2.8	U	2.8	20
Dibromochloromethane	6.8	U	6.8	20
1,1-Dichlorethylene	52		9.0	20
Dichlorodifluoromethane	50	U	50	100
1,1-Dichloroethane	10	U	10	20
1,2-Dichloroethane	11	U	11	20
1,2-Dichloropropane	10	U	10	20
Ethylbenzene	8.8	U	8.8	20
m-Dichlorobenzene	13	U	13	20
Methyl bromide	50	U	50	100
Methyl chloride	20	U	20	80
Methylene Chloride	80	U	80	100
Methyl tert-butyl ether	8.8	U	8.8	20
m,p-Xylene	12	U	12	40
o-Dichlorobenzene	8.8	U	8.8	20
o-Xylene	10	U	10	20
p-Dichlorobenzene	10	U	10	20
1,1,2,2-Tetrachloroethane	3.0	U	3.0	20
Tetrachloroethylene	10	U	10	20
Toluene	10	U	10	20
trans-1,2-Dichloroethylene	14	J	8.8	20
trans-1,3-Dichloropropene	2.8	U	2.8	20
1,1,1-Trichloroethane	9.2	U	9.2	20
1,1,2-Trichloroethane	9.4	U	9.4	20
Trichloroethylene	10	U	10	20
Trichlorofluoromethane	50	U	50	100
Vinyl chloride	1700		10	20

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	107	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0524-N001**

Lab Sample ID: 660-18419-20
Client Matrix: Water

Date Sampled: 09/18/2007 1425
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0506
Date Prepared: 09/30/2007 0506

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2941.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.70	J	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	29		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.3		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	10		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	4.3		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	79	74 - 126
Toluene-d8 (Surr)	86	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0524-N001**

Lab Sample ID:	660-18419-20	Date Sampled:	09/18/2007 1425
Client Matrix:	Water	Date Received:	09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method:	8260B	Analysis Batch: 660-51287		Instrument ID:	BVMJ GC/MS
Preparation:	5030B			Lab File ID:	1JJ0215.D
Dilution:	20			Initial Weight/Volume:	5 mL
Date Analyzed:	10/02/2007 1637	Run Type:	DL	Final Weight/Volume:	5 mL
Date Prepared:	10/02/2007 1637				

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	770		13	20
Vinyl chloride	1600		10	20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN21-0505-N001**

Lab Sample ID: 660-18419-21
Client Matrix: Water

Date Sampled: 09/18/2007 1510
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0531
Date Prepared: 09/30/2007 0531

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2942.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.2		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN21-0504-N001**

Lab Sample ID: 660-18419-22
Client Matrix: Water

Date Sampled: 09/18/2007 1530
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0556
Date Prepared: 09/30/2007 0556

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2943.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	91	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0513-N001**

Lab Sample ID: 660-18419-23
Client Matrix: Water

Date Sampled: 09/19/2007 0820
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0620
Date Prepared: 09/30/2007 0620

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2944.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	9.4		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.59	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	118	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0514-N001**

Lab Sample ID: 660-18419-24
Client Matrix: Water

Date Sampled: 09/19/2007 0910
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0645
Date Prepared: 09/30/2007 0645

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2945.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	5.8		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	8.5		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	15		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	42		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	108	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S68C-N001**

Lab Sample ID: 660-18419-25
Client Matrix: Water

Date Sampled: 09/19/2007 1200
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0710
Date Prepared: 09/30/2007 0710

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2946.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	4.2		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	5.1		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	10		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	102	74 - 126
Toluene-d8 (Surr)	121	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S68D-N001**

Lab Sample ID: 660-18419-26
Client Matrix: Water

Date Sampled: 09/19/2007 1225
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0735
Date Prepared: 09/30/2007 0735

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2947.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	56		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.0		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	5.3		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	1.1		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	80		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	87	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN24-0504**

Lab Sample ID: 660-18419-27

Client Matrix: Water

Date Sampled: 09/19/2007 1220

Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Preparation: 5030B

Dilution: 1.0

Date Analyzed: 09/30/2007 0800

Date Prepared: 09/30/2007 0800

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS

Lab File ID: 1JI2948.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	64		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.1		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	6.0		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	1.2		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	91		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	99	74 - 126
Toluene-d8 (Surr)	120	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN24-0702**

Lab Sample ID: 660-18419-28
Client Matrix: Water

Date Sampled: 09/18/2007 0809
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0825
Date Prepared: 09/30/2007 0825

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2949.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	83	74 - 126
Toluene-d8 (Surr)	96	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S68B-N001**

Lab Sample ID: 660-18419-41
Client Matrix: Water

Date Sampled: 09/19/2007 1250
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0849
Date Prepared: 09/30/2007 0849

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2950.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN21-0512-N001**

Lab Sample ID: 660-18419-42
Client Matrix: Water

Date Sampled: 09/19/2007 1325
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0914
Date Prepared: 09/30/2007 0914

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2951.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	5.9		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.6		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	14		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	89	74 - 126
Toluene-d8 (Surr)	107	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-0526-N001**

Lab Sample ID: 660-18419-43
Client Matrix: Water

Date Sampled: 09/19/2007 1355
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 0939
Date Prepared: 09/30/2007 0939

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2952.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	1.9		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	1.3		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	3.0		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	102	74 - 126
Toluene-d8 (Surr)	118	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN21-0502-N001**

Lab Sample ID: 660-18419-44
Client Matrix: Water

Date Sampled: 09/19/2007 1420
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 1004
Date Prepared: 09/30/2007 1004

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2953.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	85	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN21-0503-N001**

Lab Sample ID: 660-18419-45
Client Matrix: Water

Date Sampled: 09/19/2007 1445
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 1029
Date Prepared: 09/30/2007 1029

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2954.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	114	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S69B-N001**

Lab Sample ID: 660-18419-46
Client Matrix: Water

Date Sampled: 09/20/2007 0900
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 1054
Date Prepared: 09/30/2007 1054

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2955.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	87	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S69C-N001**

Lab Sample ID: 660-18419-47
Client Matrix: Water

Date Sampled: 09/20/2007 1000
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 1118
Date Prepared: 09/30/2007 1118

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2956.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	1.0		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	99	74 - 126
Toluene-d8 (Surr)	115	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S69D-N001**

Lab Sample ID: 660-18419-48
Client Matrix: Water

Date Sampled: 09/20/2007 1030
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 1143
Date Prepared: 09/30/2007 1143

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2957.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.54	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	86	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN24-0506**

Lab Sample ID: 660-18419-53
Client Matrix: Water

Date Sampled: 09/19/2007 1028
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 1208
Date Prepared: 09/30/2007 1208

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2958.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	99	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN24-0507**

Lab Sample ID: 660-18419-54
Client Matrix: Water

Date Sampled: 09/19/2007 1041
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/30/2007 1233
Date Prepared: 09/30/2007 1233

Analysis Batch: 660-51224

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2959.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	22		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	108	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN15-0568-N001**

Lab Sample ID: 660-18419-55
Client Matrix: Water

Date Sampled: 09/19/2007 1045
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1930
Date Prepared: 10/01/2007 1930

Analysis Batch: 660-51221

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0127.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	114	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN15-0569-N001**

Lab Sample ID: 660-18419-56
Client Matrix: Water

Date Sampled: 09/19/2007 1111
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1905
Date Prepared: 10/01/2007 1905

Analysis Batch: 660-51221

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0126.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	21		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S71B-N001**

Lab Sample ID: 660-18419-57
Client Matrix: Water

Date Sampled: 09/19/2007 1335
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1840
Date Prepared: 10/01/2007 1840

Analysis Batch: 660-51221

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0125.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	92	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S71C-N001**

Lab Sample ID: 660-18419-58
Client Matrix: Water

Date Sampled: 09/19/2007 1448
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1815
Date Prepared: 10/01/2007 1815

Analysis Batch: 660-51221

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0124.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	20		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.3		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	2.4		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	14		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	45		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	103	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S71D-N001**

Lab Sample ID: 660-18419-59
Client Matrix: Water

Date Sampled: 09/19/2007 1511
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1751
Date Prepared: 10/01/2007 1751

Analysis Batch: 660-51221

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0123.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	7.7		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.0		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.3		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	4.8		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	19		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	121	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S70B-N001**

Lab Sample ID: 660-18419-60

Client Matrix: Water

Date Sampled: 09/20/2007 0837

Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B

Preparation: 5030B

Dilution: 1.0

Date Analyzed: 10/01/2007 1726

Date Prepared: 10/01/2007 1726

Analysis Batch: 660-51221

Instrument ID: BVMJ GC/MS

Lab File ID: 1JJ0122.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	16		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.61	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	22		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S70C-N001**

Lab Sample ID: 660-18419-61
Client Matrix: Water

Date Sampled: 09/20/2007 0913
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1701
Date Prepared: 10/01/2007 1701

Analysis Batch: 660-51221

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0121.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	25		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.5		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	8.5		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	11		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	35		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: **PIN12-S70D-N001**

Lab Sample ID: 660-18419-62
Client Matrix: Water

Date Sampled: 09/20/2007 0943
Date Received: 09/20/2007 1347

8260B Volatile Organic Compounds by GC/MS

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 10/01/2007 1607
Date Prepared: 10/01/2007 1607

Analysis Batch: 660-51221

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0119.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	17		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	1.6		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	6.1		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	7.4		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	19		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	122	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN06-0501-N001

Lab Sample ID:	660-18419-4	Date Sampled:	09/18/2007 1026
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1412			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.020		0.0048	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN12-0525-N001

Lab Sample ID:	660-18419-18	Date Sampled:	09/18/2007 1350
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1419			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.026		0.0048	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0506-N001

Lab Sample ID: 660-18419-29
Client Matrix: Water

Date Sampled: 09/18/2007 0833
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1425
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	3.8		0.070	0.20
Iron	2.0		0.022	0.050
Manganese	0.010		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0507-N001

Lab Sample ID: 660-18419-30
Client Matrix: Water

Date Sampled: 09/18/2007 0851
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1430
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.7		0.070	0.20
Iron	1.1		0.022	0.050
Manganese	0.017		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0520-N001

Lab Sample ID:	660-18419-31	Date Sampled:	09/18/2007 0912
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1436			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.15	B	0.070	0.20
Iron	0.76		0.022	0.050
Manganese	0.018		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0534-N001

Lab Sample ID:	660-18419-32	Date Sampled:	09/18/2007 0931
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1442			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.9		0.070	0.20
Iron	0.65		0.022	0.050
Manganese	0.019		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0518-N001

Lab Sample ID: 660-18419-33
Client Matrix: Water

Date Sampled: 09/18/2007 0957
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1448
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.98		0.070	0.20
Iron	1.0		0.022	0.050
Manganese	0.011		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-M24D-N001

Lab Sample ID: 660-18419-34
Client Matrix: Water

Date Sampled: 09/18/2007 1031
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1454
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	8.6		0.070	0.20
Iron	1.1		0.022	0.050
Manganese	0.014		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-M33D-N001

Lab Sample ID:	660-18419-35	Date Sampled:	09/18/2007 1051
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1512			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	6.9		0.070	0.20
Iron	2.0		0.022	0.050
Manganese	0.014		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0562-N001

Lab Sample ID:	660-18419-36	Date Sampled:	09/18/2007 1337
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1342			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.2	N	0.070	0.20
Iron	4.9		0.022	0.050
Manganese	0.0096	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0563-N001

Lab Sample ID:	660-18419-37	Date Sampled:	09/18/2007 1355
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1517			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.35		0.070	0.20
Iron	8.6		0.022	0.050
Manganese	0.072		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-M14S-N001

Lab Sample ID: 660-18419-38
Client Matrix: Water

Date Sampled: 09/18/2007 1425
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1523
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.31		0.070	0.20
Arsenic	0.074		0.0048	0.010
Iron	13		0.022	0.050
Manganese	0.013		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-M14D-N001

Lab Sample ID: 660-18419-39
Client Matrix: Water

Date Sampled: 09/18/2007 1446
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1529
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	6.1		0.070	0.20
Iron	5.8		0.022	0.050
Manganese	0.0079	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0559-N001

Lab Sample ID:	660-18419-40	Date Sampled:	09/19/2007 0825
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1535			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.8		0.070	0.20
Iron	0.44		0.022	0.050
Manganese	0.0071	B	0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN12-S68B-N001

Lab Sample ID: 660-18419-41
Client Matrix: Water

Date Sampled: 09/19/2007 1250
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1541
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Arsenic	0.060		0.0048	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0571-N001

Lab Sample ID:	660-18419-49	Date Sampled:	09/19/2007 0854
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1547			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.1		0.070	0.20
Iron	3.4		0.022	0.050
Manganese	0.010		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0572-N001

Lab Sample ID:	660-18419-50	Date Sampled:	09/19/2007 0919
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50801		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50787		Lab File ID:	7I24A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/24/2007 1553			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2007 0633				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	2.3		0.070	0.20
Iron	0.96		0.022	0.050
Manganese	0.010		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0570-N001

Lab Sample ID: 660-18419-51
Client Matrix: Water

Date Sampled: 09/19/2007 0947
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1559
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	9.4		0.070	0.20
Iron	1.6		0.022	0.050
Manganese	0.024		0.0014	0.010

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0510-N001

Lab Sample ID: 660-18419-52
Client Matrix: Water

Date Sampled: 09/19/2007 1006
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1604
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.32		0.070	0.20
Iron	4.6		0.022	0.050
Manganese	0.032		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN24-0506

Lab Sample ID: 660-18419-53
Client Matrix: Water

Date Sampled: 09/19/2007 1028
Date Received: 09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/24/2007 1622
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.8		0.070	0.20
Iron	1.2		0.022	0.050
Manganese	0.0060	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN24-0507

Lab Sample ID:	660-18419-54	Date Sampled:	09/19/2007 1041
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50976		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50939		Lab File ID:	7I26A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/26/2007 1452			Final Weight/Volume:	50 mL
Date Prepared:	09/26/2007 0901				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.4		0.070	0.20
Iron	3.2		0.022	0.050
Manganese	0.018		0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0568-N001

Lab Sample ID:	660-18419-55	Date Sampled:	09/19/2007 1045
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50976		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50939		Lab File ID:	7I26A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/26/2007 1458			Final Weight/Volume:	50 mL
Date Prepared:	09/26/2007 0901				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.94		0.070	0.20
Iron	1.2		0.022	0.050
Manganese	0.0058	B	0.0014	0.010

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Client Sample ID: PIN15-0569-N001

Lab Sample ID:	660-18419-56	Date Sampled:	09/19/2007 1111
Client Matrix:	Water	Date Received:	09/20/2007 1347

6010B Inductively Coupled Plasma - Atomic Emission Spectrometry-Total Recoverable

Method:	6010B	Analysis Batch: 660-50976		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-50939		Lab File ID:	7I26A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/26/2007 1504			Final Weight/Volume:	50 mL
Date Prepared:	09/26/2007 0901				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.5		0.070	0.20
Iron	3.2		0.022	0.050
Manganese	0.018		0.0014	0.010

DATA REPORTING QUALIFIERS

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Analyzed for but not detected.
	J	Indicates an estimated value.
	*	Surrogate exceeds the control limit
Metals		
	U	Indicates analyzed for but not detected.
	N	Spiked sample recovery is not within control limits.
	B	Value less than contract required detection limit but greater than or equal to the Method Detection Limit

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Method Blank - Batch: 660-51133

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-51133/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/28/2007 1313
Date Prepared: 09/28/2007 1313

Analysis Batch: 660-51133
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	90	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-51133

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-51133/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/28/2007 1248
Date Prepared: 09/28/2007 1248

Analysis Batch: 660-51133
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2807.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-51133/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/28/2007 1428
Date Prepared: 09/28/2007 1428

Analysis Batch: 660-51133
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2811.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	98	106	62 - 135	8	37		
Chlorobenzene	95	107	72 - 127	12	22		
1,1-Dichlorethylene	86	92	46 - 147	7	30		
Toluene	105	118	68 - 131	12	33		
Trichloroethylene	91	100	56 - 143	9	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Method Blank - Batch: 660-51221

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-51221/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/01/2007 1004
Date Prepared: 10/01/2007 1004

Analysis Batch: 660-51221
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0105.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-51221

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-51221/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/01/2007 1029
Date Prepared: 10/01/2007 1029

Analysis Batch: 660-51221
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0106.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-51221/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/01/2007 1054
Date Prepared: 10/01/2007 1054

Analysis Batch: 660-51221
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0107.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	125	112	62 - 135	12	37		
Chlorobenzene	116	106	72 - 127	8	22		
1,1-Dichlorethylene	110	98	46 - 147	12	30		
Toluene	130	120	68 - 131	8	33		
Trichloroethylene	116	103	56 - 143	12	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Method Blank - Batch: 660-51222

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-51222/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/01/2007 1233
Date Prepared: 10/01/2007 1233

Analysis Batch: 660-51222
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0108.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	87	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-51222

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-51222/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/01/2007 1143
Date Prepared: 10/01/2007 1143

Analysis Batch: 660-51222
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0106.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-51222/4
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/01/2007 1322
Date Prepared: 10/01/2007 1322

Analysis Batch: 660-51222
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0110.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	92	106	62 - 135	14	37		
Chlorobenzene	92	104	72 - 127	13	22		
1,1-Dichlorethylene	90	106	46 - 147	16	30		
Toluene	87	101	68 - 131	15	33		
Trichloroethylene	90	105	56 - 143	15	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Method Blank - Batch: 660-51224

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-51224/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/30/2007 0351
Date Prepared: 09/30/2007 0351

Analysis Batch: 660-51224
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2938.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	89	74 - 126
Toluene-d8 (Surr)	100	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-51224

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-51224/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/30/2007 0302
Date Prepared: 09/30/2007 0302

Analysis Batch: 660-51224
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2936.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-51224/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/30/2007 0327
Date Prepared: 09/30/2007 0327

Analysis Batch: 660-51224
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI2937.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	110	121	62 - 135	9	37		
Chlorobenzene	106	116	72 - 127	9	22		
1,1-Dichlorethylene	97	104	46 - 147	7	30		
Toluene	116	126	68 - 131	8	33		
Trichloroethylene	104	107	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Method Blank - Batch: 660-51271

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-51271/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/01/2007 2344
Date Prepared: 10/01/2007 2344

Analysis Batch: 660-51271
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0135.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	78	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-51271

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-51271/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/02/2007 0009
Date Prepared: 10/02/2007 0009

Analysis Batch: 660-51271
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0136.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-51271/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/02/2007 0034
Date Prepared: 10/02/2007 0034

Analysis Batch: 660-51271
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMG GC/MS
Lab File ID: 1GJ0137.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	101	108	62 - 135	7	37		
Chlorobenzene	96	100	72 - 127	4	22		
1,1-Dichlorethylene	100	108	46 - 147	8	30		
Toluene	95	99	68 - 131	4	33		
Trichloroethylene	99	103	56 - 143	4	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Method Blank - Batch: 660-51287

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-51287/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/02/2007 1408
Date Prepared: 10/02/2007 1408

Analysis Batch: 660-51287
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0209.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichlorethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	90	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-51287

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-51287/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/02/2007 1343
Date Prepared: 10/02/2007 1343

Analysis Batch: 660-51287
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0208.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-51287/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/02/2007 1433
Date Prepared: 10/02/2007 1433

Analysis Batch: 660-51287
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JJ0210.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	101	107	62 - 135	6	37		
Chlorobenzene	103	109	72 - 127	6	22		
1,1-Dichlorethylene	91	96	46 - 147	5	30		
Toluene	112	119	68 - 131	6	33		
Trichloroethylene	92	99	56 - 143	8	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Method Blank - Batch: 660-50787

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-50787/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/24/2007 1317
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Aluminum	0.070	U	0.070	0.20
Arsenic	0.0048	U	0.0048	0.010
Iron	0.022	U	0.022	0.050
Manganese	0.0014	U	0.0014	0.010

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50787

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-50787/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/24/2007 1325
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-50787/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/24/2007 1331
Date Prepared: 09/24/2007 0633

Analysis Batch: 660-50801
Prep Batch: 660-50787
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 7I24A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Aluminum	105	106	75 - 125	1	20		
Arsenic	101	103	75 - 125	2	20		
Iron	103	105	75 - 125	2	20		
Manganese	101	103	75 - 125	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-50787

Method: 6010B
Preparation: 3005A
Total Recoverable

MS Lab Sample ID:	660-18419-36	Analysis Batch: 660-50801	Instrument ID: TJA ICP TRACE
Client Matrix:	Water	Prep Batch: 660-50787	Lab File ID: 7I24A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/24/2007 1400		Final Weight/Volume: 50 mL
Date Prepared:	09/24/2007 0633		

MSD Lab Sample ID:	660-18419-36	Analysis Batch: 660-50801	Instrument ID: TJA ICP TRACE
Client Matrix:	Water	Prep Batch: 660-50787	Lab File ID: 7I24A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/24/2007 1406		Final Weight/Volume: 50 mL
Date Prepared:	09/24/2007 0633		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Aluminum	142	135	75 - 125	3	20	N	N
Arsenic	104	103	75 - 125	1	20		
Iron	116	103	75 - 125	2	20		
Manganese	101	100	75 - 125	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Method Blank - Batch: 660-50939

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-50939/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/26/2007 1322
Date Prepared: 09/26/2007 0901

Analysis Batch: 660-50976
Prep Batch: 660-50939
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 7I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Aluminum	0.070	U	0.070	0.20
Iron	0.022	U	0.022	0.050
Manganese	0.0014	U	0.0014	0.010

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-50939

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-50939/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/26/2007 1328
Date Prepared: 09/26/2007 0901

Analysis Batch: 660-50976
Prep Batch: 660-50939
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 7I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-50939/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/26/2007 1334
Date Prepared: 09/26/2007 0901

Analysis Batch: 660-50976
Prep Batch: 660-50939
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 7I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Aluminum	103	102	75 - 125	1	20		
Iron	102	100	75 - 125	1	20		
Manganese	98	98	75 - 125	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
1	PIN24-0603	9-18-07	0840	JPC	3				3						
2	PIN12-0520-N001	9-18-07	0923	JPC	3				3						
3	PIN06-0500-N001	9-18-07	0952	JPC	3				3						
4	PIN06-0501-N001	9-18-07	1026	JPC	4	1			3						
5	PIN12-0523-N001	9-18-07	1314	JPC	3				3						
6	PIN12-0522-N001	9-18-07	1412	JPC	3				3						
7	PIN12-0510-N001	9-18-07	1537	JPC	3				3						
8	PIN12-0509-N001	9-18-07	1616	JPC	3				3						
9	PIN12-S72B-N001	9-19-07	0948	JPC	3				3						
10	PIN12-S72C-N001	9-19-07	1025	JPC	3				3						
11	PIN12-S72D-N001	9-19-07	1100	JPC	3				3						
12	PIN12-S73D-N001	9-19-07	1407	JPC	3				3						
13	PIN12-S73C-N001	9-19-07	1434	JPC	3				3						
14	PIN12-S73B-N001	9-19-07	1506	JPC	3				3						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-20-07	1045	[signature]	9-20-07	1045	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9-20-07	1347	Amy [signature]	9/20/07	1347	4° 4° 4°

log 18419

10/03/2007

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa 2 of 2

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
1	PIN24-0802	9-18-07	0835	JW DC	3				✓						
2	PIN12-0517-N001	9-18-07	1030	JW DC	3				✓						
3	PIN12-0518-N001	9-18-07	1050	JW DC	3				✓						
4	PIN12-0525-N001	9-18-07	1350	JW DC	4	✓			✓						
5	PIN24-0503	9-18-07	1400	JW DC	3				✓						
6	PIN12-0524-N001	9-18-07	1425	JW DC	3				✓						
7	PIN21-0505-N001	9-18-07	1510	JW DC	3				✓						
8	PIN21-0504-N001	9-18-07	1530	JW DC	3				✓						
9	PIN12-0513-N001	9-19-07	0820	JW DC	3				✓						
10	PIN12-0514-N001	9-19-07	0910	JW DC	3				✓						
11	PIN12-S68C-N001	9-19-07	1200	JW DC	3				✓						
12	PIN12-S68D-N001	9-19-07	1225	JW DC	3				✓						
13	PIN24-0504	9-19-07	1220	JW DC	3				✓						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-20-07	1112	[signature]	9-20-07	1112	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9-20-07	1347	[signature]	9/20/07	1347	

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

1 of 3

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
01	PIN24-0702	9/18/07	0809	SM SB	3				3						
02	PIN15-0506-N001	9/18/07	0833	SM SB	1		1								
03	PIN15-0507-N001	9/18/07	0851	SM SB	1		1								
04	PIN15-0520-N001	9/18/07	0912	SM SB	1		1								
05	PIN15-0534-N001	9/18/07	0931	SM SB	1		1								
06	PIN15-0518-N001	9/18/07	0957	SM SB	1		1								
07	PIN15-M24D-N001	9/18/07	1031	SM SB	1		1								
08	PIN15-M33D-N001	9/18/07	1051	SM SB	1		1								
09	PIN15-0562-N001	9/18/07	1337	SM SB	1		1								
10	PIN15-0563-N001	9/18/07	1355	SM SB	1		1								
11	PIN15-M14S-N001	9/18/07	1425	SM SB	1			1							
12	PIN15-M14D-N001	9/18/07	1440	SM SB	1		1								
13	PIN15-0559-N001	9/19/07	0825	SM SB	1		1								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9/20/07	1045	[signature]			
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9-2007	1347	[signature]	9/20/07	1347	

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa

1 of 2

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
14	PIN12-S68B-N001	9-19-07	1250	JW DC	4	✓			✓						
15	PIN21-0512-N001	9-19-07	1325	JW DC	3				✓						
16	PIN12-0526-N001	9-19-07	1355	JW DC	3				✓						
17	PIN21-0502-N001	09-19-07	1420	JW DC	3				✓						
18	PIN21-0503-N001	9-19-07	1445	JW DC	3				✓						
19	PIN12-S69B-N001	9-20-07	0900	JW KL	3				✓						
20	PIN12-S69C-N001	JW 9-20-07 9-20-07	1000	JW KL	3				✓						
21	PIN12-S69D-N001	9-20-07	1030	JW KL	3				✓						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-20-07	1112	[signature]	9-20-07	1112	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9-20-07	1347	[signature]	9/20/07	1347	

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

2 of 3

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
14	PIN15-0571-N001	9/19/07	0854	SM SB	1		1								
15	PIN15-0572-N001	9/19/07	0919	SM SB	1		1								
16	PIN15-0570-N001	9/19/07	0947	SM SB	1		1								
17	PIN15-0510-N001	9/19/07	1006	SM SB	1		1								
18	PIN24-0506	9/19/07	1028	SM SB	4		1		3						
19	PIN24-0507	9/19/07	1041	SM SB	4		1		3						
20	PIN15-0568-N001	9/19/07	1045	SM SB	4		1		3						
21	PIN15-0569-N001	9/19/07	1111	SM SB	4		1		3						
22	PIN12-S71B-N001	9/19/07	1335	SM SB	3				3						
23	PIN12-S71C-N001	9/19/07	1448	SM SB	3				3						
24	PIN12-S71D-N001	9/19/07	1511	SM SB	3				3						
25	PIN12-S70B-N001	9/20/07	0837	SM SB	3				3						
26	PIN12-S70C-N001	9/20/07	0913	SM SB	3				3						

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9/20/07	1045	[signature]	9-20-07	1045	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9-20-07	1347	[signature]	9/20/07	1347	

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

3 of 3

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Arsenic preserved w/HNO3	Al, Fe, Mn preserved w/HNO3	Al, As, Fe, Mn preserved w/HNO3	VOC 8260 preserved w/HCl						Samplers Notes
27	PIN12-S70D-N001	9/20/07	0943	SM SB	3				3						

SM 9/20/07

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9/20/07	1045	[signature]	9-20-07	1045	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9-20-07	1347	Amy Atkins	9/20/07	1347	

10/03/2007

Login Sample Receipt Check List

Client: S.M. Stoller Corporation

Job Number: 660-18419-1

Login Number: 18419
Creator: Atkins, Amy
List Number: 1

List Source: TestAmerica Tampa

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	