ANALYTICAL REPORT

Job Number: 660-25097-1

Job Description: Star Center

For:
S.M. Stoller Corporation
2597 B 3/4 Road
Grand Junction, CO 81503

Attention: Mr. Charles Tabor

Nancy Robertson
Project Manager II
nancy.robertson@testamericainc.com
09/19/2008

Methods: FDEP, DOH Certification #: E84282, E81005, E81010 These test results meet all the requirements of NELAC unless specified in the case narrative. All questions regarding this test report should be directed to the TestAmerica Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request. The results contained in this test report relate only to these samples included herein.

TestAmerica Laboratories, Inc.
TestAmerica Tampa 6712 Benjamin Road, Suite 100, Tampa, FL 33634
Tel (813) 885-7427 Fax (813) 885-7049 www.testamericainc.com

Case Narrative:	TestAmerica Project 660-25097	
Date:	September 18, 2008	
Client:	S.M. Stoller Corporation	
Project:	Star Center	
Laboratory:	TestAmerica Tampa	
Analysis Requested:	8260B, 8260C_SIM, 6010B	

Forty-six liquid samples were received in good condition on 9.12.08 and logged in as STL Project 660-25097. The samples are identified as follows:

STL Log No.	Sample ID	Date Collected
660-25097-1	PIN24-0800	9/10/2008
660-25097-2	PIN20-M023-N001	9/10/2008
660-25097-3	PIN20-0502-N001	9/10/2008
660-25097-4	PIN20-0503-N001	9/10/2008
660-25097-5	PIN20-M054-N001	9/10/2008
660-25097-6	PIN20-M025-N001	9/10/2008
660-25097-7	PIN20-MWL1-N001	9/11/2008
660-25097-8	PIN20-MWL4-N001	9/11/2008
660-25097-9	PIN20-MWL5-N001	9/11/2008
660-25097-10	PIN20-M049-N001	9/11/2008
660-25097-11	PIN12-S73B-N001	9/11/2008
660-25097-12	PIN12-S73C-N001	9/11/2008
660-25097-13	PIN12-S73D-N001	9/11/2008
660-25097-14	PIN12-0526-N001	9/11/2008
660-25097-15	PIN24-0600	9/10/2008
660-25097-16	PIN21-0512-N001	9/10/2008
660-25097-17	PIN12-S68B-N001	9/10/2008
660-25097-18	PIN12-S68C-N001	9/10/2008
660-25097-19	PIN12-S68D-N001	9/10/2008
660-25097-20	PIN12-S69B-N001	9/10/2008
660-25097-21	PIN20-MWL2-N001	9/11/2008
660-25097-22	PIN20-MWL3-N001	9/11/2008
660-25097-23	PIN20-M063-N001	9/11/2008
660-25097-24	PIN20-M024-N001	9/11/2008
660-25097-25	PIN12-S69C-N001	9/11/2008
660-25097-26	PIN12-S69D-N001	9/11/2008
660-25097-27	PIN12-S71B-N001	9/11/2008
660-25097-28	PIN15-0513-N001	9/10/2008
660-25097-29	PIN15-0507-N001	9/10/2008
660-25097-30	PIN15-0506-N001	9/10/2008
660-25097-31	PIN15-0520-N001	9/10/2008
660-25097-32	PIN15-0534-N001	9/10/2008
660-25097-33	PIN15-M27D-N001	9/10/2008
660-25097-34	PIN15-M27S-N001	9/10/2008
660-25097-35	PIN15-0514-N001	9/10/2008
660-25097-36	PIN15-0515-N001	9/10/2008
660-25097-37	PIN15-0516-N001	9/10/2008
660-25097-38	PIN24-0700	9/11/2008

660-25097-39	PIN15-0537-N001	9/11/2008
660-25097-40	PIN24-0506	9/11/2008
660-25097-41	PIN15-0585-N001	9/11/2008
660-25097-42	PIN15-0588-N001	9/11/2008
660-25097-43	PIN15-0587-N001	9/11/2008
660-25097-44	PIN15-0530-N001	9/11/2008
660-25097-45	PIN15-0535-N001	9/11/2008
660-25097-46	PIN12-S71C-N001	9/11/2008

8260 SIM

Due to matrix effect on the internal standard sample PIN12-S73D-N001 required a dilution and is reported with elevated reporting limits. The 8260 VOC analysis did not require a dilution.

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25097-3	**PIN20-0502-N001**					
cis-1,2-Dichloroethylene		50		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.59	J	1.0	ug/L	8260B
Vinyl chloride		130		1.0	ug/L	8260B
660-25097-4	**PIN20-0503-N001**					
Vinyl chloride		3.1		1.0	ug/L	8260B
660-25097-7	**PIN20-MWL1-N001**					
Benzene		2.7		1.0	ug/L	8260B
Vinyl chloride		7.6		1.0	ug/L	8260B
660-25097-8	**PIN20-MWL4-N001**					
cis-1,2-Dichloroethylene		8.5		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.53	J	1.0	ug/L	8260B
Vinyl chloride		12		1.0	ug/L	8260B
660-25097-10	**PIN20-M049-N001**					
cis-1,2-Dichloroethylene		5.8		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.56	J	1.0	ug/L	8260B
Vinyl chloride		7.5		1.0	ug/L	8260B
660-25097-12	**PIN12-S73C-N001**					
trans-1,2-Dichloroethylene		3.2		1.0	ug/L	8260B
Vinyl chloride		16		1.0	ug/L	8260B
660-25097-14	**PIN12-0526-N001**					
cis-1,2-Dichloroethylene		0.83	J	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.1		1.0	ug/L	8260B
Vinyl chloride		3.8		1.0	ug/L	8260B
660-25097-16	**PIN21-0512-N001**					
cis-1,2-Dichloroethylene		7.6		1.0	ug/L	8260B
1,1-Dichloroethane		1.4		1.0	ug/L	8260B
Vinyl chloride		13		1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25097-18	**PIN12-S68C-N001**					
cis-1,2-Dichloroethylene		10		1.0	ug/L	8260B
1,1-Dichloroethane		4.6		1.0	ug/L	8260B
Vinyl chloride		15		1.0	ug/L	8260B
660-25097-19	**PIN12-S68D-N001**					
Benzene		0.54	J	1.0	ug/L	8260B
cis-1,2-Dichloroethylene		110		1.0	ug/L	8260B
1,1-Dichloroethane		3.9		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.8		1.0	ug/L	8260B
Vinyl chloride		110		1.0	ug/L	8260B
660-25097-21	**PIN20-MWL2-N001**					
trans-1,2-Dichloroethylene		2.9		1.0	ug/L	8260B
Vinyl chloride		73		1.0	ug/L	8260B
660-25097-22	**PIN20-MWL3-N001**					
cis-1,2-Dichloroethylene		4.0		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		2.5		1.0	ug/L	8260B
Vinyl chloride		840		10	ug/L	8260B
660-25097-23	**PIN20-M063-N001**					
Benzene		0.52	J	1.0	ug/L	8260B
cis-1,2-Dichloroethylene		120		5.0	ug/L	8260B
1,1-Dichloroethylene		2.9		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		22		1.0	ug/L	8260B
Trichloroethylene		26		1.0	ug/L	8260B
Vinyl chloride		280		5.0	ug/L	8260B
660-25097-26	**PIN12-S69D-N001**					
cis-1,2-Dichloroethylene		0.83	J	1.0	ug/L	8260B
Vinyl chloride		0.74	J	1.0	ug/L	8260B
660-25097-29	**PIN15-0507-N001**					
Total Recoverable						
Aluminum		0.38		0.20	mg/L	6010B
Iron		0.66		0.20	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25097-30	**PIN15-0506-N001**					
Total Recoverable						
Aluminum		0.072	B	0.20	mg/L	6010B
Iron		3.0		0.20	mg/L	6010B
660-25097-31	**PIN15-0520-N001**					
Total Recoverable						
Aluminum		0.26		0.20	mg/L	6010B
Iron		0.72		0.20	mg/L	6010B
660-25097-32	**PIN15-0534-N001**					
Total Recoverable						
Aluminum		0.62		0.20	mg/L	6010B
Iron		0.34		0.20	mg/L	6010B
660-25097-33	**PIN15-M27D-N001**					
Total Recoverable						
Aluminum		0.49		0.20	mg/L	6010B
Iron		0.70		0.20	mg/L	6010B
660-25097-34	**PIN15-M27S-N001**					
Total Recoverable						
Aluminum		0.070	B	0.20	mg/L	6010B
Iron		2.5		0.20	mg/L	6010B
660-25097-35	**PIN15-0514-N001**					
Total Recoverable						
Aluminum		1.3		0.20	mg/L	6010B
Iron		1.8		0.20	mg/L	6010B
660-25097-36	**PIN15-0515-N001**					
Total Recoverable						
Aluminum		0.070	B	0.20	mg/L	6010B
Iron		1.5		0.20	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25097-37	**PIN15-0516-N001**					
Total Recoverable						
Aluminum		0.081	B	0.20	mg/L	6010B
Iron		4.7		0.20	mg/L	6010B
660-25097-39	**PIN15-0537-N001**					
Benzene		3.8		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		510		20	ug/L	8260B
1,1-Dichloroethylene		2.0		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		7.9		1.0	ug/L	8260B
Trichloroethylene		0.73	J	1.0	ug/L	8260B
Vinyl chloride		930		20	ug/L	8260B
Total Recoverable						
Aluminum		0.10	B	0.20	mg/L	6010B
Iron		2.9		0.20	mg/L	6010B
660-25097-40	**PIN24-0506**					
Benzene		4.0		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		450		25	ug/L	8260B
1,1-Dichloroethylene		1.9		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		5.6		1.0	ug/L	8260B
Trichloroethylene		0.61	J	1.0	ug/L	8260B
Vinyl chloride		1000		25	ug/L	8260B
Total Recoverable						
Aluminum		0.77		0.20	mg/L	6010B
Iron		1.5		0.20	mg/L	6010B
660-25097-41	**PIN15-0585-N001**					
Benzene		0.75	J	1.0	ug/L	8260B
cis-1,2-Dichloroethylene		370		5.0	ug/L	8260B
1,1-Dichloroethylene		1.5		1.0	ug/L	8260B
Toluene		3.7		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.4		1.0	ug/L	8260B
Trichloroethylene		8.6		1.0	ug/L	8260B
Vinyl chloride		28		1.0	ug/L	8260B
Total Recoverable						
Aluminum		1.9		0.20	mg/L	6010B
Iron		1.3		0.20	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25097-42	**PIN15-0588-N001**					
Benzene		2.4		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		630		10	ug/L	8260B
1,1-Dichloroethylene		6.4		1.0	ug/L	8260B
Ethylbenzene		0.72	J	1.0	ug/L	8260B
o-Xylene		0.83	J	1.0	ug/L	8260B
Toluene		5.9		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		5.0		1.0	ug/L	8260B
Trichloroethylene		0.66	J	1.0	ug/L	8260B
Vinyl chloride		19		1.0	ug/L	8260B
1,4-Dioxane		2.0		1.0	ug/L	8260C_SIM
Total Recoverable						
Aluminum		0.13	B	0.20	mg/L	6010B
Iron		0.54		0.20	mg/L	6010B
660-25097-43	**PIN15-0587-N001**					
Benzene		9.2		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		14000		100	ug/L	8260B
1,1-Dichloroethylene		20		1.0	ug/L	8260B
Ethylbenzene		7.8		1.0	ug/L	8260B
m,p-Xylene		13		2.0	ug/L	8260B
o-Xylene		13		1.0	ug/L	8260B
Tetrachloroethylene		15		1.0	ug/L	8260B
Toluene		1300		100	ug/L	8260B
trans-1,2-Dichloroethylene		110		1.0	ug/L	8260B
Trichloroethylene		890		100	ug/L	8260B
Vinyl chloride		180		100	ug/L	8260B
Total Recoverable						
Aluminum		1.3		0.20	mg/L	6010B
Iron		30		0.20	mg/L	6010B
660-25097-44	**PIN15-0530-N001**					
Total Recoverable						
Aluminum		0.97		0.20	mg/L	6010B
Iron		3.3		0.20	mg/L	6010B
660-25097-45	**PIN15-0535-N001**					
Total Recoverable						
Aluminum		1.8		0.20	mg/L	6010B
Iron		0.65		0.20	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-25097-46	**PIN12-S71C-N001**				
cis-1,2-Dichloroethylene		21	1.0	ug/L	8260B
1,1-Dichloroethane		1.6	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		13	1.0	ug/L	8260B
Vinyl chloride		33	1.0	ug/L	8260B

METHOD SUMMARY

Client: S.M. Stoller Corporation | Job Number: 660-25097-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL TAM	SW846 8260B	
Purge and Trap	TAL TAM		SW846 5030B
1,4-Dioxane by SIM	TAL TAM	SW846 8260C_SIM	
Purge and Trap	TAL TAM		SW846 5030B
Metals (ICP)	TAL TAM	SW846 6010B	
Preparation, Total Recoverable or Dissolved Metals	TAL TAM		SW846 3005A

Lab References:

TAL TAM = TestAmerica Tampa

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method	Analyst	Analyst ID
SW846 8260B	Carlson, Robyn	RC
SW846 8260B	Mathew, Pinky	PM
SW846 8260C_SIM	Carlson, Robyn	RC
SW846 8260C_SIM	Mathew, Pinky	PM
SW846 6010B	Fox, Greg	GF

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-25097-1	PIN24-0800	Water	09/10/2008 0945	09/12/2008 1030
660-25097-2	PIN20-M023-N001	Water	09/10/2008 1125	09/12/2008 1030
660-25097-3	PIN20-0502-N001	Water	09/10/2008 1320	09/12/2008 1030
660-25097-4	PIN20-0503-N001	Water	09/10/2008 1440	09/12/2008 1030
660-25097-5	PIN20-M054-N001	Water	09/10/2008 1545	09/12/2008 1030
660-25097-6	PIN20-M025-N001	Water	09/10/2008 1620	09/12/2008 1030
660-25097-7	PIN20-MWL1-N001	Water	09/11/2008 0840	09/12/2008 1030
660-25097-8	PIN20-MWL4-N001	Water	09/11/2008 0916	09/12/2008 1030
660-25097-9	PIN20-MWL5-N001	Water	09/11/2008 1012	09/12/2008 1030
660-25097-10	PIN20-M049-N001	Water	09/11/2008 1128	09/12/2008 1030
660-25097-11	PIN12-S73B-N001	Water	09/11/2008 1341	09/12/2008 1030
660-25097-12	PIN12-S73C-N001	Water	09/11/2008 1431	09/12/2008 1030
660-25097-13	PIN12-S73D-N001	Water	09/11/2008 1550	09/12/2008 1030
660-25097-14	PIN12-0526-N001	Water	09/11/2008 1625	09/12/2008 1030
660-25097-15	PIN24-0600	Water	09/10/2008 0900	09/12/2008 1030
660-25097-16	PIN21-0512-N001	Water	09/10/2008 1134	09/12/2008 1030
660-25097-17	PIN12-S68B-N001	Water	09/10/2008 1348	09/12/2008 1030
660-25097-18	PIN12-S68C-N001	Water	09/10/2008 1420	09/12/2008 1030
660-25097-19	PIN12-S68D-N001	Water	09/10/2008 1459	09/12/2008 1030
660-25097-20	PIN12-S69B-N001	Water	09/10/2008 1607	09/12/2008 1030
660-25097-21	PIN20-MWL2-N001	Water	09/11/2008 0837	09/12/2008 1030
660-25097-22	PIN20-MWL3-N001	Water	09/11/2008 0922	09/12/2008 1030
660-25097-23	PIN20-M063-N001	Water	09/11/2008 1014	09/12/2008 1030
660-25097-24	PIN20-M024-N001	Water	09/11/2008 1108	09/12/2008 1030
660-25097-25	PIN12-S69C-N001	Water	09/11/2008 1402	09/12/2008 1030
660-25097-26	PIN12-S69D-N001	Water	09/11/2008 1447	09/12/2008 1030
660-25097-27	PIN12-S71B-N001	Water	09/11/2008 1537	09/12/2008 1030
660-25097-28	PIN15-0513-N001	Water	09/10/2008 0953	09/12/2008 1030
660-25097-29	PIN15-0507-N001	Water	09/10/2008 1058	09/12/2008 1030
660-25097-30	PIN15-0506-N001	Water	09/10/2008 1124	09/12/2008 1030
660-25097-31	PIN15-0520-N001	Water	09/10/2008 1327	09/12/2008 1030
660-25097-32	PIN15-0534-N001	Water	09/10/2008 1359	09/12/2008 1030
660-25097-33	PIN15-M27D-N001	Water	09/10/2008 1433	09/12/2008 1030
660-25097-34	PIN15-M27S-N001	Water	09/10/2008 1504	09/12/2008 1030
660-25097-35	PIN15-0514-N001	Water	09/10/2008 1537	09/12/2008 1030
660-25097-36	PIN15-0515-N001	Water	09/10/2008 1556	09/12/2008 1030
660-25097-37	PIN15-0516-N001	Water	09/10/2008 1654	09/12/2008 1030
660-25097-38	PIN24-0700	Water	09/11/2008 0800	09/12/2008 1030
660-25097-39	PIN15-0537-N001	Water	09/11/2008 0851	09/12/2008 1030
660-25097-40	PIN24-0506	Water	09/11/2008 0910	09/12/2008 1030
660-25097-41	PIN15-0585-N001	Water	09/11/2008 1008	09/12/2008 1030
660-25097-42	PIN15-0588-N001	Water	09/11/2008 1053	09/12/2008 1030
660-25097-43	PIN15-0587-N001	Water	09/11/2008 1256	09/12/2008 1030
660-25097-44	PIN15-0530-N001	Water	09/11/2008 1539	09/12/2008 1030
660-25097-45	PIN15-0535-N001	Water	09/11/2008 1609	09/12/2008 1030
660-25097-46	PIN12-S71C-N001	Water	09/11/2008 1608	09/12/2008 1030

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN24-0800**

Lab Sample ID: 660-25097-1
Client Matrix: Water

Date Sampled: 09/10/2008 0945
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1617
Date Prepared: 09/12/2008 1617

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1223.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-M023-N001**

Lab Sample ID: 660-25097-2
Client Matrix: Water

Date Sampled: 09/10/2008 1125
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1634
Date Prepared: 09/12/2008 1634

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1224.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	96	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-0502-N001**

Lab Sample ID: 660-25097-3
Client Matrix: Water

Date Sampled: 09/10/2008 1320
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1651
Date Prepared: 09/12/2008 1651

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1225.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	50		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.59	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	130		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	107	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-0503-N001**

Lab Sample ID: 660-25097-4
Client Matrix: Water

Date Sampled: 09/10/2008 1440
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1708
Date Prepared: 09/12/2008 1708

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1226.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	3.1		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	95	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-M054-N001**

Lab Sample ID: 660-25097-5
Client Matrix: Water

Date Sampled: 09/10/2008 1545
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1726
Date Prepared: 09/12/2008 1726

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1227.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-M025-N001**

Lab Sample ID: 660-25097-6
Client Matrix: Water

Date Sampled: 09/10/2008 1620
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1743
Date Prepared: 09/12/2008 1743

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1228.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	107	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-MWL1-N001**

Lab Sample ID: 660-25097-7
Client Matrix: Water

Date Sampled: 09/11/2008 0840
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1800
Date Prepared: 09/12/2008 1800

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1229.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	2.7		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	7.6		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	102	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-MWL4-N001**

Lab Sample ID: 660-25097-8
Client Matrix: Water

Date Sampled: 09/11/2008 0916
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1817
Date Prepared: 09/12/2008 1817

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1230.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	8.5		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.53	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	12		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-MWL5-N001**

Lab Sample ID: 660-25097-9
Client Matrix: Water

Date Sampled: 09/11/2008 1012
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 2251
Date Prepared: 09/12/2008 2251

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1211.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-M049-N001**

Lab Sample ID: 660-25097-10
Client Matrix: Water

Date Sampled: 09/11/2008 1128
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 2308
Date Prepared: 09/12/2008 2308

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1212.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	5.8		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.56	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	7.5		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S73B-N001**

Lab Sample ID: 660-25097-11
Client Matrix: Water

Date Sampled: 09/11/2008 1341
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 2217
Date Prepared: 09/12/2008 2217

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1209.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S73C-N001**

Lab Sample ID: 660-25097-12
Client Matrix: Water

Date Sampled: 09/11/2008 1431
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 2234
Date Prepared: 09/12/2008 2234

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1210.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	3.2		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	16		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S73D-N001**

Lab Sample ID: 660-25097-13
Client Matrix: Water

Date Sampled: 09/11/2008 1550
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1834
Date Prepared: 09/12/2008 1834

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1231.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	102	74 - 126
Toluene-d8 (Surr)	96	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-0526-N001**

Lab Sample ID: 660-25097-14
Client Matrix: Water

Date Sampled: 09/11/2008 1625
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1851
Date Prepared: 09/12/2008 1851

Analysis Batch: 660-67650

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1232.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.83	J	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	1.1		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	3.8		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	103	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN24-0600**

Lab Sample ID: 660-25097-15
Client Matrix: Water

Date Sampled: 09/10/2008 0900
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 2326
Date Prepared: 09/12/2008 2326

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1213.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	107	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN21-0512-N001**

Lab Sample ID: 660-25097-16
Client Matrix: Water

Date Sampled: 09/10/2008 1134
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 2343
Date Prepared: 09/12/2008 2343

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1214.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	7.6		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.4		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	13		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S68B-N001**

Lab Sample ID: 660-25097-17
Client Matrix: Water

Date Sampled: 09/10/2008 1348
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0000
Date Prepared: 09/13/2008 0000

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1215.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	103	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S68C-N001**

Lab Sample ID: 660-25097-18
Client Matrix: Water

Date Sampled: 09/10/2008 1420
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0017
Date Prepared: 09/13/2008 0017

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1216.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	10		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	4.6		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	15		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S68D-N001**

Lab Sample ID: 660-25097-19
Client Matrix: Water

Date Sampled: 09/10/2008 1459
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0034
Date Prepared: 09/13/2008 0034

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1217.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.54	J	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	110		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	3.9		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	1.8		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	110		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S69B-N001**

Lab Sample ID: 660-25097-20
Client Matrix: Water

Date Sampled: 09/10/2008 1607
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0052
Date Prepared: 09/13/2008 0052

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1218.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-MWL2-N001**

Lab Sample ID: 660-25097-21
Client Matrix: Water

Date Sampled: 09/11/2008 0837
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0109
Date Prepared: 09/13/2008 0109

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1219.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	2.9		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	73		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-MWL3-N001**

Lab Sample ID: 660-25097-22
Client Matrix: Water

Date Sampled: 09/11/2008 0922
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0126
Date Prepared: 09/13/2008 0126

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1220.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	4.0		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	2.5		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-MWL3-N001**

Lab Sample ID: 660-25097-22
Client Matrix: Water

Date Sampled: 09/11/2008 0922
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/15/2008 1451
Date Prepared: 09/15/2008 1451

Analysis Batch: 660-67731
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1519.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	840		5.0	10

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-M063-N001**

Lab Sample ID: 660-25097-23
Client Matrix: Water

Date Sampled: 09/11/2008 1014
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0143
Date Prepared: 09/13/2008 0143

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1221.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.52	J	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	2.9		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	22		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	26		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-M063-N001**

Lab Sample ID: 660-25097-23
Client Matrix: Water

Date Sampled: 09/11/2008 1014
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/15/2008 1525
Date Prepared: 09/15/2008 1525

Analysis Batch: 660-67731
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1521.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	120		3.2	5.0
Vinyl chloride	280		2.5	5.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN20-M024-N001**

Lab Sample ID: 660-25097-24
Client Matrix: Water

Date Sampled: 09/11/2008 1108
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0200
Date Prepared: 09/13/2008 0200

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1222.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S69C-N001**

Lab Sample ID: 660-25097-25
Client Matrix: Water

Date Sampled: 09/11/2008 1402
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0217
Date Prepared: 09/13/2008 0217

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1223.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S69D-N001**

Lab Sample ID: 660-25097-26
Client Matrix: Water

Date Sampled: 09/11/2008 1447
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0235
Date Prepared: 09/13/2008 0235

Analysis Batch: 660-67695

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1224.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.83	J	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.74	J	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S71B-N001**

Lab Sample ID: 660-25097-27
Client Matrix: Water

Date Sampled: 09/11/2008 1537
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/15/2008 1543
Date Prepared: 09/15/2008 1543

Analysis Batch: 660-67731

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1522.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN24-0700**

Lab Sample ID: 660-25097-38
Client Matrix: Water

Date Sampled: 09/11/2008 0800
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/15/2008 1600
Date Prepared: 09/15/2008 1600

Analysis Batch: 660-67731

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1523.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0537-N001**

Lab Sample ID: 660-25097-39
Client Matrix: Water

Date Sampled: 09/11/2008 0851
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/15/2008 1617
Date Prepared: 09/15/2008 1617

Analysis Batch: 660-67731

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1524.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	3.8		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	2.0		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	7.9		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.73	J	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0537-N001**

Lab Sample ID: 660-25097-39
Client Matrix: Water

Date Sampled: 09/11/2008 0851
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 20
Date Analyzed: 09/16/2008 1402
Date Prepared: 09/16/2008 1402

Analysis Batch: 660-67809
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1617.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	510		13	20
Vinyl chloride	930		10	20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN24-0506**

Lab Sample ID: 660-25097-40
Client Matrix: Water

Date Sampled: 09/11/2008 0910
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/15/2008 1634
Date Prepared: 09/15/2008 1634

Analysis Batch: 660-67731

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1525.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	4.0		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	1.9		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	5.6		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.61	J	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN24-0506**

Lab Sample ID: 660-25097-40

Client Matrix: Water

Date Sampled: 09/11/2008 0910

Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B

Preparation: 5030B

Dilution: 25

Date Analyzed: 09/16/2008 1420

Date Prepared: 09/16/2008 1420

Analysis Batch: 660-67809

Run Type: DL

Instrument ID: BVMH GC/MS

Lab File ID: 1HI1618.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	450		16	25
Vinyl chloride	1000		12	25

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0585-N001**

Lab Sample ID: 660-25097-41
Client Matrix: Water

Date Sampled: 09/11/2008 1008
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0926
Date Prepared: 09/13/2008 0926

Analysis Batch: 660-67827

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1254.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.75	J	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	1.5		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	3.7		0.51	1.0
trans-1,2-Dichloroethylene	1.4		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	8.6		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	28		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0585-N001**

Lab Sample ID: 660-25097-41
Client Matrix: Water

Date Sampled: 09/11/2008 1008
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/15/2008 2138
Date Prepared: 09/15/2008 2138

Analysis Batch: 660-67829
Run Type: DL

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1532.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	370		3.2	5.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0588-N001**

Lab Sample ID: 660-25097-42
Client Matrix: Water

Date Sampled: 09/11/2008 1053
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1125
Date Prepared: 09/16/2008 1125

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1569.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	2.4		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	6.4		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.72	J	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.83	J	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	5.9		0.51	1.0
trans-1,2-Dichloroethylene	5.0		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.66	J	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	19		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0588-N001**

Lab Sample ID: 660-25097-42
Client Matrix: Water

Date Sampled: 09/11/2008 1053
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/15/2008 2200
Date Prepared: 09/15/2008 2200

Analysis Batch: 660-67829
Run Type: DL

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1533.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	630		6.5	10

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0587-N001**

Lab Sample ID: 660-25097-43
Client Matrix: Water

Date Sampled: 09/11/2008 1256
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 2321
Date Prepared: 09/12/2008 2321

Analysis Batch: 660-67725

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1227.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	9.2		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	20		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	7.8		0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	13		0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	13		0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	15		0.50	1.0
trans-1,2-Dichloroethylene	110		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0587-N001**

Lab Sample ID: 660-25097-43

Client Matrix: Water

Date Sampled: 09/11/2008 1256

Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B

Preparation: 5030B

Dilution: 100

Date Analyzed: 09/15/2008 2222

Date Prepared: 09/15/2008 2222

Analysis Batch: 660-67829

Run Type: DL

Instrument ID: BVMJ GC/MS

Lab File ID: 1JI1534.D

Initial Weight/Volume: 5 mL

Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	14000		65	100
Toluene	1300		51	100
Trichloroethylene	890		50	100
Vinyl chloride	180		50	100

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S71C-N001**

Lab Sample ID: 660-25097-46
Client Matrix: Water

Date Sampled: 09/11/2008 1608
Date Received: 09/12/2008 1030

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/13/2008 0948
Date Prepared: 09/13/2008 0948

Analysis Batch: 660-67827

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1255.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	21		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.6		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	13		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	33		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-S73D-N001**

Lab Sample ID: 660-25097-13
Client Matrix: Water

Date Sampled: 09/11/2008 1550
Date Received: 09/12/2008 1030

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/15/2008 1508
Date Prepared: 09/15/2008 1508

Analysis Batch: 660-67730

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1520.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	2.7	U	2.7	5.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN12-0526-N001**

Lab Sample ID: 660-25097-14
Client Matrix: Water

Date Sampled: 09/11/2008 1625
Date Received: 09/12/2008 1030

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 1851
Date Prepared: 09/12/2008 1851

Analysis Batch: 660-67653

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1232.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0588-N001**

Lab Sample ID: 660-25097-42
Client Matrix: Water

Date Sampled: 09/11/2008 1053
Date Received: 09/12/2008 1030

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1125
Date Prepared: 09/16/2008 1125

Analysis Batch: 660-67824

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1569.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	2.0		0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: **PIN15-0587-N001**

Lab Sample ID: 660-25097-43
Client Matrix: Water

Date Sampled: 09/11/2008 1256
Date Received: 09/12/2008 1030

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/12/2008 2321
Date Prepared: 09/12/2008 2321

Analysis Batch: 660-67711

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1227.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0513-N001

Lab Sample ID:	660-25097-28	Date Sampled:	09/10/2008 0953
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 0938			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.050	U	0.050	0.20
Iron	0.050	U	0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0507-N001

Lab Sample ID:	660-25097-29	Date Sampled:	09/10/2008 1058
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 0952			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.38		0.050	0.20
Iron	0.66		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0506-N001

Lab Sample ID:	660-25097-30	Date Sampled:	09/10/2008 1124
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813	Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723	Lab File ID:	8I16B
Dilution:	1.0		Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 0957		Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108			

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.072	B	0.050	0.20
Iron	3.0		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0520-N001

Lab Sample ID:	660-25097-31	Date Sampled:	09/10/2008 1327
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1001			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.26		0.050	0.20
Iron	0.72		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0534-N001

Lab Sample ID:	660-25097-32	Date Sampled:	09/10/2008 1359
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1006			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.62		0.050	0.20
Iron	0.34		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-M27D-N001

Lab Sample ID: 660-25097-33
Client Matrix: Water

Date Sampled: 09/10/2008 1433
Date Received: 09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/16/2008 1126
Date Prepared: 09/15/2008 1108

Analysis Batch: 660-67813
Prep Batch: 660-67723

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.49		0.050	0.20
Iron	0.70		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-M27S-N001

Lab Sample ID:	660-25097-34	Date Sampled:	09/10/2008 1504
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1016			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.070	B	0.050	0.20
Iron	2.5		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0514-N001

Lab Sample ID:	660-25097-35	Date Sampled:	09/10/2008 1537
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1020			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.3		0.050	0.20
Iron	1.8		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0515-N001

Lab Sample ID:	660-25097-36	Date Sampled:	09/10/2008 1556
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1025			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.070	B	0.050	0.20
Iron	1.5		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0516-N001

Lab Sample ID:	660-25097-37	Date Sampled:	09/10/2008 1654
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1030			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.081	B	0.050	0.20
Iron	4.7		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0537-N001

Lab Sample ID:	660-25097-39	Date Sampled:	09/11/2008 0851
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1034			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.10	B	0.050	0.20
Iron	2.9		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN24-0506

Lab Sample ID: 660-25097-40
Client Matrix: Water

Date Sampled: 09/11/2008 0910
Date Received: 09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/16/2008 1056
Date Prepared: 09/15/2008 1108

Analysis Batch: 660-67813
Prep Batch: 660-67723

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.77		0.050	0.20
Iron	1.5		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0585-N001

Lab Sample ID:	660-25097-41	Date Sampled:	09/11/2008 1008
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1101			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.9		0.050	0.20
Iron	1.3		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0588-N001

Lab Sample ID:	660-25097-42	Date Sampled:	09/11/2008 1053
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1106			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.13	B	0.050	0.20
Iron	0.54		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0587-N001

Lab Sample ID:	660-25097-43	Date Sampled:	09/11/2008 1256
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1110			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.3		0.050	0.20
Iron	30		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0530-N001

Lab Sample ID:	660-25097-44	Date Sampled:	09/11/2008 1539
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1115			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.97		0.050	0.20
Iron	3.3		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Client Sample ID: PIN15-0535-N001

Lab Sample ID:	660-25097-45	Date Sampled:	09/11/2008 1609
Client Matrix:	Water	Date Received:	09/12/2008 1030

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67723		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1120			Final Weight/Volume:	50 mL
Date Prepared:	09/15/2008 1108				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.8		0.050	0.20
Iron	0.65		0.050	0.20

DATA REPORTING QUALIFIERS

Client: S.M. Stoller Corporation Job Number: 660-25097-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Analyzed for but not detected.
	J	Indicates an estimated value.
Metals		
	U	Indicates analyzed for but not detected.
	B	Value less than contract required detection limit but greater than or equal to the Method Detection Limit

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67650

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67650/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1250
Date Prepared: 09/12/2008 1250

Analysis Batch: 660-67650
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1211.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	101	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67650

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67650/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1159
Date Prepared: 09/12/2008 1159

Analysis Batch: 660-67650
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1208.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67650/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1216
Date Prepared: 09/12/2008 1216

Analysis Batch: 660-67650
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1209.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	108	92	62 - 135	16	37		
Chlorobenzene	104	88	72 - 127	17	22		
1,1-Dichloroethylene	117	103	46 - 147	13	30		
Toluene	116	97	68 - 131	18	33		
Trichloroethylene	111	93	56 - 143	18	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-67650

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-25097-14	Analysis Batch: 660-67650	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1512.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/15/2008 1232		Final Weight/Volume: 5 mL
Date Prepared:	09/15/2008 1232		

MSD Lab Sample ID:	660-25097-14	Analysis Batch: 660-67650	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1513.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/15/2008 1249		Final Weight/Volume: 5 mL
Date Prepared:	09/15/2008 1249		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	114	121	62 - 135	6	37		
Chlorobenzene	106	109	72 - 127	2	22		
1,1-Dichloroethylene	123	131	46 - 147	6	30		
Toluene	115	120	68 - 131	4	33		
Trichloroethylene	112	119	56 - 143	6	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67695

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67695/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 2200
Date Prepared: 09/12/2008 2200

Analysis Batch: 660-67695
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1208.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67695

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67695/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 2108
Date Prepared: 09/12/2008 2108

Analysis Batch: 660-67695
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1205.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67695/7
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 2125
Date Prepared: 09/12/2008 2125

Analysis Batch: 660-67695
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1206.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	116	109	62 - 135	7	37		
Chlorobenzene	111	101	72 - 127	9	22		
1,1-Dichloroethylene	128	122	46 - 147	5	30		
Toluene	119	113	68 - 131	5	33		
Trichloroethylene	119	111	56 - 143	7	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-67695

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-25097-10	Analysis Batch: 660-67695	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1514.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/15/2008 1306		Final Weight/Volume: 5 mL
Date Prepared:	09/15/2008 1306		

MSD Lab Sample ID:	660-25097-10	Analysis Batch: 660-67695	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1515.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/15/2008 1323		Final Weight/Volume: 5 mL
Date Prepared:	09/15/2008 1323		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	90	83	62 - 135	8	37		
Chlorobenzene	84	77	72 - 127	9	22		
1,1-Dichloroethylene	97	91	46 - 147	7	30		
Toluene	92	88	68 - 131	5	33		
Trichloroethylene	84	79	56 - 143	7	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67725

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67725/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1637
Date Prepared: 09/12/2008 1637

Analysis Batch: 660-67725
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1209.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	99	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67725

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67725/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1700
Date Prepared: 09/12/2008 1700

Analysis Batch: 660-67725
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1210.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67725/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1722
Date Prepared: 09/12/2008 1722

Analysis Batch: 660-67725
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1211.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	93	88	62 - 135	5	37		
Chlorobenzene	89	89	72 - 127	0	22		
1,1-Dichloroethylene	95	93	46 - 147	2	30		
Toluene	94	93	68 - 131	1	33		
Trichloroethylene	93	90	56 - 143	4	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67731

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67731/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/15/2008 1358
Date Prepared: 09/15/2008 1358

Analysis Batch: 660-67731
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1517.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	102	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67731

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67731/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/15/2008 1157
Date Prepared: 09/15/2008 1157

Analysis Batch: 660-67731
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1510.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67731/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/15/2008 1215
Date Prepared: 09/15/2008 1215

Analysis Batch: 660-67731
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1511.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	114	109	62 - 135	4	37		
Chlorobenzene	104	100	72 - 127	4	22		
1,1-Dichloroethylene	124	116	46 - 147	7	30		
Toluene	116	112	68 - 131	4	33		
Trichloroethylene	116	108	56 - 143	7	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67809

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67809/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1252
Date Prepared: 09/16/2008 1252

Analysis Batch: 660-67809
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1613.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67809

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67809/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1201
Date Prepared: 09/16/2008 1201

Analysis Batch: 660-67809
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1610.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67809/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1218
Date Prepared: 09/16/2008 1218

Analysis Batch: 660-67809
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1611.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	117	108	62 - 135	9	37		
Chlorobenzene	108	100	72 - 127	8	22		
1,1-Dichloroethylene	128	118	46 - 147	7	30		
Toluene	117	112	68 - 131	4	33		
Trichloroethylene	113	102	56 - 143	10	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67823

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67823/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0358
Date Prepared: 09/16/2008 0358

Analysis Batch: 660-67823
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1549.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67823

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67823/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0251
Date Prepared: 09/16/2008 0251

Analysis Batch: 660-67823
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1546.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67823/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0313
Date Prepared: 09/16/2008 0313

Analysis Batch: 660-67823
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1547.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	101	91	62 - 135	11	37		
Chlorobenzene	98	93	72 - 127	5	22		
1,1-Dichloroethylene	96	88	46 - 147	9	30		
Toluene	96	91	68 - 131	6	33		
Trichloroethylene	100	92	56 - 143	8	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67827

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67827/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/13/2008 0627
Date Prepared: 09/13/2008 0627

Analysis Batch: 660-67827
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1246.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67827

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67827/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/13/2008 0435
Date Prepared: 09/13/2008 0435

Analysis Batch: 660-67827
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1241.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67827/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/13/2008 0457
Date Prepared: 09/13/2008 0457

Analysis Batch: 660-67827
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1242.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	91	90	62 - 135	1	37		
Chlorobenzene	88	90	72 - 127	2	22		
1,1-Dichloroethylene	92	88	46 - 147	4	30		
Toluene	90	93	68 - 131	3	33		
Trichloroethylene	93	92	56 - 143	2	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67829

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67829/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/15/2008 1510
Date Prepared: 09/15/2008 1510

Analysis Batch: 660-67829
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1514.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67829

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67829/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/15/2008 1233
Date Prepared: 09/15/2008 1233

Analysis Batch: 660-67829
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1507.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67829/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/15/2008 1256
Date Prepared: 09/15/2008 1256

Analysis Batch: 660-67829
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1508.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	85	92	62 - 135	7	37		
Chlorobenzene	82	89	72 - 127	8	22		
1,1-Dichloroethylene	84	88	46 - 147	5	30		
Toluene	83	91	68 - 131	9	33		
Trichloroethylene	87	94	56 - 143	8	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67653

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67653/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1250
Date Prepared: 09/12/2008 1250

Analysis Batch: 660-67653
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1211.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67653

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67653/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1159
Date Prepared: 09/12/2008 1159

Analysis Batch: 660-67653
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1208.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67653/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1216
Date Prepared: 09/12/2008 1216

Analysis Batch: 660-67653
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1209.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	95	87	50 - 150	9	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-67653

Method: 8260C_SIM
Preparation: 5030B

MS Lab Sample ID:	660-25097-14	Analysis Batch: 660-67653	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1512.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/15/2008 1232		Final Weight/Volume: 5 mL
Date Prepared:	09/15/2008 1232		

MSD Lab Sample ID:	660-25097-14	Analysis Batch: 660-67653	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1513.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/15/2008 1249		Final Weight/Volume: 5 mL
Date Prepared:	09/15/2008 1249		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
1,4-Dioxane	83	95	50 - 150	14	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67711

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67711/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1637
Date Prepared: 09/12/2008 1637

Analysis Batch: 660-67711
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1209.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67711

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67711/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1530
Date Prepared: 09/12/2008 1530

Analysis Batch: 660-67711
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1206.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67711/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/12/2008 1552
Date Prepared: 09/12/2008 1552

Analysis Batch: 660-67711
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1207.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	88	77	50 - 150	13	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67730

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67730/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/15/2008 1358
Date Prepared: 09/15/2008 1358

Analysis Batch: 660-67730
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1517.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67730

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67730/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/15/2008 1157
Date Prepared: 09/15/2008 1157

Analysis Batch: 660-67730
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1510.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67730/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/15/2008 1215
Date Prepared: 09/15/2008 1215

Analysis Batch: 660-67730
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1511.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	84	88	50 - 150	4	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67824

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67824/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0358
Date Prepared: 09/16/2008 0358

Analysis Batch: 660-67824
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1549.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67824

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67824/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0251
Date Prepared: 09/16/2008 0251

Analysis Batch: 660-67824
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1546.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67824/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0313
Date Prepared: 09/16/2008 0313

Analysis Batch: 660-67824
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1547.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	108	76	50 - 150	35	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Method Blank - Batch: 660-67723

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-67723/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0856
Date Prepared: 09/15/2008 1108

Analysis Batch: 660-67813
Prep Batch: 660-67723
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Aluminum	0.050	U	0.050	0.20
Iron	0.050	U	0.050	0.20

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67723

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-67723/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0900
Date Prepared: 09/15/2008 1108

Analysis Batch: 660-67813
Prep Batch: 660-67723
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-67723/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0905
Date Prepared: 09/15/2008 1108

Analysis Batch: 660-67813
Prep Batch: 660-67723
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Aluminum	99	95	75 - 125	5	20		
Iron	108	102	75 - 125	5	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Stoller *Legacy Management Team*

TestAmerica Tampa

660-25097

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
1	PIN24-0800	9-10-08	0945	JW DS	3		3								
~~2~~	~~PIN20-M024-N001~~	~~9-10-08~~	~~1047~~	JW DS	3		3								SAMPLE ON A DIFFERENT COC
3	PIN20-M023-N001	9-10-08	1125	JW DS	3		3								
4	PIN20-0502-N001	9-10-08	1320	JW DS	3		3								
5	PIN20-0503-N001	9-10-08	1440	JW DS	3		3								
6	PIN20-M054-N001	9-10-08	1545	JW DS	3		3								
7	PIN20-M025-N001	9-10-08	1670	JW DS	3		3								
8	PIN20-MWL1-N001	9-11-08	0840	JW DS	3		3								
9	PIN20-MWL4-N001	9-11-08	0916	JW DS	3		3								
10	PIN20-MWL5-N001	9-11-08	1012	JW DS	3		3								
11	PIN20-M049-N001	9-11-08	1128	JW DS	3		3								
12	PIN12-S73B-N001	9-11-08	1341	JW DS	3		3								
13	PIN12-S73C-N001	9-11-08	1431	JW DS	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-12-08	0950	[signature]	9/12/08	0950	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/12/08	1030	[signature]	9-12-08	1030	

4°C, 4°C CW-04

Stoller *Legacy Management Team*

TestAmerica Tampa 660-25097

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777, tel. 727-541-8103, fax 727-549-1121

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
14	PIN12-S73D-N001	9-11-08	1550	SW DS	3			3							
15	PIN12-0526-N001	9-11-08	1625	SW DS	3			3							

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[illegible]	9-12-08	0950	[illegible]	9/12/08	0950	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/12/08	1030	[illegible]	9-12-08	1030	

4°C, 4°C cw-04

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

660 25097

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
	PIN24-0600	9-10-08	0900	JPC	3		3								
	PIN21-0512-N001	9-10-08	1134	HJF	3		3								
	PIN12-S68B-N001	9-10-08	1348	JPC	3		3								
	PIN12-S68C-N001	9-10-08	1420	JPC	3		3								
	PIN12-S68D-N001	9-10-08	1459	JPC	3		3								
	PIN12-S69B-N001	9-10-08	1607	JPC	3		3								
	PIN20-MWL2-N001	9-11-08	0837	HJF	3		3								
	PIN20-MWL3-N001	9-11-08	0922	HJF	3		3								
	PIN20-M063-N001	9-11-08	1014	HJF	3		3								
	PIN20-M024-N001	9-11-08	1108	JPC	3		3								
	PIN12-S69C-N001	9-11-08	1402	JPC	3		3								
	PIN12-S69D-N001	9-11-08	1447	JPC	3		3								
	PIN12-S71B-N001	9-11-08	1537	JPC	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[illegible]	9-12-08	0950	[illegible]	9/12/08	0950	
Relinquished by Courier	**Date**	**Time**	**Received by Labpratory**	**Date**	**Time**	
[illegible]	9/12/08	1030	[illegible]	9-12-08	1030	

4°C, 4°C cw-04

Stoller *Legacy Management Team*

TestAmerica Tampa

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

660 - 25097

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
1	PIN15-0513-N001	9-10-08	0953	SC/TZ	1	X									
2	PIN15-0507-N001	9-10-08	1058	SC/TZ	1	X									
3	PIN15-0506-N001	9-10-08	1124	SC/TZ	1	X									
4	PIN15-0520-N001	9-10-08	1327	SC/TZ	1	X									
5	PIN15-0534-N001	9-10-08	1359	SC/TZ	1	X									
6	PIN15-M27D-N001	9-10-08	1433	SC/TZ	1	X									
7	PIN15-M27S-N001	9-10-08	1504	SC/TZ	1	X									
8	PIN15-0514-N001	9-10-08	1537	SC/TZ	1	X									
9	PIN15-0515-N001	9-10-08	1556	SC/TZ	1	X									
10	PIN15-0516-N001	9-10-08	1654	SC/TZ	1	X									
11	PIN24-0700	9-11-08	0800	SC/TZ	3		3								
12	PIN15-0537-N001	9-11-08	0851	SC/TZ	4	1	3								
13	PIN24-0506	9-11-08	0910	SC/TZ	4	1	3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
Sam Campbell	9-12-08	0950	[illegible]	9/12/08	1000	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/12/08	1030	[illegible]	9-12-08	1030	

4°C, 4°C cw-04

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049 660-25097

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
14	PIN15-0585-N001	9-11-08	1008	TZ/SC	4	1	3								
15	PIN15-0588-N001	9-11-08	1053	TZ/SC	5	1		4							
16	PIN15-0587-N001	9-11-08	1256	TZ/SC	5	1		4							
17	PIN15-0530-N001	9-11-08	1539	TZ/SC	1	1									
18	PIN15-0535-N001	9-11-08	1609	TZ/SC	1	1									

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
Sam Campbell	9-12-08	0950	[illegible]	9/12/08	0950	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/12/08	1030	[illegible]	9-12-08	1030	

4°C, 4°C CW-04

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049 660-25097

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
	PIN12-S71C-N001	9-11-08	1608	JPC	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-12-08	0950	[signature]	9/12/08	0950	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/12/08	1030	[signature]	9-12-08	1030	

4°C, 4°C cu-04

Login Sample Receipt Check List

Client: S.M. Stoller Corporation

Job Number: 660-25097-1

Login Number: 25097
Creator: Volz, Charles
List Number: 1

List Source: TestAmerica Tampa

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	4 Degrees x 2. CU-04
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 660-25122-1

Job Description: Star Center

For:
S.M. Stoller Corporation
2597 B 3/4 Road
Grand Junction, CO 81503

Attention: Mr. Charles Tabor

Nancy Robertson
Project Manager II
nancy.robertson@testamericainc.com
09/25/2008

Methods: FDEP, DOH Certification #: E84282, E81005, E81010 These test results meet all the requirements of NELAC unless specified in the case narrative. All questions regarding this test report should be directed to the TestAmerica Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request. The results contained in this test report relate only to these samples included herein.

Case Narrative:	TestAmerica Project 660-25122	
Date:	September 25, 2008	
Client:	S.M. Stoller Corporation	
Project:	Star Center	
Laboratory:	TestAmerica Tampa	
Analysis Requested:	8260B, 8260C_SIM	

Twenty-two liquid samples were received in good condition on 9.15.08 and logged in as TestAmerica Project 660-25122. The samples are identified as follows:

STL Log No.	Sample ID	Date Collected
660-25122-1	PIN24-0601	9/12/2008
660-25122-2	PIN20-M060-N001	9/12/2008
660-25122-3	PIN20-M061-N001	9/12/2008
660-25122-4	PIN20-M059-N001	9/12/2008
660-25122-5	PIN20-M019-N001	9/12/2008
660-25122-6	PIN20-M058-N001	9/12/2008
660-25122-7	PIN24-0501	9/12/2008
660-25122-8	PIN20-M18D-N001	9/12/2008
660-25122-9	PIN20-M057-N001	9/12/2008
660-25122-10	PIN20-M053-N001	9/12/2008
660-25122-11	PIN20-M056-N001	9/12/2008
660-25122-12	PIN20-M055-N001	9/12/2008
660-25122-13	PIN20-M028-N001	9/12/2008
660-25122-14	PIN12-0524-N001	9/13/2008
660-25122-15	PIN24-0504	9/13/2008
660-25122-16	PIN12-0525-N001	9/13/2008
660-25122-17	PIN12-S71D-N001	9/13/2008
660-25122-18	PIN12-S70B-N001	9/13/2008
660-25122-19	PIN12-S70C-N001	9/13/2008
660-25122-20	PIN12-S70D-N001	9/13/2008
660-25122-21	PIN12-0513-N001	9/13/2008
660-25122-22	PIN12-0514-N001	9/13/2008

No QA/QC issues were noted.

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25122-2	**PIN20-M060-N001**					
cis-1,2-Dichloroethylene		2.1		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		3.5		1.0	ug/L	8260B
Vinyl chloride		250		5.0	ug/L	8260B
660-25122-3	**PIN20-M061-N001**					
cis-1,2-Dichloroethylene		790		10	ug/L	8260B
1,1-Dichloroethylene		8.2		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		83		1.0	ug/L	8260B
Trichloroethylene		46		1.0	ug/L	8260B
Vinyl chloride		400		10	ug/L	8260B
660-25122-4	**PIN20-M059-N001**					
cis-1,2-Dichloroethylene		1.4		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.50	J	1.0	ug/L	8260B
Vinyl chloride		8.3		1.0	ug/L	8260B
660-25122-5	**PIN20-M019-N001**					
cis-1,2-Dichloroethylene		0.71	J	1.0	ug/L	8260B
Vinyl chloride		0.80	J	1.0	ug/L	8260B
660-25122-6	**PIN20-M058-N001**					
cis-1,2-Dichloroethylene		2.3		1.0	ug/L	8260B
Vinyl chloride		2.3		1.0	ug/L	8260B
660-25122-7	**PIN24-0501**					
cis-1,2-Dichloroethylene		7.8		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.64	J	1.0	ug/L	8260B
Vinyl chloride		6.0		1.0	ug/L	8260B
660-25122-8	**PIN20-M18D-N001**					
cis-1,2-Dichloroethylene		7.5		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.57	J	1.0	ug/L	8260B
Vinyl chloride		6.1		1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25122-9	**PIN20-M057-N001**					
cis-1,2-Dichloroethylene		13		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.48	J	1.0	ug/L	8260B
Vinyl chloride		3.0		1.0	ug/L	8260B
660-25122-10	**PIN20-M053-N001**					
cis-1,2-Dichloroethylene		10		1.0	ug/L	8260B
Vinyl chloride		2.1		1.0	ug/L	8260B
660-25122-11	**PIN20-M056-N001**					
cis-1,2-Dichloroethylene		3.1		1.0	ug/L	8260B
Vinyl chloride		2.8		1.0	ug/L	8260B
660-25122-12	**PIN20-M055-N001**					
cis-1,2-Dichloroethylene		1.6		1.0	ug/L	8260B
Vinyl chloride		2.0		1.0	ug/L	8260B
660-25122-14	**PIN12-0524-N001**					
Benzene		1.2		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		610		10	ug/L	8260B
1,1-Dichloroethylene		27		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		18		1.0	ug/L	8260B
Vinyl chloride		1000		10	ug/L	8260B
1,4-Dioxane		1.1		1.0	ug/L	8260C_SIM
660-25122-15	**PIN24-0504**					
Benzene		1.2		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		600		10	ug/L	8260B
1,1-Dichloroethylene		28		1.0	ug/L	8260B
1,1-Dichloroethane		0.53	J	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		18		1.0	ug/L	8260B
Vinyl chloride		970		10	ug/L	8260B
660-25122-16	**PIN12-0525-N001**					
cis-1,2-Dichloroethylene		2.2		1.0	ug/L	8260B
Vinyl chloride		0.88	J	1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25122-17	**PIN12-S71D-N001**					
cis-1,2-Dichloroethylene		8.8		1.0	ug/L	8260B
1,1-Dichloroethane		0.52	J	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		5.2		1.0	ug/L	8260B
Vinyl chloride		16		1.0	ug/L	8260B
660-25122-18	**PIN12-S70B-N001**					
cis-1,2-Dichloroethylene		15		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.79	J	1.0	ug/L	8260B
Vinyl chloride		15		1.0	ug/L	8260B
660-25122-19	**PIN12-S70C-N001**					
cis-1,2-Dichloroethylene		26		1.0	ug/L	8260B
1,1-Dichloroethylene		0.83	J	1.0	ug/L	8260B
1,1-Dichloroethane		9.1		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		14		1.0	ug/L	8260B
Vinyl chloride		27		1.0	ug/L	8260B
660-25122-20	**PIN12-S70D-N001**					
cis-1,2-Dichloroethylene		17		1.0	ug/L	8260B
1,1-Dichloroethylene		0.72	J	1.0	ug/L	8260B
1,1-Dichloroethane		5.7		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		8.5		1.0	ug/L	8260B
Vinyl chloride		15		1.0	ug/L	8260B
660-25122-21	**PIN12-0513-N001**					
1,1-Dichloroethane		5.8		1.0	ug/L	8260B
660-25122-22	**PIN12-0514-N001**					
cis-1,2-Dichloroethylene		5.6		1.0	ug/L	8260B
1,1-Dichloroethane		6.4		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		16		1.0	ug/L	8260B
Vinyl chloride		33		1.0	ug/L	8260B

METHOD SUMMARY

Client: S.M. Stoller Corporation | Job Number: 660-25122-1

Description	Lab Location	Method	Preparation Method
Matrix Water			
Volatile Organic Compounds (GC/MS)	TAL TAM	SW846 8260B	
Purge and Trap	TAL TAM		SW846 5030B
1,4-Dioxane by SIM	TAL TAM	SW846 8260C_SIM	
Purge and Trap	TAL TAM		SW846 5030B

Lab References:

TAL TAM = TestAmerica Tampa

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Method	Analyst	Analyst ID
SW846 8260B	Mathew, Pinky	PM
SW846 8260C_SIM	Mathew, Pinky	PM

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-25122-1	PIN24-0601	Water	09/12/2008 0851	09/15/2008 1025
660-25122-2	PIN20-M060-N001	Water	09/12/2008 0901	09/15/2008 1025
660-25122-3	PIN20-M061-N001	Water	09/12/2008 0937	09/15/2008 1025
660-25122-4	PIN20-M059-N001	Water	09/12/2008 1005	09/15/2008 1025
660-25122-5	PIN20-M019-N001	Water	09/12/2008 1041	09/15/2008 1025
660-25122-6	PIN20-M058-N001	Water	09/12/2008 1104	09/15/2008 1025
660-25122-7	PIN24-0501	Water	09/12/2008 1137	09/15/2008 1025
660-25122-8	PIN20-M18D-N001	Water	09/12/2008 1140	09/15/2008 1025
660-25122-9	PIN20-M057-N001	Water	09/12/2008 1350	09/15/2008 1025
660-25122-10	PIN20-M053-N001	Water	09/12/2008 1413	09/15/2008 1025
660-25122-11	PIN20-M056-N001	Water	09/12/2008 1438	09/15/2008 1025
660-25122-12	PIN20-M055-N001	Water	09/12/2008 1508	09/15/2008 1025
660-25122-13	PIN20-M028-N001	Water	09/12/2008 1610	09/15/2008 1025
660-25122-14	PIN12-0524-N001	Water	09/13/2008 0836	09/15/2008 1025
660-25122-15	PIN24-0504	Water	09/13/2008 0816	09/15/2008 1025
660-25122-16	PIN12-0525-N001	Water	09/13/2008 0857	09/15/2008 1025
660-25122-17	PIN12-S71D-N001	Water	09/13/2008 1005	09/15/2008 1025
660-25122-18	PIN12-S70B-N001	Water	09/13/2008 1038	09/15/2008 1025
660-25122-19	PIN12-S70C-N001	Water	09/13/2008 1120	09/15/2008 1025
660-25122-20	PIN12-S70D-N001	Water	09/13/2008 1325	09/15/2008 1025
660-25122-21	PIN12-0513-N001	Water	09/13/2008 1448	09/15/2008 1025
660-25122-22	PIN12-0514-N001	Water	09/13/2008 1419	09/15/2008 1025

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN24-0601**

Lab Sample ID: 660-25122-1
Client Matrix: Water

Date Sampled: 09/12/2008 0851
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0420
Date Prepared: 09/16/2008 0420

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1550.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M060-N001**

Lab Sample ID: 660-25122-2
Client Matrix: Water

Date Sampled: 09/12/2008 0901
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0442
Date Prepared: 09/16/2008 0442

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1551.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	2.1		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	3.5		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M060-N001**

Lab Sample ID: 660-25122-2
Client Matrix: Water

Date Sampled: 09/12/2008 0901
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/16/2008 1915
Date Prepared: 09/16/2008 1915

Analysis Batch: 660-67896
Run Type: DL

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1619.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	250		2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M061-N001**

Lab Sample ID: 660-25122-3
Client Matrix: Water

Date Sampled: 09/12/2008 0937
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0505
Date Prepared: 09/16/2008 0505

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1552.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	8.2		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	83		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	46		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M061-N001**

Lab Sample ID: 660-25122-3
Client Matrix: Water

Date Sampled: 09/12/2008 0937
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/16/2008 1937
Date Prepared: 09/16/2008 1937

Analysis Batch: 660-67896
Run Type: DL

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1620.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	790		6.5	10
Vinyl chloride	400		5.0	10

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M059-N001**

Lab Sample ID: 660-25122-4
Client Matrix: Water

Date Sampled: 09/12/2008 1005
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2000
Date Prepared: 09/16/2008 2000

Analysis Batch: 660-67896

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1621.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	1.4		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.50	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	8.3		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M019-N001**

Lab Sample ID: 660-25122-5
Client Matrix: Water

Date Sampled: 09/12/2008 1041
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2022
Date Prepared: 09/16/2008 2022

Analysis Batch: 660-67896

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1622.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.71	J	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.80	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M058-N001**

Lab Sample ID: 660-25122-6
Client Matrix: Water

Date Sampled: 09/12/2008 1104
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0612
Date Prepared: 09/16/2008 0612

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1555.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	2.3		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	2.3		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN24-0501**

Lab Sample ID: 660-25122-7
Client Matrix: Water

Date Sampled: 09/12/2008 1137
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0634
Date Prepared: 09/16/2008 0634

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1556.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	7.8		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.64	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	6.0		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M18D-N001**

Lab Sample ID: 660-25122-8
Client Matrix: Water

Date Sampled: 09/12/2008 1140
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0657
Date Prepared: 09/16/2008 0657

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1557.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	7.5		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.57	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	6.1		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M057-N001**

Lab Sample ID: 660-25122-9
Client Matrix: Water

Date Sampled: 09/12/2008 1350
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0719
Date Prepared: 09/16/2008 0719

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1558.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	13		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.48	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	3.0		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M053-N001**

Lab Sample ID: 660-25122-10
Client Matrix: Water

Date Sampled: 09/12/2008 1413
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0741
Date Prepared: 09/16/2008 0741

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1559.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	10		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	2.1		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	99	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M056-N001**

Lab Sample ID: 660-25122-11
Client Matrix: Water

Date Sampled: 09/12/2008 1438
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0804
Date Prepared: 09/16/2008 0804

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1560.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	3.1		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	2.8		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M055-N001**

Lab Sample ID: 660-25122-12
Client Matrix: Water

Date Sampled: 09/12/2008 1508
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0826
Date Prepared: 09/16/2008 0826

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1561.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	1.6		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	2.0		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN20-M028-N001**

Lab Sample ID: 660-25122-13
Client Matrix: Water

Date Sampled: 09/12/2008 1610
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0848
Date Prepared: 09/16/2008 0848

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1562.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-0524-N001**

Lab Sample ID: 660-25122-14
Client Matrix: Water

Date Sampled: 09/13/2008 0836
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0911
Date Prepared: 09/16/2008 0911

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1563.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.2		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	27		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	18		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-0524-N001**

Lab Sample ID: 660-25122-14
Client Matrix: Water

Date Sampled: 09/13/2008 0836
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/16/2008 2045
Date Prepared: 09/16/2008 2045

Analysis Batch: 660-67896
Run Type: DL

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1623.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	610		6.5	10
Vinyl chloride	1000		5.0	10

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	99	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN24-0504**

Lab Sample ID: 660-25122-15
Client Matrix: Water

Date Sampled: 09/13/2008 0816
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0933
Date Prepared: 09/16/2008 0933

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1564.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.2		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	28		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.53	J	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	18		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: PIN24-0504

Lab Sample ID: 660-25122-15
Client Matrix: Water

Date Sampled: 09/13/2008 0816
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/16/2008 2107
Date Prepared: 09/16/2008 2107

Analysis Batch: 660-67896
Run Type: DL

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1624.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	600		6.5	10
Vinyl chloride	970		5.0	10

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-0525-N001**

Lab Sample ID: 660-25122-16
Client Matrix: Water

Date Sampled: 09/13/2008 0857
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2129
Date Prepared: 09/16/2008 2129

Analysis Batch: 660-67896

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1625.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	2.2		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.88	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-S71D-N001**

Lab Sample ID: 660-25122-17
Client Matrix: Water

Date Sampled: 09/13/2008 1005
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1018
Date Prepared: 09/16/2008 1018

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1566.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	8.8		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	J	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	5.2		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	16		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-S70B-N001**

Lab Sample ID: 660-25122-18
Client Matrix: Water

Date Sampled: 09/13/2008 1038
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1040
Date Prepared: 09/16/2008 1040

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1567.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	15		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.79	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	15		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-S70C-N001**

Lab Sample ID: 660-25122-19
Client Matrix: Water

Date Sampled: 09/13/2008 1120
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1103
Date Prepared: 09/16/2008 1103

Analysis Batch: 660-67823

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1568.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	26		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.83	J	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	9.1		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	14		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	27		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-S70D-N001**

Lab Sample ID: 660-25122-20
Client Matrix: Water

Date Sampled: 09/13/2008 1325
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2152
Date Prepared: 09/16/2008 2152

Analysis Batch: 660-67896

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1626.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	17		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.72	J	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	5.7		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	8.5		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	15		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-0513-N001**

Lab Sample ID: 660-25122-21
Client Matrix: Water

Date Sampled: 09/13/2008 1448
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2214
Date Prepared: 09/16/2008 2214

Analysis Batch: 660-67896

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1627.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	5.8		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-0514-N001**

Lab Sample ID: 660-25122-22
Client Matrix: Water

Date Sampled: 09/13/2008 1419
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2237
Date Prepared: 09/16/2008 2237

Analysis Batch: 660-67896

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1628.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	5.6		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	6.4		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	16		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	33		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	99	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Client Sample ID: **PIN12-0524-N001**

Lab Sample ID: 660-25122-14
Client Matrix: Water

Date Sampled: 09/13/2008 0836
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 0911
Date Prepared: 09/16/2008 0911

Analysis Batch: 660-67824

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1563.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	1.1		0.54	1.0

DATA REPORTING QUALIFIERS

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Analyzed for but not detected.
	J	Indicates an estimated value.

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Method Blank - Batch: 660-67823

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67823/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0358
Date Prepared: 09/16/2008 0358

Analysis Batch: 660-67823
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1549.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67823

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67823/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0251
Date Prepared: 09/16/2008 0251

Analysis Batch: 660-67823
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1546.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67823/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0313
Date Prepared: 09/16/2008 0313

Analysis Batch: 660-67823
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1547.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	101	91	62 - 135	11	37		
Chlorobenzene	98	93	72 - 127	5	22		
1,1-Dichloroethylene	96	88	46 - 147	9	30		
Toluene	96	91	68 - 131	6	33		
Trichloroethylene	100	92	56 - 143	8	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Method Blank - Batch: 660-67896

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67896/9
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1616
Date Prepared: 09/16/2008 1616

Analysis Batch: 660-67896
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1611.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67896

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67896/7
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1402
Date Prepared: 09/16/2008 1402

Analysis Batch: 660-67896
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1605.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67896/8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1424
Date Prepared: 09/16/2008 1424

Analysis Batch: 660-67896
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1606.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	83	89	62 - 135	7	37		
Chlorobenzene	84	90	72 - 127	7	22		
1,1-Dichloroethylene	82	89	46 - 147	7	30		
Toluene	85	92	68 - 131	7	33		
Trichloroethylene	84	91	56 - 143	9	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-67896

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-25122-22	Analysis Batch: 660-67896	Instrument ID: BVMJ GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1JI1734.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/18/2008 0234		Final Weight/Volume: 5 mL
Date Prepared:	09/18/2008 0234		

MSD Lab Sample ID:	660-25122-22	Analysis Batch: 660-67896	Instrument ID: BVMJ GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1JI1832.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/19/2008 0355		Final Weight/Volume: 5 mL
Date Prepared:	09/19/2008 0355		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	92	90	62 - 135	1	37		
Chlorobenzene	92	92	72 - 127	0	22		
1,1-Dichloroethylene	87	87	46 - 147	0	30		
Toluene	91	94	68 - 131	4	33		
Trichloroethylene	91	91	56 - 143	1	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Method Blank - Batch: 660-67824

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67824/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0358
Date Prepared: 09/16/2008 0358

Analysis Batch: 660-67824
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1549.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67824

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67824/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0251
Date Prepared: 09/16/2008 0251

Analysis Batch: 660-67824
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1546.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67824/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 0313
Date Prepared: 09/16/2008 0313

Analysis Batch: 660-67824
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1547.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	108	76	50 - 150	35	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
	PIN24-0601	9-12-08	0851	DS	3		3	3							
	PIN20-M060-N001	9-12-08	0901	DS	3		3	3							
	PIN20-M061-N001	9-12-08	0932	DS	3		3	3							
	PIN20-M059-N001	9-12-08	1005	DS	3		3	3							
	PIN20-M019-N001	9-12-08	1041	DS	3		3	3							
	PIN20-M058-N001	9-12-08	1104	DS	3		3	3							
	PIN24-0501	9-12-08	1137	DS	3		3	3							
	PIN20-M18D-N001	9-12-08	1140	DS	3		3	3							
	PIN20-M057-N001	9-12-08	1350	DS	3		3	3							
	PIN20-M053-N001	9-12-08	1413	DS	3		3	3							
	PIN20-M056-N001	9-12-08	1438	DS	3		3	3							
	PIN20-M055-N001	9-12-08	1508	DS	3		3	3							
	PIN20-M028-N001	9-12-08	1610	DS	3		3	3							

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[illegible]	9-15-08	[illegible]	[illegible]	9/15/08	0930	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/15/08	[illegible]	Carol McNulty	9/15/08	1025	

log 25122 3°C qu04

09/25/2008

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
	PIN12-0524-N001	9-15-08	0836	JPC	4		3	4							
	PIN24-0504	9-13-08	0816	JPC	3		3								
	PIN12-0525-N001	9-13-08	0857	JPC	3		3								
	PIN12-S71D-N001	9-13-08	1005	JPC	3		3								
	PIN12-S70B-N001	9-13-08	1038	JPC	3		3								
	PIN12-S70C-N001	9-13-08	1120	JPC	3		3								
	PIN12-S70D-N001	9-13-08	1325	JPC	3		3								
	PIN12-0513-N001	9-13-08	1448	JPC	3		3								
	PIN12-0514-N001	9-13-08	1419	JPC	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-15-08	1935	[signature]	9/15/08	0930	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/15/08	1025	Carol McNulty	9/15/08	1025	

09/25/2008

Login Sample Receipt Check List

Client: S.M. Stoller Corporation

Job Number: 660-25122-1

Login Number: 25122
Creator: McNulty, Carol
List Number: 1

List Source: TestAmerica Tampa

Question	T / F/ NA	Comment	
Radioactivity either was not measured or, if measured, is at or below background	N/A		
The cooler's custody seal, if present, is intact.	N/A		
The cooler or samples do not appear to have been compromised or tampered with.	True		
Samples were received on ice.	True	3 degrees C	CU-04
Cooler Temperature is acceptable.	True		
Cooler Temperature is recorded.	True		
COC is present.	True		
COC is filled out in ink and legible.	True		
COC is filled out with all pertinent information.	True		
There are no discrepancies between the sample IDs on the containers and the COC.	True		
Samples are received within Holding Time.	True		
Sample containers have legible labels.	True		
Containers are not broken or leaking.	True		
Sample collection date/times are provided.	True		
Appropriate sample containers are used.	True		
Sample bottles are completely filled.	True		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True		
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True		
If necessary, staff have been informed of any short hold time or quick TAT needs	True		
Multiphasic samples are not present.	True		
Samples do not require splitting or compositing.	True		

ANALYTICAL REPORT

Job Number: 660-25123-1

Job Description: Star Center

For:
S.M. Stoller Corporation
2597 B 3/4 Road
Grand Junction, CO 81503

Attention: Mr. Charles Tabor

Nancy Robertson
Project Manager II
nancy.robertson@testamericainc.com
09/25/2008

Methods: FDEP, DOH Certification #: E84282, E81005, E81010 These test results meet all the requirements of NELAC unless specified in the case narrative. All questions regarding this test report should be directed to the TestAmerica Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request. The results contained in this test report relate only to these samples included herein.

TestAmerica Laboratories, Inc.
TestAmerica Tampa 6712 Benjamin Road, Suite 100, Tampa, FL 33634
Tel (813) 885-7427 Fax (813) 885-7049 www.testamericainc.com

Case Narrative:	TestAmerica Project 660-25123	
Date:	September 25, 2008	
Client:	S.M. Stoller Corporation	
Project:	Star Center	
Laboratory:	TestAmerica Tampa	
Analysis Requested:	8260B, 8260C_SIM, 6010B	

Forty-seven liquid samples were received in good condition on 9.15.08 and logged in as TestAmerica Project 660-25123. The samples are identified as follows:

STL Log No.	Sample ID	Date Collected
660-25123-1	PIN24-0801	9/12/2008
660-25123-2	PIN12-S30B-N001	9/12/2008
660-25123-3	PIN12-S33C-N001	9/12/2008
660-25123-4	PIN12-S35B-N001	9/12/2008
660-25123-5	PIN20-M015-N001	9/12/2008
660-25123-6	PIN20-M001-N001	9/12/2008
660-25123-7	PIN24-0500	9/12/2008
660-25123-8	PIN20-M064-N001	9/12/2008
660-25123-9	PIN12-0553A-N001	9/13/2008
660-25123-10	PIN12-0553B-N001	9/13/2008
660-25123-11	PIN12-0553C-N001	9/13/2008
660-25123-12	PIN12-0554A-N001	9/13/2008
660-25123-13	PIN12-0554B-N001	9/13/2008
660-25123-14	PIN12-0554C-N001	9/13/2008
660-25123-15	PIN12-0555A-N001	9/13/2008
660-25123-16	PIN12-0555B-N001	9/13/2008
660-25123-17	PIN12-0555C-N001	9/13/2008
660-25123-18	PIN12-0552-1-N001	9/14/2008
660-25123-19	PIN12-0552-2-N001	9/14/2008
660-25123-20	PIN12-0552-3-N001	9/14/2008
660-25123-21	PIN12-0550-1-N001	9/14/2008
660-25123-22	PIN12-0550-2-N001	9/14/2008
660-25123-23	PIN24-0701	9/12/2008
660-25123-24	PIN15-0566-N001	9/12/2008
660-25123-25	PIN15-0567-N001	9/12/2008
660-25123-26	PIN24-0507	9/12/2008
660-25123-27	PIN15-M16D-N001	9/12/2008
660-25123-28	PIN15-0584-N001	9/12/2008
660-25123-29	PIN15-M32S-N001	9/12/2008
660-25123-30	PIN15-M32D-N001	9/12/2008
660-25123-31	PIN15-0560-N001	9/12/2008
660-25123-32	PIN15-0561-N001	9/12/2008
660-25123-33	PIN12-0558A-N001	9/13/2008
660-25123-34	PIN12-0558B-N001	9/13/2008
660-25123-35	PIN12-0558C-N001	9/13/2008
660-25123-36	PIN12-0557A-N001	9/13/2008
660-25123-37	PIN12-0557B-N001	9/13/2008
660-25123-38	PIN12-0557C-N001	9/13/2008

660-25123-39	PIN12-0556A-N001	9/13/2008
660-25123-40	PIN12-0556B-N001	9/13/2008
660-25123-41	PIN12-0556C-N001	9/13/2008
660-25123-42	PIN12-0541-N001	9/14/2008
660-25123-43	PIN12-0542-N001	9/14/2008
660-25123-44	PIN12-0549-N001	9/14/2008
660-25123-45	PIN12-0537-N001	9/14/2008
660-25123-46	PIN12-0538-N001	9/14/2008
660-25123-47	PIN12-0547-N001	9/14/2008

No QA/QC issues were noted.

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25123-2	**PIN12-S30B-N001**					
Benzene		0.62	J	1.0	ug/L	8260B
cis-1,2-Dichloroethylene		1700		100	ug/L	8260B
1,1-Dichloroethylene		43		1.0	ug/L	8260B
Dichlorodifluoromethane		3.6	J	5.0	ug/L	8260B
1,1-Dichloroethane		20		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		98	J	100	ug/L	8260B
Trichloroethylene		53		1.0	ug/L	8260B
Vinyl chloride		600		100	ug/L	8260B
1,4-Dioxane		44		1.0	ug/L	8260C_SIM
660-25123-3	**PIN12-S33C-N001**					
cis-1,2-Dichloroethylene		870		50	ug/L	8260B
1,1-Dichloroethylene		93		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		30		1.0	ug/L	8260B
Trichloroethylene		61		1.0	ug/L	8260B
Vinyl chloride		600		50	ug/L	8260B
660-25123-4	**PIN12-S35B-N001**					
cis-1,2-Dichloroethylene		36000		500	ug/L	8260B
trans-1,2-Dichloroethylene		6500		500	ug/L	8260B
Trichloroethylene		9700		500	ug/L	8260B
Vinyl chloride		17000		500	ug/L	8260B
660-25123-5	**PIN20-M015-N001**					
Vinyl chloride		3.0		1.0	ug/L	8260B
660-25123-6	**PIN20-M001-N001**					
Benzene		2.4		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		440		50	ug/L	8260B
1,1-Dichloroethylene		1.4		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		70		1.0	ug/L	8260B
Trichloroethylene		4.0		1.0	ug/L	8260B
Vinyl chloride		2300		50	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25123-7	**PIN24-0500**					
Benzene		2.3		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		420		50	ug/L	8260B
1,1-Dichloroethylene		1.5		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		70		1.0	ug/L	8260B
Trichloroethylene		1.8		1.0	ug/L	8260B
Vinyl chloride		2200		50	ug/L	8260B
660-25123-8	**PIN20-M064-N001**					
Vinyl chloride		1.2		1.0	ug/L	8260B
660-25123-9	**PIN12-0553A-N001**					
cis-1,2-Dichloroethylene		11		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		2.2		1.0	ug/L	8260B
Trichloroethylene		3.6		1.0	ug/L	8260B
Vinyl chloride		1.8		1.0	ug/L	8260B
660-25123-11	**PIN12-0553C-N001**					
cis-1,2-Dichloroethylene		1.6		1.0	ug/L	8260B
1,1-Dichloroethane		0.98	J	1.0	ug/L	8260B
Vinyl chloride		0.52	J	1.0	ug/L	8260B
660-25123-12	**PIN12-0554A-N001**					
cis-1,2-Dichloroethylene		3.5		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.71	J	1.0	ug/L	8260B
Trichloroethylene		1.6		1.0	ug/L	8260B
Vinyl chloride		0.64	J	1.0	ug/L	8260B
660-25123-13	**PIN12-0554B-N001**					
cis-1,2-Dichloroethylene		2.5		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.65	J	1.0	ug/L	8260B
Trichloroethylene		1.2		1.0	ug/L	8260B
Vinyl chloride		0.74	J	1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25123-14	**PIN12-0554C-N001**					
cis-1,2-Dichloroethylene		17		1.0	ug/L	8260B
1,1-Dichloroethylene		4.3		1.0	ug/L	8260B
1,1-Dichloroethane		44		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.5		1.0	ug/L	8260B
Vinyl chloride		66		1.0	ug/L	8260B
660-25123-17	**PIN12-0555C-N001**					
cis-1,2-Dichloroethylene		1.6		1.0	ug/L	8260B
660-25123-18	**PIN12-0552-1-N001**					
cis-1,2-Dichloroethylene		380		10	ug/L	8260B
1,1-Dichloroethylene		24		1.0	ug/L	8260B
1,1-Dichloroethane		0.80	J	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		5.8		1.0	ug/L	8260B
Trichloroethylene		0.87	J	1.0	ug/L	8260B
Vinyl chloride		82		1.0	ug/L	8260B
1,4-Dioxane		1.6		1.0	ug/L	8260C_SIM
660-25123-19	**PIN12-0552-2-N001**					
cis-1,2-Dichloroethylene		360		10	ug/L	8260B
1,1-Dichloroethylene		35		1.0	ug/L	8260B
1,1-Dichloroethane		1.2		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		9.0		1.0	ug/L	8260B
Vinyl chloride		110		1.0	ug/L	8260B
1,4-Dioxane		2.5		1.0	ug/L	8260C_SIM
660-25123-20	**PIN12-0552-3-N001**					
cis-1,2-Dichloroethylene		120		5.0	ug/L	8260B
1,1-Dichloroethylene		8.3		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.7		1.0	ug/L	8260B
Vinyl chloride		33		1.0	ug/L	8260B
1,4-Dioxane		0.76	J	1.0	ug/L	8260C_SIM
660-25123-21	**PIN12-0550-1-N001**					
cis-1,2-Dichloroethylene		2.7		1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25123-24	**PIN15-0566-N001**					
Total Recoverable						
Aluminum		6.0		0.20	mg/L	6010B
Iron		2.2		0.20	mg/L	6010B
660-25123-25	**PIN15-0567-N001**					
Benzene		1.4		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		20		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		6.6		1.0	ug/L	8260B
Trichloroethylene		0.63	J	1.0	ug/L	8260B
Vinyl chloride		47		1.0	ug/L	8260B
1,4-Dioxane		3.7		1.0	ug/L	8260C_SIM
Total Recoverable						
Aluminum		0.22		0.20	mg/L	6010B
Iron		2.9		0.20	mg/L	6010B
660-25123-26	**PIN24-0507**					
Benzene		1.3		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		19		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		6.4		1.0	ug/L	8260B
Trichloroethylene		0.52	J	1.0	ug/L	8260B
Vinyl chloride		44		1.0	ug/L	8260B
1,4-Dioxane		4.2		1.0	ug/L	8260C_SIM
Total Recoverable						
Aluminum		0.24		0.20	mg/L	6010B
Iron		2.7		0.20	mg/L	6010B
660-25123-27	**PIN15-M16D-N001**					
Total Recoverable						
Aluminum		0.23		0.20	mg/L	6010B
Iron		1.3		0.20	mg/L	6010B
660-25123-28	**PIN15-0584-N001**					
Vinyl chloride		0.74	J	1.0	ug/L	8260B
Total Recoverable						
Aluminum		4.2		0.20	mg/L	6010B
Iron		3.2		0.20	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25123-29	**PIN15-M32S-N001**					
Total Recoverable						
Aluminum		0.26		0.20	mg/L	6010B
Iron		1.9		0.20	mg/L	6010B
660-25123-30	**PIN15-M32D-N001**					
Total Recoverable						
Aluminum		0.49		0.20	mg/L	6010B
Iron		3.7		0.20	mg/L	6010B
660-25123-31	**PIN15-0560-N001**					
Total Recoverable						
Aluminum		0.30		0.20	mg/L	6010B
Iron		5.0		0.20	mg/L	6010B
660-25123-32	**PIN15-0561-N001**					
Total Recoverable						
Aluminum		0.17	B	0.20	mg/L	6010B
Iron		1.8		0.20	mg/L	6010B
660-25123-35	**PIN12-0558C-N001**					
cis-1,2-Dichloroethylene		1.2		1.0	ug/L	8260B
660-25123-41	**PIN12-0556C-N001**					
cis-1,2-Dichloroethylene		3.9		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		1.5		1.0	ug/L	8260B
660-25123-42	**PIN12-0541-N001**					
cis-1,2-Dichloroethylene		0.68	J	1.0	ug/L	8260B
1,1-Dichloroethane		0.77	J	1.0	ug/L	8260B
660-25123-43	**PIN12-0542-N001**					
cis-1,2-Dichloroethylene		1.3		1.0	ug/L	8260B
1,1-Dichloroethane		1.8		1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25123-44	**PIN12-0549-N001**					
m,p-Xylene		0.64	J	2.0	ug/L	8260B

METHOD SUMMARY

Client: S.M. Stoller Corporation | Job Number: 660-25123-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL TAM	SW846 8260B	
Purge and Trap	TAL TAM		SW846 5030B
1,4-Dioxane by SIM	TAL TAM	SW846 8260C_SIM	
Purge and Trap	TAL TAM		SW846 5030B
Metals (ICP)	TAL TAM	SW846 6010B	
Preparation, Total Recoverable or Dissolved Metals	TAL TAM		SW846 3005A

Lab References:

TAL TAM = TestAmerica Tampa

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method	Analyst	Analyst ID
SW846 8260B	Carlson, Robyn	RC
SW846 8260B	Mathew, Pinky	PM
SW846 8260C_SIM	Carlson, Robyn	RC
SW846 6010B	Fox, Greg	GF

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-25123-1	PIN24-0801	Water	09/12/2008 0800	09/15/2008 1025
660-25123-2	PIN12-S30B-N001	Water	09/12/2008 0955	09/15/2008 1025
660-25123-3	PIN12-S33C-N001	Water	09/12/2008 1059	09/15/2008 1025
660-25123-4	PIN12-S35B-N001	Water	09/12/2008 1137	09/15/2008 1025
660-25123-5	PIN20-M015-N001	Water	09/12/2008 1403	09/15/2008 1025
660-25123-6	PIN20-M001-N001	Water	09/12/2008 1441	09/15/2008 1025
660-25123-7	PIN24-0500	Water	09/12/2008 1443	09/15/2008 1025
660-25123-8	PIN20-M064-N001	Water	09/12/2008 1558	09/15/2008 1025
660-25123-9	PIN12-0553A-N001	Water	09/13/2008 0908	09/15/2008 1025
660-25123-10	PIN12-0553B-N001	Water	09/13/2008 0936	09/15/2008 1025
660-25123-11	PIN12-0553C-N001	Water	09/13/2008 1009	09/15/2008 1025
660-25123-12	PIN12-0554A-N001	Water	09/13/2008 1046	09/15/2008 1025
660-25123-13	PIN12-0554B-N001	Water	09/13/2008 1114	09/15/2008 1025
660-25123-14	PIN12-0554C-N001	Water	09/13/2008 1315	09/15/2008 1025
660-25123-15	PIN12-0555A-N001	Water	09/13/2008 1401	09/15/2008 1025
660-25123-16	PIN12-0555B-N001	Water	09/13/2008 1430	09/15/2008 1025
660-25123-17	PIN12-0555C-N001	Water	09/13/2008 1510	09/15/2008 1025
660-25123-18	PIN12-0552-1-N001	Water	09/14/2008 0916	09/15/2008 1025
660-25123-19	PIN12-0552-2-N001	Water	09/14/2008 1006	09/15/2008 1025
660-25123-20	PIN12-0552-3-N001	Water	09/14/2008 1049	09/15/2008 1025
660-25123-21	PIN12-0550-1-N001	Water	09/14/2008 1130	09/15/2008 1025
660-25123-22	PIN12-0550-2-N001	Water	09/14/2008 1205	09/15/2008 1025
660-25123-23	PIN24-0701	Water	09/12/2008 0900	09/15/2008 1025
660-25123-24	PIN15-0566-N001	Water	09/12/2008 0957	09/15/2008 1025
660-25123-25	PIN15-0567-N001	Water	09/12/2008 1026	09/15/2008 1025
660-25123-26	PIN24-0507	Water	09/12/2008 1040	09/15/2008 1025
660-25123-27	PIN15-M16D-N001	Water	09/12/2008 1107	09/15/2008 1025
660-25123-28	PIN15-0584-N001	Water	09/12/2008 1442	09/15/2008 1025
660-25123-29	PIN15-M32S-N001	Water	09/12/2008 1522	09/15/2008 1025
660-25123-30	PIN15-M32D-N001	Water	09/12/2008 1544	09/15/2008 1025
660-25123-31	PIN15-0560-N001	Water	09/12/2008 1607	09/15/2008 1025
660-25123-32	PIN15-0561-N001	Water	09/12/2008 1644	09/15/2008 1025
660-25123-33	PIN12-0558A-N001	Water	09/13/2008 0906	09/15/2008 1025
660-25123-34	PIN12-0558B-N001	Water	09/13/2008 0934	09/15/2008 1025
660-25123-35	PIN12-0558C-N001	Water	09/13/2008 1015	09/15/2008 1025
660-25123-36	PIN12-0557A-N001	Water	09/13/2008 1115	09/15/2008 1025
660-25123-37	PIN12-0557B-N001	Water	09/13/2008 1312	09/15/2008 1025
660-25123-38	PIN12-0557C-N001	Water	09/13/2008 1340	09/15/2008 1025
660-25123-39	PIN12-0556A-N001	Water	09/13/2008 1435	09/15/2008 1025
660-25123-40	PIN12-0556B-N001	Water	09/13/2008 1534	09/15/2008 1025
660-25123-41	PIN12-0556C-N001	Water	09/13/2008 1606	09/15/2008 1025
660-25123-42	PIN12-0541-N001	Water	09/14/2008 0849	09/15/2008 1025
660-25123-43	PIN12-0542-N001	Water	09/14/2008 0926	09/15/2008 1025
660-25123-44	PIN12-0549-N001	Water	09/14/2008 0956	09/15/2008 1025
660-25123-45	PIN12-0537-N001	Water	09/14/2008 1047	09/15/2008 1025
660-25123-46	PIN12-0538-N001	Water	09/14/2008 1116	09/15/2008 1025

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-25123-47	PIN12-0547-N001	Water	09/14/2008 1221	09/15/2008 1025

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN24-0801**

Lab Sample ID: 660-25123-1
Client Matrix: Water

Date Sampled: 09/12/2008 0800
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1437
Date Prepared: 09/16/2008 1437

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1619.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	106	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-S30B-N001**

Lab Sample ID: 660-25123-2
Client Matrix: Water

Date Sampled: 09/12/2008 0955
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1454
Date Prepared: 09/16/2008 1454

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1620.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.62	J	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	43		0.45	1.0
Dichlorodifluoromethane	3.6	J	2.5	5.0
1,1-Dichloroethane	20		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	53		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	108	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-S30B-N001**

Lab Sample ID: 660-25123-2
Client Matrix: Water

Date Sampled: 09/12/2008 0955
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 100
Date Analyzed: 09/17/2008 1931
Date Prepared: 09/17/2008 1931

Analysis Batch: 660-67904
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1726.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	1700		65	100
trans-1,2-Dichloroethylene	98	J	44	100
Vinyl chloride	600		50	100

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-S33C-N001**

Lab Sample ID: 660-25123-3
Client Matrix: Water

Date Sampled: 09/12/2008 1059
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1511
Date Prepared: 09/16/2008 1511

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1621.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	93		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	30		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	61		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-S33C-N001**

Lab Sample ID: 660-25123-3
Client Matrix: Water

Date Sampled: 09/12/2008 1059
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 50
Date Analyzed: 09/17/2008 1948
Date Prepared: 09/17/2008 1948

Analysis Batch: 660-67904
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1727.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	870		32	50
Vinyl chloride	600		25	50

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-S35B-N001**

Lab Sample ID: 660-25123-4
Client Matrix: Water

Date Sampled: 09/12/2008 1137
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 500
Date Analyzed: 09/18/2008 1633
Date Prepared: 09/18/2008 1633

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1825.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	250	U	250	500
Bromodichloromethane	180	U	180	500
Bromoform	290	U	290	500
Carbon tetrachloride	210	U	210	500
Chlorobenzene	320	U	320	500
Chloroethane	1200	U	1200	2500
Chloroform	450	U	450	500
cis-1,2-Dichloroethylene	36000		320	500
Dibromochloromethane	170	U	170	500
1,1-Dichloroethylene	220	U	220	500
Dichlorodifluoromethane	1200	U	1200	2500
1,1-Dichloroethane	260	U	260	500
1,2-Dichloroethane	280	U	280	500
1,2-Dichloropropane	260	U	260	500
Ethylbenzene	220	U	220	500
m-Dichlorobenzene	320	U	320	500
Methyl bromide	1200	U	1200	2500
Methylene Chloride	2000	U	2000	2500
Methyl tert-butyl ether	220	U	220	500
m,p-Xylene	300	U	300	1000
o-Dichlorobenzene	220	U	220	500
o-Xylene	250	U	250	500
p-Dichlorobenzene	260	U	260	500
1,1,2,2-Tetrachloroethane	75	U	75	500
Tetrachloroethylene	250	U	250	500
Toluene	260	U	260	500
trans-1,2-Dichloroethylene	6500		220	500
trans-1,3-Dichloropropene	70	U	70	500
1,1,1-Trichloroethane	230	U	230	500
1,1,2-Trichloroethane	240	U	240	500
Trichloroethylene	9700		250	500
Trichlorofluoromethane	1200	U	1200	2500
Vinyl chloride	17000		250	500
cis-1,3-Dichloropropene	70	U	70	500
Methyl chloride	500	U	500	2000

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN20-M015-N001**

Lab Sample ID: 660-25123-5
Client Matrix: Water

Date Sampled: 09/12/2008 1403
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 1822
Date Prepared: 09/17/2008 1822

Analysis Batch: 660-67904

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1722.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	3.0		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN20-M001-N001**

Lab Sample ID: 660-25123-6
Client Matrix: Water

Date Sampled: 09/12/2008 1441
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1603
Date Prepared: 09/16/2008 1603

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1624.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	2.4		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	1.4		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	70		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	4.0		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	104	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN20-M001-N001**

Lab Sample ID: 660-25123-6
Client Matrix: Water

Date Sampled: 09/12/2008 1441
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 50
Date Analyzed: 09/17/2008 2006
Date Prepared: 09/17/2008 2006

Analysis Batch: 660-67904
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1728.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	440		32	50
Vinyl chloride	2300		25	50

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN24-0500**

Lab Sample ID: 660-25123-7
Client Matrix: Water

Date Sampled: 09/12/2008 1443
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1620
Date Prepared: 09/16/2008 1620

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1625.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	2.3		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	1.5		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	70		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	1.8		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	108	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN24-0500

Lab Sample ID: 660-25123-7
Client Matrix: Water

Date Sampled: 09/12/2008 1443
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 50
Date Analyzed: 09/17/2008 2023
Date Prepared: 09/17/2008 2023

Analysis Batch: 660-67904
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1729.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	420		32	50
Vinyl chloride	2200		25	50

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN20-M064-N001**

Lab Sample ID: 660-25123-8
Client Matrix: Water

Date Sampled: 09/12/2008 1558
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 1840
Date Prepared: 09/17/2008 1840

Analysis Batch: 660-67904

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1723.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	1.2		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0553A-N001**

Lab Sample ID: 660-25123-9
Client Matrix: Water

Date Sampled: 09/13/2008 0908
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 1914
Date Prepared: 09/17/2008 1914

Analysis Batch: 660-67904

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1725.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	11		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	2.2		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	3.6		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	1.8		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0553B-N001**

Lab Sample ID: 660-25123-10
Client Matrix: Water

Date Sampled: 09/13/2008 0936
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 1857
Date Prepared: 09/17/2008 1857

Analysis Batch: 660-67904

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1724.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0553C-N001**

Lab Sample ID: 660-25123-11
Client Matrix: Water

Date Sampled: 09/13/2008 1009
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1729
Date Prepared: 09/16/2008 1729

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1629.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	1.6		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.98	J	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.52	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0554A-N001**

Lab Sample ID: 660-25123-12
Client Matrix: Water

Date Sampled: 09/13/2008 1046
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1746
Date Prepared: 09/16/2008 1746

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1630.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	3.5		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.71	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	1.6		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.64	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0554B-N001**

Lab Sample ID: 660-25123-13
Client Matrix: Water

Date Sampled: 09/13/2008 1114
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1803
Date Prepared: 09/16/2008 1803

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1631.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	2.5		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.65	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	1.2		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.74	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	114	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0554C-N001**

Lab Sample ID: 660-25123-14
Client Matrix: Water

Date Sampled: 09/13/2008 1315
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1820
Date Prepared: 09/16/2008 1820

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1632.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	17		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	4.3		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	44		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	1.5		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	66		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	115	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0555A-N001**

Lab Sample ID: 660-25123-15
Client Matrix: Water

Date Sampled: 09/13/2008 1401
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1838
Date Prepared: 09/16/2008 1838

Analysis Batch: 660-67809

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1633.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	116	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0555B-N001**

Lab Sample ID: 660-25123-16
Client Matrix: Water

Date Sampled: 09/13/2008 1430
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2347
Date Prepared: 09/16/2008 2347

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1614.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	103	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0555C-N001**

Lab Sample ID: 660-25123-17
Client Matrix: Water

Date Sampled: 09/13/2008 1510
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0004
Date Prepared: 09/17/2008 0004

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1615.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	1.6		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0552-1-N001**

Lab Sample ID: 660-25123-18
Client Matrix: Water

Date Sampled: 09/14/2008 0916
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0021
Date Prepared: 09/17/2008 0021

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1616.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	24		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.80	J	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	5.8		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.87	J	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	82		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0552-1-N001**

Lab Sample ID: 660-25123-18
Client Matrix: Water

Date Sampled: 09/14/2008 0916
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/17/2008 2040
Date Prepared: 09/17/2008 2040

Analysis Batch: 660-67904
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1730.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	380		6.5	10

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0552-2-N001**

Lab Sample ID: 660-25123-19
Client Matrix: Water

Date Sampled: 09/14/2008 1006
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0039
Date Prepared: 09/17/2008 0039

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1617.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	35		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.2		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	9.0		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	110		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0552-2-N001**

Lab Sample ID: 660-25123-19
Client Matrix: Water

Date Sampled: 09/14/2008 1006
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/17/2008 2057
Date Prepared: 09/17/2008 2057

Analysis Batch: 660-67904
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1731.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	360		6.5	10

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0552-3-N001**

Lab Sample ID: 660-25123-20
Client Matrix: Water

Date Sampled: 09/14/2008 1049
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0056
Date Prepared: 09/17/2008 0056

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1618.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	8.3		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	1.7		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	33		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0552-3-N001**

Lab Sample ID: 660-25123-20
Client Matrix: Water

Date Sampled: 09/14/2008 1049
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/17/2008 2114
Date Prepared: 09/17/2008 2114

Analysis Batch: 660-67904
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1732.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	120		3.2	5.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0550-1-N001**

Lab Sample ID: 660-25123-21
Client Matrix: Water

Date Sampled: 09/14/2008 1130
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0113
Date Prepared: 09/17/2008 0113

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1619.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	2.7		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0550-2-N001**

Lab Sample ID: 660-25123-22
Client Matrix: Water

Date Sampled: 09/14/2008 1205
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0130
Date Prepared: 09/17/2008 0130

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1620.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	109	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN24-0701**

Lab Sample ID: 660-25123-23
Client Matrix: Water

Date Sampled: 09/12/2008 0900
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2330
Date Prepared: 09/16/2008 2330

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1613.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	108	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN15-0567-N001**

Lab Sample ID: 660-25123-25
Client Matrix: Water

Date Sampled: 09/12/2008 1026
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0147
Date Prepared: 09/17/2008 0147

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1621.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.4		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	20		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	6.6		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.63	J	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	47		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	109	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN24-0507**

Lab Sample ID: 660-25123-26
Client Matrix: Water

Date Sampled: 09/12/2008 1040
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0205
Date Prepared: 09/17/2008 0205

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1622.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	1.3		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	19		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	6.4		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.52	J	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	44		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN15-0584-N001**

Lab Sample ID: 660-25123-28
Client Matrix: Water

Date Sampled: 09/12/2008 1442
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0222
Date Prepared: 09/17/2008 0222

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1623.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.74	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0558A-N001**

Lab Sample ID: 660-25123-33
Client Matrix: Water

Date Sampled: 09/13/2008 0906
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0239
Date Prepared: 09/17/2008 0239

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1624.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0558B-N001**

Lab Sample ID: 660-25123-34
Client Matrix: Water

Date Sampled: 09/13/2008 0934
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0256
Date Prepared: 09/17/2008 0256

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1625.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	109	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0558C-N001**

Lab Sample ID: 660-25123-35
Client Matrix: Water

Date Sampled: 09/13/2008 1015
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0313
Date Prepared: 09/17/2008 0313

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1626.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	1.2		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	115	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0557A-N001**

Lab Sample ID: 660-25123-36
Client Matrix: Water

Date Sampled: 09/13/2008 1115
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0331
Date Prepared: 09/17/2008 0331

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1627.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	108	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0557B-N001**

Lab Sample ID: 660-25123-37
Client Matrix: Water

Date Sampled: 09/13/2008 1312
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0348
Date Prepared: 09/17/2008 0348

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1628.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0557C-N001**

Lab Sample ID: 660-25123-38
Client Matrix: Water

Date Sampled: 09/13/2008 1340
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0405
Date Prepared: 09/17/2008 0405

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1629.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	104	74 - 126
Toluene-d8 (Surr)	115	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0556A-N001**

Lab Sample ID: 660-25123-39
Client Matrix: Water

Date Sampled: 09/13/2008 1435
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0423
Date Prepared: 09/17/2008 0423

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1630.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0556B-N001**

Lab Sample ID: 660-25123-40
Client Matrix: Water

Date Sampled: 09/13/2008 1534
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0440
Date Prepared: 09/17/2008 0440

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1631.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0556C-N001**

Lab Sample ID: 660-25123-41
Client Matrix: Water

Date Sampled: 09/13/2008 1606
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0457
Date Prepared: 09/17/2008 0457

Analysis Batch: 660-67857

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1632.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	3.9		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	1.5		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	115	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0541-N001**

Lab Sample ID: 660-25123-42
Client Matrix: Water

Date Sampled: 09/14/2008 0849
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2259
Date Prepared: 09/16/2008 2259

Analysis Batch: 660-67896

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1629.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.68	J	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.77	J	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0542-N001**

Lab Sample ID: 660-25123-43
Client Matrix: Water

Date Sampled: 09/14/2008 0926
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 2321
Date Prepared: 09/16/2008 2321

Analysis Batch: 660-67896

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1630.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	1.3		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.8		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0549-N001**

Lab Sample ID: 660-25123-44
Client Matrix: Water

Date Sampled: 09/14/2008 0956
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 1202
Date Prepared: 09/17/2008 1202

Analysis Batch: 660-67886

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1664.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.64	J	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0537-N001**

Lab Sample ID: 660-25123-45
Client Matrix: Water

Date Sampled: 09/14/2008 1047
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 1224
Date Prepared: 09/17/2008 1224

Analysis Batch: 660-67886

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1665.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0538-N001**

Lab Sample ID: 660-25123-46
Client Matrix: Water

Date Sampled: 09/14/2008 1116
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 1246
Date Prepared: 09/17/2008 1246

Analysis Batch: 660-67886

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1666.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0547-N001**

Lab Sample ID: 660-25123-47
Client Matrix: Water

Date Sampled: 09/14/2008 1221
Date Received: 09/15/2008 1025

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 1309
Date Prepared: 09/17/2008 1309

Analysis Batch: 660-67886

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1667.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-S30B-N001**

Lab Sample ID: 660-25123-2
Client Matrix: Water

Date Sampled: 09/12/2008 0955
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1454
Date Prepared: 09/16/2008 1454

Analysis Batch: 660-67808

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1620.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	44		0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-S33C-N001**

Lab Sample ID: 660-25123-3
Client Matrix: Water

Date Sampled: 09/12/2008 1059
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/16/2008 1511
Date Prepared: 09/16/2008 1511

Analysis Batch: 660-67808

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1621.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-S35B-N001**

Lab Sample ID: 660-25123-4
Client Matrix: Water

Date Sampled: 09/12/2008 1137
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1633
Date Prepared: 09/18/2008 1633

Analysis Batch: 660-67938

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1825.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0552-1-N001**

Lab Sample ID: 660-25123-18
Client Matrix: Water

Date Sampled: 09/14/2008 0916
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0021
Date Prepared: 09/17/2008 0021

Analysis Batch: 660-67861

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1616.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	1.6		0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0552-2-N001**

Lab Sample ID: 660-25123-19
Client Matrix: Water

Date Sampled: 09/14/2008 1006
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0039
Date Prepared: 09/17/2008 0039

Analysis Batch: 660-67861

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1617.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	2.5		0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0552-3-N001**

Lab Sample ID: 660-25123-20
Client Matrix: Water

Date Sampled: 09/14/2008 1049
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0056
Date Prepared: 09/17/2008 0056

Analysis Batch: 660-67861

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1618.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.76	J	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0550-1-N001**

Lab Sample ID: 660-25123-21
Client Matrix: Water

Date Sampled: 09/14/2008 1130
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0113
Date Prepared: 09/17/2008 0113

Analysis Batch: 660-67861

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1619.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN12-0550-2-N001**

Lab Sample ID: 660-25123-22
Client Matrix: Water

Date Sampled: 09/14/2008 1205
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0130
Date Prepared: 09/17/2008 0130

Analysis Batch: 660-67861

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1620.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN15-0567-N001**

Lab Sample ID: 660-25123-25
Client Matrix: Water

Date Sampled: 09/12/2008 1026
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0147
Date Prepared: 09/17/2008 0147

Analysis Batch: 660-67861

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1621.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	3.7		0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: **PIN24-0507**

Lab Sample ID: 660-25123-26
Client Matrix: Water

Date Sampled: 09/12/2008 1040
Date Received: 09/15/2008 1025

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/17/2008 0205
Date Prepared: 09/17/2008 0205

Analysis Batch: 660-67861

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1622.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	4.2		0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN15-0566-N001

Lab Sample ID:	660-25123-24	Date Sampled:	09/12/2008 0957
Client Matrix:	Water	Date Received:	09/15/2008 1025

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67776		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1441			Final Weight/Volume:	50 mL
Date Prepared:	09/16/2008 0749				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	6.0		0.050	0.20
Iron	2.2		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN15-0567-N001

Lab Sample ID:	660-25123-25	Date Sampled:	09/12/2008 1026
Client Matrix:	Water	Date Received:	09/15/2008 1025

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67776		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1458			Final Weight/Volume:	50 mL
Date Prepared:	09/16/2008 0749				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.22		0.050	0.20
Iron	2.9		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN24-0507

Lab Sample ID:	660-25123-26	Date Sampled:	09/12/2008 1040
Client Matrix:	Water	Date Received:	09/15/2008 1025

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67776		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1502			Final Weight/Volume:	50 mL
Date Prepared:	09/16/2008 0749				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.24		0.050	0.20
Iron	2.7		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN15-M16D-N001

Lab Sample ID: 660-25123-27
Client Matrix: Water

Date Sampled: 09/12/2008 1107
Date Received: 09/15/2008 1025

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/16/2008 1507
Date Prepared: 09/16/2008 0749

Analysis Batch: 660-67813
Prep Batch: 660-67776

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.23		0.050	0.20
Iron	1.3		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN15-0584-N001

Lab Sample ID:	660-25123-28	Date Sampled:	09/12/2008 1442
Client Matrix:	Water	Date Received:	09/15/2008 1025

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67776		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1511			Final Weight/Volume:	50 mL
Date Prepared:	09/16/2008 0749				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	4.2		0.050	0.20
Iron	3.2		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN15-M32S-N001

Lab Sample ID: 660-25123-29
Client Matrix: Water

Date Sampled: 09/12/2008 1522
Date Received: 09/15/2008 1025

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/16/2008 1516
Date Prepared: 09/16/2008 0749

Analysis Batch: 660-67813
Prep Batch: 660-67776

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.26		0.050	0.20
Iron	1.9		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN15-M32D-N001

Lab Sample ID:	660-25123-30	Date Sampled:	09/12/2008 1544
Client Matrix:	Water	Date Received:	09/15/2008 1025

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67776		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1520			Final Weight/Volume:	50 mL
Date Prepared:	09/16/2008 0749				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.49		0.050	0.20
Iron	3.7		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN15-0560-N001

Lab Sample ID:	660-25123-31	Date Sampled:	09/12/2008 1607
Client Matrix:	Water	Date Received:	09/15/2008 1025

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-67813		Instrument ID:	TJA ICP
Preparation:	3005A	Prep Batch: 660-67776		Lab File ID:	8I16B
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/16/2008 1525			Final Weight/Volume:	50 mL
Date Prepared:	09/16/2008 0749				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.30		0.050	0.20
Iron	5.0		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Client Sample ID: PIN15-0561-N001

Lab Sample ID: 660-25123-32
Client Matrix: Water

Date Sampled: 09/12/2008 1644
Date Received: 09/15/2008 1025

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/18/2008 0940
Date Prepared: 09/17/2008 1001

Analysis Batch: 660-67940
Prep Batch: 660-67876

Instrument ID: TJA ICP TRACE
Lab File ID: 8I18A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.17	B	0.050	0.20
Iron	1.8		0.050	0.20

DATA REPORTING QUALIFIERS

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Analyzed for but not detected.
	J	Indicates an estimated value.
Metals		
	U	Indicates analyzed for but not detected.
	B	Value less than contract required detection limit but greater than or equal to the Method Detection Limit

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67809

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67809/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1252
Date Prepared: 09/16/2008 1252

Analysis Batch: 660-67809
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1613.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67809

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67809/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1201
Date Prepared: 09/16/2008 1201

Analysis Batch: 660-67809
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1610.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67809/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1218
Date Prepared: 09/16/2008 1218

Analysis Batch: 660-67809
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1611.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	117	108	62 - 135	9	37		
Chlorobenzene	108	100	72 - 127	8	22		
1,1-Dichloroethylene	128	118	46 - 147	7	30		
Toluene	117	112	68 - 131	4	33		
Trichloroethylene	113	102	56 - 143	10	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-67809

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-25123-2	Analysis Batch: 660-67809	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1634.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/16/2008 1855		Final Weight/Volume: 5 mL
Date Prepared:	09/16/2008 1855		

MSD Lab Sample ID:	660-25123-2	Analysis Batch: 660-67809	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1635.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/16/2008 1912		Final Weight/Volume: 5 mL
Date Prepared:	09/16/2008 1912		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	108	107	62 - 135	0	37		
Chlorobenzene	99	101	72 - 127	2	22		
1,1-Dichloroethylene	121	120	46 - 147	0	30		
Toluene	116	113	68 - 131	3	33		
Trichloroethylene	111	118	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67857

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67857/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 2313
Date Prepared: 09/16/2008 2313

Analysis Batch: 660-67857
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1612.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	110	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67857

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67857/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 2204
Date Prepared: 09/16/2008 2204

Analysis Batch: 660-67857
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1608.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67857/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 2221
Date Prepared: 09/16/2008 2221

Analysis Batch: 660-67857
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1609.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	125	111	62 - 135	12	37		
Chlorobenzene	115	105	72 - 127	9	22		
1,1-Dichloroethylene	138	123	46 - 147	12	30		
Toluene	130	121	68 - 131	7	33		
Trichloroethylene	121	105	56 - 143	14	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-67857

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-25123-21	Analysis Batch: 660-67857	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 2HI1633.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/17/2008 0514		Final Weight/Volume: 5 mL
Date Prepared:	09/17/2008 0514		

MSD Lab Sample ID:	660-25123-21	Analysis Batch: 660-67857	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 2HI1634.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/17/2008 0531		Final Weight/Volume: 5 mL
Date Prepared:	09/17/2008 0531		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	116	114	62 - 135	2	37		
Chlorobenzene	109	105	72 - 127	3	22		
1,1-Dichloroethylene	131	129	46 - 147	2	30		
Toluene	129	125	68 - 131	3	33		
Trichloroethylene	105	103	56 - 143	2	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67886

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67886/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/17/2008 0541
Date Prepared: 09/17/2008 0541

Analysis Batch: 660-67886
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1647.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	99	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67886

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67886/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/17/2008 0434
Date Prepared: 09/17/2008 0434

Analysis Batch: 660-67886
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1644.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67886/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/17/2008 0457
Date Prepared: 09/17/2008 0457

Analysis Batch: 660-67886
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1645.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	74	78	62 - 135	5	37		
Chlorobenzene	76	79	72 - 127	3	22		
1,1-Dichloroethylene	68	71	46 - 147	5	30		
Toluene	72	75	68 - 131	4	33		
Trichloroethylene	71	75	56 - 143	5	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67896

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67896/9
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1616
Date Prepared: 09/16/2008 1616

Analysis Batch: 660-67896
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1611.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67896

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67896/7
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1402
Date Prepared: 09/16/2008 1402

Analysis Batch: 660-67896
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1605.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67896/8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1424
Date Prepared: 09/16/2008 1424

Analysis Batch: 660-67896
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1606.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	83	89	62 - 135	7	37		
Chlorobenzene	84	90	72 - 127	7	22		
1,1-Dichloroethylene	82	89	46 - 147	7	30		
Toluene	85	92	68 - 131	7	33		
Trichloroethylene	84	91	56 - 143	9	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67904

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67904/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/17/2008 1622
Date Prepared: 09/17/2008 1622

Analysis Batch: 660-67904
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1715.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	105	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67904

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67904/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/17/2008 1421
Date Prepared: 09/17/2008 1421

Analysis Batch: 660-67904
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1708.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67904/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/17/2008 1439
Date Prepared: 09/17/2008 1439

Analysis Batch: 660-67904
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1709.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	100	109	62 - 135	8	37		
Chlorobenzene	92	102	72 - 127	10	22		
1,1-Dichloroethylene	112	118	46 - 147	4	30		
Toluene	113	121	68 - 131	7	33		
Trichloroethylene	91	101	56 - 143	10	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67939

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67939/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1341
Date Prepared: 09/18/2008 1341

Analysis Batch: 660-67939
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1815.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67939

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67939/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1140
Date Prepared: 09/18/2008 1140

Analysis Batch: 660-67939
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67939/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1158
Date Prepared: 09/18/2008 1158

Analysis Batch: 660-67939
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1809.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	108	117	62 - 135	9	37		
Chlorobenzene	99	110	72 - 127	11	22		
1,1-Dichloroethylene	119	130	46 - 147	9	30		
Toluene	117	130	68 - 131	10	33		
Trichloroethylene	97	107	56 - 143	10	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67808

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67808/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1252
Date Prepared: 09/16/2008 1252

Analysis Batch: 660-67808
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1613.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67808

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67808/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1201
Date Prepared: 09/16/2008 1201

Analysis Batch: 660-67808
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1610.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67808/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1218
Date Prepared: 09/16/2008 1218

Analysis Batch: 660-67808
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1611.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	92	81	50 - 150	14	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-67808

Method: 8260C_SIM
Preparation: 5030B

MS Lab Sample ID:	660-25123-2	Analysis Batch:	660-67808	Instrument ID:	BVMH GC/MS
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	1HI1634.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	09/16/2008 1855			Final Weight/Volume:	5 mL
Date Prepared:	09/16/2008 1855				

MSD Lab Sample ID:	660-25123-2	Analysis Batch:	660-67808	Instrument ID:	BVMH GC/MS
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	1HI1635.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	09/16/2008 1912			Final Weight/Volume:	5 mL
Date Prepared:	09/16/2008 1912				

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
1,4-Dioxane	62	117	50 - 150	21	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67861

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67861/9
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 2313
Date Prepared: 09/16/2008 2313

Analysis Batch: 660-67861
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1612.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67861

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67861/7
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 2204
Date Prepared: 09/16/2008 2204

Analysis Batch: 660-67861
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1608.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67861/8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 2221
Date Prepared: 09/16/2008 2221

Analysis Batch: 660-67861
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1609.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	112	98	50 - 150	13	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-67861

Method: 8260C_SIM
Preparation: 5030B

MS Lab Sample ID:	660-25123-21	Analysis Batch: 660-67861	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 2HI1633.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/17/2008 0514		Final Weight/Volume: 5 mL
Date Prepared:	09/17/2008 0514		

MSD Lab Sample ID:	660-25123-21	Analysis Batch: 660-67861	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 2HI1634.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/17/2008 0531		Final Weight/Volume: 5 mL
Date Prepared:	09/17/2008 0531		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
1,4-Dioxane	71	79	50 - 150	11	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67938

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67938/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1341
Date Prepared: 09/18/2008 1341

Analysis Batch: 660-67938
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1815.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67938

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67938/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1140
Date Prepared: 09/18/2008 1140

Analysis Batch: 660-67938
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67938/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1158
Date Prepared: 09/18/2008 1158

Analysis Batch: 660-67938
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1809.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	73	91	50 - 150	23	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67776

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-67776/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1304
Date Prepared: 09/16/2008 0749

Analysis Batch: 660-67813
Prep Batch: 660-67776
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Aluminum	0.050	U	0.050	0.20
Iron	0.050	U	0.050	0.20

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67776

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-67776/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1308
Date Prepared: 09/16/2008 0749

Analysis Batch: 660-67813
Prep Batch: 660-67776
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-67776/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/16/2008 1313
Date Prepared: 09/16/2008 0749

Analysis Batch: 660-67813
Prep Batch: 660-67776
Units: mg/L

Instrument ID: TJA ICP
Lab File ID: 8I16B
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Aluminum	102	102	75 - 125	0	20		
Iron	105	102	75 - 125	3	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Method Blank - Batch: 660-67876

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-67876/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 0917
Date Prepared: 09/17/2008 1001

Analysis Batch: 660-67940
Prep Batch: 660-67876
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 8I18A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Aluminum	0.050	U	0.050	0.20
Iron	0.050	U	0.050	0.20

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67876

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-67876/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 0923
Date Prepared: 09/17/2008 1001

Analysis Batch: 660-67940
Prep Batch: 660-67876
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 8I18A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-67876/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 0928
Date Prepared: 09/17/2008 1001

Analysis Batch: 660-67940
Prep Batch: 660-67876
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 8I18A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Aluminum	106	106	75 - 125	0	20		
Iron	100	102	75 - 125	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-67876

Method: 6010B
Preparation: 3005A
Total Recoverable

MS Lab Sample ID:	660-25123-32	Analysis Batch: 660-67940	Instrument ID: TJA ICP TRACE
Client Matrix:	Water	Prep Batch: 660-67876	Lab File ID: 8I18A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/18/2008 0946		Final Weight/Volume: 50 mL
Date Prepared:	09/17/2008 1001		

MSD Lab Sample ID:	660-25123-32	Analysis Batch: 660-67940	Instrument ID: TJA ICP TRACE
Client Matrix:	Water	Prep Batch: 660-67876	Lab File ID: 8I18A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/18/2008 0951		Final Weight/Volume: 50 mL
Date Prepared:	09/17/2008 1001		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Aluminum	113	112	75 - 125	1	20		
Iron	107	102	75 - 125	2	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
1	PIN24-0801	9-12-08	0800	JPC	3		3								
2	PIN12-S30B-N001	9-12-08	0955	JPC JWW	4		3	1							
3	PIN12-S33C-N001	9-12-08	1059	JPC JWW	4		3	1							
4	PIN12-S35B-N001	9-12-08	1137	JPC JWW	4		3	1							
5	PIN20-M015-N001	9-12-08	1493	JPC JWW	3		3								
6	PIN20-M001-N001	9-12-08	1441	JPC JWW	3		3								
7	PIN24-0500	9-12-08	1443	JPC JWW	3		3								
8	PIN20-M064-N001	9-12-08	1558	JPC JWW	3		3								
9	PIN12-0553A-N001	9-13-08	0908	JWW DS	3		3								
10	PIN12-0553B-N001	9-13-08	0936	JW DS	3		3								
11	PIN12-0553C-N001	9-13-08	1009	JW DS	3		3								
12	PIN12-0554A-N001	9-13-08	1046	JW DS	3		3								
13	PIN12-0554B-N001	9-13-08	1114	JW DS	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-15-08	0935	[signature]	9/15/08	0935	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/15/08	1025	Carol McNulty	9/15/08	1025	

2x3°C CU04

log 25723

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
14	PIN12-0554C-N001	9-13-08	1315	DS JW	3		3								
15	PIN12-0555A-N001	9-13-08	1401	DS JW	3		3								
16	PIN12-0555B-N001	9-13-08	1430	DS JW	3		3								
17	PIN12-0555C-N001	9-13-08	1510	DS JW	3		3								
18	PIN12-0552-1-N001	9-14-08	0914	DS	4			4							
19	PIN12-0552-2-N001	9-14-08	1006 ~~1014~~	DS	4			4							
20	PIN12-0552-3-N001	9-14-08	1049	DS	4			4							
21	PIN12-0550-1-N001	9-14-08	1130	DS	4			4							
22	PIN12-0550-2-N001	9-14-08	1205	DS	4			4							

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-15-08	0935	[signature]	9/15/08	0935	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/15/08	1025	Carol McNulty	9/15/08	1025	

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
1	PIN24-0701	9-12-08	0900	TZ/SC	3		3								
2	PIN15-0566-N001	9-12-08	0957	TZ/SC	1	1									
3	PIN15-0567-N001	9-12-08	1026	TZ/SC	5	1		4							
4	PIN24-0507	9-12-08	1040	TZ/SC	5	1		4							
5	PIN15-M16D-N001	9-12-08	1107	TZ/SC	1	1									
6	PIN15-0584-N001	9-12-08	1442	TZ/SC	4	1	3								
7	PIN15-M32S-N001	9-12-08	1522	TZ/SC	1	1									
8	PIN15-M32D-N001	9-12-08	1544	TZ/SC	1	1									
9	PIN15-0560-N001	9-12-08	1607	TZ/SC	1	1									
10	PIN15-0561-N001	9-12-08	1644	TZ/SC	1	1									
11	PIN12-0558A-N001	9-13-08	0906	TZ/SC	3		3								
12	PIN12-0558B-N001	9-13-08	0934	TZ/SC	3		3								
13	PIN12-0558C-N001	9-13-08	1015	TZ/SC	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
Sam Campbell	9-15-08	1135	[illegible]	9/15/08	0935	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/15/08	1115	Carol McNulty	9/15/08	1025	

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
15	PIN12-0557A-N001	9-13-08	1115	TZ/SC	3		3								
16	PIN12-0557B-N001	9-13-08	1312	TZ/SC	3		3								
17	PIN12-0557C-N001	9-13-08	1340	TZ/SC	3		3								
18	PIN12-0556A-N001	9-13-08	1435	TZ/SC	3		3								
19	PIN12-0556B-N001	9-13-08	1534	TZ/SC	3		3								
20	PIN12-0556C-N001	9-13-08	1606	TZ/SC	3		3								
21	PIN12-0541-N001	9-14-08	0849	TZ/SC	3		3								
22	PIN12-0542-N001	9-14-08	0926	TZ/SC	3		3								
23	PIN12-0549-N001	9-14-08	0956	TZ/SC	3		3								
24	PIN12-0537-N001	9-14-08	1047	TZ/SC	3		3								
25	PIN12-0538-N001	9-14-08	1116	TZ/SC	3		3								
26	PIN12-0547-N001	9-14-08	1221	TZ/SC	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[illegible]	9-15-08	0935	[illegible]	9/15/08	0935	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/15/08	1025	Carol McNulty	9/15/08	1025	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Tampa, FL

PRESERVATION CONFIRMATION FORM

JOB NUMBER: 25123 Logged in TALS By : Carol McNulty

Cooler Received on (date) 9/15/08 And Opened By (full name): Amanda Damron

1. Shipper (circle one) FEDEX UPS DHL WALK-IN (COURIER) OTHER: _____

2. Tracking # _____

3. Temperature of rep. sample or temp blank when opened: ~~3, 4, 4~~ 3, 3 cam 9/15/08 Degrees Celsius

4. Number of H2SO4 (sulfuric acid) preserved containers: 0

All containers pH < 2 ? N/A If not please comment below:

N/A

5. Number of HNO3 (nitric acid) preserved containers: 9

All containers pH ≤ 2 ? yes If not please comment below:

N/A

6. Number of NaOH (sodium hydroxide) preserved containers: 0

All containers pH >12 ? N/A If not please comment below:

N/A

7. Number of Unpreserved containers: 0

All containers pH between 6 and 8? N/A If not please comment below:

N/A

8. Was chlorine present in any of the unpreserved containers? N/A

If yes, which samples? N/A

Login Sample Receipt Check List

Client: S.M. Stoller Corporation

Job Number: 660-25123-1

Login Number: 25123
Creator: McNulty, Carol
List Number: 1

List Source: TestAmerica Tampa

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	2 x 3 degrees C CU-04
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	for Pin15-0566-N001 bottle says 0567 went by time
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 660-25198-1

Job Description: Star Center

For:
S.M. Stoller Corporation
2597 B 3/4 Road
Grand Junction, CO 81503

Attention: Mr. Charles Tabor

Nancy Robertson
Project Manager II
nancy.robertson@testamericainc.com
09/30/2008

Methods: FDEP, DOH Certification #: E84282, E81005, E81010 These test results meet all the requirements of NELAC unless specified in the case narrative. All questions regarding this test report should be directed to the TestAmerica Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request. The results contained in this test report relate only to these samples included herein.

Case Narrative:	TestAmerica Project 660-25198	
Date:	September 30, 2008	
Client:	S.M. Stoller Corporation	
Project:	Star Center	
Laboratory:	TestAmerica Tampa	
Analysis Requested:	8260B, 6010B, 8260C_SIM	

Twenty-four liquid samples were received in good condition on 9.17.08 and logged in as TestAmerica Project 660-25198. The samples are identified as follows:

STL Log No.	Sample ID	Date Collected
660-25198-1	PIN24-0603	9/17/2008
660-25198-2	PIN12-0534-N001	9/17/2008
660-25198-3	PIN12-0545-N001	9/17/2008
660-25198-4	PIN12-0536-N001	9/17/2008
660-25198-5	PIN12-0546-N001	9/17/2008
660-25198-6	PIN15-0578-N001	9/15/2008
660-25198-7	PIN15-0577-N001	9/15/2008
660-25198-8	PIN15-0575-N001	9/15/2008
660-25198-9	PIN15-0576-N001	9/15/2008
660-25198-10	PIN15-0574-N001	9/15/2008
660-25198-11	PIN24-0702	9/15/2008
660-25198-12	PIN15-0573-N001	9/15/2008
660-25198-13	PIN15-0590-N001	9/15/2008
660-25198-14	PIN15-0591-N001	9/15/2008
660-25198-15	PIN15-0589-N001	9/15/2008
660-25198-16	PIN15-0586-N001	9/16/2008
660-25198-17	PIN15-0592-N001	9/16/2008
660-25198-18	PIN15-0569-N001	9/16/2008
660-25198-19	PIN24-0503	9/16/2008
660-25198-20	PIN12-0543-N001	9/16/2008
660-25198-21	PIN12-0531-N001	9/16/2008
660-25198-22	PIN12-0532-N001	9/16/2008
660-25198-23	PIN12-0544-N001	9/16/2008
660-25198-24	PIN12-0533-N001	9/16/2008

6010 Metals

The Percent Recovery for Aluminum in the MS associated with sample PIN15-0578-N001was outside QC limits. The LCS/LCSD indicated acceptable method performance. The sample is flagged with N.

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25198-6	**PIN15-0578-N001**					
Total Recoverable						
Aluminum		0.37	N	0.20	mg/L	6010B
Iron		0.57		0.20	mg/L	6010B
660-25198-7	**PIN15-0577-N001**					
Total Recoverable						
Aluminum		0.22		0.20	mg/L	6010B
Iron		8.6		0.20	mg/L	6010B
660-25198-8	**PIN15-0575-N001**					
Total Recoverable						
Aluminum		0.068	B	0.20	mg/L	6010B
Iron		2.0		0.20	mg/L	6010B
660-25198-9	**PIN15-0576-N001**					
Total Recoverable						
Aluminum		0.075	B	0.20	mg/L	6010B
Iron		0.57		0.20	mg/L	6010B
660-25198-10	**PIN15-0574-N001**					
Total Recoverable						
Aluminum		0.073	B	0.20	mg/L	6010B
Iron		3.5		0.20	mg/L	6010B
660-25198-12	**PIN15-0573-N001**					
Total Recoverable						
Aluminum		0.11	B	0.20	mg/L	6010B
Iron		1.3		0.20	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25198-13	**PIN15-0590-N001**					
Benzene		5.2		1.0	ug/L	8260B
Toluene		0.56	J	1.0	ug/L	8260B
Vinyl chloride		1.8		1.0	ug/L	8260B
Total Recoverable						
Aluminum		1.3		0.20	mg/L	6010B
Iron		0.77		0.20	mg/L	6010B
660-25198-14	**PIN15-0591-N001**					
Benzene		0.59	J	1.0	ug/L	8260B
cis-1,2-Dichloroethylene		130		5.0	ug/L	8260B
trans-1,2-Dichloroethylene		3.2		1.0	ug/L	8260B
Trichloroethylene		0.94	J	1.0	ug/L	8260B
Vinyl chloride		27		1.0	ug/L	8260B
1,4-Dioxane		5.8		5.0	ug/L	8260C_SIM
Total Recoverable						
Aluminum		0.31		0.20	mg/L	6010B
Iron		1.8		0.20	mg/L	6010B
660-25198-15	**PIN15-0589-N001**					
Benzene		48		1.0	ug/L	8260B
cis-1,2-Dichloroethylene		1100		50	ug/L	8260B
1,1-Dichloroethylene		5.1		1.0	ug/L	8260B
1,2-Dichloroethane		1.2		1.0	ug/L	8260B
Ethylbenzene		16		1.0	ug/L	8260B
m,p-Xylene		19		2.0	ug/L	8260B
o-Xylene		12		1.0	ug/L	8260B
Toluene		1600		50	ug/L	8260B
trans-1,2-Dichloroethylene		30		1.0	ug/L	8260B
Trichloroethylene		8.4		1.0	ug/L	8260B
Vinyl chloride		2400		50	ug/L	8260B
1,4-Dioxane		1.6		1.0	ug/L	8260C_SIM
Total Recoverable						
Aluminum		4.6		0.20	mg/L	6010B
Iron		10		0.20	mg/L	6010B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
660-25198-16	**PIN15-0586-N001**				
Benzene		2.8	1.0	ug/L	8260B
cis-1,2-Dichloroethylene		1100	20	ug/L	8260B
1,1-Dichloroethylene		6.4	1.0	ug/L	8260B
Toluene		12	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		35	1.0	ug/L	8260B
Trichloroethylene		120	1.0	ug/L	8260B
Vinyl chloride		540	10	ug/L	8260B
Total Recoverable					
Aluminum		8.5	0.20	mg/L	6010B
Iron		11	0.20	mg/L	6010B
660-25198-17	**PIN15-0592-N001**				
Benzene		12	1.0	ug/L	8260B
Total Recoverable					
Aluminum		1.1	0.20	mg/L	6010B
Iron		3.0	0.20	mg/L	6010B
660-25198-18	**PIN15-0569-N001**				
Vinyl chloride		9.9	1.0	ug/L	8260B
Total Recoverable					
Aluminum		3.6	0.20	mg/L	6010B
Iron		3.6	0.20	mg/L	6010B
660-25198-19	**PIN24-0503**				
cis-1,2-Dichloroethylene		160	5.0	ug/L	8260B
1,1-Dichloroethylene		9.9	1.0	ug/L	8260B
1,1-Dichloroethane		1.1	1.0	ug/L	8260B
trans-1,2-Dichloroethylene		2.6	1.0	ug/L	8260B
Vinyl chloride		43	1.0	ug/L	8260B
660-25198-20	**PIN12-0543-N001**				
cis-1,2-Dichloroethylene		3.1	1.0	ug/L	8260B
Vinyl chloride		2.7	1.0	ug/L	8260B
660-25198-22	**PIN12-0532-N001**				
Vinyl chloride		9.0	1.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25198-23	**PIN12-0544-N001**					
Vinyl chloride		0.66	J	1.0	ug/L	8260B

METHOD SUMMARY

Client: S.M. Stoller Corporation | Job Number: 660-25198-1

Description	Lab Location	Method	Preparation Method
Matrix Water			
Volatile Organic Compounds (GC/MS)	TAL TAM	SW846 8260B	
Purge and Trap	TAL TAM		SW846 5030B
1,4-Dioxane by SIM	TAL TAM	SW846 8260C_SIM	
Purge and Trap	TAL TAM		SW846 5030B
Metals (ICP)	TAL TAM	SW846 6010B	
Preparation, Total Recoverable or Dissolved Metals	TAL TAM		SW846 3005A

Lab References:

TAL TAM = TestAmerica Tampa

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Method	Analyst	Analyst ID
SW846 8260B	Carlson, Robyn	RC
SW846 8260C_SIM	Carlson, Robyn	RC
SW846 6010B	Fox, Greg	GF

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-25198-1	PIN24-0603	Water	09/17/2008 0740	09/17/2008 1200
660-25198-2	PIN12-0534-N001	Water	09/17/2008 0840	09/17/2008 1200
660-25198-3	PIN12-0545-N001	Water	09/17/2008 0915	09/17/2008 1200
660-25198-4	PIN12-0536-N001	Water	09/17/2008 1005	09/17/2008 1200
660-25198-5	PIN12-0546-N001	Water	09/17/2008 1055	09/17/2008 1200
660-25198-6	PIN15-0578-N001	Water	09/15/2008 0859	09/17/2008 1200
660-25198-7	PIN15-0577-N001	Water	09/15/2008 0928	09/17/2008 1200
660-25198-8	PIN15-0575-N001	Water	09/15/2008 1002	09/17/2008 1200
660-25198-9	PIN15-0576-N001	Water	09/15/2008 1020	09/17/2008 1200
660-25198-10	PIN15-0574-N001	Water	09/15/2008 1055	09/17/2008 1200
660-25198-11	PIN24-0702	Water	09/15/2008 1130	09/17/2008 1200
660-25198-12	PIN15-0573-N001	Water	09/15/2008 1251	09/17/2008 1200
660-25198-13	PIN15-0590-N001	Water	09/15/2008 1354	09/17/2008 1200
660-25198-14	PIN15-0591-N001	Water	09/15/2008 1434	09/17/2008 1200
660-25198-15	PIN15-0589-N001	Water	09/15/2008 1615	09/17/2008 1200
660-25198-16	PIN15-0586-N001	Water	09/16/2008 0858	09/17/2008 1200
660-25198-17	PIN15-0592-N001	Water	09/16/2008 1011	09/17/2008 1200
660-25198-18	PIN15-0569-N001	Water	09/16/2008 0000	09/17/2008 1200
660-25198-19	PIN24-0503	Water	09/16/2008 1040	09/17/2008 1200
660-25198-20	PIN12-0543-N001	Water	09/16/2008 1300	09/17/2008 1200
660-25198-21	PIN12-0531-N001	Water	09/16/2008 1353	09/17/2008 1200
660-25198-22	PIN12-0532-N001	Water	09/16/2008 1430	09/17/2008 1200
660-25198-23	PIN12-0544-N001	Water	09/16/2008 1502	09/17/2008 1200
660-25198-24	PIN12-0533-N001	Water	09/16/2008 1624	09/17/2008 1200

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN24-0603**

Lab Sample ID: 660-25198-1
Client Matrix: Water

Date Sampled: 09/17/2008 0740
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1707
Date Prepared: 09/18/2008 1707

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1827.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0534-N001**

Lab Sample ID: 660-25198-2
Client Matrix: Water

Date Sampled: 09/17/2008 0840
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1742
Date Prepared: 09/18/2008 1742

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1829.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0545-N001**

Lab Sample ID: 660-25198-3
Client Matrix: Water

Date Sampled: 09/17/2008 0915
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1759
Date Prepared: 09/18/2008 1759

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1830.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	118	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0536-N001**

Lab Sample ID: 660-25198-4
Client Matrix: Water

Date Sampled: 09/17/2008 1005
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1816
Date Prepared: 09/18/2008 1816

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1831.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	115	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0546-N001**

Lab Sample ID: 660-25198-5
Client Matrix: Water

Date Sampled: 09/17/2008 1055
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1833
Date Prepared: 09/18/2008 1833

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1832.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	116	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN24-0702**

Lab Sample ID: 660-25198-11
Client Matrix: Water

Date Sampled: 09/15/2008 1130
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1725
Date Prepared: 09/18/2008 1725

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1828.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	109	74 - 126
Toluene-d8 (Surr)	115	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0590-N001**

Lab Sample ID: 660-25198-13
Client Matrix: Water

Date Sampled: 09/15/2008 1354
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1851
Date Prepared: 09/18/2008 1851

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1833.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	5.2		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.56	J	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	1.8		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	109	74 - 126
Toluene-d8 (Surr)	115	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0591-N001**

Lab Sample ID: 660-25198-14
Client Matrix: Water

Date Sampled: 09/15/2008 1434
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1912
Date Prepared: 09/18/2008 1912

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1834.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.59	J	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	3.2		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.94	J	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	27		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	100	74 - 126
Toluene-d8 (Surr)	119	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0591-N001**

Lab Sample ID: 660-25198-14
Client Matrix: Water

Date Sampled: 09/15/2008 1434
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/19/2008 1935
Date Prepared: 09/19/2008 1935

Analysis Batch: 660-68045
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1925.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	130		3.2	5.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0589-N001**

Lab Sample ID: 660-25198-15
Client Matrix: Water

Date Sampled: 09/15/2008 1615
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1929
Date Prepared: 09/18/2008 1929

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1835.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	48		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	5.1		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	1.2		0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	16		0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	19		0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	12		0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
trans-1,2-Dichloroethylene	30		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	8.4		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	108	74 - 126
Toluene-d8 (Surr)	118	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0589-N001**

Lab Sample ID: 660-25198-15
Client Matrix: Water

Date Sampled: 09/15/2008 1615
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 50
Date Analyzed: 09/19/2008 1901
Date Prepared: 09/19/2008 1901

Analysis Batch: 660-68045
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1923.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	1100		32	50
Toluene	1600		26	50
Vinyl chloride	2400		25	50

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0586-N001**

Lab Sample ID: 660-25198-16
Client Matrix: Water

Date Sampled: 09/16/2008 0858
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1946
Date Prepared: 09/18/2008 1946

Analysis Batch: 660-67939

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1836.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	2.8		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	6.4		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	12		0.51	1.0
trans-1,2-Dichloroethylene	35		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	120		0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	117	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0586-N001**

Lab Sample ID: 660-25198-16
Client Matrix: Water

Date Sampled: 09/16/2008 0858
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 10
Date Analyzed: 09/19/2008 1918
Date Prepared: 09/19/2008 1918

Analysis Batch: 660-68045
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1924.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	540		5.0	10

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0586-N001**

Lab Sample ID: 660-25198-16
Client Matrix: Water

Date Sampled: 09/16/2008 0858
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 20
Date Analyzed: 09/22/2008 1418
Date Prepared: 09/22/2008 1418

Analysis Batch: 660-68107
Run Type: DL2

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2218.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	1100		13	20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0592-N001**

Lab Sample ID: 660-25198-17
Client Matrix: Water

Date Sampled: 09/16/2008 1011
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1752
Date Prepared: 09/19/2008 1752

Analysis Batch: 660-68045

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1919.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	12		0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0569-N001**

Lab Sample ID: 660-25198-18
Client Matrix: Water

Date Sampled: 09/16/2008 0000
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0404
Date Prepared: 09/19/2008 0404

Analysis Batch: 660-68020

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1824.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	9.9		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	118	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN24-0503**

Lab Sample ID: 660-25198-19
Client Matrix: Water

Date Sampled: 09/16/2008 1040
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0421
Date Prepared: 09/19/2008 0421

Analysis Batch: 660-68020

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1825.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	9.9		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.1		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	2.6		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	43		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN24-0503**

Lab Sample ID: 660-25198-19
Client Matrix: Water

Date Sampled: 09/16/2008 1040
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/19/2008 1844
Date Prepared: 09/19/2008 1844

Analysis Batch: 660-68045
Run Type: DL

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1922.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	160		3.2	5.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0543-N001**

Lab Sample ID: 660-25198-20
Client Matrix: Water

Date Sampled: 09/16/2008 1300
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0439
Date Prepared: 09/19/2008 0439

Analysis Batch: 660-68020

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1826.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	3.1		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	2.7		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	115	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0531-N001**

Lab Sample ID: 660-25198-21
Client Matrix: Water

Date Sampled: 09/16/2008 1353
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0456
Date Prepared: 09/19/2008 0456

Analysis Batch: 660-68020

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1827.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	119	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0532-N001**

Lab Sample ID: 660-25198-22
Client Matrix: Water

Date Sampled: 09/16/2008 1430
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0513
Date Prepared: 09/19/2008 0513

Analysis Batch: 660-68020

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1828.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	9.0		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	109	74 - 126
Toluene-d8 (Surr)	116	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0544-N001**

Lab Sample ID: 660-25198-23
Client Matrix: Water

Date Sampled: 09/16/2008 1502
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0530
Date Prepared: 09/19/2008 0530

Analysis Batch: 660-68020

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1829.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.66	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0533-N001**

Lab Sample ID: 660-25198-24
Client Matrix: Water

Date Sampled: 09/16/2008 1624
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0547
Date Prepared: 09/19/2008 0547

Analysis Batch: 660-68020

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1830.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	107	74 - 126
Toluene-d8 (Surr)	120	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0590-N001**

Lab Sample ID: 660-25198-13
Client Matrix: Water

Date Sampled: 09/15/2008 1354
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1851
Date Prepared: 09/18/2008 1851

Analysis Batch: 660-67938

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1833.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0591-N001**

Lab Sample ID: 660-25198-14
Client Matrix: Water

Date Sampled: 09/15/2008 1434
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/19/2008 1935
Date Prepared: 09/19/2008 1935

Analysis Batch: 660-68044

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1925.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	5.8		2.7	5.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0589-N001**

Lab Sample ID: 660-25198-15
Client Matrix: Water

Date Sampled: 09/15/2008 1615
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1929
Date Prepared: 09/18/2008 1929

Analysis Batch: 660-67938

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1835.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	1.6		0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN15-0586-N001**

Lab Sample ID: 660-25198-16
Client Matrix: Water

Date Sampled: 09/16/2008 0858
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/18/2008 1946
Date Prepared: 09/18/2008 1946

Analysis Batch: 660-67938

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1836.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: **PIN12-0543-N001**

Lab Sample ID: 660-25198-20
Client Matrix: Water

Date Sampled: 09/16/2008 1300
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0439
Date Prepared: 09/19/2008 0439

Analysis Batch: 660-68028

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1826.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0578-N001

Lab Sample ID: 660-25198-6
Client Matrix: Water

Date Sampled: 09/15/2008 0859
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 0919
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.37	N	0.050	0.20
Iron	0.57		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0577-N001

Lab Sample ID: 660-25198-7
Client Matrix: Water

Date Sampled: 09/15/2008 0928
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 0942
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.22		0.050	0.20
Iron	8.6		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0575-N001

Lab Sample ID:	660-25198-8	Date Sampled:	09/15/2008 1002
Client Matrix:	Water	Date Received:	09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-68524		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-68239		Lab File ID:	8I26A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/29/2008 0947			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2008 0949				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.068	B	0.050	0.20
Iron	2.0		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0576-N001

Lab Sample ID: 660-25198-9
Client Matrix: Water

Date Sampled: 09/15/2008 1020
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1005
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.075	B	0.050	0.20
Iron	0.57		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0574-N001

Lab Sample ID: 660-25198-10
Client Matrix: Water

Date Sampled: 09/15/2008 1055
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1011
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.073	B	0.050	0.20
Iron	3.5		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0573-N001

Lab Sample ID: 660-25198-12
Client Matrix: Water

Date Sampled: 09/15/2008 1251
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1016
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.11	B	0.050	0.20
Iron	1.3		0.050	0.20

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0590-N001

Lab Sample ID:	660-25198-13	Date Sampled:	09/15/2008 1354
Client Matrix:	Water	Date Received:	09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-68524		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-68239		Lab File ID:	8I26A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/29/2008 1022			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2008 0949				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.3		0.050	0.20
Iron	0.77		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0591-N001

Lab Sample ID: 660-25198-14
Client Matrix: Water

Date Sampled: 09/15/2008 1434
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1028
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.31		0.050	0.20
Iron	1.8		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0589-N001

Lab Sample ID: 660-25198-15
Client Matrix: Water

Date Sampled: 09/15/2008 1615
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1034
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	4.6		0.050	0.20
Iron	10		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0586-N001

Lab Sample ID: 660-25198-16
Client Matrix: Water

Date Sampled: 09/16/2008 0858
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1040
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	8.5		0.050	0.20
Iron	11		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0592-N001

Lab Sample ID: 660-25198-17
Client Matrix: Water

Date Sampled: 09/16/2008 1011
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1045
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	1.1		0.050	0.20
Iron	3.0		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Client Sample ID: PIN15-0569-N001

Lab Sample ID: 660-25198-18
Client Matrix: Water

Date Sampled: 09/16/2008 0000
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1051
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	3.6		0.050	0.20
Iron	3.6		0.050	0.20

DATA REPORTING QUALIFIERS

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Analyzed for but not detected.
	J	Indicates an estimated value.
Metals		
	U	Indicates analyzed for but not detected.
	N	Spiked sample recovery is not within control limits.
	B	Value less than contract required detection limit but greater than or equal to the Method Detection Limit

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Method Blank - Batch: 660-67939

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67939/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1341
Date Prepared: 09/18/2008 1341

Analysis Batch: 660-67939
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1815.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	110	74 - 126
Toluene-d8 (Surr)	111	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67939

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67939/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1140
Date Prepared: 09/18/2008 1140

Analysis Batch: 660-67939
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67939/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1158
Date Prepared: 09/18/2008 1158

Analysis Batch: 660-67939
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1809.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	108	117	62 - 135	9	37		
Chlorobenzene	99	110	72 - 127	11	22		
1,1-Dichloroethylene	119	130	46 - 147	9	30		
Toluene	117	130	68 - 131	10	33		
Trichloroethylene	97	107	56 - 143	10	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Method Blank - Batch: 660-68020

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-68020/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 0038
Date Prepared: 09/19/2008 0038

Analysis Batch: 660-68020
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1812.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68020

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68020/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 2329
Date Prepared: 09/18/2008 2329

Analysis Batch: 660-68020
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68020/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 2346
Date Prepared: 09/18/2008 2346

Analysis Batch: 660-68020
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1809.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	120	125	62 - 135	4	37		
Chlorobenzene	105	113	72 - 127	7	22		
1,1-Dichloroethylene	132	133	46 - 147	1	30		
Toluene	122	130	68 - 131	6	33		
Trichloroethylene	112	124	56 - 143	10	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-68020

Method: 8260B
Preparation: 5030B

MS Lab Sample ID:	660-25198-20	Analysis Batch:	660-68020	Instrument ID:	BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A		Lab File ID:	1HI1920.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	09/19/2008 1809			Final Weight/Volume:	5 mL
Date Prepared:	09/19/2008 1809				

MSD Lab Sample ID:	660-25198-20	Analysis Batch:	660-68020	Instrument ID:	BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A		Lab File ID:	1HI1921.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	09/19/2008 1826			Final Weight/Volume:	5 mL
Date Prepared:	09/19/2008 1826				

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	115	114	62 - 135	2	37		
Chlorobenzene	102	102	72 - 127	0	22		
1,1-Dichloroethylene	123	125	46 - 147	1	30		
Toluene	121	124	68 - 131	2	33		
Trichloroethylene	106	104	56 - 143	2	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Method Blank - Batch: 660-68045

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-68045/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 1626
Date Prepared: 09/19/2008 1626

Analysis Batch: 660-68045
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1914.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	105	74 - 126
Toluene-d8 (Surr)	112	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68045

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68045/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 1457
Date Prepared: 09/19/2008 1457

Analysis Batch: 660-68045
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1909.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68045/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 1534
Date Prepared: 09/19/2008 1534

Analysis Batch: 660-68045
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1911.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	113	118	62 - 135	4	37		
Chlorobenzene	99	105	72 - 127	6	22		
1,1-Dichloroethylene	119	128	46 - 147	7	30		
Toluene	118	126	68 - 131	6	33		
Trichloroethylene	106	109	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Method Blank - Batch: 660-68107

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-68107/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/22/2008 1309
Date Prepared: 09/22/2008 1309

Analysis Batch: 660-68107
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2214.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	106	74 - 126
Toluene-d8 (Surr)	113	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68107

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68107/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/22/2008 1142
Date Prepared: 09/22/2008 1142

Analysis Batch: 660-68107
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2209.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68107/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/22/2008 1159
Date Prepared: 09/22/2008 1159

Analysis Batch: 660-68107
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI2210.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	108	109	62 - 135	1	37		
Chlorobenzene	100	97	72 - 127	3	22		
1,1-Dichloroethylene	124	119	46 - 147	4	30		
Toluene	114	107	68 - 131	7	33		
Trichloroethylene	99	103	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Method Blank - Batch: 660-67938

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67938/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1341
Date Prepared: 09/18/2008 1341

Analysis Batch: 660-67938
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1815.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67938

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67938/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1140
Date Prepared: 09/18/2008 1140

Analysis Batch: 660-67938
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67938/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1158
Date Prepared: 09/18/2008 1158

Analysis Batch: 660-67938
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1809.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	73	91	50 - 150	23	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Method Blank - Batch: 660-68028

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-68028/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 0038
Date Prepared: 09/19/2008 0038

Analysis Batch: 660-68028
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1812.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68028

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68028/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 2329
Date Prepared: 09/18/2008 2329

Analysis Batch: 660-68028
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68028/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 2346
Date Prepared: 09/18/2008 2346

Analysis Batch: 660-68028
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 2HI1809.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	90	85	50 - 150	5	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-68028

Method: 8260C_SIM
Preparation: 5030B

MS Lab Sample ID:	660-25198-20	Analysis Batch: 660-68028	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1920.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/19/2008 1809		Final Weight/Volume: 5 mL
Date Prepared:	09/19/2008 1809		

MSD Lab Sample ID:	660-25198-20	Analysis Batch: 660-68028	Instrument ID: BVMH GC/MS
Client Matrix:	Water	Prep Batch: N/A	Lab File ID: 1HI1921.D
Dilution:	1.0		Initial Weight/Volume: 5 mL
Date Analyzed:	09/19/2008 1826		Final Weight/Volume: 5 mL
Date Prepared:	09/19/2008 1826		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
1,4-Dioxane	87	89	50 - 150	2	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Method Blank - Batch: 660-68044

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-68044/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 1626
Date Prepared: 09/19/2008 1626

Analysis Batch: 660-68044
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1914.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68044

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68044/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 1440
Date Prepared: 09/19/2008 1440

Analysis Batch: 660-68044
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1908.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68044/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 1457
Date Prepared: 09/19/2008 1457

Analysis Batch: 660-68044
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMH GC/MS
Lab File ID: 1HI1909.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	84	81	50 - 150	3	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Method Blank - Batch: 660-68239

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-68239/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/29/2008 0856
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Aluminum	0.050	U	0.050	0.20
Iron	0.050	U	0.050	0.20

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68239

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-68239/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/29/2008 0901
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-68239/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/29/2008 0907
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Aluminum	108	107	75 - 125	1	20		
Iron	101	101	75 - 125	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 660-68239

Method: 6010B
Preparation: 3005A
Total Recoverable

MS Lab Sample ID:	660-25198-6	Analysis Batch: 660-68524	Instrument ID: TJA ICP TRACE
Client Matrix:	Water	Prep Batch: 660-68239	Lab File ID: 8I26A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/29/2008 0924		Final Weight/Volume: 50 mL
Date Prepared:	09/24/2008 0949		

MSD Lab Sample ID:	660-25198-6	Analysis Batch: 660-68524	Instrument ID: TJA ICP TRACE
Client Matrix:	Water	Prep Batch: 660-68239	Lab File ID: 8I26A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	09/29/2008 0930		Final Weight/Volume: 50 mL
Date Prepared:	09/24/2008 0949		

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Aluminum	127	125	75 - 125	1	20	N	
Iron	102	101	75 - 125	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
1	PIN24-0603	9-17-08	0740	JPC	3		3								
2	PIN12-0534-N001	9-17-08	0840	JPC	3		3								
3	PIN12-0545-N001	9-17-08	0915	JPC	3		3								
4	PIN12-0536-N001	9-17-08	1005	JPC	3		3								
5	PIN12-0546-N001	9-17-08	1055	JPC	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-17-08		[signature]	9/17/08	1100	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/17/08	1200	Carol McNulty	9/17/08	1200	

4°C CU04 Log 25798

09/30/2008

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777, tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
1	PIN15-0578-N001	9-15-08	0859	TZ/SC	1	1									
2	PIN15-0577-N001	9-15-08	0928	TZ/SC	1	1									
3	PIN15-0575-N001	9-15-08	1002	TZ/SC	1	1									
4	PIN15-0576-N001	9-15-08	1020	TZ/SC	1	1									
5	PIN15-0574-N001	9-15-08	1055	TZ/SC	1	1									
6	PIN24-0702	9-15-08	1130	TZ/SC	3		3								
7	PIN15-0573-N001	9-15-08	1251	TZ/SC	1	1									
8	PIN15-0590-N001	9-15-08	1354	TZ/SC	5	1		4							
9	PIN15-0591-N001	9-15-08	1434	TZ/SC	5	1		4							
10	PIN15-0589-N001	9-15-08	1615	TZ/WF	5	1		4							
11	PIN15-0586-N001	9-16-08	0858	TZ/SC	5	1		4							
12	PIN15-0592-N001	9-16-08	1011	TZ/SC	4	1	3								
13	PIN15-0569-N001	9-16-08		TZ/SC	4	1	3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
Sam Campbell	9-17-08	1100	[illegible]	9/17/08	1100	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[illegible]	9/17/08	1200	Carol McNulty	9/17/08	1200	

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa
6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
14	PIN24-0503	9-16-08	1040	JPC	3		3								
15	PIN12-0543-N001	9-16-08	1300	JPC	4			4							
16	PIN12-0531-N001	9-16-08	1353	JPC	3		3								
17	PIN12-0532-N001	9-16-08	1430	JPC	3		3								
18	PIN12-0544-N001	9-16-08	1502	JPC	3		3								
19	PIN12-0533-N001	9-16-08	1629 ~~1630~~	JPC	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-17-08	1100	[signature]	9/17/08	1100	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/17/08	1200	Carol McHutchy	9/17/08	1200	

09/30/2008

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

PRESERVATION CONFIRMATION FORM

Tampa, FL

JOB NUMBER: 25198 9/17/08 Logged in TALS By : Carol McNulty

Cooler Received on (date) 9/16/08 cam And Opened By (full name): Jason Fink

1. Shipper (circle one) FEDEX UPS DHL WALK-IN COURIER OTHER: _____

2. Tracking # N/A

3. Temperature of rep. sample or temp blank when opened: 4 Degrees Celsius CU-04

4. Number of H2SO4 (sulfuric acid) preserved containers: _____

   All containers pH < 2 ? _____ If not please comment below:

5. Number of HCL (hydrochloric acid) preserved containers: _____

   All containers pH < 2 ? _____ If not please comment below:

6. Number of HNO3 (nitric acid) preserved containers: 12

   All containers pH < 2 ? yes If not please comment below:

   pin 15-0577-N001 ph=7, pin 15-0575-N001 ph=9, pin 15-0573-N001 ph=8

   pin 15-0591-N001 ph=4,

7. Number of NaOH (sodium hydroxide) preserved containers: _____

   All containers pH >12 ? _____ If not please comment below:

8. Number of Unpreserved containers: _____

   All containers pH between 6 and 8? _____ If not please comment below:

9. Was chlorine present in any of the unpreserved containers? _____

   If yes, which samples? _____

Login Sample Receipt Check List

Client: S.M. Stoller Corporation

Job Number: 660-25198-1

Login Number: 25198
Creator: McNulty, Carol
List Number: 1

List Source: TestAmerica Tampa

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	4 degrees C CU-04
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	pin24-0503 vials say pin21-time matches
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 660-25199-1

Job Description: Star Center

For:
S.M. Stoller Corporation
2597 B 3/4 Road
Grand Junction, CO 81503

Attention: Mr. Charles Tabor

Nancy Robertson
Project Manager II
nancy.robertson@testamericainc.com
09/30/2008

Methods: FDEP, DOH Certification #: E84282, E81005, E81010 These test results meet all the requirements of NELAC unless specified in the case narrative. All questions regarding this test report should be directed to the TestAmerica Project Manager who signed this test report. The estimated uncertainty associated with these reported results is available upon request. The results contained in this test report relate only to these samples included herein.

Case Narrative:	TestAmerica Project 660-25199	
Date:	September 30, 2008	
Client:	S.M. Stoller Corporation	
Project:	Star Center	
Laboratory:	TestAmerica Tampa	
Analysis Requested:	8260B, 8260C_SIM, 6010B	

Thirty-eight liquid samples were received in good condition on 9.17.08 and logged in as TestAmerica Project 660-25199. The samples are identified as follows:

STL Log No.	Sample ID	Date Collected
660-25199-1	PIN24-0802	9/15/2008
660-25199-2	PIN20-M38D-N001	9/15/2008
660-25199-3	PIN20-M035-N001	9/15/2008
660-25199-4	PIN20-M41D-N001	9/15/2008
660-25199-5	PIN20-M40S-N001	9/15/2008
660-25199-6	PIN20-M40D-N001	9/15/2008
660-25199-7	PIN20-M036-N001	9/15/2008
660-25199-8	PIN20-M012-N001	9/15/2008
660-25199-9	PIN20-M011-N001	9/15/2008
660-25199-10	PIN20-M005-N001	9/15/2008
660-25199-11	PIN20-M003-N001	9/15/2008
660-25199-12	PIN20-M22D-N001	9/15/2008
660-25199-13	PIN12-0550-3-N001	9/15/2008
660-25199-14	PIN15-0568-N001	9/16/2008
660-25199-15	PIN15-0559-N001	9/16/2008
660-25199-16	PIN15-0510-N001	9/16/2008
660-25199-17	PIN15-0570-N001	9/16/2008
660-25199-18	PIN24-0602	9/15/2008
660-25199-19	PIN12-S72B-N001	9/15/2008
660-25199-20	PIN12-S72C-N001	9/15/2008
660-25199-21	PIN12-S72D-N001	9/15/2008
660-25199-22	PIN21-0503-N001	9/15/2008
660-25199-23	PIN12-S67B-N001	9/15/2008
660-25199-24	PIN12-S67C-N001	9/15/2008
660-25199-25	PIN12-S67D-N001	9/15/2008
660-25199-26	PIN21-0504-N001	9/16/2008
660-25199-27	PIN21-0505-N001	9/16/2008
660-25199-28	PIN21-0502-N001	9/16/2008
660-25199-29	PIN12-0529-N001	9/16/2008
660-25199-30	PIN12-0530-N001	9/16/2008
660-25199-31	PIN12-0551-1-N001	9/16/2008
660-25199-32	PIN12-0551-2-N001	9/16/2008
660-25199-33	PIN12-0551-3-N001	9/16/2008
660-25199-34	PIN12-0539-N001	9/16/2008
660-25199-35	PIN12-0540-N001	9/16/2008
660-25199-36	PIN12-0548-N001	9/16/2008
660-25199-37	PIN12-0535-N001	9/16/2008
660-25199-38	PIN24-0502	9/16/2008

No QA/QC issues were noted.

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation | Job Number: 660-25199-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25199-3	**PIN20-M035-N001**					
cis-1,2-Dichloroethylene		2.4		1.0	ug/L	8260B
660-25199-12	**PIN20-M22D-N001**					
Vinyl chloride		0.77	J	1.0	ug/L	8260B
660-25199-14	**PIN15-0568-N001**					
Total Recoverable						
Aluminum		0.57		0.20	mg/L	6010B
Iron		0.90		0.20	mg/L	6010B
660-25199-15	**PIN15-0559-N001**					
Total Recoverable						
Aluminum		0.45		0.20	mg/L	6010B
Iron		0.18	B	0.20	mg/L	6010B
660-25199-16	**PIN15-0510-N001**					
Total Recoverable						
Aluminum		0.37		0.20	mg/L	6010B
Iron		1.3		0.20	mg/L	6010B
660-25199-17	**PIN15-0570-N001**					
Total Recoverable						
Aluminum		5.4		0.20	mg/L	6010B
Iron		1.4		0.20	mg/L	6010B
660-25199-20	**PIN12-S72C-N001**					
cis-1,2-Dichloroethylene		1.2		1.0	ug/L	8260B
1,1-Dichloroethylene		0.50	J	1.0	ug/L	8260B
1,1-Dichloroethane		1.8		1.0	ug/L	8260B
660-25199-23	**PIN12-S67B-N001**					
cis-1,2-Dichloroethylene		19		1.0	ug/L	8260B
1,1-Dichloroethane		54		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		4.7		1.0	ug/L	8260B
Vinyl chloride		310		5.0	ug/L	8260B

EXECUTIVE SUMMARY - Detections

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
660-25199-24	**PIN12-S67C-N001**					
cis-1,2-Dichloroethylene		210		2.0	ug/L	8260B
1,1-Dichloroethylene		2.5		1.0	ug/L	8260B
1,1-Dichloroethane		9.6		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		35		1.0	ug/L	8260B
Vinyl chloride		160		2.0	ug/L	8260B
660-25199-25	**PIN12-S67D-N001**					
cis-1,2-Dichloroethylene		29		1.0	ug/L	8260B
1,1-Dichloroethylene		0.53	J	1.0	ug/L	8260B
1,1-Dichloroethane		1.7		1.0	ug/L	8260B
trans-1,2-Dichloroethylene		7.8		1.0	ug/L	8260B
Vinyl chloride		44		1.0	ug/L	8260B
660-25199-30	**PIN12-0530-N001**					
cis-1,2-Dichloroethylene		30		1.0	ug/L	8260B
1,1-Dichloroethylene		1.4		1.0	ug/L	8260B
m,p-Xylene		0.83	J	2.0	ug/L	8260B
trans-1,2-Dichloroethylene		0.68	J	1.0	ug/L	8260B
Vinyl chloride		4.6		1.0	ug/L	8260B
660-25199-35	**PIN12-0540-N001**					
Vinyl chloride		4.9		1.0	ug/L	8260B
1,4-Dioxane		3.2		1.0	ug/L	8260C_SIM

METHOD SUMMARY

Client: S.M. Stoller Corporation | Job Number: 660-25199-1

Description	Lab Location	Method	Preparation Method
Matrix Water			
Volatile Organic Compounds (GC/MS)	TAL TAM	SW846 8260B	
Purge and Trap	TAL TAM		SW846 5030B
1,4-Dioxane by SIM	TAL TAM	SW846 8260C_SIM	
Purge and Trap	TAL TAM		SW846 5030B
Metals (ICP)	TAL TAM	SW846 6010B	
Preparation, Total Recoverable or Dissolved Metals	TAL TAM		SW846 3005A

Lab References:

TAL TAM = TestAmerica Tampa

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Method	Analyst	Analyst ID
SW846 8260B	Mathew, Pinky	PM
SW846 8260C_SIM	Mathew, Pinky	PM
SW846 6010B	Fox, Greg	GF

SAMPLE SUMMARY

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
660-25199-1	PIN24-0802	Water	09/15/2008 0810	09/17/2008 1200
660-25199-2	PIN20-M38D-N001	Water	09/15/2008 0853	09/17/2008 1200
660-25199-3	PIN20-M035-N001	Water	09/15/2008 0925	09/17/2008 1200
660-25199-4	PIN20-M41D-N001	Water	09/15/2008 0953	09/17/2008 1200
660-25199-5	PIN20-M40S-N001	Water	09/15/2008 1025	09/17/2008 1200
660-25199-6	PIN20-M40D-N001	Water	09/15/2008 1045	09/17/2008 1200
660-25199-7	PIN20-M036-N001	Water	09/15/2008 1105	09/17/2008 1200
660-25199-8	PIN20-M012-N001	Water	09/15/2008 1255	09/17/2008 1200
660-25199-9	PIN20-M011-N001	Water	09/15/2008 1325	09/17/2008 1200
660-25199-10	PIN20-M005-N001	Water	09/15/2008 1355	09/17/2008 1200
660-25199-11	PIN20-M003-N001	Water	09/15/2008 1417	09/17/2008 1200
660-25199-12	PIN20-M22D-N001	Water	09/15/2008 1440	09/17/2008 1200
660-25199-13	PIN12-0550-3-N001	Water	09/15/2008 1615	09/17/2008 1200
660-25199-14	PIN15-0568-N001	Water	09/16/2008 1202	09/17/2008 1200
660-25199-15	PIN15-0559-N001	Water	09/16/2008 1255	09/17/2008 1200
660-25199-16	PIN15-0510-N001	Water	09/16/2008 1343	09/17/2008 1200
660-25199-17	PIN15-0570-N001	Water	09/16/2008 1416	09/17/2008 1200
660-25199-18	PIN24-0602	Water	09/15/2008 0830	09/17/2008 1200
660-25199-19	PIN12-S72B-N001	Water	09/15/2008 0905	09/17/2008 1200
660-25199-20	PIN12-S72C-N001	Water	09/15/2008 0948	09/17/2008 1200
660-25199-21	PIN12-S72D-N001	Water	09/15/2008 1040	09/17/2008 1200
660-25199-22	PIN21-0503-N001	Water	09/15/2008 1245	09/17/2008 1200
660-25199-23	PIN12-S67B-N001	Water	09/15/2008 1335	09/17/2008 1200
660-25199-24	PIN12-S67C-N001	Water	09/15/2008 1415	09/17/2008 1200
660-25199-25	PIN12-S67D-N001	Water	09/15/2008 1455	09/17/2008 1200
660-25199-26	PIN21-0504-N001	Water	09/16/2008 0812	09/17/2008 1200
660-25199-27	PIN21-0505-N001	Water	09/16/2008 0845	09/17/2008 1200
660-25199-28	PIN21-0502-N001	Water	09/16/2008 0915	09/17/2008 1200
660-25199-29	PIN12-0529-N001	Water	09/16/2008 1008	09/17/2008 1200
660-25199-30	PIN12-0530-N001	Water	09/16/2008 1040	09/17/2008 1200
660-25199-31	PIN12-0551-1-N001	Water	09/16/2008 0915	09/17/2008 1200
660-25199-32	PIN12-0551-2-N001	Water	09/16/2008 0955	09/17/2008 1200
660-25199-33	PIN12-0551-3-N001	Water	09/16/2008 1055	09/17/2008 1200
660-25199-34	PIN12-0539-N001	Water	09/16/2008 1315	09/17/2008 1200
660-25199-35	PIN12-0540-N001	Water	09/16/2008 1355	09/17/2008 1200
660-25199-36	PIN12-0548-N001	Water	09/16/2008 1451	09/17/2008 1200
660-25199-37	PIN12-0535-N001	Water	09/16/2008 1555	09/17/2008 1200
660-25199-38	PIN24-0502	Water	09/16/2008 1341	09/17/2008 1200

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN24-0802**

Lab Sample ID: 660-25199-1
Client Matrix: Water

Date Sampled: 09/15/2008 0810
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 2355
Date Prepared: 09/19/2008 2355

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1949.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M38D-N001**

Lab Sample ID: 660-25199-2
Client Matrix: Water

Date Sampled: 09/15/2008 0853
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1814
Date Prepared: 09/19/2008 1814

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1934.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M035-N001**

Lab Sample ID: 660-25199-3
Client Matrix: Water

Date Sampled: 09/15/2008 0925
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0041
Date Prepared: 09/20/2008 0041

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1951.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	2.4		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	91	74 - 126
Toluene-d8 (Surr)	92	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M41D-N001**

Lab Sample ID: 660-25199-4
Client Matrix: Water

Date Sampled: 09/15/2008 0953
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0104
Date Prepared: 09/20/2008 0104

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1952.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M40S-N001**

Lab Sample ID: 660-25199-5
Client Matrix: Water

Date Sampled: 09/15/2008 1025
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0127
Date Prepared: 09/20/2008 0127

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1953.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M40D-N001**

Lab Sample ID: 660-25199-6
Client Matrix: Water

Date Sampled: 09/15/2008 1045
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0150
Date Prepared: 09/20/2008 0150

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1954.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M036-N001**

Lab Sample ID: 660-25199-7
Client Matrix: Water

Date Sampled: 09/15/2008 1105
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0213
Date Prepared: 09/20/2008 0213

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1955.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M012-N001**

Lab Sample ID: 660-25199-8
Client Matrix: Water

Date Sampled: 09/15/2008 1255
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0236
Date Prepared: 09/20/2008 0236

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1956.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M011-N001**

Lab Sample ID: 660-25199-9
Client Matrix: Water

Date Sampled: 09/15/2008 1325
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0259
Date Prepared: 09/20/2008 0259

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1957.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M005-N001**

Lab Sample ID: 660-25199-10
Client Matrix: Water

Date Sampled: 09/15/2008 1355
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0322
Date Prepared: 09/20/2008 0322

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1958.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	92	74 - 126
Toluene-d8 (Surr)	95	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M003-N001**

Lab Sample ID: 660-25199-11
Client Matrix: Water

Date Sampled: 09/15/2008 1417
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0034
Date Prepared: 09/19/2008 0034

Analysis Batch: 660-67991

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1823.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN20-M22D-N001**

Lab Sample ID: 660-25199-12
Client Matrix: Water

Date Sampled: 09/15/2008 1440
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0056
Date Prepared: 09/19/2008 0056

Analysis Batch: 660-67991

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1824.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.77	J	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	96	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0550-3-N001**

Lab Sample ID: 660-25199-13
Client Matrix: Water

Date Sampled: 09/15/2008 1615
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0119
Date Prepared: 09/19/2008 0119

Analysis Batch: 660-67991

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1825.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN15-0568-N001**

Lab Sample ID: 660-25199-14
Client Matrix: Water

Date Sampled: 09/16/2008 1202
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0141
Date Prepared: 09/19/2008 0141

Analysis Batch: 660-67991

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1826.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN24-0602**

Lab Sample ID: 660-25199-18
Client Matrix: Water

Date Sampled: 09/15/2008 0830
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0018
Date Prepared: 09/20/2008 0018

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1950.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-S72B-N001**

Lab Sample ID: 660-25199-19
Client Matrix: Water

Date Sampled: 09/15/2008 0905
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0203
Date Prepared: 09/19/2008 0203

Analysis Batch: 660-67991

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1827.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-S72C-N001**

Lab Sample ID: 660-25199-20
Client Matrix: Water

Date Sampled: 09/15/2008 0948
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0226
Date Prepared: 09/19/2008 0226

Analysis Batch: 660-67991

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1828.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	1.2		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.50	J	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.8		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-S72D-N001**

Lab Sample ID: 660-25199-21
Client Matrix: Water

Date Sampled: 09/15/2008 1040
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0248
Date Prepared: 09/19/2008 0248

Analysis Batch: 660-67991

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1829.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	98	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN21-0503-N001**

Lab Sample ID: 660-25199-22
Client Matrix: Water

Date Sampled: 09/15/2008 1245
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0310
Date Prepared: 09/19/2008 0310

Analysis Batch: 660-67991

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1830.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-S67B-N001**

Lab Sample ID: 660-25199-23
Client Matrix: Water

Date Sampled: 09/15/2008 1335
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0333
Date Prepared: 09/19/2008 0333

Analysis Batch: 660-67991

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1831.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	19		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	54		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	4.7		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-S67B-N001**

Lab Sample ID: 660-25199-23
Client Matrix: Water

Date Sampled: 09/15/2008 1335
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 5.0
Date Analyzed: 09/23/2008 2326
Date Prepared: 09/23/2008 2326

Analysis Batch: 660-68230
Run Type: DL

Instrument ID: BVMJ GC/MS
Lab File ID: 2JI2320.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Vinyl chloride	310		2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-S67C-N001**

Lab Sample ID: 660-25199-24
Client Matrix: Water

Date Sampled: 09/15/2008 1415
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1537
Date Prepared: 09/19/2008 1537

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1927.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	2.5		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	9.6		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	35		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-S67C-N001**

Lab Sample ID: 660-25199-24
Client Matrix: Water

Date Sampled: 09/15/2008 1415
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 2.0
Date Analyzed: 09/23/2008 2348
Date Prepared: 09/23/2008 2348

Analysis Batch: 660-68230
Run Type: DL

Instrument ID: BVMJ GC/MS
Lab File ID: 2JI2321.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
cis-1,2-Dichloroethylene	210		1.3	2.0
Vinyl chloride	160		1.0	2.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-S67D-N001**

Lab Sample ID: 660-25199-25
Client Matrix: Water

Date Sampled: 09/15/2008 1455
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1600
Date Prepared: 09/19/2008 1600

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1928.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	29		0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.53	J	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	1.7		0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	7.8		0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	44		0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	95	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN21-0504-N001**

Lab Sample ID: 660-25199-26
Client Matrix: Water

Date Sampled: 09/16/2008 0812
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1622
Date Prepared: 09/19/2008 1622

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1929.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN21-0505-N001**

Lab Sample ID: 660-25199-27
Client Matrix: Water

Date Sampled: 09/16/2008 0845
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1644
Date Prepared: 09/19/2008 1644

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1930.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN21-0502-N001**

Lab Sample ID: 660-25199-28
Client Matrix: Water

Date Sampled: 09/16/2008 0915
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1707
Date Prepared: 09/19/2008 1707

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1931.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0529-N001**

Lab Sample ID: 660-25199-29
Client Matrix: Water

Date Sampled: 09/16/2008 1008
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1729
Date Prepared: 09/19/2008 1729

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1932.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0530-N001**

Lab Sample ID: 660-25199-30
Client Matrix: Water

Date Sampled: 09/16/2008 1040
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1751
Date Prepared: 09/19/2008 1751

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1933.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	30		0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	1.4		0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.83	J	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.68	J	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	4.6		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0551-1-N001**

Lab Sample ID: 660-25199-31
Client Matrix: Water

Date Sampled: 09/16/2008 0915
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1230
Date Prepared: 09/19/2008 1230

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1919.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	97	74 - 126
Toluene-d8 (Surr)	96	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0551-2-N001**

Lab Sample ID: 660-25199-32
Client Matrix: Water

Date Sampled: 09/16/2008 0955
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1252
Date Prepared: 09/19/2008 1252

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1920.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0551-3-N001**

Lab Sample ID: 660-25199-33
Client Matrix: Water

Date Sampled: 09/16/2008 1055
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0345
Date Prepared: 09/20/2008 0345

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1959.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0539-N001**

Lab Sample ID: 660-25199-34
Client Matrix: Water

Date Sampled: 09/16/2008 1315
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0408
Date Prepared: 09/20/2008 0408

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1960.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	92	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0540-N001**

Lab Sample ID: 660-25199-35
Client Matrix: Water

Date Sampled: 09/16/2008 1355
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0431
Date Prepared: 09/20/2008 0431

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1961.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	4.9		0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	93	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0548-N001**

Lab Sample ID: 660-25199-36
Client Matrix: Water

Date Sampled: 09/16/2008 1451
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0454
Date Prepared: 09/20/2008 0454

Analysis Batch: 660-68279

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1962.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Methyl chloride	1.0	U	1.0	4.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0535-N001**

Lab Sample ID: 660-25199-37
Client Matrix: Water

Date Sampled: 09/16/2008 1555
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1452
Date Prepared: 09/19/2008 1452

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1925.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	94	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN24-0502**

Lab Sample ID: 660-25199-38
Client Matrix: Water

Date Sampled: 09/16/2008 1341
Date Received: 09/17/2008 1200

8260B Volatile Organic Compounds (GC/MS)

Method: 8260B
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1515
Date Prepared: 09/19/2008 1515

Analysis Batch: 660-68077

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1926.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	%Rec	Acceptance Limits
4-Bromofluorobenzene	96	74 - 126
Toluene-d8 (Surr)	94	77 - 122

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0550-3-N001**

Lab Sample ID: 660-25199-13
Client Matrix: Water

Date Sampled: 09/15/2008 1615
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 0119
Date Prepared: 09/19/2008 0119

Analysis Batch: 660-67992

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1825.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0529-N001**

Lab Sample ID: 660-25199-29
Client Matrix: Water

Date Sampled: 09/16/2008 1008
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1729
Date Prepared: 09/19/2008 1729

Analysis Batch: 660-68002

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1932.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0530-N001**

Lab Sample ID: 660-25199-30
Client Matrix: Water

Date Sampled: 09/16/2008 1040
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1751
Date Prepared: 09/19/2008 1751

Analysis Batch: 660-68002

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1933.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0551-1-N001**

Lab Sample ID: 660-25199-31
Client Matrix: Water

Date Sampled: 09/16/2008 0915
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1230
Date Prepared: 09/19/2008 1230

Analysis Batch: 660-68002

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1919.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0551-2-N001**

Lab Sample ID: 660-25199-32
Client Matrix: Water

Date Sampled: 09/16/2008 0955
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/19/2008 1252
Date Prepared: 09/19/2008 1252

Analysis Batch: 660-68002

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1920.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0551-3-N001**

Lab Sample ID: 660-25199-33
Client Matrix: Water

Date Sampled: 09/16/2008 1055
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0345
Date Prepared: 09/20/2008 0345

Analysis Batch: 660-68349

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1959.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0539-N001**

Lab Sample ID: 660-25199-34
Client Matrix: Water

Date Sampled: 09/16/2008 1315
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0408
Date Prepared: 09/20/2008 0408

Analysis Batch: 660-68349

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1960.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Analytical Data

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0540-N001**

Lab Sample ID: 660-25199-35
Client Matrix: Water

Date Sampled: 09/16/2008 1355
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0431
Date Prepared: 09/20/2008 0431

Analysis Batch: 660-68349

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1961.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	3.2		0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: **PIN12-0548-N001**

Lab Sample ID: 660-25199-36
Client Matrix: Water

Date Sampled: 09/16/2008 1451
Date Received: 09/17/2008 1200

8260C_SIM 1,4-Dioxane by SIM

Method: 8260C_SIM
Preparation: 5030B
Dilution: 1.0
Date Analyzed: 09/20/2008 0454
Date Prepared: 09/20/2008 0454

Analysis Batch: 660-68349

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1962.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result (ug/L)	Qualifier	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: PIN15-0568-N001

Lab Sample ID:	660-25199-14	Date Sampled:	09/16/2008 1202
Client Matrix:	Water	Date Received:	09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method:	6010B	Analysis Batch: 660-68524		Instrument ID:	TJA ICP TRACE
Preparation:	3005A	Prep Batch: 660-68239		Lab File ID:	8I26A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	09/29/2008 1057			Final Weight/Volume:	50 mL
Date Prepared:	09/24/2008 0949				

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.57		0.050	0.20
Iron	0.90		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: PIN15-0559-N001

Lab Sample ID: 660-25199-15
Client Matrix: Water

Date Sampled: 09/16/2008 1255
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1114
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.45		0.050	0.20
Iron	0.18	B	0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: PIN15-0510-N001

Lab Sample ID: 660-25199-16
Client Matrix: Water

Date Sampled: 09/16/2008 1343
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1120
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	0.37		0.050	0.20
Iron	1.3		0.050	0.20

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Client Sample ID: PIN15-0570-N001

Lab Sample ID: 660-25199-17
Client Matrix: Water

Date Sampled: 09/16/2008 1416
Date Received: 09/17/2008 1200

6010B Metals (ICP)-Total Recoverable

Method: 6010B
Preparation: 3005A
Dilution: 1.0
Date Analyzed: 09/29/2008 1126
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result (mg/L)	Qualifier	MDL	PQL
Aluminum	5.4		0.050	0.20
Iron	1.4		0.050	0.20

DATA REPORTING QUALIFIERS

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Analyzed for but not detected.
	J	Indicates an estimated value.
Metals		
	U	Indicates analyzed for but not detected.
	B	Value less than contract required detection limit but greater than or equal to the Method Detection Limit

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Method Blank - Batch: 660-67991

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-67991/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 2006
Date Prepared: 09/18/2008 2006

Analysis Batch: 660-67991
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1811.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	101	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67991

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67991/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1836
Date Prepared: 09/18/2008 1836

Analysis Batch: 660-67991
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1807.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67991/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1858
Date Prepared: 09/18/2008 1858

Analysis Batch: 660-67991
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	72	76	62 - 135	5	37		
Chlorobenzene	75	82	72 - 127	9	22		
1,1-Dichloroethylene	66	71	46 - 147	7	30		
Toluene	71	76	68 - 131	7	33		
Trichloroethylene	70	75	56 - 143	6	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Method Blank - Batch: 660-68077

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-68077/18
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 0931
Date Prepared: 09/19/2008 0931

Analysis Batch: 660-68077
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1911.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	98	74 - 126
Toluene-d8 (Surr)	97	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68077

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68077/16
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 0824
Date Prepared: 09/19/2008 0824

Analysis Batch: 660-68077
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1908.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68077/17
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 0846
Date Prepared: 09/19/2008 0846

Analysis Batch: 660-68077
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1909.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	81	80	62 - 135	1	37		
Chlorobenzene	82	82	72 - 127	0	22		
1,1-Dichloroethylene	73	73	46 - 147	1	30		
Toluene	78	78	68 - 131	1	33		
Trichloroethylene	79	77	56 - 143	3	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Method Blank - Batch: 660-68230

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-68230/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/23/2008 2304
Date Prepared: 09/23/2008 2304

Analysis Batch: 660-68230
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JI2319.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	99	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68230

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68230/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/23/2008 2134
Date Prepared: 09/23/2008 2134

Analysis Batch: 660-68230
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JI2315.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68230/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/23/2008 2112
Date Prepared: 09/23/2008 2112

Analysis Batch: 660-68230
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 2JI2314.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	100	95	62 - 135	4	37		
Chlorobenzene	91	88	72 - 127	3	22		
1,1-Dichloroethylene	116	110	46 - 147	5	30		
Toluene	93	90	68 - 131	3	33		
Trichloroethylene	97	93	56 - 143	5	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Method Blank - Batch: 660-68279

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 660-68279/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 2309
Date Prepared: 09/19/2008 2309

Analysis Batch: 660-68279
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1947.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
Benzene	0.50	U	0.50	1.0
Bromodichloromethane	0.35	U	0.35	1.0
Bromoform	0.58	U	0.58	1.0
Carbon tetrachloride	0.42	U	0.42	1.0
Chlorobenzene	0.63	U	0.63	1.0
Chloroethane	2.5	U	2.5	5.0
Chloroform	0.90	U	0.90	1.0
cis-1,2-Dichloroethylene	0.65	U	0.65	1.0
Dibromochloromethane	0.34	U	0.34	1.0
1,1-Dichloroethylene	0.45	U	0.45	1.0
Dichlorodifluoromethane	2.5	U	2.5	5.0
1,1-Dichloroethane	0.52	U	0.52	1.0
1,2-Dichloroethane	0.57	U	0.57	1.0
1,2-Dichloropropane	0.52	U	0.52	1.0
Ethylbenzene	0.44	U	0.44	1.0
m-Dichlorobenzene	0.64	U	0.64	1.0
Methyl bromide	2.5	U	2.5	5.0
Methylene Chloride	4.0	U	4.0	5.0
Methyl tert-butyl ether	0.44	U	0.44	1.0
m,p-Xylene	0.60	U	0.60	2.0
o-Dichlorobenzene	0.44	U	0.44	1.0
o-Xylene	0.50	U	0.50	1.0
p-Dichlorobenzene	0.52	U	0.52	1.0
1,1,2,2-Tetrachloroethane	0.15	U	0.15	1.0
Tetrachloroethylene	0.50	U	0.50	1.0
Toluene	0.51	U	0.51	1.0
trans-1,2-Dichloroethylene	0.44	U	0.44	1.0
trans-1,3-Dichloropropene	0.14	U	0.14	1.0
1,1,1-Trichloroethane	0.46	U	0.46	1.0
1,1,2-Trichloroethane	0.47	U	0.47	1.0
Trichloroethylene	0.50	U	0.50	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichlorofluoromethane	2.5	U	2.5	5.0
Methyl chloride	1.0	U	1.0	4.0
Vinyl chloride	0.50	U	0.50	1.0

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	95	74 - 126
Toluene-d8 (Surr)	93	77 - 122

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68279

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68279/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 2223
Date Prepared: 09/19/2008 2223

Analysis Batch: 660-68279
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1945.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68279/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 2246
Date Prepared: 09/19/2008 2246

Analysis Batch: 660-68279
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1946.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Benzene	70	70	62 - 135	1	37		
Chlorobenzene	76	76	72 - 127	0	22		
1,1-Dichloroethylene	61	60	46 - 147	2	30		
Toluene	71	70	68 - 131	1	33		
Trichloroethylene	71	69	56 - 143	2	35		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Method Blank - Batch: 660-67992

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-67992/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 2006
Date Prepared: 09/18/2008 2006

Analysis Batch: 660-67992
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1811.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-67992

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-67992/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1836
Date Prepared: 09/18/2008 1836

Analysis Batch: 660-67992
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1807.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-67992/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/18/2008 1858
Date Prepared: 09/18/2008 1858

Analysis Batch: 660-67992
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1808.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	82	67	50 - 150	19	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Method Blank - Batch: 660-68002

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-68002/3
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 0931
Date Prepared: 09/19/2008 0931

Analysis Batch: 660-68002
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1911.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68002

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68002/1
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 0824
Date Prepared: 09/19/2008 0824

Analysis Batch: 660-68002
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1908.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68002/2
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 0846
Date Prepared: 09/19/2008 0846

Analysis Batch: 660-68002
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1909.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	89	87	50 - 150	2	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Method Blank - Batch: 660-68349

Method: 8260C_SIM
Preparation: 5030B

Lab Sample ID: MB 660-68349/7
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 2309
Date Prepared: 09/19/2008 2309

Analysis Batch: 660-68349
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1947.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	PQL
1,4-Dioxane	0.54	U	0.54	1.0

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68349

Method: 8260C_SIM
Preparation: 5030B

LCS Lab Sample ID: LCS 660-68349/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 2223
Date Prepared: 09/19/2008 2223

Analysis Batch: 660-68349
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1945.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

LCSD Lab Sample ID: LCSD 660-68349/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/19/2008 2246
Date Prepared: 09/19/2008 2246

Analysis Batch: 660-68349
Prep Batch: N/A
Units: ug/L

Instrument ID: BVMJ GC/MS
Lab File ID: 1JI1946.D
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,4-Dioxane	87	80	50 - 150	9	50		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Method Blank - Batch: 660-68239

Method: 6010B
Preparation: 3005A
Total Recoverable

Lab Sample ID: MB 660-68239/1-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/29/2008 0856
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	PQL
Aluminum	0.050	U	0.050	0.20
Iron	0.050	U	0.050	0.20

Lab Control Spike/
Lab Control Spike Duplicate Recovery Report - Batch: 660-68239

Method: 6010B
Preparation: 3005A
Total Recoverable

LCS Lab Sample ID: LCS 660-68239/2-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/29/2008 0901
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

LCSD Lab Sample ID: LCSD 660-68239/3-A
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 09/29/2008 0907
Date Prepared: 09/24/2008 0949

Analysis Batch: 660-68524
Prep Batch: 660-68239
Units: mg/L

Instrument ID: TJA ICP TRACE
Lab File ID: 8I26A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Aluminum	108	107	75 - 125	1	20		
Iron	101	101	75 - 125	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777,
tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
1	PIN24-0802	9-15-08	0810	JW DS	3		3								
2	PIN20-M38D-N001	9-15-08	0853	JW DS	3		3								
3	PIN20-M035-N001	9-15-08	0925	JW DS	3		3								
4	PIN20-M41D-N001	9-15-08	0953	JW DS	3		3								
5	PIN20-M40S-N001	9-15-08	1025	JW DS	3		3								
6	PIN20-M40D-N001	9-15-08	1045	JW DS	3		3								
7	PIN20-M036-N001	9-15-08	1105	JW DS	3		3								
8	PIN20-M012-N001	9-15-08	1255	JW DS	3		3								
9	PIN20-M011-N001	9-15-08	1325	JW DS	3		3								
10	PIN20-M005-N001	9-15-08	1355	JW DS	3		3								
11	PIN20-M003-N001	9-15-08	1417	JW DS	3		3								
12	PIN20-M22D-N001	9-15-08	1440	JW DS	3		3								
13	PIN12-0550-3-N001	9-15-08	1615	JW DS	4		3	1							

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-17-08	1100	[signature]	9/17/08	1100	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/17/08	1200	Carol McNulty	9/17/08	1200	

log 25199

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777, tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
14	PIN15-0568-N001	9-16-08	1202	TZ/SC	4	1	3								
15	PIN15-0559-N001	9-16-08	1255	TZ/SC	1	1									
16	PIN15-0510-N001	9-16-08	1343	TZ/SC	1	1									
17	PIN15-0570-N001	9-16-08	1416	TZ/SC	1	1									

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
Sam Campbell	9-17-08	1100	Mary Nelson	9/17/08	1100	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
Mary Nelson	9/17/08	1200	Carol McNulty	9/17/08	1201	

09/30/2008

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777, tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
1	PIN24-0602	9-15-08	0830	JPC	3		3								
2	PIN12-S72B-N001	9-15-08	0905	JPC	3		3								
3	PIN12-S72C-N001	9-15-08	0948	JPC	3		3								
4	PIN12-S72D-N001	9-15-08	1040	JPC	3		3								
5	PIN21-0503-N001	9-15-08	1245	JPC	3		3								
6	PIN12-S67B-N001	9-15-08	1335	JPC	3		3								
7	PIN12-S67C-N001	9-15-08	1415	JPC	3		3								
8	PIN12-S67D-N001	9-15-08	1455	JPC	3		3								
9	PIN21-0504-N001	9-16-08	0812	JPC	3		3								
10	PIN21-0505-N001	9-16-08	0845	JPC	3		3								
11	PIN21-0502-N001	9-16-08	0915	JPC	3		3								
12	PIN12-0529-N001	9-16-08	1008	JPC	4			4							
13	PIN12-0530-N001	9-16-08	1040	JPC	4			4							

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-17-08	1100	[signature]	9/17/08	1100	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/17/08	1200	Carol McNulty	9/17/08	1200	

09/30/2008

Stoller *Legacy Management Team*

CHAIN OF CUSTODY and SAMPLE SUBMITTAL FORM

S.M. Stoller, 7887 Bryan Dairy Rd. Suite 260, Largo, FL 33777, tel. 727-541-8103, fax 727-549-1121

TestAmerica Tampa

6712 Benjamin Rd. Suite 100, Tampa, FL 33634 tel 813-885-7427 fax 813-885-7049

Sample Matrix is Groundwater, samples are unfiltered and preserved on ice.

Sample Number	Sample Location	Date	Time	Sampled by	No. Bottles	Al, Fe, preserved w/HNO3	VOC 8260 preserved w/HCl	VOC 8260 plus 1,4 dioxane SIM preserved w/HCl							Samplers Notes
1	PIN12-0551-1-N001	9-16-08	0915	JW DS	4		3	1							
2	PIN12-0551-2-N001	9-16-08	0955	JW DS	4		3	1							
3	PIN12-0551-3-N001	9-16-08	1055	JW DS	4		3	1							
4	PIN12-0539-N001	9-16-08	1315	JW DS	4		3	1							
5	PIN12-0540-N001	9-16-08	1355	JW DS	4		3	1							
6	PIN12-0548-N001	9-16-08	1457	JW DS	4		3	1							
7	PIN12-0535-N001	9-16-08	1555	JW DS	3		3								
8	PIN24-0502	9-16-08	1341	JW DS	3		3								

Relinquished by Sampler	Date	Time	Received by Courier	Date	Time	Requisition (RIN)
[signature]	9-17-08	1100	[signature]	9/17/08	1100	
Relinquished by Courier	**Date**	**Time**	**Received by Laboratory**	**Date**	**Time**	
[signature]	9/17/08	1200	Carol McNulty	9/17/08	1201	

2x4°C C404 ~~1x3°C~~ ~~C404~~ cam 9/17/08

09/30/2008

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

PRESERVATION CONFIRMATION FORM

Tampa, FL

JOB NUMBER: 25199 Logged in TALS By : Carol McNulty

Cooler Received on (date) ~~9/16/08~~ 9/17/08 cm And Opened By (full name): Jason Fink

1. Shipper (circle one) FEDEX UPS DHL WALK-IN (COURIER) OTHER: _____

2. Tracking # N/A

3. Temperature of rep. sample or temp blank when opened: 2 x 4°. Degrees Celsius CU-04

4. Number of H2SO4 (sulfuric acid) preserved containers: _____

   All containers pH < 2 ? _____ If not please comment below:

5. Number of HCL (hydrochloric acid) preserved containers: _____

   All containers pH < 2 ? _____ If not please comment below:

6. Number of HNO3 (nitric acid) preserved containers: 4

   All containers pH < 2 ? yes If not please comment below:

   pin 15-0570-0001 ph = 7

7. Number of NaOH (sodium hydroxide) preserved containers: _____

   All containers pH >12 ? _____ If not please comment below:

8. Number of Unpreserved containers: _____

   All containers pH between 6 and 8? _____ If not please comment below:

9. Was chlorine present in any of the unpreserved containers? _____

   If yes, which samples? _____

Login Sample Receipt Check List

Client: S.M. Stoller Corporation

Job Number: 660-25199-1

Login Number: 25199
Creator: McNulty, Carol
List Number: 1

List Source: TestAmerica Tampa

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	2 x 4 degrees C CU-04
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	