



**NOTE:**

- 1) SPREAD FILL MATERIAL GENERATED FROM AREA 991 EXCAVATION IN ONE, SIX-INCH THICK LAYER AND REVEGETATE. ACTUAL AREA MAY VARY DEPENDING ON FILL GENERATED FROM EXCAVATION.
- 2) CONTRACTOR TO STAKE PERIMETER OF FILL PLACEMENT AREA PRIOR TO CONSTRUCTION ACTIVITIES.
- 3) INSTALL WATTLES AND SILT FENCE AS DIRECTED BY THE CONTRACTOR AND PER THE EROSION CONTROL PLAN FOR ROCKY FLATS CENTRAL OPERABLE UNIT DATED 4/26/07.



**GRADING PLAN**



REVISION NO.	DATE	DESCRIPTION	DRAWN BY	CHECKED BY	PROJECT A/C	APPROVAL
U.S. DEPARTMENT OF ENERGY GRAND JUNCTION, COLORADO			Work Performed by <b>S.M. Stoller Corporation</b> Under DOE Contract No. DE-AC01-02GJ79491			
PROJECT LOCATION <b>ROCKY FLATS SITE GOLDEN, COLORADO</b>		APPROVALS		BUILDING AREA 991 SLUMP REPAIR		
REFERENCE		DRAWN BY T. BOEHLER		DATE --/--/07		<b>EROSION CONTROL PLAN</b>
		ENGINEER J. KIENHOLZ		--/--/07		
		PROJECT ENGINEER				
		APPROVED BY M. MADRIL		--/--/07		
		PROJECT MANAGER L. KAISER		--/--/07		PROJECT NO. LTS-111-0056-13-001D
		DOE CONTRACT NUMBER (SEE RECORD)		--/--/07		
						SHT. <b>8</b> OF <b>8</b>