



B575 - Building Cluster B575

Last updated: 9/30/2014

numerical index

|   |           |
|---|-----------|
| <b>B575-A-000001</b>  | 7/11/2000 |
| E-mail regarding RLCR for Building 575 Concurrence  |           |
| E-mail regarding Reconnaissance Level Characterization Report (RLCR) for Building 575 - Concurrence.  |           |
| <a href="http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000001.PDF">http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000001.PDF</a>   | 79 KB     |
| <b>B575-A-000002</b>  | 7/6/2000  |
| Forwards the Building 575 RLCR, June 26, 2000   |           |
| US Department of Energy, Rocky Flats Field Office (DOE/RFFO) forwards Reconnaissance Level Characterization Report (RLCR) for Building 575, Revision 0, June 26, 2000, to Colorado Department of Public Health and Environment (CDPHE).   |           |
| <a href="http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000002.PDF">http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000002.PDF</a>   | 56 KB     |
| <b>B575-A-000003</b>  | 6/27/2000 |
| Submits the Building 575 RLCR   |           |
| Kaiser-Hill Company, L.L.C. (K-H) submits [000004] Reconnaissance Level Characterization Report (RLCR) for Building 575. This report characterizes the physical, chemical and radiological hazards associated with the Building, summarizes the characterization activities, defines the Data Quality Objectives (DQO) developed for this characterization, and presents the data quality assessment, verification and validation of results. |           |
| <a href="http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000003.PDF">http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000003.PDF</a>   | 65 KB     |
| <b>B575-A-000004</b>  | 6/26/2000 |
| Building 575 RLCR, June 26, 2000  |           |
| Reconnaissance Level Characterization Report (RLCR) for Building 575, dated June 26, 2000. Building 575 includes substations 515 and 516. Appendix A-1 and A-2, Radiological Survey Data for Exterior Survey Unit, Appendix A-3 Asbestos Inspector's Report and Appendix A-4, Historical Polychlorinated Biphenyl (PCB) Remediation in 575 Vicinity. Appendix B includes General Survey and Sampling Documentation.                           |           |
| <a href="http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000004.PDF">http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000004.PDF</a>   | 5 MB      |

|  |           |
|--|-----------|
| <b>B575-A-000005</b>   | 7/11/2000 |
| Building 575 RLCR - CDPHE Concurrence  |           |
| Incoming Controlled Correspondence Ticket provides letter from Colorado Department of Public Health and Environment (CDPHE) regarding Reconnaissance Level Characterization Report (RLCR) - Concurrence for Building 575, Revision 0. The characterization performed does not include the slab, further characterization of the slab will need to be performed prior to its removal. |           |
| <a href="http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000005.PDF">http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000005.PDF</a>  | 116 KB    |
| <b>B575-A-000006</b>   | 4/10/2001 |
| Type 1 Facility Closeout Report: Group-B, B575   |           |
| Group-B: Building 575 Type 1 Facility Closeout Report - Building 575 Substations B515/516 formerly located west of Building 771 at Rocky Flats Environmental Technology Site (RFETS).  |           |
| <a href="http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000006.PDF">http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000006.PDF</a>  | 83 KB     |
| <b>B575-A-000007</b>   | 7/11/2000 |
| RLCR for B575 Concurrence  |           |
| Colorado Department of Public Health and Environment (CDPHE) has reviewed the Reconnaissance Level Characterization Report (RLCR) for Building 575, Revision 0 dated June 26, 2000 and with minor modifications, the Division concurs with the RLCR for B575.  |           |
| <a href="http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000007.pdf">http://www.lm.doe.gov/cercla/documents/rockyflats_docs/B575/B575-A-000007.pdf</a>  | 104 KB    |