

1079

**REPLACE WOODEN WALKWAYS AT TRAILER
COMPLEXES**

04/03/91

**DOE-1057-91
DOE-FMPC/WMCO
1
LETTER
OU3**



WMCO

OU 3

4 12 28 AM '91

Department of Energy

1079

FMPC Site Office
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6319

APR 03 1991

DOE-1057-91

Mr. W. H. Britton, President
Westinghouse Materials Company
of Ohio
P. O. Box 398704
Cincinnati, OH 45239-8704


Dear Mr. Britton:

REPLACE WOODEN WALKWAYS AT TRAILER COMPLEXES

The enclosed Removal Site Evaluation for the replacement of wooden sidewalks at the Southeast Trailer Complexes and the trailers south of the Lab Building has been reviewed by my office. Based on this review DOE has determined that this project does not constitute a removal action. Therefore, the contaminated soils associated with this project can be removed and dispositioned following the specific control measures noted within the RSE document and per the radiological guidelines specified in the FMPC Site Policy and Procedures, FMPC-720. The Administrative Record for the RI/FS should include this document. A final report shall be issued, which addresses the volume of excavated soil, number of soil and rubble boxes generated, and the results of verification sampling.

If your staff has any questions, please ask them to contact Andy Avel at extension 6161.

Sincerely,



Gerald W. Westerbeck
Manager, Fernald Site Office

FSO:Avel

Enclosure: As stated

cc w/encl.:

D. J. Carr, WMCO
S. W. Coyle, WMCO
J. P. Hopper, WMCO
R. S. Shirley, WMCO
P. C. Weddle, WMCO
S. H. Wolinsky, ASI