

3598

ACTIVE FLYASH PILE - REMOVAL ACTION


07-01-92

WEMCO:ER:92-364

WEMCO/DOE-FN

14

LETTER



EA 74
Copy Mgrs
FYI

FEB 1 1992
JUL 6 3 02 PM '92

Westinghouse
Environmental Management
Company of Ohio

3598

PO Box 398704
Cincinnati, Ohio 45239-8704

(513) 738 6200

WEMCO:ER:92-364
July 1, 1992

Tom
Sue
Steve
Joe
Jim
Jim

Mr. R. E. Tiller, Manager
DOE Field Office, Fernald
P. O. Box 398705
Cincinnati, Ohio 45239-8705

Dear Mr. Tiller:

ACTIVE FLYASH PILE - REMOVAL ACTION

The purpose of this correspondence is to provide formal notification to DOE-FN that implementation of interim control activities to provide protection against wind erosion and uncontrolled storm water runoff at the FEMP Active Flyash Pile is complete. In addition, the final control removal action was also completed at this time, approximately sixteen months ahead of schedule.

On June 4, 1992, surface crusting agent application on the pile's steep side slopes and misting of the pile's working face with dust control binder during compaction and regrading operations was initiated. Following completion of these activities installation of silt fencing to control storm water runoff and erection of wind barriers along the working face perimeter were finished on June 28, 1992. As these control measures were implemented, a distinction was made between that section of the Flyash Pile that is operative and receives new ash, and that section that no longer receives new ash. This significantly decreases the surface area of the operative section while maintaining the same disposal capacity, and substantially increases the surface area that will receive crusting agent.

Additional crusting agent application, regrading and compaction will be conducted on an as needed basis as part of the Active Flyash Pile's monthly operations and maintenance program. This program will continue as long as the Active Pile is required. A parallel effort to investigate other uses of ash, or identification of suitable off-site disposal alternatives for newly generated ash is also being conducted. Final remediation of the Active Flyash Pile will be in accordance with the Operable Unit 2 Record of Decision.

If you have any questions on this matter, our point of contact is R. J. Skalka (6757).

Very truly yours,

J. P. Hopper, Manager
Environmental Restoration

JMH:pcn

R. E. Tiller

-3-

3508 O:ER:92-364

bc: J. J. Berretz
A. Biancheria
C. M. Esselman
K. C. Gessendorf
J. M. Herskowitz
P. D. Norman
J. C. Wellinghoff
S. G. West

AR Coordinator
Central Files
CA:RA:9100.29

571

- 1. Aerial Pest Control
 - (a) Rotary Wing
 - (b) Fixed Wing
- 2. Agricultural Pest Control
 - (a) Agronomic Pest Control
 - (b) Horticultural Pest Control
 - (c) Agricultural Weed Control
 - (d) Seed Treatment
 - (e) Tobacco Suckering
 - (f) Soil Fumigation
- 3. Aquatic Pest Control
 - (a) General
 - (b) Swimming Pool
 - (c) Boat Antifouling
- 4. Forest Pest Control
 - (a) General
 - (b) Timber Stand Improvement
 - (c) Wood Preservation
- 5. Industrial Vegetation Control
 - (a) General
- 6. Ornamental Plant & Shade Tree Pest Control
 - (a) General
 - (b) Interior Plantscape
- 7. Vertebrate Animal Control
- 8. Turf Pest Control
- 9. Animal Pest Control
 - (a) General
 - (b) Sheep Clipping
 - (c) Animal Quarters
- 10. Domestic, Institutional, Structural & Health-Related Pest Control
 - (a) General Pest
 - (b) Termite
 - (c) Fumigation
 - (d) Mosquito, House Fly & Vector Control
- 11. Specialized Pest Control
 - (a) Public Health
 - (b) Regulatory
 - (c) Demonstration
 - (d) Research
 - (e) Other



Cert. Expires: 02/28/94 License Expires: 02/28/93
 License # 1290 Categories: 5A 8

LUSK, RICHARD D JR ID# 10585
 MR GREEN CORPORATION
 4934 FACTORY DR
 FAIRFIELD OH 45014

Signature Richard D. Lusk Jr.

MR. GREEN CORP. 829-5296

CERTIFICATE OF INSURANCE

3598
DATE: 06/03/92

PRODUCER

DOOSWORTH INSURANCE
1502 Peck Blvd
P.O. Box 18670
Fairfield, OH 45018
(513) 896-5400

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHT UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW

COMPANIES AFFORDING COVERAGE

COMPANY A WEST AMERICAN INSURANCE COMPANY
LETTER
COMPANY B
LETTER
COMPANY C
LETTER
COMPANY D
LETTER
COMPANY E
LETTER

INSURED

RICHARD D LUSK
DBA Mr. Green Corp.
4934 Factory Drive
Fairfield, OH 45014

COVERAGES

THIS IS TO CERTIFY THAT POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS, AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE	POLICY EXPIRATION DATE	ALL LIMITS IN THOUSANDS	
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCURRENCE <input type="checkbox"/> OWNER'S & CONTRACTORS PROTECTIVE <input type="checkbox"/> <input type="checkbox"/>	BHA (92) 50199089	06/30/91	06/30/92	GENERAL AGGREGATE	\$ 2000
					PRODUCTS-COMP/OPS AGGREGATE	\$ 2000
					PERSONAL & ADVERTISING INJURY	\$ 1000
					EACH OCCURRENCE	\$ 1000
					FIRE DAMAGE (ANY ONE FIRE)	\$ 50
					MEDICAL EXPENSE(ANY ONE PERSON)\$	5
B	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS <input type="checkbox"/> GARAGE LIABILITY <input type="checkbox"/>	XAO (92) 50199089	06/30/91	06/30/92	CSL	\$ 1000
					BODILY INJURY (PER PERSON)	\$
					BODILY INJURY (PER ACCIDENT)	\$
					PROPERTY DAMAGE	\$
	EXCESS LIABILITY <input type="checkbox"/> UMBRELLA FORM <input type="checkbox"/> OTHER THAN UMBRELLA				EACH OCCURRENCE	AGGREGATE
					\$	\$
	WORKERS' COMPENSATION AND EMPLOYERS' LIABILITY				STATUTORY	
					\$	(EACH ACCIDENT)
					\$	(DISEASE-POLICY LIMIT)
					\$	(DISEASE-EACH EMPLOYEE)
	OTHER					

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS
Coverage included for manufacturing, distribution, and sale of ALL GUARD PRODUCTS.

CERTIFICATE HOLDER

WESTINGHOUSE

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

John C. Dodsweeth

IX DOT CLASSIFICATION AND LABEL

3598

Flammable Liquid NOS
Flammable Liquid Label

X SPECIAL PRECAUTIONS

PRECAUTIONARY STATEMENTS

Keep out of reach of children. Harmful if swallowed. Avoid contact with eyes and skin. Avoid inhalation of spray mist. Avoid contamination of food and feed. Do not contaminate water.

OTHER HANDLING AND STORAGE REQUIREMENTS

Do not reuse container. Destroy when empty. Do not use, pour, spill or store near heat sparks or open flame. Store at temperatures above 32°F. Keep container closed. Use with adequate ventilation.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.

FEB 13 1980

DATE:

VI REACTIVITY DATA

3598

CONDITIONS CONTRIBUTING TO INSTABILITY

INCOMPATIBILITY

HAZARDOUS DECOMPOSITION PRODUCTS

Note

CONDITIONS CONTRIBUTING TO HAZARDOUS POLYMERIZATION

Will not occur

VII SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED

Absorb liquid using a powdered or granular diluent. Sweep up and shovel diluent into a drum. Wash area with water and detergent. Do not allow water to contaminate water supply or surrounding ground.

NEUTRALIZING CHEMICALS

WASTE DISPOSAL METHOD

bury in place where product will not contaminate water supply or incinerate.

VIII SPECIAL PROTECTION INFORMATION

VENTILATION REQUIREMENTS

Work in well ventilated area. Do not breathe fumes.

SPECIFIC PERSONAL PROTECTIVE EQUIPMENT Respiratory equipment is not required for normal handling and use. For protection in unusual situations, use an approved pesticide respirator such as the MSA Confo II.

RESPIRATORY (SPECIFY IN DETAIL)

EYE

Wear protective goggles when there is a risk of contact with eyes.

GLOVES Wear rubber gloves when handling as a standard protective measure.

OTHER CLOTHING AND EQUIPMENT

Use clothing and equipment consistent with good pesticide handling and application procedures.

IV FIRE AND EXPLOSION DATA

3598

FLASH POINT (TEST METHOD)	116°F (TCC) typical 100°F (TCC) minimum	AUTOIGNITION TEMPERATURE	>982°F based on solvent
FLAMMABLE LIMITS IN AIR, % BY VOL	LOWER		UPPER
EXTINGUISHING MEDIA	Dry chemical extinguishers, carbon dioxide, foam extinguishers		
SPECIAL FIRE FIGHTING PROCEDURES	Treat the same as an oil or gasoline type fire or chemical fire where vapors and other discharges to the environment are to be confined and reduced as quickly as possible.		
UNUSUAL FIRE AND EXPLOSION HAZARD	Flammable liquid		

V HEALTH HAZARD INFORMATION

HEALTH HAZARD DATA on Pramitol® 25E

ROUTES OF EXPOSURE

INHALATION Acute Aerosol Inhalation LC₅₀ (rat) = 19.5 mg/L air (4-hr. exposure)

SKIN CONTACT Severely irritating to skin (rabbit)

SKIN ABSORPTION Acute Dermal LD₅₀ (rabbit) = 2,000-2,500 mg/kg intact skin;
1,500-2,000 mg/kg abraded skin

EYE CONTACT Corrosive to eye (rabbit)

INGESTION Acute Oral LD₅₀ (rat) = 2,276 mg/kg

EFFECTS OF OVEREXPOSURE Vomiting. Symptoms from large oral doses in rats include;
~~ACUTE OVEREXPOSURE hypostivity, peptic, muscular weakness, salivation, anorexia,~~
~~CHRONIC OVEREXPOSURE dyspnea, hemorrhagic diarrhea, loss of reflex.~~
None known.

EMERGENCY AND FIRST AID PROCEDURES

EYES: Flush with plenty of water for at least 15 minutes and get medical attention.

SKIN: Wash with soap and water.

INHALATION: Move to clear atmosphere. If symptoms appear, get medical attention.

INGESTION: Do not induce vomiting. See Notes to Physician below.

NOTES TO PHYSICIAN

There is no specific antidote if Pramitol 25E is ingested. Do not induce emesis, and take care to avoid aspiration of stomach contents during gastric lavage. Give a saline laxative and supportive therapy. Barbituates may be used to control convulsions.

SAFETY DATA SHEET

I PRODUCT IDENTIFICATION

MANUFACTURER'S NAME	Agricultural Division CIBA-GEIGY Corporation	REGULAR TELEPHONE NO.	919-292-7100
		EMERGENCY TELEPHONE NO.	914-478-3131
ADDRESS:	P. O. Box 11422, Greensboro, North Carolina 27409		
TRADE NAME	Pranitol® 25E		
SYNONYMS	Pranitol, prometon = 2,4-bis (isopropylamino)-6-methoxy-s-triazine		

II HAZARDOUS INGREDIENTS

MATERIAL OR COMPONENT	%	HAZARD DATA
Prometon	25	
Aromatic Petroleum Derivative Solvent	50	TLV ~100 ppm (skin)

III PHYSICAL DATA

BOILING POINT, 760 MM HG	150°C based on solvent	MELTING POINT	Not applicable
SPECIFIC GRAVITY (H ₂ O = 1)	0.935	VAPOR PRESSURE	
VAPOR DENSITY (AIR = 1)		SOLUBILITY IN H ₂ O, % BY WT.	Insoluble
VOLATILES BY VOL		EVAPORATION RATE (BUTYLACETATE = 1)	
COLOR AND ODOR	Yellow brown liquid with solvent odor		

MSDS: MECAMINE-D**SECTION VI — HEALTH HAZARD DATA****EFFECTS OF OVEREXPOSURE:****3598**

Routes of Entry: Ingestion, inhalation, eyes and skin contact. **Most likely Route of Entry:** Dermal. Product is considered to be of low to moderate toxicity. May be harmful or fatal if swallowed. Corrosive to eyes; may cause irreversible eye damage. Signs and symptoms may include loss of appetite, loss of weight, nausea, vomiting, depression, general tenseness and muscular weakness. Severe exposure may lead to central nervous system symptoms. May cause irritation of eyes, nasal passages, throat and skin. Prolonged or repeated exposure may lead to reddening of skin, rash, dermatitis or other skin reactions.

EMERGENCY AND FIRST AID PROCEDURES: Call a physician immediately in all cases of suspected poisoning.

Ingestion: Drink 1 to 2 glasses of water and induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person. Keep head lower than chest to avoid aspiration into lungs. Call physician immediately.

Eyes: Flush with running water for at least 15 minutes while holding eyelids open to help flush out material. Get medical attention.

Skin: Remove all contaminated clothing. Wash skin and hair thoroughly with soap and water. Wash clothing before reuse. If irritation persists, get medical attention.

Inhalation: Remove to fresh air. If irritation persists, get medical attention.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

None known. Preexisting skin or respiratory disorders may be aggravated by excessive exposure to this material.

POTENTIAL CARCINOGEN STATUS:

Not known. None of the components in this product is listed by IARC, NTP or OSHA as a potential carcinogen.

For occupational exposure to phenoxy herbicides:

For 2,4-D:

IARC CANCER REVIEW: HUMAN LIMITED EVIDENCE; IMEMOT 41,357,86; IARC Monogr Eval Carcinog Risk Chem Man.

IARC CANCER REVIEW: ANIMAL AND HUMAN INADEQUATE EVIDENCE; IMEMOT 15,111,77; (ibid)

GROUP 2B; IMSUDL 7,156,87; IARC Monogr Suppl.

SECTION VII — SPILL OR LEAK PROCEDURES**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

Contain spill; absorb liquids by covering with clay or other absorbent material; then vacuum or scoop and sweep up wastes and place in container for disposal. Wash spill area with detergent solution and rinse with water.

WASTE DISPOSAL METHOD:

Material which cannot be used at the site should be disposed of in an approved waste disposal facility following all applicable Federal, State and Local regulations. Triple rinse empty containers and offer for recycling or reconditioning, or puncture and dispose of in an approved sanitary landfill. Do not contaminate water supplies by disposal of wastes or containers.

SECTION VIII — SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type): Not normally required. If vapors may exceed acceptable levels, wear MSHA/NIOSH-approved respirator or mask to protect against pesticide dusts, mists and vapors.

VENTILATION:

LOCAL EXHAUST: Not normally required.

SPECIAL: Not normally required.

MECHANICAL (General): Not normally required. Use if ventilation is not adequate.

OTHER: Work in a well-ventilated area.

PROTECTIVE GLOVES: Rubber or impervious gloves recommended.

EYE PROTECTION: Chemical goggles or shielded safety glasses recommended. Wear chemical goggles or face shields while transferring product.

OTHER PROTECTIVE EQUIPMENT: Wear clothing consistent with good practices for handling and applying pesticides. Wear protective clothing, including long pants, long-sleeved shirt, hat and rubber boots during mixing and loading operations and during application. Wash used clothing before reuse.

SECTION IX — SPECIAL PRECAUTIONS**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**

Store in cool, dry place away from children, domestic animals, food and feed products. Do not contaminate other stored products or the storage area by handling or storage of this product. Immediately clean up any spills which occur during handling and storage. Protect from freezing.

OTHER PRECAUTIONS:

Do not contaminate water supplies by handling or storage of product, cleaning of equipment or disposal of wastes. Keep work and storage areas clean. Toxic to fish and other aquatic organisms. Read and follow precautionary measures on product label.

SECTION X — DOT INFORMATION AND DATE

DOT CLASSIFICATION: Not regulated by DOT **DOT LABEL:** None **DATE OF ISSUE:** 7/11/89 **SUPERSEDES:** 3/20/89

All information contained in this Material Safety Data Sheet is furnished free of charge and is intended for your evaluation. In our opinion the information is, as of the date of this Material Safety Data Sheet, reliable, however, it is your responsibility to determine the suitability of the information for your use. You are advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional or variable conditions or circumstances exist or because of applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information gathered by you, and you must make independent determinations of the suitability and completeness of the information from all sources to assure both proper use of the material described herein and the safety and health of employees. Accordingly, no guarantee expressed or implied is made by Platte Chemical Company as to the results to be obtained based upon your use of the information, nor does Platte Chemical Company assume any liability arising out of your use of the information.



MATERIAL SAFETY DATA SHEET

3598

MEC AMINE-D

SECTION I — IDENTIFICATION OF PRODUCT

MANUFACTURER'S NAME:

Platte Chemical Co., Inc.
150 South Main Street Fremont, Nebraska 68025

EMERGENCY TELEPHONE NO.:

(303) 356-4400 or CHEMTREC (800) 424-9300

TRADE NAME AND SYNONYMS:

CLEAN CROP MEC AMINE-D

CHEMICAL NAME AND SYNONYMS: 2,4-D amine; 2,4-Dichlorophenoxyacetic acid, dimethylamine salt, MCPP Dimethylamine; 2(2-methyl-4-chlorophenoxy); propionic acid, dimethylamine salt, Dicamba, Dimethylamine; (3,5-Dichloro-o-anisic acid, dimethylamine salt.)

CHEMICAL FAMILY: Phenoxy herbicide mixture

SARA TITLE III HAZARD CATEGORY:

IMMEDIATE Y FIRE N SUDDEN RELEASE OF
 DELAYED N REACTIVE N PRESSURE N

SECTION II — HAZARDOUS INGREDIENTS OF MIXTURES

COMPONENT:	%	THRESHOLD LIMIT VALUE (Units):
Dimethylamine salt of 2,4-D (CAS: 2008-39-1)	30.58	ACGIH TLV-TWA: 10mg/m ³ (for Acid) MSHA & OSHA STD-air-TWA: 10mg/m ³ (Acid)
Dimethylamine salt of MCPP (CAS: 13791-92-9)	16.34	None established
Dimethylamine salt of Dicamba (for acid: CAS: 1918-00-9) ..	2.77	None established
Inert Ingredients	50.33	

THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES WHICH ARE REGULATED UNDER SARA, TITLE III, SECT. 313:

Diethanolamine (CAS: 111-42-2) <.5%
 2,4-D (Acid equivalent) (CAS: 94-75-7) <26.0%

SECTION III — PHYSICAL DATA

APPEARANCE AND ODOR: Clear, light amber-colored liquid with typical phenoxy herbicide odor.

BOILING POINT (°F): 212°F (100°C)

SPECIFIC GRAVITY (WATER = 1): 1.13

DENSITY: 9.42 lbs./gal.

VAPOR PRESSURE (MM. OF MERCURY): Approx. 21 mm Hg
(Reid-ASTM D323)

PERCENT VOLATILE (BY VOLUME): <50% (water)

VAPOR DENSITY (AIR = 1): Approx. 0.021 (Hauser HCR TM007)

EVAPORATION RATE (BUTYL ACETATE = 1): Not available; lower than Butyl Acetate

SOLUBILITY IN WATER: Miscible in water

SECTION IV — FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (SPECIFY METHOD/°F): Does not flash; not applicable

FLAMMABLE LIMITS (PERCENT BY VOLUME): Not applicable

FIRE EXTINGUISHING MEDIA: Considered non-combustible; use medium appropriate to surrounding fire. Dry Chemical, CO₂, Foam, Water spray or fog.

SPECIAL FIRE FIGHTING PROCEDURES: Smoke and fumes from fire may contain hazardous components. Use self-contained breathing apparatus and full protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: If water is used to fight fire or cool containers, contain run-off by diking to prevent contamination of water supplies.

SECTION V — REACTIVITY DATA

STABILITY: Stable.

CONDITIONS TO AVOID: Excessive heat.

INCOMPATIBILITY (Materials to avoid): Strong oxidizers, acids.

HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen Chloride (HCl), other chlorine-containing compounds, oxides of nitrogen and other unknown hazardous materials may be formed in a fire situation. Incomplete combustion may lead to formation of carbon monoxide and/or other asphyxiants.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None known.



ACTING UNDER
U.S. DEPARTMENT OF ENERGY
CONTRACT DE-AC05-86OR21600

Westinghouse Environmental Management Company of Ohio
P.O. BOX 398704, CINCINNATI, OHIO 45239-8704
PHONE: AREA CODE 513/738-6200

3598

PURCHASE ORDER

ORDERED FROM:

MR. GREEN LAWN CARE

4934 FACTORY DRIVE
FAIRFIELD OH 45014
SHIP TO:

MATERIALS/SERVICES FURNISHED
ARE SUBJECT TO WEMCO GENERAL
PROVISIONS (FP-100) DATED 9-89
ATTACHED HERETO AND MADE A
PART HEREOF.

PURCHASE ORDER NO.	PAGE
331172-00	03

PURCHASE ORDER DATE	ORDER TYPE
06/10/92	NORMAL
R-CODE	CHANGE CANCEL
A6 A 7 AA3	ORIGINAL 06/10/92

BUYER	TERMS	ACKNW	CONF	FOB	SHIP VIA	COL PPL
LARRY CLARK	NET 30	NO	NO	OUR WORKS	BEST WAY	

LINE NO.	QTY. ORDERED	U/M	OUR ITEM NO.	DESCRIPTION/COMMENTS	PRICE/UNIT REQUESTED DATE	CHANGE OR CANCEL	Q.A.✓
			FORM NO. M-528 E) SUBCONTRACTORS MONTHLY ACCIDENT SUMMARY, WEMCO FORM NO. ES&H-294 M-528				

FOR WESTINGHOUSE ENVIRONMENTAL MANAGEMENT COMPANY OF OHIO	REFERENCE OUR INVITATION FOR BID NO.:	TOTAL EXTENDED PRICE
SIGNATURE: <i>M. A. Stewart</i>	013740	6,800.00

SHIPPING INSTRUCTIONS ON REVERSE	COMMENTS: SELLER'S INSTRUCTIONS ATTACHED SHIPPING INSTRUCTIONS ATTACHED
----------------------------------	---

ITEM NO.	ACCOUNT NUMBER	DELIVER TO AND DEPARTMENT



ACTING UNDER
U.S. DEPARTMENT OF ENERGY
CONTRACT DE-AC05-86OR21600

Westinghouse Environmental Management Company of Ohio
P.O. BOX 398704, CINCINNATI, OHIO 45239-8704
PHONE: AREA CODE 513/738-6200

3598

PURCHASE ORDER

ORDERED FROM:

MR. GREEN LAWN CARE

4934 FACTORY DRIVE
FAIRFIELD OH 45014
SHIP TO:

MATERIALS/SERVICES FURNISHED
ARE SUBJECT TO WEMCO GENERAL
PROVISIONS (FP-100) DATED 9-89
ATTACHED HERETO AND MADE A
PART HEREOF.

331172-00 02

ORDER DATE	06/10/92	ORDER TYPE	NORMAL
P CODE	A6 7	CHANGE CANCEL	ORIGINAL 06/10/92

BUYER	TERMS	ACKNO	CONF	FOB	SHIP VIA
LARRY CLARK	NET 30	NO	NO	OUR WORKS	BEST WAY

LINE NO.	QTY. ORDERED	U/M	OUR ITEM NO.	DESCRIPTION/COMMENTS	PRICE/UNIT REQUESTED DATE	CHANGE OR CANCEL	Q.A.
				<p>NOTE: CONTRACTOR IS TO CONTACT WEMCO'S LOWELL RAFFIGNONE AT (513) 738-6426 TO ARRANGE FOR SECURITY ACCESS AND COORDINATE SCHEDULING OF HERBICIDE APPLICATION.</p> <p>THE ABOVE SHALL BE DONE IN ACCORDANCE WITH THE FOLLOWING ATTACHMENTS WHICH ARE HEREBY INCORPORATED AND BECOME PART OF THIS PURCHASE ORDER. ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.</p> <p>A) SCHEDULE - PROTECTION OF GOVERNMENT PROPERTY, WEMCO FORM NO. M-313. B) SPECIAL CONDITIONS WEMCO FORM NO. M-312. C) SECURITY AND CLASSIFICATION CLAUSE, WEMCO FORM NO. M-389 D) SPECIAL HEALTH, SAFETY & FIRE PROTECTION REQUIREMENTS,</p>			

FOR WESTINGHOUSE ENVIRONMENTAL MANAGEMENT COMPANY OF OHIO	REFERENCE OUR INVITATION FOR BID NO.:	TOTAL EXTENDED PRICE
SIGNATURE: _____	013740	

SHIPPING INSTRUCTIONS ON REVERSE	COMMENTS: SELLER'S INSTRUCTIONS ATTACHED SHIPPING INSTRUCTIONS ATTACHED
----------------------------------	---

ITEM NO.	ACCOUNT NUMBER	DELIVER TO AND DEPARTMENT



ACTING UNDER
U.S. DEPARTMENT OF ENERGY
CONTRACT DE-AC05-86OR21600

Westinghouse Environmental Management Company of Ohio

P.O. BOX 398704, CINCINNATI, OHIO 45239-8704

PHONE: AREA CODE 513/738-6200

PURCHASE ORDER

ORDERED FROM:

MR. GREEN LAWN CARE

4934 FACTORY DRIVE

FAIRFIELD

SHIP TO:

OH 45014

MATERIALS/SERVICES FURNISHED
ARE SUBJECT TO WEMCO GENERAL
PROVISIONS (FP-100) DATED 9-89
ATTACHED HERETO AND MADE A
PART HEREOF.

331172-10 91

PURCHASE ORDER DATE		06/10/92		NORMAL	
R CODE		A6 A		ORIGINAL	
7		AA3		06/10/92	

BUYER	TERMS	ACKNW	CONF	FOB	SHIP TO
LARRY CLARK	NET 30	NO	NO	OUR WORKS	BEST WAY

LINE NO.	QTY. ORDERED	U/M	OUR ITEM NO.	DESCRIPTION/COMMENTS	PRICE/UNIT REQUESTED DATE	CHANGE OR CANCEL	Q.A. ✓
001	1	LT	77832	PROVIDE SERVICES OF A LICENSED HERBICIDE APPLICATOR TO SPRAY GRAVELED AREAS IN THE FEMP PROCESS AREA & ALONG RAILROAD TRACKS & FENCE LINES. CONTRAC- TOR WILL FURNISH HERBICIDE AND PROVIDE RESPIRATORS FOR USE IN SPRAYING. NO SPRAYING WILL BE ALLOWED WITHIN 25 FT RADIUS ON ANY WELLS. ONLY EPA APPROV- ED HERBICIDES ARE TO BE USED. PERSON APPLYING OR SUPERVISING SPRAYING SHALL BE OHIO CERTIF- IED FOR INDUSTRIAL WEED CON- TROL SPRAYING. SPRAYING SHALL BE DONE IN A MANNER TO PREVENT CONTACT WITH WEMCO PERSONNEL. THIS CONTRACT IS FOR ONE (1) APPLICATION ONLY. ACCT: 86D04410 MOVE TO: 22 LABOR-RIGGER SH	6,800.000 06/22/92		

FOR WESTINGHOUSE ENVIRONMENTAL MANAGEMENT COMPANY OF OHIO	REFERENCE OUR INVITATION FOR BID NO.:	TOTAL EXTENDED PRICE
SIGNATURE: _____	013740	

SHIPPING INSTRUCTIONS ON REVERSE	COMMENTS: SELLER'S INSTRUCTIONS ATTACHED SHIPPING INSTRUCTIONS ATTACHED
----------------------------------	---

ITEM NO.	ACCOUNT NUMBER	DELIVER TO AND DEPARTMENT

REGULATORY
COMPLIANCE SECTION
FERNALD, OHIO



3598

From: L. Pennington/6435

WEMCO:SS(UT):92-050

Date: June 4, 1992

JUN 8 2 42 PM '92

Subject: METHANOL TANK

To : P. B. Spotts

On June 3, 1992 at 7:30 AM, Robert Duckworth, Utilities Engineer, and I inspected the 50,000 gallon Methanol Tank located in the Waste Pit area. We observed the roof, manhead, piping, seals, and secondary containment. We inspected the floating roof. It appeared in good condition - no methanol accumulated on roof. We found no leaks or other abnormalities.

This should satisfy our yearly requirement in our PTO:OEPA-T127.

L. Pennington, Manager
Utilities Department

LP:pad

c: S. J. Dechter
J. W. Leslie
Utilities Engineers
Central Files



3598



16

3598

17

