

4102

**ACCEPTABLE DOCUMENT RESPONSES
REVISION 1 WORK PLAN FOR SOUTH PLUME
GROUNDWATER REMOVAL ACTION, PARTS 2,
3, & 5**

06/01/92

OEPA/DOE-FN

1

LETTER



State of Ohio Environmental Protection Agency

Southwest District Office

40 South Main Street
Dayton, Ohio 45402-2086
(513) 285-6357
FAX (513) 285-6404

LOG
FILE
LIST
EK
JUN 2 10 31 AM '93

4102

George V. Voinovich
Governor

June 1, 1992

RE: ACCEPTABLE DOCUMENT RESPONSES

Mr. Jack R. Craig
Project Manager
U.S. DOE FEMP
P. O. Box 398705
Cincinnati, Ohio 45239

Dear Mr. Craig:

Ohio EPA has reviewed the DOE submittals listed below and finds them acceptable.

1. Final RCRA/CERCLA Background Soil Study Sampling and Analysis Plan and Response to Comments
2. Response to Comments on Revision 1 Work Plan for the South Groundwater Contamination Plume Removal Action, Parts 2 and 3 and the Revised Work Plan Attachment 1
3. Response to Comments on Revision 1 Work Plan for the South Groundwater Contamination Plume Removal Action Part 1, Alternate Water Supply and the Revised Work Plan Attachment 1

Sincerely,

Graham E. Mitchell
Project Manager

GEM/bjb

- cc: Jenifer Kwasniewski, DERR
Tom Schneider, DERR
Jim Saric, U.S. EPA
Dennis Carr, WEMCO
Lisa August, GeoTrans
Tom Hahne, PRC
Robert Owen, ODH

Property of
PUBLIC ENVIRONMENTAL INFORMATION CENTER
10845 Hamilton Cleves Highway
Harrison, Ohio 45030
(513) 738-0164

1