

4240

**NOTICE OF EXPIRATION OF PERMIT(S) TO
OPERATE**

OEPA/DOE-FN

**20
LETTER**



State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149

LOG G-02740
FILE AR
LIBRARY _____

MAR 17 10 35 AM '93

4240

RE: NOTICE OF EXPIRATION
OF PERMIT(S) TO OPERATE

1431110128
U.S. DEPT OF ENERGY-FERNALD E
BEHRAM SHROFF
P.O. BOX 398705
CINCINNATI OH 45239

March 16, 1993

The Permit(s) to Operate described in the enclosed attachment(s) will expire on the date(s) shown. Pursuant to Rule 3745-35-02 of the Ohio Administrative Code, renewal application(s) must be filed with the field office if this (these) source(s) are to continue in operation. Please be sure to notify the field office if these sources are shut down or out of service so they can be removed from active status.

Each expiring Permit to Operate is listed on the attached form by application number, expiration date and description and identification of the source. In addition, the name and location of your facility and the person-to-contact and his mailing address are shown. If any of this information is incorrect, please indicate the corrections on the enclosed renewal application form(s).

You are hereby advised that pursuant to Section 3745.11 of the Ohio Revised Code, effective November 15, 1981, a non-refundable application fee in the amount of \$15.00 must accompany each application for a Permit to Operate or Variance.

We request that you complete the enclosed appendix(ces) as appropriate for each source, as well as the application form(s). One appendix and one application form are to be completed for each expiring Permit to Operate. Additional copies of these forms may be made by you as necessary.

Please return your remittance, the application fee card, and the completed application form(s) and appendix(ces) within thirty (30) working days of receipt of this letter to the field office as shown on the attachment.

All documents should be submitted and questions directed to the field office to which you submitted your original application. **DO NOT RETURN THESE DOCUMENTS TO CENTRAL OFFICE.**

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

TGR/tkb

Submit Application & FEE

NOTICE OF EXPIRATION
SEE ATTACHED LETTER FOR EXPLANATION

PAGE 1

U.S. DEPT OF ENERGY-FERNALD ENVR MANAGEM
WILLEY ROAD
FERNALD OHIO 45239

4240

BEHRAM SHROFF
U.S. DEPT OF ENERGY-FERNALD ENVR MANAGEM
P.O. BOX 398705
CINCINNATI OHIO 45239

1

APPLICATION NO.	EXPIRATION DATE	
SOURCE	EQUIPMENT DESCRIPTION	APPENDIX
	COMPANY IDENTIFICATION FOR EQUIPMENT	
P241	OIL TREATMENT TANK SYSTEM I PLANT NO. 6: 6-046	A
P242	OIL TREATMENT TANK SYSTEM II PLANT NO. 6: 6-048	A
P243	PRECIPITATION TANK SYSTEM I PLANT NO. 5: 6-047	A
P244	PRECIPITATION TANK SYSTEM II PLANT NO. 6: 6-049	A
T141	INGOT PICKLING PLANT NO. 6: 6-050	E-2

002

NOTICE OF EXPIRATION
SEE ATTACHED LETTER FOR EXPLANATION

PAGE 2

U.S. DEPT OF ENERGY-FERNALD ENVR MANAGEM
WILLEY ROAD
FERNALD OHIO 45239

4240

1

APPLICATION NO. 1431110128 EXPIRATION DATE 08/31/95

SOURCE EQUIPMENT DESCRIPTION APPENDIX
COMPANY IDENTIFICATION FOR EQUIPMENT

T142 ACID WATER TANK E-2
PLANT NO. 6: 6-051

MAIL APPLICATION AND APPLICATION FEE TO:

DEPT. OF ENVIRONMENTAL SERVICES AIR QUALITY PROGRAMS
1632 CENTRAL PKWY. CINCINNATI, OH 45210
(513) 651-9437

DO NOT RETURN TO CENTRAL OFFICE

003

FOR OFFICIAL USE ONLY

Premise No. _____
 Source No. _____

4240

APPENDIX A, PROCESS

PROCESS DATA

1. Name of process _____
2. End product of this process _____
3. Primary process equipment _____
 Your identification _____ Year Installed _____
4. Manufacturer _____ Make or Model _____
5. Capacity of equipment (lbs./hr): Rated _____ Max. _____
6. Method of exhaust ventilation: Stack Window fan Roof vent
 Other, describe _____
 Are there multiple exhausts? Yes No

OPERATING DATA

7. Normal operating schedule: _____ hrs./day, _____ days/wk., _____ wks./year.
8. Percent annual production (finished units) by season:
 Winter _____ Spring _____ Summer _____ Fall _____
9. Hourly production rates (lbs.): Average _____ Maximum _____
10. Annual production (indicate units) _____
 Projected percent annual increase in production _____
11. Type of operation: Continuous Batch
12. If batch, indicate Minutes per cycle _____ Minutes between cycles _____
13. Materials used in process:

List of Raw Materials	Principal Use	Amounts (lbs./hr.)

14. A PROCESS FLOW DIAGRAM MUST BE INCLUDED WITH THIS APPENDIX. Show entry and exit points of all raw materials, intermediate products, by-products and finished products. Label all materials including airborne contaminants and other waste materials. Label the process equipment and control equipment.

(continued on reverse side)

CONTROL EQUIPMENT

Control Equipment Codes:

- | | | |
|--------------------------------|--------------------------|-----------------------------|
| (A) Settling chamber | (G) Cyclonic scrubber | (M) Adsorber |
| (B) Cyclone | (H) Impingement scrubber | (N) Condenser |
| (C) Multiple cyclone | (I) Orifice scrubber | (O) Afterburner - catalytic |
| (D) Electrostatic precipitator | (J) Venturi scrubber | (P) Afterburner - thermal |
| (E) Fabric filter | (K) Plate or tray tower | (Q) Other, describe |
| (F) Spray chamber | (L) Packed tower | _____ |

15. Control Equipment data:

Item	Primary Collector	Secondary Collector
(a) Type (See above code)		
(b) Manufacturer		
(c) Model No.		
(d) Year installed		
(e) Your identification		
(f) Pollutant Controlled		
(g) Controlled pollutant emission rate (if known)		
(h) Pressure drop		
(i) Design efficiency		
(j) Operating efficiency		

STACK DATA

16. Your stack identification _____
17. Are other sources vented to this stack: Yes No
If, yes, identify sources _____
18. Type: Round, top inside diameter dimension _____
 Rectangular, top inside dimensions (L) _____ x (W) _____
19. Height: Above roof _____ ft., above ground _____ ft.
20. Exit gas: Temp. _____ of, Volume _____ ACFM, Velocity _____ ft./min.
21. Continuous monitoring equipment: Yes No
If yes, indicate: Type _____, Manufacturer _____
Make or Model _____, Pollutant(s) monitored _____
22. Emission date: Emissions from this source have been determined and such data is included with this appendix:
If yes, check method: Stack Test Emission factor Material Balance

Completed by _____, Date _____

INSTRUCTION FOR APPENDIX A - PROCESS

Appendix A is a general appendix and should be completed for a source operation for which there is no specific appendix. Refer to the listing of appendices in the instructions to the Permit to Operate/Variance application to determine if another one applies (e.g. Appendix B - Fuel Burning Equipment, Appendix C - Incinerator, Appendix D - Surface Coating or Printing Operation, Appendix E - Storage Tank/Loading Facility, or others).

Rule 3745-15-01(X) of the Ohio Administrative Code defines a "source operation" as "... the last operation preceeding emission which operation: (1) results in the separation of the air contaminant from the process materials or in the conversion of the process materials into air contaminants, as in the case of combustion fuel; and, (2) is not an air pollution abatement operation."

General Instructions: Answer or complete all items. If the item does not apply to the source operation write in "not applicable" or "NA". If the answer is not known write in "not known" or "NK". The appendix form may be returned to you if all items are not completed or answered.

Specific Instructions:


Item Process Data: Items (1) thru (6) refer to general process information.

- (1) Complete the generally accepted name for the process (e.g. asphalt batching, glass manufacturing, oil refining, electroplating, rendering, etc.).
- (2) Specify the end product of this process (e.g. asphaltic concrete, glassware, benzene, chrome plated bumpers, soaps, etc.).
- (3) Name the specific process equipment for this appendix along with the company's identifying name or code and the year it was or will be installed (e.g. basic oxygen furnace - furnace #1 - 1965).
- (4) Name the manufacturer and model number (if any) of the process equipment in item (3).
- (5) State the "rated" (normal) and (maximum) capacity, in pounds per hour (lbs/hr), of the process equipment. The capacity refers to the input capacity of materials entering the process equipment.
- (6) Indicate the method of exhaust ventilation and indicate if there are more than one exhaust.

Operating Data: Items (7) thru (14) refer to the operating information for the process equipment.

- (7) Complete the process equipment's normal operating schedule in hours per day, days per week, and weeks per year.
- (8) Complete the percent annual production by season for a years production of finished units. The four seasons should total to 100% and include: Winter (December, January, February), Spring (March, April, May), Summer (June, July, August), Fall (September, October, November).

- (9) Specify the average and maximum hourly production rates in pounds. The average is the years production rate divided by the total yearly hours of production or operation.
- (10) Specify the annual production for this process equipment and indicate the appropriate units (e.g., 10,000 tons of steel, 150,000 barrels of benzene, etc.). Estimate the annual increase in production.
- (11) & Check whether the process is continuous or batch. A batch operation normally has significant down time between completion and startup of each operation or cycle.
- (12) If batch, complete the minutes per production cycle and minutes between the production cycles. A "cycle" refers to the time the equipment is in operation.
- (13) List all general types of raw materials employed in the process, indicate the principle use (i.e., product, binder, catalyst, fuel, etc.) and specify the normal amount used in pounds per hours (lbs/hr). List any specific materials containing lead, asbestos, beryllium, or mercury.
- (14) A process flow diagram is to be included with this appendix and should be sketched on a separate sheet. The diagram should include:
- Entry and exit points of all raw materials, intermediate products, by-products, and finished products.
 - Labelling of all materials (products, waste, and airborne contaminants).
 - Labelling of process equipment and control equipment:

Example:

Control Equipment: Items (15)(a) thru (j) refer to the control equipment information.

- (15) Complete items (a) thru (j) for any air pollution device or equipment related to the process equipment of this appendix. The primary collector and secondary collector refer to separate control devices or equipment for collecting similar or different air pollutants. If there is a third collector, complete the same data for that collector on a separate sheet. Additional information (e.g., drawings, design data, etc.) may be attached to this appendix.
- (a) Insert the control equipment code letter.
 - (b) Name the manufacturer of the control equipment.
 - (c) Name the manufacturer's model number (if any).
 - (d) Fill in the year the control was or will be installed.
 - (e) Fill in the company's identifying name or number for the control device or equipment.
 - (f) Specify only the pollutant (air contaminant) controlled.
 - (g) Specify the controlled pollutant emission rate if known or measured, in pounds per hour (lbs/hr) or grains per standard cubic foot dry (g/scfd) or other appropriate units. Specify units.
 - (h) Specify the pressure drop, in inches H^2O , across the collector.
 - (i) Specify the design collection or removal efficiency of the collector the controlled pollutant.
 - (j) Specify the operating collection or removal efficiency of the collector for the controlled pollutant. The operating efficiency is normally determined from a stack test.

Stack Data: Items (16) thru (22) refer to information for the stack or exhaust of this process.

- (16) Indicate the company's identification for the stack or exhaust.
- (17) If other sources are also vented to this same stack or exhaust indicate so and identify those sources.
- (18) Specify the inside dimensions of the stack or exhaust at the outlet to the atmosphere.
- (19) Specify the stack's or exhaust's height, in feet (ft.) above ground and above the attached roof.
- (20) For the stack's or exhaust's exit gas complete the temperature in degrees Fahrenheit (OF), the volume flow rate in actual cubic feet per minute (ACFM), and the velocity in feet per minute (ft/min.). If the properties of the exit gas vary use the average values.
- (21) Indicate if the stack or exhaust is equipped with air pollution monitoring equipment and if so specify the type, manufacturer, make or model, and the pollutant or pollutants monitored.
- (22) If air pollution emissions for this process have been determined and the data is included with (attached to) this appendix indicate so and check the method of determination (i.e. stack test, emission factor, or material balance). The stack test may be from either this reported process or a similar one located elsewhere. The emission factor calculation and determination factor should include a reference to the process emission factor and data relative to the collection or removal efficiency of any control equipment. The material balance method should include measurement methods and a flow diagram.

Completed by and Date: Write in the name of the person completing this form and the date.

Premise No. ___/___/___/___
Source No. ___/___
Application No. ___/___

(Facility Name)

APPENDIX E-2

INORGANIC MATERIAL STORAGE TANK OR
STORAGE TANK WITH CAPACITY LESS THAN 40,000 GALLONS

1. Tank identification: Name or number _____ Date Installed _____
(month/year)
2. Tank capacity: _____ gallons
3. Tank shape: Cylindrical Rectangular
 Spherical Other, specify _____
4. Tank dimensions: Diameter _____ Height _____ Length _____ Width _____
5. Tank shell material: Steel Aluminum Other, specify _____
6. Type of tank: External floating roof tank
 Internal floating roof tank
 Fixed roof tank
 Vertical cylindrical tank
 Horizontal cylindrical tank
 Pressure tank
 Other, specify _____
7. Location of tank: Outdoors Indoors Underground
8. Type of filling: Splash Submerged Other, specify _____
9. If this tank is located outdoors and above ground, provide the paint color of the tank.
 Aluminum (specular) Light gray White
 Aluminum (diffuse) Medium gray Other, specify _____
Condition of paint: Good Poor
10. If this tank is equipped with or vented to a vapor control system, complete (a) through (c) of this item.
 - a) Type of vapor control system _____
Manufacturer _____ Make or model _____
Date installed (month and year) _____
 - b) Date tank was equipped with or vented to vapor control system (month & year) _____
 - c) Specify the rate of emission or percent control (by weight) for any pollutants being controlled: _____
(Attach calculations and test data to support response, unless previously submitted

11. Complete the table below for any pressure or vacuum relief vent valve.

<u>Type of Vent Valve</u>	<u>Pressure Setting</u>	<u>Vacuum Setting</u>	<u>If pressure relief is discharged to a vapor control, identify the vapor control.</u>
_____	_____	_____	_____

12. Operational Data (Complete (a) through (g) of this item for all materials stored or to be stored. Attach additional sheets, if necessary.)

a) Material _____ Trade Name _____
Density: _____ lbs/gal or _____ °API Producer _____

b) Temperature of stored material: Average _____ °F and Maximum _____ °F
(If temperature is approximately outdoor ambient temperature, write "AMB".)

c) Vapor pressure of stored material (Complete i, ii or iii of this item. If vapor pressure is not known, write "unknown"):

i) Actual vapor pressure: _____ psia at average storage temperature _____
_____ psia at maximum storage temperature

ii) Reid vapor pressure: Average _____ psi and minimum-maximum _____ - _____ psi

iii) If material stored is a gas or liquified gas, provide the pressure at which it is stored: _____ psi gage at _____ °F

d) Type of liquid organic material (If the material is an organic liquid other than a gasoline, fuel oil, kerosene, crude oil, lubricant or other petroleum liquid, answer the question below.)

Is it a photochemically reactive material? [] Yes [] No

e) Type of waste material (If the material is a waste, answer the question below.)

Is it a hazardous waste? [] Yes [] No

If yes, identify type (EPA hazardous waste number) _____

f) Indicate the year (or 12-month period) for item (g): _____

g) Annual throughput of material: _____ gallons.

Completed by _____ Date _____

INSTRUCTIONS FOR APPENDIX E-2, INORGANIC MATERIAL STORAGE TANK OR
STORAGE TANK WITH CAPACITY LESS THAN 40,000 GALLONS

Appendix E-2 is a technical information form of the Ohio Environmental Protection Agency, Division of Air Pollution Control. This form applies to a storage tank which is used to store an inorganic material or which has a capacity less than 40,000 gallons. An inorganic material is generally any compound which does not contain carbon. However, the storage of carbonic acid, metallic carbides, metallic carbonates and ammonium carbonate can be reported on this form.

General Instructions: Answer or complete all items which apply to the storage tank. The appendix form may be returned if all applicable items are not completed or answered.

Some items have boxes to indicate a selection or response. Use a check mark or an X within the box being selected. Only one box is to be marked to indicate a selection or response.

Specific Instructions:

Item

2 Tank capacity represents the maximum amount of material which can be stored. The tank capacity may change due to a physical modification of the storage tank.

8 Submerged filling means the storage tank is equipped with a submerged fill pipe as defined below.

"Submerged fill pipe" means any fill pipe the discharge opening of which is entirely submerged when the liquid level is six inches above the bottom of the tank; or when applied to a tank which is loaded from the side, shall mean any fill pipe the discharge opening of which is entirely submerged when the liquid level is eighteen inches above the bottom of the tank.

12(d) "Photochemically reactive material" means any liquid organic material with an aggregate of more than 20 percent of its total volume composed of the chemical compounds classified below or which exceeds any of the following individual percentage composition limitations, referred to the total volume of liquid:

- (1) A combination of hydrocarbons, alcohols, aldehydes, esters, ethers or ketones having an olefinic or cyclo-olefinic type of unsaturation: 5 percent;
- (2) A combination of aromatic hydrocarbons with eight or more carbon atoms to the molecule except ethylbenzene: 8 percent;
- (3) A combination of ethylbenzene, ketones having branched hydrocarbon structures, trichloroethylene or toluene: 20 percent.

12(e) If the material stored or to be stored is a waste material, complete the question on whether or not it is a hazardous waste. If additional information is needed regarding hazardous waste, please contact the office below.

Ohio EPA
Division of Hazardous Materials Management
361 East Broad Street
Columbus, Ohio 43215 (614-466-7220)

OHIO ENVIRONMENTAL PROTECTION AGENCY
 APPLICATION FOR A PERMIT TO OPERATE
 AN AIR CONTAMINANT SOURCE

4240

Facility Name			Person to Contact		
Facility Address			Mailing Address		
City	County	Zip	City	State	Zip
Telephone Area		Number	Telephone		

(Application No., if this is a renewal application) Std. Ind. Class. Code

1. Complete and attach any of the following appendices most appropriate to the air contaminant source. In addition, a compliance time schedule form is to be attached when applicable. Check as appropriate the following:

- | | |
|---|---|
| <input type="checkbox"/> Appendix A, Process
<input type="checkbox"/> Appendix B, Fuel-Burning Equipment
<input type="checkbox"/> Appendix C, Incinerator
<input type="checkbox"/> Appendix D, Surface Coating or Printing Operation
<input type="checkbox"/> Appendix E, Storage Tank
<input type="checkbox"/> Appendix H, Gasoline Dispensing Facility
<input type="checkbox"/> Appendix J, Loading Rack at Bulk Gasoline Plant or Terminal
<input type="checkbox"/> Appendix K, Surface Coating Line or Printing Line | <input type="checkbox"/> Appendix L, Solvent Metal Cleaning
<input type="checkbox"/> Appendix M, Fugitive Dust Emission Sources
<hr style="width: 100%;"/> <input type="checkbox"/> Appendix N, Rubber Tire Manufacturing
<input type="checkbox"/> Appendix O, Dry Cleaning Facility
<input type="checkbox"/> Appendix P, Landfills
<input type="checkbox"/> Other Appendix _____
<input type="checkbox"/> Compliance Time Schedule |
|---|---|

2. Description of Source (same as used on appendix): _____
3. Your identification for Source (same as used on appendix): _____

I, being the individual specified in Rule 3745-35-02(B) of the Ohio Administrative Code, hereby apply for a Permit to Operate the air contaminant source(s) described herein. As required, the following additional documents are submitted as part of this application (describe all attachments):

 Authorized Signature*

 Title

 Date

*Pursuant to OAC Rule 3745-35-02(B) (Permit to Operate).

012

4240

These instructions concern the completion of application materials for a Permit to Operate or a Variance for air contaminant sources. An application cannot be considered unless the application form is completed and signed and any required supplemental information is submitted. Pursuant to Section 3745.11(G) of the Ohio Revised Code (ORC), any person applying for a permit to operate, permit to install, or variance must pay a non-refunderable application fee \$15.00. This fee must be submitted at the time of application. Make checks payable to the Treasurer of the State of Ohio. Unless otherwise provided for by rule, a separate application must be filed for each air contaminant source. Therefore, only one (1) appendix may accompany this form. Applicants are advised that they will be required to pay a fee upon approval of their application for a Permit to Operate or Variance as provided for in Section 3745.11(B) of the ORC.

An appendix is a technical information form to be completed by the applicant. From the following description of the appendices, determine which should accompany your application.

- Appendix A - Process: for sources not included in the other appendices.
- Appendix B - Fuel-Burning Equipment: for any furnace, boiler, apparatus, and all appurtenances thereto, used in the process of burning fuel with the primary purpose of producing heat or power by indirect heat transfer.
- Appendix C - Incinerator: for any equipment, machine, device, article, contrivance, structure or part of a structure used to burn refuse or to process refuse material by burning other than by open burning.
- Appendix D - Surface Coating or Printing Operation: for a surface coating operation not included under Appendix K or for a printing operation.
- Appendix E - Storage Tank: a storage tank for petroleum liquids.
- Appendix H - Gasoline Dispensing Facility: any site where gasoline is dispensed to motor vehicle gasoline tanks from stationary storage tanks.
- Appendix J - Loading Rack at a Bulk Gasoline Plant or Terminal: an operation for transferring gasoline to a delivery vessel.
- Appendix K - Surface Coating Line: a coating line consists of one or more coating applicators, flash-off areas or ovens to be used for the following: an automobile or light-duty truck assembly plant; can manufacturing; coil-coating; fabric coating; large appliance coating; magnet wire coating; metal furniture coating; paper coating; vinyl coating.
- Appendix L - Solvent Metal Cleaning: an operation employing solvent for cleaning metal surfaces; wipe-cleaning is excluded.

Appendix M - Fugitive Dust Emission Sources

General:

- | | |
|---|---|
| M1-1 - Plant Roadways and Parking Areas | M13 - Cement Manufacturing and Blending Plants |
| M1-2 - Aggregate Storage Piles | M14 - Ferroalloy Production |
| M1-3 - Material Handling | M15 - Metal Salvage Operations |
| M1-4 - Mineral Extraction | M16 - Pulp and Paper Mills |
| | M17 - Woodworking Operations |
| | M18 - Aggregate Processing Plans |
| | M19 - Coal Processing Plants |
| | M20 - Brick and Related Clay Product Manufacturing Plants |
| | M21 - Asphaltic Concrete Plants |
| | M22 - Concrete Batching Plants |

Iron and Steel Mills:

- M2-1 - Coke Manufacturing
- M2-2 - Iron Production
- M2-3 - Steel Manufacture
- M3 - Lime Plants
- M4 - Power Plants

013

M5 - Grain Terminals	M23 - Sandblasting Operations
M6 - Country Grain Elevators	M24 - Petroleum Refineries
M7 - Gray Iron Foundries	M25 - Agricultural Chemical Manufacturing Plants
M8 - Steel Foundries	M26 - Bulk Gasoline Terminals and Plants
M9 - Glass Manufacturing Plants	M27 - Carbon Black Plants
M10 - Fiberglass Manufacturing	M28 - Municipal Incineration
M11 - Secondary Aluminum Processing Plants	M29 - Salt Processing Operations
M12 - Fertilizer Mixing/Blending Plants	M30 - Galvanizing Plants

- Appendix N - Rubber Tire Manufacturing
- Appendix O - Dry Cleaning Facility
- Appendix P - Landfill

There are separate instructions with each appendix. If more than one application form is submitted at one time, it is acceptable to use photocopies of these forms containing identical data entry; however, each application must contain an original signature.

The following Sections of Chapter 3745-35 of the Ohio Administrative Code provide the applicant with information regarding air contaminant sources, permits to operate and variances. A complete copy of OAC Rule 3745-35 is available upon request.

OAC Rule 3745-35-01(B)(1) "Air Contaminant Source" shall mean any machine, device, apparatus, equipment, building, or other physical facility that emits or may emit any air pollutant.

OAC Rule 3745-35-02(A) Except as otherwise provided in Paragraph (H) of this rule and in rules 3745-35-03 and 3745-35-05 of the Administrative Code, no person may cause, permit, or allow the operation or other use of any air contaminant source without applying for and obtaining the permit to operate from the Ohio Environmental Protection Agency in accordance with the requirements of this rule.

OAC Rule 3745-35-03 (A) No person shall cause, permit or allow the operation or other use of any air contaminant source that emits any air pollutant in violation of any applicable air pollution control law, unless a variance has been applied for and obtained from the director for such source, pursuant to the provisions of this rule. No variance from any rule of the director adopted under Chapter 3704 of the Revised Code may be issued except pursuant to this rule.

Signature on Application Form:

OAC Rule 3745-35-02(B)(1) Applications for permits to operate shall be signed, in the case of a corporation, by a principal executive officer of at least the level of vice president, or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which the emission described in the application originates.

(2) Applications for permits to operate shall be signed, in the case of partnership, by a general partner.

(3) Applications for permits to operate shall be signed, in the case of sole proprietorship, by the proprietor.

(4) Applications for permits to operate shall be signed, in the case of municipal, state, federal or other governmental facility, by the principal executive officer, the ranking elected official, or other duly authorized employee.

4240

OAC Rule 3745-35-03(D)(1) Application for variances shall be signed in the case of a corporation, by a principal executive officer or at least the level of vice president, or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which the emission described in the application originates.

(2) Applications for variances shall be signed in the case of a partnership by a general partner.

(3) Applications for variances shall be signed in the case of a sole proprietorship, by the proprietor.

(4) Applications for variances shall be signed in the case of municipal, state, federal or other government facility, by the principal executive officer, the ranking elected official, or other duly authorized employee.

4240

STATEMENT OF
THE OHIO ENVIRONMENTAL PROTECTION AGENCY

APPLICATION FEE

1431110128P241
APPLICATION NUMBER

\$15.00
AMOUNT DUE

U.S. DEPT OF ENERGY-FERNALD ENVR MANAGEM
FACILITY NAME

RETURN THIS STATEMENT WITH YOUR REMITTANCE AND
APPLICATION TO THE APPROPRIATE OHIO EPA DISTRICT
OFFICE OR LOCAL AIR POLLUTION CONTROL AGENCY.

PURSUANT TO SEC. 3745.11(G) OF THE OHIO REVISED
CODE, A NON-REFUNDABLE APPLICATION FEE FOR EACH
SOURCE MUST ACCOMPANY EACH APPLICATION FOR A
PERMIT TO INSTALL, PERMIT TO OPERATE OR VARIANCE.

MAKE CHECKS PAYABLE TO:

THE TREASURER OF THE STATE OF OHIO.

016

4240

STATEMENT OF
THE OHIO ENVIRONMENTAL PROTECTION AGENCY

APPLICATION FEE

1431110128P242
APPLICATION NUMBER

\$15.00
AMOUNT DUE

U.S. DEPT OF ENERGY-FERNALD ENVR MANAGEM
FACILITY NAME

RETURN THIS STATEMENT WITH YOUR REMITTANCE AND
APPLICATION TO THE APPROPRIATE OHIO EPA DISTRICT
OFFICE OR LOCAL AIR POLLUTION CONTROL AGENCY.

PURSUANT TO SEC. 3745.11(G) OF THE OHIO REVISED
CODE, A NON-REFUNDABLE APPLICATION FEE FOR EACH
SOURCE MUST ACCOMPANY EACH APPLICATION FOR A
PERMIT TO INSTALL, PERMIT TO OPERATE OR VARIANCE.

MAKE CHECKS PAYABLE TO:

THE TREASURER OF THE STATE OF OHIO.

017

STATEMENT OF
THE OHIO ENVIRONMENTAL PROTECTION AGENCY

APPLICATION FEE

1431110128P243
APPLICATION NUMBER

\$15.00
AMOUNT DUE

U.S. DEPT OF ENERGY-FERNALD ENVR MANAGEM
FACILITY NAME

RETURN THIS STATEMENT WITH YOUR REMITTANCE AND
APPLICATION TO THE APPROPRIATE OHIO EPA DISTRICT
OFFICE OR LOCAL AIR POLLUTION CONTROL AGENCY.

PURSUANT TO SEC. 3745.11(G) OF THE OHIO REVISED
CODE, A NON-REFUNDABLE APPLICATION FEE FOR EACH
SOURCE MUST ACCOMPANY EACH APPLICATION FOR A
PERMIT TO INSTALL, PERMIT TO OPERATE OR VARIANCE.

MAKE CHECKS PAYABLE TO:

THE TREASURER OF THE STATE OF OHIO.

4240

STATEMENT OF
THE OHIO ENVIRONMENTAL PROTECTION AGENCY

APPLICATION FEE

1431110128P244
APPLICATION NUMBER

\$15.00
AMOUNT DUE

U.S. DEPT OF ENERGY-FERNALD ENVR MANAGEM
FACILITY NAME

RETURN THIS STATEMENT WITH YOUR REMITTANCE AND
APPLICATION TO THE APPROPRIATE OHIO EPA DISTRICT
OFFICE OR LOCAL AIR POLLUTION CONTROL AGENCY.

PURSUANT TO SEC. 3745.11(G) OF THE OHIO REVISED
CODE, A NON-REFUNDABLE APPLICATION FEE FOR EACH
SOURCE MUST ACCOMPANY EACH APPLICATION FOR A
PERMIT TO INSTALL, PERMIT TO OPERATE OR VARIANCE.

MAKE CHECKS PAYABLE TO:

THE TREASURER OF THE STATE OF OHIO.

019

STATEMENT OF
THE OHIO ENVIRONMENTAL PROTECTION AGENCY

APPLICATION FEE

1431110128T141
APPLICATION NUMBER

\$15.00
AMOUNT DUE

U.S. DEPT OF ENERGY-FERNALD ENVR MANAGEM
FACILITY NAME

RETURN THIS STATEMENT WITH YOUR REMITTANCE AND
APPLICATION TO THE APPROPRIATE OHIO EPA DISTRICT
OFFICE OR LOCAL AIR POLLUTION CONTROL AGENCY.

PURSUANT TO SEC. 3745.11(G) OF THE OHIO REVISED
CODE, A NON-REFUNDABLE APPLICATION FEE FOR EACH
SOURCE MUST ACCOMPANY EACH APPLICATION FOR A
PERMIT TO INSTALL, PERMIT TO OPERATE OR VARIANCE.

MAKE CHECKS PAYABLE TO:

THE TREASURER OF THE STATE OF OHIO.

4240

STATEMENT OF
THE OHIO ENVIRONMENTAL PROTECTION AGENCY

APPLICATION FEE

1431110128T142	\$15.00
APPLICATION NUMBER	AMOUNT DUE

U.S. DEPT OF ENERGY-FERNALD ENVR MANAGEM
FACILITY NAME

RETURN THIS STATEMENT WITH YOUR REMITTANCE AND APPLICATION TO THE APPROPRIATE OHIO EPA DISTRICT OFFICE OR LOCAL AIR POLLUTION CONTROL AGENCY.

PURSUANT TO SEC. 3745.11(G) OF THE OHIO REVISED CODE, A NON-REFUNDABLE APPLICATION FEE FOR EACH SOURCE MUST ACCOMPANY EACH APPLICATION FOR A PERMIT TO INSTALL, PERMIT TO OPERATE OR VARIANCE.

MAKE CHECKS PAYABLE TO:
THE TREASURER OF THE STATE OF OHIO.

021