

4268

**REMOVAL ACTION MEMORANDUM -
TEMPORARY PARKING LOT EXPANSION**

DOE-FN/FERMCO

DOE-1514-93

2

LETTER



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

APR 02 1993

DOE-1514-93

Mr. N. C. Kaufman, President
 Fernald Environmental Restoration
 Management Corporation
 P.O. Box 398704
 Cincinnati, Ohio 45239-8704

Dear Mr. Kaufman:

REMOVAL ACTION MEMORANDUM - TEMPORARY PARKING LOT EXPANSION

Reference: Letter, DOE-930-90, Raymond J. Hansen to M. B. Boswell, "CERCLA Removal Actions", dated April 23, 1990.

The enclosed Removal Site Evaluation for the Temporary Parking Lot Expansion has been reviewed by my office. Based on this review, the Department of Energy (DOE) has determined that the existing controls for the planned action are adequate and this project does not constitute a removal action.

Excess soil generated from this work can be removed and dispositioned following the specific control measures noted within the Removal Site Evaluation (RSE) document and per the guidelines specified in the Fernald Environmental Management Project (FEMP) Site Policy and Procedures and Removal Action Number 17. The Administrative Record for the Remedial Investigation/Feasibility Study (RI/FS) should include this document.

At the completion of this project, Fernald Environmental Restoration Management Corporation (FERMCO) should submit a final report describing the changed site conditions, detailing the volume of waste generated, the number and type of containers used, the locations of dispositioned material (including containers), and the results of any verification sampling. Furthermore, this final report should be submitted to the Administrative Record for the RI/FS.

If you or your staff have any questions, please contact Anand Shah at 513-648-3146.

Sincerely,


 Thomas J. Rowland
 Acting Manager

FN:Shah

Enclosure: As Stated

cc w/ enc.:

AR Coordinator, FERMC0

cc w/o enc:

J. S. Straub, FERMC0/64

J. E. King, FERMC0/58