

4629

**REMOVAL SITE EVALUATION FOR THE  
METEOROLOGICAL TOWER PROJECT**

**07/22/1993**

**DOE-2507-93**

**DOE-FN/FERMCO**

**2**

**LETTER**

**OU3**



**Department of Energy**  
**Fernald Environmental Management Project**  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

JUL 22 1993

DOE-2507-93

Mr. N. C. Kaufman, President  
Fernald Environmental Restoration  
Management Corporation  
P.O. Box 398704  
Cincinnati, Ohio 45239-8704

Dear Mr. Kaufman:

**REMOVAL SITE EVALUATION FOR THE METEOROLOGICAL TOWER PROJECT**

The enclosed Removal Site Evaluation (RSE) for the Meteorological Tower Project has been reviewed by my office. Based on this review DOE has determined that this project does not constitute a removal action.

There will be no construction rubble produced from this project and, by following the specific control measures noted within the RSE document and per the radiological guidelines specified in the Fernald Environmental Management Project (FEMP) Site Policy and Procedures and Removal Action 17, the project poses no threat to the environment. The Administrative Record for the Remedial Investigation/Feasibility Study (RI/FS) should include this document.

If you or your staff have any questions, please call Robert Janke at (513) 648-3124.

Sincerely,

A handwritten signature in cursive script that reads "Ray Hansen".

Raymond J. Hansen  
Acting Manager

FN:Murphy

Enclosure: As Stated

cc w/enc:

F. T. Jebens, FERMCO  
J. E. King, FERMCO  
K. R. Kolthoff, FERMCO  
D. R. McDonald, FERMCO  
J. E. Wiley, FERMCO  
AR Coordinator, FERMCO