

4663

METEOROLOGICAL TOWER PROJECT

08/05/93

DOE-2386-93

DOE-FN/FERMCO

2

LETTER

OU3



Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

AUG 0 5 1993
DOE-2638-93

Mr. N. C. Kaufman, President
Fernald Environmental Restoration
Management Corporation
P.O. Box 398704
Cincinnati, Ohio 45239-8704

Dear Mr. Kaufman:


METEOROLOGICAL TOWER PROJECT

- Reference:
- 1) Letter, DOE-930-90, Raymond J. Hansen to M.B. Boswell, "CERCLA Removal Actions", dated April 23, 1990
 - 2) Letter, J.E. King to R.J. Janke, Contract DE-AC05-92OR21972, Meteorological Tower Project, dated July 8, 1993

The referenced draft Removal Site Evaluation (RSE) for the Meteorological Tower Project (MTP) has been reviewed by my office. Based on this review, the Department of Energy (DOE) has determined that the planned actions for this project do not meet the requirements for developing an RSE, as per criteria specified in the referenced letter (1) above. In this instance a draft RSE was not merited. Therefore, Fernald Environmental Restoration Management Corporation (FERMCO) should proceed with this project as per the guidelines specified in the Fernald Environmental Management Project (FEMP) Site Policy and Procedures document.

If you or your staff have any questions, please contact Anand Shah at (513) 648-3146.

Sincerely,



Raymond J. Hansen
Acting Manager

FN:Shah

cc:

AR Coordinator, FERMCO
J. E. King, FERMCO/58
D. McDonald, FERMCO