

5052

**PROJECT SPECIFIC PLAN FOR THE ROUTINE
GROUNDWATER MONITORING PROGRAM
ALONG THE DOWNGRADIENT BOUNDARY**

12/29/93

OEPA/DOE-FN

1

COMMENTS

OU5



State of Ohio Environmental Protection Agency

Southwest District Office

40 South Main Street
Dayton, Ohio 45402-2086
(513) 285-6357
FAX (513) 285-6404

LOG FILE
H-1650
AR
Jan 5 10 04 AM '94

5052

George V. Voinovich
Governor

December 29, 1993

Re: Project Specific Plan for the Routine
Groundwater Monitoring Program Along
the Downgradient Boundary

Mr. Jack Craig
Project Manager
U.S. DOE FEMP
P.O. Box 398705
Cincinnati, OH 45329-8705

Dear Mr. Craig:

Detailed below are Ohio EPA comments on DOE's "Project Specific Plan for the Routine Groundwater Monitoring Program Along the Downgradient Boundary" submitted to OEPA on 10/26/93.

- 1) Section #: 3.5.2 Pg #: 9 Line #: para 1 Code:
Comment: FERMCO should be removed from the last line in the paragraph. This document is designed to transcend contractors, therefore it is improper to specifically name the contractor at the site.
- 2) Section #: 3.6.1 Pg #: 14 Line #: Table 3-4, item 8 Code:
Comment: A minimum of 4 (four) complete samples from each monitoring well per year needs to be obtained to achieve the objectives of the sampling program. The Directors F&O's specify quarterly ground water sampling.

If you should have any questions, please contact Mike Proffitt.

Sincerely,

Graham E. Mitchell
Project Manager

cc: Jenifer Kwasniewski, DERR
Ken Alkema, FERMCO
Tom Schneider, DERR
Lisa August, GeoTrans

Jim Saric, U.S. EPA
Robert Owen, ODH
Jean Michaels, PRC
Mike Proffitt, DDAGW

(NICKEL (K)
PARTIAL
ACTION RESPONSE
TO R-0171
(7/25)