

5623

**REMOVAL ACTION MEMORANDUM - PUBLIC WATER SUPPLY TAP-IN
PROJECT, PHASE I**

05/20/94

DOE-1708-94
DOE-FN FERMCO
2
LETTER



Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

5623

MAY 20 1994
DOE-1708-94

Mr. J. W. Thiesing, Executive Vice President
Fernald Environmental Restoration
Management Corporation
P.O. Box 398704
Cincinnati, OH 45239-8704

Dear Mr. Thiesing:


REMOVAL ACTION MEMORANDUM - PUBLIC WATER SUPPLY TAP-IN PROJECT, PHASE I

The enclosed Removal Site Evaluation (RSE) for the Public Water Supply Tap-In Project Phase I has been reviewed by my office. The RSE was prepared for this project under the authority of the Department of Energy (DOE) as lead agency in accordance with Subpart B of the National Oil and Hazardous Substances Pollution Contingency Plan (NCP). The RSE identifies the sources and the nature of releases, or threat of releases, that may result from this project and evaluates the magnitude of the threat to human health and the environment. Based upon a review of this RSE and an evaluation of the factors to be considered under the NCP (§300.415), DOE has determined that this project does not cause initiation of a removal action.

Construction rubble and debris associated with this phase should be managed in accordance with the control measures noted within the RSE document and per the guidelines specified in the Fernald Environmental Management Project (FEMP) Site Policy and Procedures and Removal Action Number 17. Furthermore, this RSE should be submitted to the Administrative Record for the RI/FS.

If you or your staff have any questions, please contact Pete Yerace at (513) 648-3161.

Sincerely,


Jack R. Craig
Assistant Manager for
Environmental Restoration

FN:Yerace

Enclosure: As Stated

5623

ec w/o enc:

D. J. Brettschneider, FERMCO
D. J. Carr, FERMCO
T. L. Crawford, FERMCO
J. R. Hughes, FERMCO
J. C. Jenkins, FERMCO
K. R. Kolthoff, FERMCO
E. E. Medl, FERMCO
AR Coordinator, FERMCO