



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street  
Dayton, Ohio 45402-2911  
(513) 285-6357  
FAX (513) 285-6249

FERNALD  
L-0267  
Nov 10 10 05 AM '97  
FILE 6446.5

George V. Voinovich  
Governor

November 7, 1997

RE: DOE FEMP  
MSL 531-0297  
HAMILTON COUNTY  
APPROVAL - OU4 SILO 3 ESD  
DRAFT FINAL COMMENTS

Mr. Johnny Reising  
U.S. Department of Energy, Fernald Area Office  
P.O. Box 538705  
Cincinnati, OH 45253-8705

Dear Mr. Reising:

Ohio EPA has received DOE's document Draft Explanation of Significant Differences for Operable Unit 4 Silo 3 Remedial Action at the Fernald Environmental Management Project dated October 27, 1997.

Ohio EPA has reviewed DOE's Response to Comments and the revised document and find them acceptable.

If you have any questions, please contact Kelly Kaletsky at (937) 285-6454.

Sincerely,

*Kelly Kaletsky/for*

Tom Schneider  
Fernald Project Manager  
Office of Federal Facilities Oversight

- cc: Jim Saric, USEPA
- Terry Hagen, FDF
- Ruth Vandegrift, ODH
- Frances Barker, TetraTech EM Inc.
- Manager, TPSS/DERR,CO
- Dave Ward, GeoTrans

1