

881

G-000-1001.52

DOE-FMPC RESPONSE TO CITIZEN'S COMMENTS/QUESTIONS

05/12/1989

**DOE-FMPC
1
LETTER**

CITIZEN



Department of Energy

FMPC Site Office
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6319

May 12, 1989

Mr. Jess Enzor
 [REDACTED]

Dear Mr. Enzor:

Thank you for your interest in the environmental study underway at the Feed Materials Production Center. We appreciate your participation in the winter community meeting.

We know it has been a while since you inquired about the quality of local water supplies. A copy of the Ohio Department of Health Study of Radioactivity in Drinking Water and Other Environmental Media in the Vicinity of the U.S. Department of Energy's Feed Materials Production Center and Portsmouth Gaseous Diffusion Plant is available for public review in the two reading rooms we have established locally. The locations and hours of each reading room are:

Lane Public Library
 North Third & Buckeye Streets
 Hamilton, OH 45013
 Hours: Mon. - Sat.: 9am - 9pm; Sun.: 1pm - 5pm

FMPC Administration Building
 7400 Willey Road
 Fernald, OH 45030
 Hours: Mon. - Fri.: 7am - 6 pm

Contact the Ohio EPA Southwest District Office, 40 S. Main Street, Dayton, OH 45402, for the other report you referenced.

The ground water sampling program of the FMPC Remedial Investigation and Feasibility Study is one of the topics that will be covered during our spring community meeting to be held May 15 in the Ross Middle School.

Results of the spring community meeting will be documented and available for public review in the above noted reading rooms.

Sincerely,

James A. Reafsnyder
 James A. Reafsnyder
 Site Manager

DP-84:

100 1