

**3360**

**RESULTS OF THE WATER SAMPLING OF WELL**

**05/27/92**

**DOE-1513-92  
DOE-FN/CITIZEN  
2  
LETTER**



**Department of Energy**  
**Fernald Environmental Management Project**  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

3360

MAY 27 1992  
DOE-1513-92

Mr. Ken Aday

Dear Mr. Aday:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of February 1992 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u> (Old Well)	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	185.0	125.1
(New Well)		
February 24, 1992	0.3	0.2
(House Well)		
February 24, 1992	2.4	1.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the samples taken from the new well and the house well at [REDACTED] is well below this limit and is within the range expected for naturally-occurring background uranium concentrations in this part of the country. However, the uranium concentration in the sample taken from the old (shallow) well at [REDACTED] was higher than the range expected for naturally-occurring background uranium concentrations in this part of the country. The results are consistent with those obtained and reported to you during the previous periods.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,



Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



**Department of Energy**  
 Fernald Environmental Management Project  
 P.O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 738-6357

3560

MAY 27 1992  
 DOE-1513-92

Albright and Wilson  
 Attn: Sam Goodson  
 P. O. Box 39066  
 Cincinnati, OH 45239

Dear Mr. Goodson:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	40	27.0

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Albright and Wilson

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample was higher than the range expected for naturally-occurring background uranium concentrations in this part of the country. However, the result is consistent with those obtained and reported to you during the previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider

[REDACTED]  
3360



**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

[REDACTED]

**MAY 27 1992**  
**DOE-1513-92**

Mr. Russell Beckner

[REDACTED]

Dear Mr. Beckner:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 27, 1992	0.2	0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

[REDACTED]

R. Beckner

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Best Panel Homes  
Attn: Manager  
11301 Paddy's Run Rd.  
Hamilton, OH 45013

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Best Panel Homes

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

[Redacted]

MAY 27 1992  
DOE-1513-92

Branch Hill Mobile Home Park  
Attn: Manager  
11200 Hamilton-Cleves Rd.  
Harrison, OH 45030

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	1.3	0.9

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Branch Hill Mobile Home Park

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. Clayton Burton



Dear Mr. Burton:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 25, 1992	1.9	1.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

C. Burton

-2- 

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. N. L. Burwinkel  
[Redacted]

Dear Mr. Burwinkel:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 27, 1992	1.7	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

N. L. Burwinkel

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider

3360



**Department of Energy**  
**Fernald Environmental Management Project**  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Delta Steel Corp.  
Attn: Ronald Poston  
P.O. Box 39040  
Cincinnati, OH 45239-0040

Dear Mr. Poston:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 26, 1992	203	137.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Delta Steel Corp.

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is higher than the range expected for naturally-occurring background uranium in this area. However, the result is consistent with those obtained and reported to you during previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



**Department of Energy**  
 Fernald Environmental Management Project  
 P.O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 738-6357

3360

MAY 27 1992  
 DOE-1513-92

Denier Electric  
 Attn: Manager  
 P.O. Box 308  
 Ross, OH 45061

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	0.7	0.5

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Denier Electric

-2- 

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. Frank Divo  
Southwestern Ohio Water Co.  
11300 Cornell Park Dr. #385  
Cincinnati, OH 45242


Dear Mr. Divo:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of February 1992 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u> (Well 1)	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 25, 1992	1.7	1.2
(Well 2)		
February 25, 1992	0.9	0.6

F. Divo

-2- 

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your samples is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



**Department of Energy**  
**Fernald Environmental Management Project**  
 P.O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 738-6357

MAY 27 1992  
 DOE-1513-92

Mrs. Verdie Estes

Dear Mrs. Estes:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	1.4	1.0

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.06 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

V. Estes

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

**MAY 27 1992**  
**DOE-1513-92**

Fort Scott  
Attn: Ed Shannon  
6762 River Rd.  
Harrison, OH 45030

Dear Mr. Shannon:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 27, 1992	0.8	0.5

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

E. Shannon

-2- 

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. Donald Gieringer



Dear Mr. Gieringer:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 27, 1992	1.0	0.7

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

D. Gieringer

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Ms. Ann Harrigan  
[Redacted]

Dear Ms. Harrigan:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling at [Redacted]. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	1.3	0.9

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

A. Harrigan

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample for [REDACTED] is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider

[REDACTED] 3360



**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 29 1992

MAY 27 1992  
DOE-1513-92

Dr. Edgar C. Henshaw  
[REDACTED]

Dear Dr. Henshaw:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 27, 1992	0.2	0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample collected from 4352 Cincinnati [REDACTED] is well below this limit and is within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (513-738-6160) at your convenience.

Sincerely,

*Wally Quaid*  
Wally Quaid, Branch Chief  
Environmental Compliance

FO:Quaid



[Redacted] 3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Dr. Stanley K. Henshaw  
[Redacted]

Dear Dr. Henshaw:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 27, 1992	0.2	0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample collected from 4352 Cincinnati- [REDACTED] is well below this limit and is within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (513-738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

**MAY 27 1992**  
DOE-1513-92

Mr. Mark Hollis  
[Redacted]

Dear Mr. Hollis:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 25, 1992	0.4	0.3

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

M. Hollis

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



**Department of Energy**  
**Fernald Environmental Management Project**  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

**MAY 27 1992**  
**DOE-1513-92**

**Mr. Joe Langley**

**Dear Mr. Langley:**

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 25, 1992	3.4	2.3

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

J. Langley

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is slightly higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaid*  
Wally Quaid, Branch Chief  
Environmental Compliance

FO:Quaid



[Redacted] 3360 [Redacted]

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Ms. Maggie Merritt  
[Redacted]

Dear Ms. Merritt:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling at [Redacted]. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	1.3	0.9

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

M. Merritt

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample for [REDACTED] is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



[Redacted] 3360

**Department of Energy**  
**Fernald Environmental Management Project**  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Miami Valley Ready Mix  
Attn: Loyd Smith  
7466 New Haven Road  
Harrison, OH 45030

Dear Mr. Smith:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	0.4	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Miami Valley Ready Mix

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



[Redacted] 3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. Allen Minges  
[Redacted]

Dear Mr. Minges:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 27, 1992	0.2	0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

A. Minges

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



[Redacted] 3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. A. J. Nieman  
[Redacted]

Dear Mr. Nieman:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 26, 1992	1.9	1.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

A. Nieman

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.


If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider

[REDACTED] 3360 [REDACTED]



**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. Thomas Pottenger  
[REDACTED]

Dear Mr. Pottenger:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well at [REDACTED], and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	1.6	1.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

T. Pottenger

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



D. Ramsey

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



3360

**Department of Energy**  
**Fernald Environmental Management Project**  
 P.O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 738-6357

MAY 27 1992  
 DOE-1513-92

Ray Evers Welding Co., Inc.  
 Attn: Manager  
 4849 Blue Rock Rd.  
 Cincinnati, OH 45239

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling conducted at [redacted] [redacted]. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 26, 1992	0.2	0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Ray Evers Welding Co.

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



[Redacted] 3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. Thomas Renck  
Renck's Nursery  
11765 Hamilton-Cleves Rd.  
Hamilton, OH 45013

Dear Mr. Renck:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u> (Barn Well)	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	0.4	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

T. Renck

-2-


The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



**Department of Energy**  
**Fernald Environmental Management Project**  
 P.O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 738-6357

3360



**MAY 27 1992**  
**DOE-1513-91**

Ms. Nancy Riggs  


Dear Ms. Riggs:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	1.6	1.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.



N. Riggs

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



[Redacted] 3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. James Rolfes  
[Redacted]

Dear Mr. Rolfes:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express drinking water data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 24, 1992	0.9	0.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

J. Rolfes

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Ruetgers Nease, Inc.  
Attn: Noah Pope  
10740 Paddy's Run Rd.  
Harrison, OH 45030

Dear Mr. Pope:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 27, 1992	0.3	0.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

N. Pope

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



[Redacted] 3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

Mr. Joe Schomaker  
[Redacted]

Dear Mr. Schomaker:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling conducted at [Redacted] way. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 25, 1992	0.4	0.3

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample from [REDACTED] is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



[Redacted] 3360

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 27 1992  
DOE-1513-92

**Mrs. Ruth Sellet**  
[Redacted]

Dear Mrs. Sellet:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1992 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 25, 1992	4.9	3.3

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

R. Sellet

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is slightly higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.


Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider



D. Turner

-2- 

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

*Wally Quaider*  
Wally Quaider, Branch Chief  
Environmental Compliance

FO:Quaider