

6898

G-000-1012.130

**RESULTS OF WELL SAMPLING (26 LETTERS)**

05/09/95

DOE-0891-95  
DOE-FN      CITIZENS  
52  
LETTERS



**Department of Energy**  
**Fernald Environmental Management Project**  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

6898

MAY 9 1995  
 DOE-0891-95

Delta Steel Corp.  
 Attn: Mr. Ronald Poston  
 10860 Paddys Run Road  
 Harrison, OH 45030

Dear Mr. Poston:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 22, 1995	160.0	108.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000001

Delta Steel Corporation

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentrations in your samples are higher than the range expected for naturally-occurring background uranium in this area. However, the results are consistent with those obtained and reported to you during previous periods and no significant change in the reported level is apparent.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support

000002



**Department of Energy**  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995

DOE-0891-95

Knollman Farms, Inc.  
 Attn: Norman Knollman  
 7312 Willey Rd.  
 Hamilton, OH 45013

Dear Mr. Knollman:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of February 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Old Well) February 22, 1995	160.0	108.2
(New Well) February 22, 1995	0.2	0.1
(House Well) February 21, 1995	2.2	1.5

000003

N. Knollman

-2-

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentrations in the samples taken from the new well and the house well (7312 Willey Road) are well below this limit and are within the range expected for naturally-occurring background uranium concentrations in this part of the country. However, the uranium concentration in the sample taken from the old (shallow) well at 7308 Willey Road is higher than the range expected for naturally-occurring background uranium concentrations in this part of the country. The results are consistent with those obtained and reported to you during the previous periods.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,

  
Walter J. Quaider  
Acting Associate Director  
Safety, Operations, & Technical Support



Department of Energy  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995

DOE-0891-95

Mrs. Verdie Estes

Dear Mrs. Estes:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	2.0	1.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000005

V. Estes

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider  
Acting Associate Director  
Safety, Operations, & Technical Support



Department of Energy  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

6898

MAY 9 1995  
 DOE-0891-95

Ms. Darlene Ramsey



Dear Ms. Ramsey:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 22, 1995	2.1	1.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

D. Ramsey

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support



6898

Department of Energy  
Fernald Environmental Management Project  
P. O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 648-3155

MAY 9 1995  
DOE-0891-95

Mr. Thomas Pottenger



Dear Mr. Pottenger:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well at [redacted], and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the months of February 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 22, 1995	2.1	1.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000009

T. Pottenger

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentrations in your samples are well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaiden  
Acting Associate Director  
Safety, Operations, & Technical Support



**Department of Energy**  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995  
 DOE-0891-95

Ms. Nancy Riggs  
 [REDACTED]

Dear Ms. Riggs:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 22, 1995	2.1	1.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000011

N. Riggs

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support



Department of Energy  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995  
 DOE-0891-95

Mr. James Rolfes  
 [REDACTED]

Dear Mr. Rolfes:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	0.9	0.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.


000013

J. Rolfes

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaidér  
Acting Associate Director  
Safety, Operations, & Technical Support



6898

Department of Energy  
Fernald Environmental Management Project  
P. O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 648-3155

MAY 9 1995  
DOE-0891-95

Mr. Russell Beckner



Dear Mr. Beckner:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.


The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000015



R. Beckner

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,

  
Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support



**Department of Energy**  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995  
 DOE-0891-95

Mr. Joe Schomaker

Dear Mr. Schomaker:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 23, 1995	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000017

J. Schomaker

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support



**Department of Energy**  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995  
 DOE-0891-95

Ms. Ann Harrigan  
 [REDACTED]

Dear Ms. Harrigan:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	0.9	0.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000019

A. Harrigan

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaidér  
Acting Associate Director  
Safety, Operations, & Technical Support



**Department of Energy**  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995  
 DOE-0891-95

Ms. Maggie Merritt  
 [REDACTED]

Dear Ms. Merritt:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	0.9	0.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000021

M. Merritt

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,

  
Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support



6898

Department of Energy  
Fernald Environmental Management Project  
P. O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 648-3155

MAY 9 1995  
DOE-0891-95

Mr. Donald Gieringer



Dear Mr. Gieringer:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	1.2	0.8

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000023

D. Gieringer

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,

  
Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support



6898

Department of Energy  
Fernald Environmental Management Project  
P. O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 648-3155

MAY 9 1995  
DOE-0891-95

Mr. Frank Divo  
Southwestern Ohio Water Co.  
11300 Cornell Park Dr. #385  
Cincinnati, Ohio 45242

Dear Mr. Divo:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of February 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Well 1) February 23, 1995	1.7	1.1
(Well 2) February 23, 1995	1.1	0.7

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000025

F. Divo

-2-


The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaidér  
Acting Associate Director  
Safety, Operations, & Technical Support



6898

**Department of Energy**  
Fernald Environmental Management Project  
P. O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 648-3155

MAY 9 1995  
DOE-0891-95

Mr. Thomas Renck  
Renck's Nursery  
11765 Hamilton-Cleves Road  
Hamilton, Ohio 45030

Dear Mr. Renck:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Barn Well) February 21, 1995	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000027

T. Renck

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact Wally Quaidler by phone (648-3137) at your convenience.

Sincerely,

  
Walter J. Quaidler  
Acting Associate Director  
Safety, Operations, & Technical Support



Department of Energy  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

6898

MAY 9 1995  
 DOE-0891-95

Mrs. Doris Turner  
 [Redacted Address]

Dear Mrs. Turner:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Barn Well) February 21, 1995	0.8	0.5

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

GU0029

D. Turner

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact Wally Quaider by phone (648-3137) at your convenience.

Sincerely,

  
Walter J. Quaider  
Acting Associate Director  
Safety, Operations, & Technical Support



**Department of Energy**  
**Fernald Environmental Management Project**  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995  
 DOE-0891-95

Best Panel Homes  
 ATTN: Manager  
 11301 Paddys Run Road  
 Hamilton, Ohio 45013

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000031

Best Panel Homes

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support



**Department of Energy**  
**Fernald Environmental Management Project**  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995

DOE-0891-95

Mr. Joseph Langley

Dear Mr. Langley:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 22, 1995	3.3	2.2

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000033

J. Langley

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is slightly higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,

  
Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support



6898

Department of Energy  
Fernald Environmental Management Project  
P. O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 648-3155

MAY 9 1995  
DOE-0891-95

Mrs. Ruth Sellet



Dear Mrs. Sellet:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 22, 1995	5.2	3.5

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000035

R. Sellet

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is slightly higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid

Acting Associate Director  
Safety, Operations, & Technical Support



6898

Department of Energy  
Fernald Environmental Management Project  
P. O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 648-3155

MAY 9 1995  
DOE-0891-95

Branch Hill Mobile Home Park  
ATTN: Manager  
11200 Hamilton-Cleves Road  
Harrison, Ohio 45030

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	0.9	0.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000037

Branch Hill Mobile Home Park

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,

  
Walter J. Quaider  
Acting Associate Director  
Safety, Operations, & Technical Support



6898

**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 9 1995  
DOE-0891-95

Denier Electric  
ATTN: Manager  
P.O. Box 308  
Ross, Ohio 45061

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 22, 1995	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000039

Denier Electric

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,

  
Walter J. Quaider  
Acting Associate Director  
Safety, Operations, & Technical Support



**Department of Energy**  
**Fernald Environmental Management Project**  
 P.O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 738-6357

MAY 9 1995  
 DOE-0891-95

Ray Evers Welding Company  
 ATTN: Manager  
 4849 Blue Rock Road  
 Cincinnati, Ohio 45239

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 22, 1995	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000041

6898

Ray Evers Welding Company

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider  
Acting Associate Director  
Safety, Operations, & Technical Support

000042



**Department of Energy**  
Fernald Environmental Management Project  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

MAY 9 1995  
DOE-0891-95

Miami Valley Ready Mix  
ATTN: Mr. Loyd Smith  
7466 New Haven Road  
Harrison, Ohio 45030

Dear Mr. Smith:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 22, 1995	0.4	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000043

Miami Valley Ready Mix

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider  
Acting Associate Director  
Safety, Operations, & Technical Support



**Department of Energy**  
**Fernald Environmental Management Project**  
P.O. Box 398705  
Cincinnati, Ohio 45239-8705  
(513) 738-6357

- 6898

MAY 9 1995  
DOE-0891-95

Rutgers Nease, Inc.  
ATTN: Mr. Noah Pope  
10740 Paddys Run Road  
Harrison, Ohio 45030

Dear Mr. Pope:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

000045

Rutgers Nease, Inc.

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quader  
Acting Associate Director  
Safety, Operations, & Technical Support



Department of Energy  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

MAY 9 1995  
 DOE-0891-95

Mr. A. J. Nieman  
 [REDACTED]

Dear Mr. Nieman:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	1.9	1.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000047

A. Nieman

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider  
Acting Associate Director  
Safety, Operations, & Technical Support



**Department of Energy**  
**Fernald Environmental Management Project**  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

6898

MAY 9 1995  
 DOE-0891-95

Mr. Clayton Burton



Dear Mr. Burton:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	1.9	1.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000049

6898

C. Burton

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid  
Acting Associate Director  
Safety, Operations, & Technical Support

000050



**Department of Energy**  
 Fernald Environmental Management Project  
 P. O. Box 398705  
 Cincinnati, Ohio 45239-8705  
 (513) 648-3155

6898

MAY 9 1995  
 DOE-0891-95

Mr. Frank Lienesch  
 [Redacted Address]

Dear Mr. Lienesch:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.


The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of February 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
February 21, 1995	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

000051



F. Lienesch

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider  
Acting Associate Director  
Safety, Operations, & Technical Support