

7017

G-000-1012.139

RESULTS OF WELL SAMPLING (25 LETTERS)

07/07/95

DOE-1166-95
DOE-FN CITIZENS
50
LETTERS

7017



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

bcc: Donna Bohannon, OEPA
James Saric, USEPA
Administrative Records, MS78
DOE-FN Mailroom, MS45
REM File

JUL 07 1995

DOE-1166-95

Delta Steel Corp.
Attn: Mr. Ronald Poston
10860 Paddys Run Road
Harrison, OH 45030

Dear Mr. Poston:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of May is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 24, 1995	170.0	114.9

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Delta Steel Corporation

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is higher than the range expected for naturally-occurring background uranium in this area. However, the result is consistent with those obtained and reported to you during previous periods and no significant change in the reported level is apparent.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. Donald Gieringer

Dear Mr. Gieringer:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	1.2	0.8

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

D. Gieringer

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment

4



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Ms. Ann Harrigan
 [REDACTED]

Dear Ms. Harrigan:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 24, 1995	0.8	0.5

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

A. Harrigan

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. Joe Schomaker
 [REDACTED]

Dear Mr. Schomaker:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 24, 1995	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

J. Schomaker

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. Russell Beckner
 [REDACTED]

Dear Mr. Beckner:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

R. Beckner

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. James Rolfes

Dear Mr. Rolfes:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 24, 1995	1.2	0.8

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

J. Rolfes

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
Fernald Environmental Management Project
P. O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 648-3155

bcc: Donna Bohannon, OEPA
James Saric, USEPA
Administrative Records, MS78
DOE-FN Mailroom, MS45
REM File

JUL 07 1995
DOE-1166-95

Ms. Nancy Riggs
[Redacted]

Dear Ms. Riggs:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

N. Riggs

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Ms. Darlene Ramsey
 [REDACTED]

Dear Ms. Ramsey:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

D. Ramsey

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mrs. Verdie Estes
 [REDACTED]

Dear Mrs. Estes:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	1.6	1.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

V. Estes

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. Frank Lienesch
 [REDACTED]

Dear Mr. Lienesch:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	0.6	0.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

F. Lienesch

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. Clayton Burton

Dear Mr. Burton:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	2.1	1.4

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

C. Burton

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. A. J. Nieman
 [REDACTED]

Dear Mr. Nieman:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 24, 1995	2.2	1.5

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

A. Nieman

-2-

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Rutgers Nease, Inc.
 ATTN: Mr. Noah Pope
 10740 Paddys Run Road
 Harrison, Ohio 45030

Dear Mr. Pope:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Rutgers Nease, Inc.

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment Support



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Miami Valley Ready Mix
 ATTN: Mr. Loyd Smith
 7466 New Haven Road
 Harrison, Ohio 45030

Dear Mr. Smith:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	0.4	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment Support



Department of Energy
Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Ray Evers Welding Company
 ATTN: Manager
 4849 Blue Rock Road
 Cincinnati, Ohio 45239

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 24, 1995	<0.1	<0.1

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Ray Evers Welding Company

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment Support



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Denier Electric
 ATTN: Manager
 P.O. Box 308
 Ross, Ohio 45061

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Denier Electric

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment Support



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Branch Hill Mobile Home Park
 ATTN: Manager
 11200 Hamilton-Cleves Road
 Harrison, Ohio 45030

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 24, 1995	0.8	0.5

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Branch Hill Mobile Home Park

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment Support



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Best Panel Homes
 ATTN: Manager
 11301 Paddys Run Road
 Hamilton, Ohio 45013

Dear Sir:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

Best Panel Homes

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider

Deputy Associate Director
Office of Safety & Assessment Support



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mrs. Ruth Sellet
 [REDACTED]

Dear Mrs. Sellet:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	5.9	4.0

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

R. Sellet

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is slightly higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment Support



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

cc: Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS78
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. Joseph Langley
 [REDACTED]

Dear Mr. Langley:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	(ppb)	(pCi/L)
May 22, 1995	4.8	3.2

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

J. Langley

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is slightly higher than the range expected for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment Support



Department of Energy
 Fernald Environmental Management Project bcc:
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS7
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Knollman Farms, Inc.
 Attn: Norman Knollman
 7312 Willey Rd.
 Hamilton, OH 45013

Dear Mr. Knollman:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of May 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Old Well) May 24, 1995	64.0	43.3
(New Well) May 24, 1995	0.1	<0.1
(House Well) May 24, 1995	2.0	1.4

N. Knollman

-2-

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentrations in the samples taken from the new well and the house well (7312 Willey Road) are well below this limit and are within the range expected for naturally-occurring background uranium concentrations in this part of the country. However, the uranium concentration in the sample taken from the old (shallow) well at 7308 Willey Road is higher than the range expected for naturally-occurring background uranium concentrations in this part of the country. The results are consistent with those obtained and reported to you during the previous periods.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaid
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project bcc:
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

Donna Bohannon, OEPA
 James Saric, USEPA
 Administrative Records, MS7
 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. Frank Divo
 Southwestern Ohio Water Co.
 11300 Cornell Park Dr. #385
 Cincinnati, Ohio 45242

Dear Mr. Divo:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of May 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Well 1) May 25, 1995	1.5	1.0
(Well 2) May 25, 1995	0.9	0.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

F. Divo

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentrations in your sample are well below this limit and within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project bcc: Donna Bohannon, OEPA
 P. O. Box 398705 James Saric, USEPA
 Cincinnati, Ohio 45239-8705 Administrative Records, MS7
 (513) 648-3155 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mrs. Doris Turner


Dear Mrs. Turner:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of May 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Barn Well) May 24, 1995	0.9	0.6

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

D. Turner

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact Wally Quaider by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project bcc: Donna Bohannon, OEPA
 P. O. Box 398705 James Saric, USEPA
 Cincinnati, Ohio 45239-8705 Administrative Records, MS7
 (513) 648-3155 DOE-FN Mailroom, MS45
 REM File

JUL 07 1995

DOE-1166-95

Mr. Thomas Renck
 Renck's Nursery
 11765 Hamilton-Cleves Road
 Hamilton, Ohio 45030

Dear Mr. Renck:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of May 1995 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
(Barn Well) May 24, 1995	0.5	0.3

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.


T. Renck

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact Wally Quaider by phone (648-3137) at your convenience.

Sincerely,



Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment



Department of Energy
 Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 648-3155

bcc: Donna Bohannon, OEF
 James Saric, USEPA
 Administrative Reco:
 DOE-FN Mailroom
 REM File

JUL 07 1995

DOE-1166-95

Mr. Thomas Pottenger
 [REDACTED]

Dear Mr. Pottenger:

The Fernald Environmental Restoration Management Corporation (FERMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well at [REDACTED] and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of May 1995 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Site Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
May 22, 1995	1.8	1.2

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.07 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.07 to 6.8 pCi/L) in most natural water within the United States.

T. Pottenger

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and within the range expected for naturally-occurring background uranium concentrations in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (648-3137) at your convenience.

Sincerely,


Walter J. Quaider
Deputy Associate Director
Office of Safety & Assessment