

8006

G-000-1012.192

RESULTS OF WELL SAMPLING - (31 LETTERS)

02/20/92

DOE-713-92
DOE-FEMP
62
LETTERS

CITIZEN



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Ruetgers Nease, Inc.
 Attn: Noah Pope
 10740 Paddy's Run Rd.
 Harrison, OH 45030

Dear Mr. Pope:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 26, 1991	0.1	0.07

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

N. Pope

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Smith for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. James Rolfes

Dear Mr. Rolfes:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express drinking water data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.6	0.41

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

J. Rolfes

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skutumpah for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-91

Ms. Nancy Riggs
 [REDACTED]

Dear Ms. Riggs:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	1.8	1.21

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

N. Riggs

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skutch for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Thomas Renck
 Renck's Nursery
 11765 Hamilton-Cleves Rd.
 Hamilton, OH 45013

Dear Mr. Renck:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u> (Barn Well)	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.6	0.41

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

T. Renck

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your samples is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,


Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P. O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Ray Evers Welding Co., Inc.
 Attn: Manager
 4849 Blue Rock Rd.
 Cincinnati, OH 45239

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling conducted at 7500 New Haven Road. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 27, 1991	0.3	0.20

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

Ray Evers Welding Co.

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Strout for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Ms. Darlene Ramsey

Dear Ms. Ramsey:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	1.8	1.21

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

000011

D. Ramsey

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skindell for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Thomas Pottenger

Dear Mr. Pottenger:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well at [REDACTED] and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	1.8	1.21

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

T. Pottenger

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,


Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. A. J. Nieman

Dear Mr. Nieman:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 27, 1991	1.4	0.95

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

A. Nieman

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skuntz for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider

000016



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Miami Valley Ready Mix
 Attn: Loyd Smith
 7466 New Haven Road
 Harrison, OH 45030

Dear Mr. Smith:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.4	0.27

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

Miami Valley Ready Mix

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skuntz for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Ms. Maggie Merritt

Dear Ms. Merritt:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling at Branch Hill Mobile Home Park. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.7	0.47

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

M. Merritt

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample for Branch Hill Mobile Home Park is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Stantel for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Joe Langley

Dear Mr. Langley:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	2.6	1.76

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

J. Langley

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is at the upper range for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skintch for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Delta Steel Corp.
 Attn: Ronald Poston
 P.O. Box 39040
 Cincinnati, OH 45239-0040

Dear Mr. Poston:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 27, 1991	260	175.76

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

Delta Steel Corp.

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is higher than the range expected for naturally-occurring background uranium in this area. However, the result is consistent with those obtained and reported to you during previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Fleming for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Ken Aday
 [REDACTED]

Dear Mr. Aday:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of November 1991 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u> (Old Well)	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	170	114.92
(New Well)		
November 25, 1991	0.2	0.14
(House Well)		
November 25, 1991	2.6	1.76

K. Aday

-2-

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.


The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the samples taken from the new well and the house well at 7308 Willey Road is well below this limit and is within the range expected for naturally-occurring background uranium concentrations in this part of the country. However, the uranium concentration in the sample taken from the old (shallow) well at 7308 Willey Road was higher than the range expected for naturally-occurring background uranium concentrations in this part of the country. The results are consistent with those obtained and reported to you during the previous periods. No significant change in the reported levels is apparent.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skirich for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Albright and Wilson
 Attn: Sam Goodson
 P. O. Box 39066
 Cincinnati, OH 45239

Dear Mr. Goodson:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 27, 1991	37	25.01

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

Albright and Wilson

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample was higher than the range expected for naturally-occurring background uranium concentrations in this part of the country. However, the result is consistent with those obtained and reported to you during the previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Spentel for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Clayton Walther

Dear Mr. Walther:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	1.4	0.95

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

C. Walther

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skeritek for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Knollman Farms, Inc.
 Attn: Norman Knollman
 7312 Willey Rd.
 Hamilton, OH 45013

Dear Mr. Knollman:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of November 1991 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u> (Old Well)	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	170	114.92
(New Well)		
November 25, 1991	0.2	0.14
(House Well)		
November 25, 1991	2.6	1.76

N. Knollman

-2-

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the samples taken from the new well and the house well at 7308 Willey Road is well below this limit and is within the range expected for naturally-occurring background uranium concentrations in this part of the country. However, the uranium concentration in the sample taken from the old (shallow) well at 7308 Willey Road was higher than the range expected for naturally-occurring background uranium concentrations in this part of the country. The results are consistent with those obtained and reported to you during the previous periods. No significant change in the reported levels is apparent.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed. Smith for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Frank Divo
 Southwestern Ohio Water Co.
 11300 Cornell Park Dr. #385
 Cincinnati, OH 45242

Dear Mr. Divo:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory results from the month of November 1991 are expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u> (Well 1)	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 26, 1991	1.6	1.08
(Well 2)		
November 26, 1991	0.8	0.54

000033

F. Divo

-2-

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your samples is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the results reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skantel for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Denier Electric
 Attn: Manager
 P.O. Box 308
 Ross, OH 45061

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.2	0.14

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

Denier Electric

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Wally Quaider for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. N. L. Burwinkel
 [REDACTED]

Dear Mr. Burwinkel:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	1.4	0.95

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

N. L. Burwinkel

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Stewart for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider

000038




8006

Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

FEB 20 1992
DOE-713-92

Mr. Clayton Burton



Dear Mr. Burton:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 26, 1991	2.2	1.49

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

C. Burton

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,


Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Branch Hill Mobile Home Park
 Attn: Manager
 11200 Hamilton-Cleves Rd.
 Harrison, OH 45030

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.7	0.47

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

Branch Hill Mobile Home Park

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,


Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Best Panel Homes
 Attn: Manager
 11301 Paddy's Run Rd.
 Hamilton, OH 45013

Dear Sir:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 27, 1991	0.7	0.47

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

Best Panel Homes

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Stintch
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Russell Beckner

Dear Mr. Beckner:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.4	0.27

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

R. Beckner

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,


Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Mark Hollis

Dear Mr. Hollis:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.6	0.41

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

M. Hollis

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skinted for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Ms. Ann Harrigan
 [REDACTED]

Dear Ms. Harrigan:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling at Branch Hill Mobile Home Park. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.7	0.47

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

A. Harrigan

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample for Branch Hill Mobile Home Park is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skutch for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Donald Gieringer

Dear Mr. Gieringer:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 26, 1991	1.0	0.68

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

D. Gieringer

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skuntal for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Fort Scott
 Attn: Ed Shannon

Dear Mr. Shannon:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 27, 1991	0.8	0.54

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

E. Shannon

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this area.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skuntel for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mrs. Verdie Estes

Dear Mrs. Estes:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 26, 1991	1.1	0.74

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

V. Estes

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Smith for
Wally Quaider, Branch Chief
Environmental Compliance


FO:Quaider



Department of Energy
Fernald Environmental Management Project
P.O. Box 398705
Cincinnati, Ohio 45239-8705
(513) 738-6357

FEB 20 1992
DOE-713-92

Mrs. Doris Turner



Dear Mrs. Turner:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your wells and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u> (Barn Well)	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.8	0.54

A groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

D. Turner

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skuntch for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
 Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mrs. Ruth Sellet

Dear Mrs. Sellet:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	2.5	1.69

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

R. Sellet

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in your sample is well below this limit. However, the concentration is at the upper range for naturally-occurring background uranium in this area. The result is consistent with those obtained and reported to you during previous periods and no significant changes in the reported levels are apparent.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Skewick for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider



Department of Energy
Fernald Environmental Management Project
 P.O. Box 398705
 Cincinnati, Ohio 45239-8705
 (513) 738-6357

FEB 20 1992

DOE-713-92

Mr. Joe Schomaker
 [REDACTED]

Dear Mr. Schomaker:

The Westinghouse Environmental Management Company of Ohio (WEMCO), in cooperation with the Ohio Environmental Protection Agency and the Department of Health, has been collecting water samples from your well and others in the area as part of our continuing environmental monitoring program. These samples are analyzed for uranium concentration in order to assess any possible effects of Fernald Site operations on groundwater quality.

The purpose of this letter is to provide you with an update on the results of our sampling conducted at [REDACTED]. The laboratory result from the month of November 1991 is expressed below in parts of uranium per billion parts of water (ppb), and picocuries of uranium per liter of water (pCi/L). Picocuries per liter are the units used to express groundwater data in the Annual Environmental Report.

<u>Sampling Date</u>	<u>Uranium Concentration</u>	
	<u>(ppb)</u>	<u>(pCi/L)</u>
November 25, 1991	0.6	0.41

For comparison, a groundwater study conducted by an independent consultant for the Fernald Site determined that background concentrations of naturally-occurring uranium in the groundwater for this area range from less than 0.1 ppb to 2.7 ppb (0.068 to 2.0 pCi/L). Also, a U. S. Geological Survey study (J.D. Hem, 1970, Geological Survey Water-Supply Paper 1473) reported a range of uranium concentration of less than 0.1 ppb to 10 ppb (0.068 to 6.8 pCi/L) in most natural water within the United States.

J. Schomaker

-2-

The Environmental Protection Agency (EPA) has proposed an interim drinking water standard for total uranium of 20 ppb (13.5 pCi/L). The uranium concentration in the sample from 4355 Hamilton-Cleves Highway is well below this limit and is within the range expected for naturally-occurring background uranium in this part of the country.

If you have any questions regarding the result reported to you in this letter or on any aspect of our environmental program, please contact me by phone (738-6160) at your convenience.

Sincerely,

Ed Stewart for
Wally Quaider, Branch Chief
Environmental Compliance

FO:Quaider