



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD _____

LOG A-0901

MAR 20 8 52 AM '00

FILE _____
LIBRARY _____

George V. Voinovich
Governor

March 16, 2000

2860

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

RE: APPROVAL OF THE PSP FOR A1PII CERTIFICATION SAMPLING

Dear Mr. Reising:

Ohio EPA has reviewed DOE's February 16, 2000 submittal on the "Project Specific Plan for Area 1, Phase II Certified for Reuse Areas, Trap Range, Sector 2C, and Sector 3 Certification Sampling". Based upon our review, Ohio EPA approves this document.

If you have any questions, please contact Donna Bohannon, Michelle Waller or me.

Sincerely,

Michelle Waller
for

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Ruth Vandergrift, ODH
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.

1