



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD _____
LOC K-2108
Jul 30 10 03 AM '97
FILE: 6446.3

901

George V. Voinovich
Governor

July 28, 1997

RE: DOE FEMP
MSL #531-0297
APPROVAL-OSDF GROUNDWATER/
LEAK DETECTION AND
LEACHATE MONITORING PLAN

Mr. Johnny Reising
U.S. DOE FEMP
P.O. Box 398705
Cincinnati, OH 45329-8705

Dear Mr. Reising:

Ohio EPA has reviewed the Groundwater/Leak Detection and Leachate Monitoring Plan response to comments submitted by DOE on May 7, 1997. The responses adequately address Ohio EPA's concerns. Therefore, Ohio EPA approves the document.

If you should have any questions, please contact me at (937) 285-6466 or Mike Proffitt at (937) 285-6603.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

- cc: Jim Saric U.S. EPA
- Ruth Vandegrift, ODH
- Bob Geiger, PRC
- Dave Ward, Geotrans
Manager TPSS, DERR
- Terry Hagen, Fluor Daniel Fernald
- Mike Proffitt, OEPA

Q:\FEMP\OU2\OSDFGWAP.WPD

1