



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street  
Dayton, Ohio 45402-2911  
(513) 285-6357  
FAX (513) 285-6249

5-208.34

1526

FERNALD

L-1697

JUN 22 10 05 AM '98

64410.6

George V. Voinovich  
Governor

June 19, 1998

RE: DOE FEMP  
APPROVAL: CERTIFICATION REPORT  
FOR A1P2 SECTOR 1, 2A, & CD

Mr. Johnny Reising  
U.S. Department of Energy, Fernald Area Office  
P.O. Box 538705  
Cincinnati, OH 45253-8705

Dear Mr. Reising:

The Ohio Environmental Protection Agency has reviewed of DOE's June 16, 1998 submittal, "Draft Final Area 1 Phase II Sector 1, 2A, and Conveyance Ditch Certification Report, Revision C and Response to Comments." Ohio EPA approves the report as certifying the areas met the FRLs at the time the samples were collected. Ohio EPA reserves the right to reexamine the certification status of the relevant property areas if, in the opinion of Ohio EPA, the areas have been subjected to re-contamination by airborne releases, contaminated storm water run-on or any similar mechanism.

If you have any questions regarding this letter, please contact me at (937) 285-6466.

Sincerely,

Thomas A. Schneider  
Fernald Project Manager  
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA  
Terry Hagen, FDF  
Ruth Vandergrift, ODH  
Mark Shupe, HSI GeoTrans  
Francie Barker, Tetra Tech EM Inc.  
Manager, TPSS/DERR,CO

1