



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD

1579

JUL 15 AM '98

FILE 6446.7

George V. Voinovich
Governor

July 1, 1998

RE: DOE FEMP
APPROVE: STP COMPLEX
IMPLEMENTATION PLAN

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

Dear Mr. Reising:

Ohio EPA has reviewed DOE's June 29, 1998 submittal, "Comment Response/Revisions to the Ohio Environmental Protection Agency June 12, 1998, Comments on the Draft Implementation Plan for Above-Grade Decontamination and Dismantlement of the Sewage Treatment Plant Complex." As discussed during our June 23, 1998 conference call Ohio EPA approves the comment responses and document revisions.

If you have any questions, please contact me.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Ruth Vandergrift, ODH
Mark Shupe, HSI GeoTrans
Francie Barker, Tetra Tech EM Inc.
Manager, TPSS/DERR,CO

Q:\femp\ou3\stpimpap.wpd