



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD
LOG M-00045

2006

FEB 19 8 46 AM '99

FILE: 6446.6

George V. Voinovich
Governor

February 17, 1999

RE: PSP FOR THE AREA 2,
PHASE III PRECERTIFICATION
REAL-TIME SCAN

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

Dear Mr. Reising:

Ohio EPA has reviewed and approves the *PSP For The Area 2, Phase III Precertification Real-Time Scan* dated January 1999. It is important to note that the substantial area (10.4%) not being scanned under precertification must be clearly delineated and addressed within the sampling strategy outlined in the CDL.

If you have any questions, please contact me.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

- cc: Jim Saric, U.S. EPA
- Terry Hagen, FDF
- Ruth Vandegrift, ODH
- Francis Hodge, Tetra Tech
Manager, TPSS/DERR,CO
- Mark Shupe, GeoTrans