



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, OH 45402-2911

TELE: (937) 285-6357 FAX: (937) 285-6249

George V. Voinovich, Governor
Nancy P. Hollister, Lt. Governor
Donald R. Schlegel, Director

August 18, 1999

2455

RECEIVED
FERNALD
DOE-0930-99
AUG 23 9 39 AM '99
E: John M. 3

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

Re: CONCURRENCE WITH RTC ON OSDF LEACHATE CONVEYANCE SYSTEM

Dear Mr. Reising:

This letter provides Ohio Environmental Protection Agency concurrence with the Responses to Comments on Modifications to the OSDF Leachate Conveyance System. The responses were attached to your letter DOE-0930-99. Our concurrence with the RTC submittal does not constitute an assurance that the modifications will operate as intended or in compliance with Ohio laws and regulations.

If you have any questions, please contact Tom Ontko or me.

Sincerely,

for Tom Ontko

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.
Ruth Vandergrift, ODH

Q:\FEMPI\OU2\LTSM\DRTC.WPD

1