



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD _____

LOG M-1694 - 2472

AUG 30 8 59 AM '99

FILE: _____

LIBRARY: _____

George V. Voinovich
Governor

August 25, 1999

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

RE: Responses to OEPA Comments - Lime Sludge Ponds IRDP

Dear Mr. Reising:

Ohio EPA has reviewed DOE's August 11, 1999 submittal, "Responses to Ohio Environmental Protection Agency Comments on the Draft Integrated Remedial Design Package for Area 3 Lime Sludge Ponds". Attached are Ohio EPA's comments on the document.

If you have any questions, please contact me at (937) 285-6466.

Sincerely,

Michelle Walker for

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Ruth Vandergrift, ODH
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.
Manager, TPSS/DERR,CO

Q:\FEMP\IOU5\A3\LSPRTC.WPD

