



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD _____

LOG A-0749

FEB 23 7 51 AM '00

FILE: _____

2812

George V. Voinovich
Governor

February 22, 2000

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

**RE: CONDITIONAL APPROVAL- PSP FOR SAMPLING OF SOIL STOCKPILE 3
FOR OSDF WAC ATTAINMENT**

Dear Mr. Reising:

Ohio EPA has reviewed DOE's January 21, 2000 submittal on the "Project Specific Plan for Sampling Stockpile 3 for OSDF WAC Attainment". Based upon our review, Ohio EPA conditionally approves this PSP. The conditions for Ohio EPA approval include: 1) changing line 15 on page 2-2 to read "Table C-3", which contains the predesign sample locations, and 2) Removing thorium and radium from the analyte list on Table 2-1.

If you have any questions, please contact Donna Bohannon, Michelle Waller or me.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Ruth Vandergrift, ODH
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.

Q:\femplou5\Miscsp\SP3CAP.WPD