



Department of Energy

Ohio Field Office
Fernald Area Office
P. O. Box 538705
Cincinnati, Ohio 45253-8705
(513) 648-3155



3038

JUN 19 2000

Mr. James A. Saric, Remedial Project Manager
U.S. Environmental Protection Agency
Region V-SRF-5J
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

DOE-0774-00

Mr. Tom Schneider, Project Manager
Ohio Environmental Protection Agency
401 East 5th Street
Dayton, Ohio 45402-2911

Dear Mr. Saric and Mr. Schneider:

TRANSMITTAL OF THE REVISED FIGURE IN RESPONSE TO OHIO ENVIRONMENTAL PROTECTION AGENCY COMMENT ON THE DRAFT CERTIFICATION REPORT FOR AREA 1, PHASE II SECTOR 2 CERTIFICATION UNITS WEST OF THE FORMER NORTH ACCESS ROAD

- References:
- 1) Letter, J. Saric to J. Reising, "A1PII West of NAR Certification Report," dated March 7, 2000
 - 2) Letter, T. Schneider to J. Reising, "Conditional Approval - Certification Report for A1PII Sector 2 Certification Units West of Former North Access Road," dated March 14, 2000

Enclosed for your approval is the revised figure in response to the Ohio Environmental Protection Agency (OEPA) comment on the draft Certification Report for Area 1, Phase II (A1PII) Sector 2 Certification Units West of the Former North Access Road. The OEPA conditionally approved this document pending correction of Figure 1-3, the Fernald Environmental Management Project (FEMP) Controlled Certification Map. As discussed in the Certification Design Letter and the Certification Report, the revised map illustrates the following:

- The On-Site Disposal Facility (OSDF) Equipment Wheel Wash area has not been certified due to current use
- The Interim Leachate Line Corridor is not yet certified

Mr. James A. Saric
Mr. Tom Schneider

-2-

JUN 19 2000

- The Dissolved Oxygen Facility has not been certified, but will be included with Area 10.

Additionally, the revised map more clearly indicates:

- Uncertified portions of the North Access Road in Area 1, Phase I (A1PI)
- Certification in progress after a subsequent 0.4 - acre area excavation in the southwest portion of the Trap Range. Excavation is pending Agency approval that a 30-foot long by 15-foot wide by 3-inch deep lead hot spot area discovered during A1PII certification within the 0.4 - acre has been successfully stabilized
- Area 1, Phase III (A1PIII) Parts Two and Three (A1PIII Part One is also known as A1PIII)
- Area 2, Phase II (A2PII) Part Two, the "Radium Hot Spot" for which certification sampling is complete and analyses are in progress
- Area 2, Phase I (A2PI) Active Flyash Pile and perimeter area for which excavation is planned to be finished this summer with subsequent precertification and certification sampling activities.

If you have any questions regarding these comment responses or need further information, please contact Robert Janke at (513) 648-3124.

Sincerely,



Johnny W. Reising
Fernald Remedial Action
Project Manager

FEMP:R.J. Janke

Enclosure

JUN 19 2000

Mr. James A. Saric
Mr. Tom Schneider

-3-

3038


cc w/enclosure:

R. J. Janke, OH/FEMP
G. Jablonowski, USEPA-V, SRF-5J
T. Schneider, OEPA-Dayton (three copies of enclosure)
F. Bell, ATSDR
M. Schupe, HSI GeoTrans
R. Vandegrift, ODH
F. Hodge, Tetra Tech
(AR Coordinator, Fluor Fernald, Inc./78)

cc w/o enclosure:

N. Hallein, EM-31/CLOV
R. J. Janke, OH/FEMP
A. Tanner, OH/FEMP
D. Carr, Fluor Fernald, Inc./2
J. Chiou, Fluor Fernald, Inc./52-0
T. Crawford, Fluor Fernald, Inc./52-0
T. Hagen, Fluor Fernald, Inc./65-2
J. Harmon, Fluor Fernald, Inc./90
S. Hinnefeld, Fluor Fernald, Inc./31
M. Jewett, Fluor Fernald, Inc./52-2
U. Kumthekar, Fluor Fernald, Inc./65
M. Rolfes, Fluor Fernald, Inc./60
J. Vance, Fluor Fernald, Inc./52-0
T. Walsh, Fluor Fernald, Inc./65-2
ECDC, Fluor Fernald, Inc./52-7

V:\2001\2001\2001\2001\2001.dgn
STATE PLANNING COORDINATE SYSTEM 1983



LEGEND:

- APPROVED CERTIFICATION AREAS (320 ACRES TOTAL)
 - A1PI APPROVED CERTIFIED AREAS - 120.5 ACRES
 - A1PI SEDIMENT TRAPS 2 AND 3 APPROVED CERTIFIED AREAS 1.4 ACRES
 - A1PII APPROVED CERTIFIED AREAS - 80.1 ACRES
 - A1PII-S2B APPROVED CERTIFIED AREAS 1.5 ACRES
 - A8PII/A6TA APPROVED CERTIFIED AREA - 22.1 ACRES
 - A8PI APPROVED CERTIFIED AREAS - 12.5 ACRES
 - A2PIII APPROVED CERTIFIED AREA - 70 ACRES
 - A1PII APPROVED CERTIFIED AREAS WEST OF OLD NORTH ACCESS ROAD - 11.9 ACRES
- CERTIFICATION AREA, SEPARATE REPORT PRESENTLY UNDER AGENCY REVIEW - 55.5 ACRES
- A1PI ROADS EXCLUDED FROM CERTIFICATION
- CERTIFICATION IN PROGRESS
- REMEDIATION IN PROGRESS
- CHARACTERIZATION FOR REUSE AREAS - 2.5 ACRES
- NON CERTIFIED AREAS

DRAFT




FIGURE 1-3. FEMP CONTROLLED CERTIFICATION MAP