



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street  
Dayton, Ohio 45402-2911  
(513) 285-6357  
FAX (513) 285-6249

FERNALD  
LOG A-1734  
Aug 14 8 38 AM '00

3184

George V. Voinovich  
Governor

FILE:  
LIBRARY:

August 9, 2000

Mr. Johnny Reising  
U.S. Department of Energy, Fernald Area Office  
P.O. Box 538705  
Cincinnati, OH 45253-8705

**RE: Approval- RTC for the Draft Certification Report for A1P11**

Dear Mr. Reising:

Ohio EPA has reviewed DOE's July 12, 2000 submittal on the "Responses to Ohio Environmental Protection Agency Comments on the Draft Certification Report for Area 1, Phase II". Based upon our review, Ohio EPA approves these responses to comments with the inclusion of the following comment: As stated in Original Comment # 3, all original estimates as well as actual amounts of soil excavated are required in Table 3-1.

If you have any questions, please contact Michelle Waller or me.

Sincerely,

*Michelle Waller*  
*for*

Thomas A. Schneider  
Fernald Project Manager  
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA  
Terry Hagen, FDF  
Ruth Vandergrift, ODH  
Mark Shupe, HSI GeoTrans  
Francie Hodge, Tetra Tech EM Inc.

Q:\temp\us\A1P11\cc\reising\ppr\ppr.ppt

15  
16  
17

1