



State of Ohio Environmental Protection Agency

Southwest District Office

3981

401 East Fifth Street
Dayton, Ohio 45402-2911

TELE: (937) 285-6357 FAX: (937) 285-6404

Bob Taft, Governor
Maureen O'Connor, Lt. Governor
Christopher Jones, Director

FILE:
NOV 26 A 8 41
C-0315
FERNALD

November 20, 2001

Mr. Johnny Reising
USDOE FEMP
P.O. Box 538705
Cincinnati, OH 45253-8705

RE: Approval- IP for Above-Grade D&D of OU3 Multi-Complex and RTC

Dear Mr. Reising,

Ohio EPA has reviewed DOE's October 3, 2001 submittal, "Implementation Plan for Above-Grade Decontamination and Dismantlement of Operable Unit 3 Multi-Complex" and October 16, 2001 submittal "Response to Comments Received on 'Draft' Implementation Plan for Above-Grade Decontamination and Dismantlement of Operable Unit 3 Multi-Complex". Based upon this review, Ohio EPA approves these documents.

If you have any questions, please contact Michelle Waller or me at (937) 285-6466.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Terry Hagen, FDF
Mark Shupe, HSI GeoTrans
Francie Hodge, Tetra Tech EM Inc.
Ruth Vandergrift, ODH

1