

VARIANCE / FIELD CHANGE NOTICE

Significant?
(Yes or No): NO

V/F: 21130-PSP-0001-9

WBS NO.: PROJECT/DOCUMENT/ECDC # 21130-PSP-0001 Rev.0

Page: 1 of 1

PROJECT TITLE: Project Specific Plan for Area 9, Phase II Precertification Real-Time Scan

Date: 04/04/03

VARIANCE / FIELD CHANGE NOTICE (Include justification):

This Variance/Field Change Notice (V/FCN) documents that data will not be received for the PCB rinsate sample collected under V/FCN 21130-PSP-0001-1.

The incorrect extraction method was performed on the PCB rinsate sample upon receipt at the offsite laboratory.

Justification:

Documents the reason why data will not be received for the PCB rinsate sample.

INFORMATION ONLY

REQUESTED BY: Denise Arico

Date: 04/04/03

X IF REQD	VARIANCE/FCN APPROVAL	DATE	X IF REQD	VARIANCE/FCN APPROVAL	DATE
X	QUALITY ASSURANCE: <i>Michael Miller</i>	4/7/03	X	PROJECT MANAGER: J.D. Zhou <i>J.D. Zhou</i>	4/4/03
	DATA QUALITY MANAGEMENT		X	CHARACTERIZATION MANAGER: Frank Miller <i>Frank Miller</i>	4/4/03
X	ANALYTICAL CUSTOMER SUPPORT: H. Medley <i>H. Medley</i>	4/7/03		RTIMP Manager	
	WAO			Sampling Manager: T. Bulutage	

VARIANCE/FCN APPROVED [X] YES [] NO

REVISION REQUIRED: [] YES [x] NO

DISTRIBUTION

PROJECT MANAGER:	DOCUMENT CONTROL: Jeannie Rosser	OTHER:
QUALITY ASSURANCE:	CHARACTERIZATION MANAGER: Frank Miller	OTHER:
FIELD MANAGER:	OTHER:	OTHER: