

129

2-707.1

**THE UNITED STATES DEPARTMENT OF ENERGY ANNOUNCES THE  
AVAILABILITY OF THE DRAFT OPERABLE UNIT 2 REMEDIAL DESIGN  
WORK PLAN FOR THE FERNALD ENVIRONMENTAL MANAGEMENT PROJECT**

08/09/95

DOE-FM

PUBLIC

13  
NOA

FEMP logo here

DOE logo  
here

**THE UNITED STATES DEPARTMENT OF ENERGY  
ANNOUNCES THE AVAILABILITY OF THE  
DRAFT OPERABLE UNIT 2 REMEDIAL DESIGN WORK PLAN  
FOR THE FERNALD ENVIRONMENTAL MANAGEMENT PROJECT**

*The U. S. Department of Energy (DOE) announces that the Draft Operable Unit 2 Remedial Design Work Plan for the Fernald Environmental Management Project (FEMP) is now available for public inspection. The Draft Operable Unit 2 Remedial Design Work Plan identifies and defines activities required to develop final construction plans, specifications and procurement documents for the implementation of the selected remedy described in the Record of Decision for Remedial Actions at Operable Unit 2, which was signed on June 8, 1995 by the U.S. Environmental Protection Agency (U.S. EPA). This Work Plan has been prepared in accordance with the requirements of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), as amended, and the Amended Consent Agreement between DOE and U.S. EPA.*

*The FEMP's Operable Unit 2 consists of the Solid Waste Landfill, the North and South Lime Sludge Ponds, the South Field, the Inactive and Active Flyash Piles, and berms, liners, and soils within the operable unit boundaries. The selected remedy for Operable Unit 2 includes excavation of all material with contaminants of concern above the established cleanup levels, material processing for size reduction and moisture control if required, and on-site disposal in an engineered disposal facility with composite cap and liner system, and off-site disposal of a small fraction of the excavated material that exceeds the waste acceptance criteria of the on-site disposal facility. Although final decisions have not been made for all FEMP operable units, the on-site disposal facility will be designed to accommodate all waste that could be disposed of on site. The amount of waste could range from Operable Unit 2 material only up to a large percentage of waste from Operable Units 2, 3, and 5. To ensure the appropriate size, the on-site disposal facility will be constructed in phases as the waste is excavated. The Draft Operable Unit 2 Remedial Design Work Plan presents the schedule for designing the on-site disposal facility, in addition to other components of the Operable Unit 2 remedial action.*

*The Operable Unit 2 remedial design and subsequent remedial actions are being implemented by the DOE, as the lead agency responsible for CERCLA activities at the FEMP. Since this is the initial submittal of the Draft Operable Unit 2 Remedial Design Work Plan to the U.S. EPA, it may be subject to change based on U.S. EPA comments. The Draft Operable Unit 2 Remedial Design Work Plan is available at the following local location and times:*

**Public Environmental Information Center**

**JAMTEK Building**

**10845 Hamilton-Cleves Highway**

**Harrison, Ohio 45030**

**Hours: Monday & Thursday: 9 a.m. - 7 p.m.**

**Tuesday, Wednesday, & Friday: 9 a.m. - 4:30 p.m.**

**Saturday: 9 a.m. - 1 p.m.**

*For additional information, please contact:*

**Mr. Gary Stegner, Public Information**

**U. S. Department of Energy Fernald Area Office**

**P.O. Box 538705**

**Cincinnati, OH 45253-8705**

**Telephone: (513) 648-3153**

# CORRESPONDENCE REVIEW RECORD SHEET

129

NEED DATE: August 4, 1995  
DO NOT USE ASAP

PARALLEL REVIEW:  Yes  No

Type of Commitment	Meets Commitment/Due Date
CONSENT AGREEMENT MILESTONE	8/4/95

LETTER NO.: C:CRU2:95-0102

DATE: \_\_\_\_\_  
TO BE DATED AFTER SIGNATURE IS OBTAINED

SUBJECT: REMEDIAL DESIGN WORKPLAN - NOTICE OF AVAILABILITY

AUTHOR: CHRISTINE ESSELMAN PHONE NO.: 648-4619

CONTACT PERSON: CHRISTINE ESSELMAN PHONE NO.: 648-4619

SIGNER: N/A

*The following have reviewed the subject document. Comments regarding the content may be noted below or attached.*

Reviewed By	Comments		Date	Comments Incorporated		Date
	Yes	No		Yes	No	
N. WEATHERUP	✓		8/1/95	✓		8/2/95 CME
R. HOLMES	✓		8/3/95	✓		8/3/95 CME
M. STRIMBU	✓		8/2/95	✓		8/2/95 CME
M. YATES		✓	8/1/95			

APPROVED BY	DATE
Responsible Division Director <i>(Must be obtained BEFORE submitted to Office of President)</i> <i>Nancy Weatherup</i>	8/1/95
Office of President <i>[Signature]</i>	8/3

COMMENTS: The attached NDA has incorporated the comments of the reviewers. It will be reviewed by DOE before it is sent to the newspapers for publication.

*Reviewed by J. G. J. DOE, 8/4/95*  
*[Signature] 8/4/95*

2

FEMP logo here

DOE logo here

**THE UNITED STATES DEPARTMENT OF ENERGY  
ANNOUNCES THE AVAILABILITY OF THE  
DRAFT OPERABLE UNIT 2 REMEDIAL DESIGN WORK PLAN  
FOR THE FERNALD ENVIRONMENTAL MANAGEMENT PROJECT**

The U. S. Department of Energy (DOE) announces that the *Draft Operable Unit 2 Remedial Design Work Plan* for the Fernald Environmental Management Project (FEMP) is now available for public inspection. The Draft Operable Unit 2 Remedial Design Work Plan identifies and defines activities required to develop final construction plans, specifications and procurement documents for the implementation of the selected remedy described in the Record of Decision for Remedial Actions at Operable Unit 2, which was signed on June 8, 1995 by the U.S. Environmental Protection Agency (U.S. EPA). This Work Plan has been prepared in accordance with the requirements of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), as amended, and the Amended Consent Agreement between DOE and U.S. EPA.

The FEMP's Operable Unit 2 consists of the Solid Waste Landfill, the North and South Lime Sludge Ponds, the South Field, the Inactive and Active Flyash Piles, and berms, liners, and soils within the operable unit boundaries. The selected remedy for Operable Unit 2 includes excavation of all material with contaminants of concern above the established cleanup levels, material processing for size reduction and moisture control if required, and on-site disposal in an engineered disposal facility with composite cap and liner system, and off-site disposal of a small fraction of the excavated material that exceeds the waste acceptance criteria of the on-site disposal facility. Although final decisions have not been made for all FEMP operable units, the on-site disposal facility will be designed to accommodate all waste that could be disposed of on site. The amount of waste could range from Operable Unit 2 material only up to a large percentage of waste from Operable Units 2, 3, and 5. To ensure the appropriate size, the on-site disposal facility will be constructed in phases as the waste is excavated. The Draft Operable Unit 2 Remedial Design Work Plan presents the schedule for designing the on-site disposal facility, in addition to other components of the Operable Unit 2 remedial action.

The Operable Unit 2 remedial design and subsequent remedial actions are being implemented by the DOE, as the lead agency responsible for CERCLA activities at the FEMP. Since this is the initial submittal of the Draft Operable Unit 2 Remedial Design Work Plan to the U.S. EPA, it may be subject to change based on U.S. EPA comments. The *Draft Operable Unit 2 Remedial Design Work Plan* is available at the following local location and times:

**Public Environmental Information Center  
JAMTEK Building  
10845 Hamilton-Cleves Highway  
Harrison, Ohio 45030  
Hours: Monday & Thursday: 9 a.m. - 7 p.m.  
Tuesday, Wednesday, & Friday: 9 a.m. - 4:30 p.m.  
Saturday: 9 a.m. - 1 p.m.**

For additional information, please contact:

**Mr. Gary Stegner, Public Information  
U. S. Department of Energy Fernald Area Office  
P.O. Box 538705  
Cincinnati, OH 45253-8705  
Telephone: (513) 648-3153**