

147

2-208.3⁴

APPROVAL: OU2 RD WORK PLAN

09/29/95

OEPA

DOE-FN

13

APPROVAL



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD

LOG I-3783

Oct 1 11 42 AM '95

FILE: _____
LIBRARY: _____

147

George V. Voinovich
Governor

September 29, 1995

RE: DOE FEMP
MSL 531-0297
HAMILTON COUNTY
APPROVAL: OU2 RD WORK
PLAN

Mr. Johnny Reising
U.S. Department of Energy, Fernald Area Office
P.O. Box 538705
Cincinnati, OH 45253-8705

Dear Mr. Reising:

This letter serves as conditional approval of the "Draft Remedial Design Work Plan for Remedial Actions at Operable Unit 2" received by Ohio EPA on August 7, 1995. The conditions of our approval are the satisfactory resolution of the attached comments.

Please contact Tim Hull at (513) 285-6075 or Tom Ontko at (513) 285-6073 if you have any questions.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

- cc: Jim Saric, U.S. EPA
- Terry Hagen, FERMCO
- Ruth Vandergrift, ODH
- Mike Proffitt, DD&GW
- Bob Geiger, PRC
- Manager, TPSS/DERR, CO
- Lisa August, GeoTrans

OU2RDWP.APP

(WARNER(R)
Partial
ACTION RESPONSE
TO Q-1298
(9096)

Ohio EPA Comments
September 29, 1995
Page 2

way to manage the changes.

Response:

Action:

6.) Commenting Organization: Ohio EPA Commentor: OFFO

Section #: 6.3 Pg #: 6-5 Line #: 1-2 Code: C

Original Comment #:

Comment: Will winter construction shut down occur during a given time frame or will shut down occur on an as needed basis?

Response:

Action:

General Comment

7.) Commenting Organization: Ohio EPA Commentor: ODH

Section #: Pg #: Line #: Code: C

Original Comment #:

Comment: At other sites in the states which are proposing containment cells for disposal of low-level radiological waste, a recurrent concern is how burrowing animals excluded from the areas to preclude damage to any of the barrier layers.

Response:

Action: