

168

2-408.12

CLAY BORROW AREA PLAN RESPONSE TO COMMENTS APPROVAL

10/30/95

OEPA

DOE-FN

1

APPROVAL



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD
J-0295
OCT 3 10 15 AM '95

George V. Voinovich
Governor

October 30, 1995

RE: DOE FEMP
MSL #531-0297
CLAY BORROW AREA PLAN:
RESPONSE TO COMMENTS -
APPROVAL

Mr. Johnny Reising
U.S. DOE FEMP
P.O. Box 398705
Cincinnati, OH 45329-8705

Dear Mr. Reising:

Ohio EPA has reviewed the "Response to Comments on the Draft Geotechnical Sampling and Testing Plan for On-Site Clay Borrow Areas, Off-Site Material Sources, and Operable Unit 2 Waste Units" submitted by DOE on October 2, 1995. Ohio EPA's review finds that DOE has appropriately responded to our comments. Ohio EPA looks forward to DOE's submittal of the final document.

If you should have any questions, please contact me at (513) 285-6466.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric U.S. EPA
Terry Hagen, FERMCO
Ruth Vandegrift, ODH
Sharon McClellan, PRC
Manager TPSS, DERR/CO
Dave Ward, GeoTrans

JOHNSON (J)
PARTIAL
ACTION RESPONSE
TO DOE-1589-95
(9213)

A:\OU2\BRRWRSP.APP