



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 REGION 5  
 77 WEST JACKSON BOULEVARD  
 CHICAGO, IL 60604-3590

ERNALD \_\_\_\_\_  
 OG F-00606

005 APR 26 A 9:12

APR 25 2005

FILE: 6446.3  
 REPLY TO THE ATTENTION OF:

LIBRARY: SR-6J

Mr. Johnny W. Reising  
 United States Department of Energy  
 Fernald Closure Project  
 175 Tri-County Parkway  
 Springdale, Ohio 45246

RE: Addendum 5 OSDF IMPP RTC

Dear Mr. Reising:

The United States Environmental Protection Agency (U.S. EPA) has completed its review of the United States Department of Energy's (U.S. DOE) Responses to Comments (RTC) to Addendum 5 of the On-Site Disposal Facility (OSDF) Impacted Material Placement Plan (IMPP). This document describes the procedures for placement of oversized material into the OSDF.

U.S. DOE has adequately addressed U.S. EPA's previous comments. Therefore, U.S. EPA approves the RTC to Addendum 5 of the On-Site Disposal Facility (OSDF) Impacted Material Placement Plan (IMPP). U.S. DOE must submit a revised final OSDF IMPP incorporating the responses and changes within thirty (30) days receipt of this letter.

Please contact me at (312) 886-0992 if you have any questions regarding this matter.

Sincerely,

James A. Saric  
 Remedial Project Manager  
 Federal Facilities Section  
 SFD Remedial Response Branch #2

cc: Tom Schneider, OEPA-SWDO  
 Jamie Jameson, Fluor Fernald  
 Frank Johnston, Fluor Fernald