



State of Ohio Environmental Protection Agency

Rec'd 7-14-06

401 East Fifth Street
Dayton, Ohio 45402-2911

Southwest District
TELE: (937)285-6357 FAX: (937)285-6249
www.epa.state.oh.us

Bob Taft, Governor
Bruce Johnson, Lt. Governor
Joseph P. Konecny, Director

July 13, 2006

Mr. Johnny Reising
US Department of Energy
Ohio Field Office
Fernald Closure Project
175 Tri County Parkway
Springdale, Ohio 45246

**RE: DISAPPROVAL - DRAFT CDL AND CERTIFICATION PSP FOR AREA 6
GENERAL AREA WEST**

Mr. Reising:

Ohio EPA has reviewed DOE's "Transmittal of the Draft Certification Design Letter and Certification Project Specific Plan for Area 6 General Area West (20600-PSP-0020) Rev A," submitted June 19, 2006. Based upon this review Ohio EPA disapproves this document and our comments are enclosed.

If there are any questions, please contact Donna Bohannon or me at (937) 285-6466.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric U.S. EPA

Q:\ou5\A6\Area 6 Waste Pits and General Area\CDL&PSPA6GenAreaWest.disapprov.wpd

