



State of Ohio Environmental Protection Agency

Rec'd 10-6-06

Southwest District

401 East Fifth Street
Dayton, Ohio 45402-2911

TELE: (937)285-8357 FAX: (937)285-8249
www.epa.state.oh.us

Bob Taft, Governor
Bruce Johnson, Lt. Governor
Joseph P. Koncinski, Director

October 4, 2006

Mr. Johnny Reising
US Department of Energy
Ohio Field Office
Fernald Closure Project
175 Tri County Parkway
Springdale, Ohio 45246

**RE: APPROVAL - CDL AND CERTIFICATION PSP FOR THE FSWL, SP7
FOOTPRINT, SWM POND, AND RAILYARD DRAINAGE BASIN AREA**

Dear Mr. Reising:

Ohio EPA has reviewed DOE's "Transmittal Of The Certification Design Letter And Certification Project Specific Plan For The Former Solid Waste Landfill And Soil Pile 7 Footprint (20600-PSP-0021) Rev A Draft," dated September 26, 2006. Based upon Ohio EPA's review this document is approved, along with one editorial comment which must be corrected in the Certification Plan. Our comment as follows:

Section 3.2.4, Table 3-2, Page 3-5, second column "Retained as ASCOC." Please fill in the column with a "yes" or "no" to retain Benzo(b)fluoranthene as a ASCOC.

Should you have any questions, please contact Donna Bohannon or me.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Michelle Cullerton, Tetra Tech EMI