



State of Ohio Environmental Protection Agency

Rec'd 10-19-06

Southwest District

401 East Fifth Street
Dayton, Ohio 45402-2911

TELE: (937)285-6357 FAX: (937)285-6249
www.epa.state.oh.us

Bob Taft, Governor
Bruce Johnson, Lt. Governor
Joseph P. Koncelik, Director

October 13, 2006

Mr. Johnny Reising
US Department of Energy
Ohio Field Office
Fernald Closure Project
175 TriCounty Parkway
Springdale, Ohio 45246

**RE: APPROVAL - CDL AND CERTIFICATION PSP FOR AREA 4B - PART TWO
AND MDC AREA - 1ST STREET**

Mr. Reising:

Ohio EPA has received DOE's *Transmittal Of The DRAFT Certification Design Letter and Certification Project Specific Plan For Area 4B - Part Two And Main Drainage Corridor Area - 1st Street and U.S. and Ohio Environmental Protection Agency Comments*, submitted on October 12, 2006. Based upon Ohio EPA's review of the documents, we approve the CDL/PSP.

If there are any questions, please contact me or Donna Bohannon.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Michelle Cullerton, Tetra Tech, EMI

Q:\ou5\3B4BA5\Area 4B\CDLPSP4BPart2&MDCArea.aprov.wpd