

Rec'd 11-22-06



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911

TELE: (937)285-6357 FAX: (937)285-6249
www.epa.state.oh.us

Bob Taft, Governor
Bruce Johnson, Lt. Governor
Joseph P. Koncelik, Director

November 20, 2006

Mr. Johnny Reising
US Department of Energy
Ohio Field Office
Fernald Closure Project
175 Tri County Parkway
Springdale, Ohio 45246

RE: APPROVAL – ADDENDUM 1 CDL/PSP A6 FPA/MDC SP- 8 AREA

Mr. Reising:

Ohio EPA has reviewed DOE's *Transmittal of Responses to Ohio EPA Comments on Addendum 1 to the Certification Design Letter and Certification Project Specific Plan for Area 6 Former Production Area and Main Drainage Corridor Area for the Certification of the Former Soil Pile-8 Area* submitted November 14, 2006. Based upon our review, Ohio EPA approves the responses and revised CDL/PSP Addendum.

If there are any questions, please contact Donna Bohannon or me at (937) 285-6466.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA
Michelle Cullerton, Tetrattech