



State of Ohio Environmental Protection Agency

*Revised 12-15-06*

401 East Fifth Street  
Dayton, Ohio 45402-2911

Southwest District Office  
TELE: (937)285-6357 FAX: (937)285-6249  
www.epa.state.oh.us

Bob Taft, Governor  
Bruce Johnson, Lt. Governor  
Joseph P. Koncelik, Director

December 13, 2006

Mr. Johnny Reising  
US Department of Energy  
Fernald Closure Project  
175 TriCounty Parkway  
Springdale, Ohio 45246

**RE: APPROVAL – ADDENDUM 4 TO CERTIFICATION REPORT FOR A1P2**

Mr. Reising,

Ohio EPA has received DOE's "Transmittal Of Response to Ohio EPA Comments and Change Pages on Addendum 4 to the Certification Report for Area 1, Phase II for Certification of the Dissolved Oxygen Facility" submitted on December 11, 2006. Ohio EPA approves the report as certifying the areas met the FRLs at the time the samples were collected. Ohio EPA reserves the right to reexamine the certification status of the relevant property areas, if in the opinion of Ohio EPA, the areas have been subjected to re-contamination by airborne releases, contaminated storm water run-on or any similar mechanism.

If there are any questions, please contact Donna Bohannon or me.

Sincerely,

Thomas A. Schneider  
Fernald Project Manager  
Office of Federal Facilities Oversight

Cc: Jim Saric, US EPA  
Michelle Cullerton, Tetra Tech Inc.  
Mark Shupe, Geo Trans Inc