



CONTINUED FROM THE FRONT

**VII. BIOLOGICAL TOXICITY TESTING DATA**

Do you have any knowledge or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years?

YES (Identify the test(s) and describe their purposes below)

NO (go to Section VIII)

**VIII. CONTRACT ANALYSIS INFORMATION**

Were any of the analyses reported in item V performed by a contract laboratory or consulting firm?


YES (List the name, address, and telephone number of, and pollutants analyzed by, each such laboratory or firm below)

NO (go to Section IX)


A. NAME	B. ADDRESS	C. TELEPHONE (area code & no.)	D. POLLUTANTS ANALYZED (list)

**IX. CERTIFICATION**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

A. NAME & OFFICIAL TITLE (type or print) Frank Johnston, Fernald Site Manager	B. PHONE NO. (area code & no.) (513) 648-5294
C. SIGNATURE 	D. DATE SIGNED 9/8/03

\*Original signed December 2007



- |                              |                   |                           |
|------------------------------|-------------------|---------------------------|
| ▲ Stormwater Discharge Point | — Road-paved      | ▨ Wetland                 |
| ▭ Fernald Preserve Boundary  | - - - Road-gravel | - · - Intermittent Stream |
| ■ Building                   | ▨ Open Water      | — Creek                   |



**FERNALD PRESERVE  
STORMWATER OUTFALL LOCATIONS**

**Sumner, Wanda**

---

**From:** Sizemore, Mary  
**Sent:** Monday, October 13, 2008 12:32 PM  
**To:** rc-ferald  
**Subject:** FW: Outfall

**Attachments:** S25C-108090816312.pdf; S25C-108090816311.pdf; S25C-108090816310.pdf



S25C-108090816312.pdf (666 KB)... S25C-108090816311.pdf (639 KB)... S25C-108090816310.pdf (415 KB)...

Wanda, Please file as the Addendum to NPDES 2008 permit application. Make sure email is captured also.

Thanks

MARY

-----Original Message-----

**From:** Sizemore, Mary  
**Sent:** Wednesday, September 10, 2008 5:27 PM  
**To:** Michelle Waller  
**Cc:** Johnston, Frank  
**Subject:** RE: Outfall

Michelle,

Thanks for getting back with me. Attached are the replacement pages for our NPDES Permit Application Addendum to address the biowetland. If you have any questions or need additional information please give me a call on my cell. I am in Lessons Learned Workshop all day tomorrow.

Mary  
[REDACTED]

-----Original Message-----

**From:** Michelle Waller [mailto:Michelle.Waller@epa.state.oh.us]  
**Sent:** Wednesday, September 10, 2008 9:00 AM  
**To:** Sizemore, Mary  
**Subject:** Outfall

Mary,

I'm sorry I couldn't get back to you yesterday, my boss isn't in and the more I thought about it, I can't come up with a good reason not to put it right at the outfall, so go ahead and plot it there. If for some reason I can't think of it doesn't fly when I process it on, we can change it then. Thanks.

Michelle

Michelle Waller  
Ohio EPA  
Division of Surface Water  
(937) 285-6028  
michelle.waller@epa.state.oh.us

>>> "Sizemore, Mary" <Mary.Sizemore@lm.doe.gov> 9/8/2008 4:01 PM >>>

Hi Michelle,

I actually changed my mind again, think I will just call it 4007 so it has a brand new number. Just left you a message. Have one more item to discuss before submission of addendum. It's in Frank's office awaiting signature right now. Should be able to pdf today after I talk to you. I will be out of the office tomorrow. You can reach me on my cell phone later today or tomorrow.

Mary  
[REDACTED]

-----Original Message-----

From: Michelle Waller [mailto:Michelle.Waller@epa.state.oh.us]  
Sent: Monday, September 08, 2008 3:57 PM  
To: Sizemore, Mary  
Subject: Re: addendum

If you want to go that route, I would suggest 602. We can not use the same number that has been used before, even if you label it "A" afterwards. For whatever reason our permit writing program will not recognize a suffix like A. I have no problems with 602 vs 002. Thanks.  
Michelle

>>> "Sizemore, Mary" <Mary.Sizemore@lm.doe.gov> 9/3/2008 7:54 AM >>>  
Michelle, Just go the coordinates today and will be sending something before end of week. Frank suggested we use 601 as the outfall since that was the previous sanitary outfall instead of 4002, but he really said it was up to decide. I am going to suggest we call it 601A, so it is still associated with sanitary but has a distinguishable id #. Is that okay with you?  
Let me know.  
Thanks for your help  
Mary