

7154

Stoller

established 1959

Task Order LM00-502
Control Number 09-0532

February 18, 2009

State Emergency Response Commission
c/o Ohio Environmental Protection Agency
Attention: Right-to-Know
Lazarus Government Center
P.O. Box 1049
122 South Front Street
Columbus, OH 43216-1049

SUBJECT: Contract No. DE-AM01-07000LM00060, Stoller
Task Order LM00-502, LTS&M – Other Defense Activities
2008 Hazardous Chemical Inventory Forms and Maps – United State Department
of Energy Fernald Preserve

REFERENCE: LM00-502-06-506 ODA CERCLA/RCRA Site, Fernald, OH


To Whom It May Concern:

The intent of this letter is to communicate to you that the Fernald Preserve did not have to complete the Calendar Year 2008 Hazardous Chemical Inventory Tier 2 Report as required under Section 312 of the Emergency Planning and Community Right to Know Act (EPCRA) of 1986 and Ohio Administrative Code (OAC) 3750-30.

The Fernald Closure Project (recently renamed the Fernald Preserve) is now the responsibility of the United States Department of Energy Office of Legacy Management and managed by the S. M. Stoller Corporation. There are no chemicals above the threshold planning quantities currently on site; therefore, no Tier 2 Report was required. While evaluations of chemical usage and storage will be ongoing and appropriate reporting will be made, it is expected that the storage of chemicals above threshold quantities will not occur based on anticipated activities at the site.

If you have any questions, please contact Mary Sizemore at (513) 648-3166.

Sincerely,



Frank Johnston
Fernald Preserve Site Manager

FLJ:MES/dsm

State Emergency Response Commission
09-0532
Page 2

cc: Butler County LEPC
315 High Street, Suite 670
Hamilton, OH 45011

Chief Bruce Downard
Crosby Township Fire Dept.
9139 Baughman Road
Harrison, OH 45030

Hamilton County LEPC
2000 Radcliff Drive
Cincinnati, OH 45204

Mary Sizemore, Stoller
Jane Powell, DOE-LM.20.1
rc-fernald (Thru W. Sumner)
Administrative Records (Thru W. Sumner) – 2 copies