23-02 - - - -9407140020

Environmental Restoration Program

OPERABLE UNIT 3, MISCELLANEOUS SITES LIMITED FIELD INVESTIGATION REPORT

MOUND PLANT
MIAMISBURG, OHIO

VOLUME II APPENDIX A

July 1993

FINAL

(Revision 0)

Department of Energy

EG & G Mound Applied Technologies

823-9670

REFERENCE USE ONLY

ENVIRONMENTAL RESTORATION PROGRAM

OPERABLE UNIT 3 — MISCELLANEOUS SITES
LIMITED FIELD INVESTIGATION REPORT
VOLUME II
APPENDIX A

MOUND PLANT
MIAMISBURG, OHIO

July 1993

DEPARTMENT OF ENERGY

ENVIRONMENTAL RESTORATION PROGRAM
EG&G MOUND APPLIED TECHNOLOGIES

FINAL
(REVISION 0)

APPENDIX A
COMPLETE DATA SUMMARY FOR ALL TESTED ANALYTES

APPENDIX A

OU 3 LFI REPORT CROSS REFERENCE OF SAMPLE IDENTIFICATION NUMBERS TO INVESTIGATION SITE (Continued)

Sample Identification Number	Investigation Site
MND33-0115	Building 34 Oil Burn Structure
MND33-0116	Underground Sewer Lines Grid G15
MND33-0117	Underground Sewer Lines Grid G19/14
MND33-0130	Underground Sewer Lines Grids G6 and G7
MND33-0131	Area 1 Building 27 Leach Pit
MND33-0132	Area 1 Building 27 Leach Pit
MND33-0133	Area 1 Building 27 Leach Pit
MND33-0134	Underground Sewer Lines Grid G19/14
MND33-0135	Building 34 Historical Fire-Fighting Training Pit
MND33-0136	Building 34 Historical Fire-Fighting Training Pit
MND33-0139	Underground Sewer Lines Grid G12
MND33-0140	Building 34 Fire-Fighting Training Pits
MND33-0141	Building 34 Oil Burn Structure
MND33-0142	WD Building Glass Melter Room Sump
MND33-1140	Building 34 Fire-Fighting Training Pits
MND33-1141	Building 34 Oil Burn Structure
MND33-1142	WD Building Glass Melter Room Sump

APPENDIX A

OU 3 LFI REPORT CROSS REFERENCE OF SAMPLE IDENTIFICATION NUMBERS TO INVESTIGATION SITE (Continued)

Sample Identification Number	Investigation Site
MND33-0085	Area H Thermal Treatment Unit
MND33-0086	Area H Trash Burner Area
MND33-0087	Area H Trash Burner Area
MND33-0088	Area H Trash Burner Area
MND33-0089	Area H Trash Burner Area
MND33-0090	Area H Pyrotechnic Waste Disposal Area
MND33-0091	Area H Pyrotechnic Waste Disposal Area
MND33-0092	Area H Pyrotechnic Waste Shed
MND33-0093	Area H Pyrotechnic Waste Shed
MND33-0094	Area H Pyrotechnic Waste Disposal Area
MND33-0095	Area H Pyrotechnic Waste Disposal Area
MND33-0096	Area H Pyrotechnic Waste Disposal Area
MND33-0097	Area H Pyrotechnic Waste Disposal Area
MND33-0098	Area H Thermal Treatment Unit
MND33-0101	Area 1 Building 1 Leach Pit
MND33-0102	Farm Trash Area
MND33-0103	Farm Trash Area
MND33-0104	Farm Trash Area
MND33-0105	Area 1 Building 1 Leach Pit
MND33-0106	Underground Sewer Lines Grid G15
MND33-0107	Underground Sewer Lines Grid G15
MND33-0109	Area 1 Building 1 Leach Pit
MND33-0110	Building 34 Fire-Fighting Training Pits
MND33-0111	Building 34 Fire-Fighting Training Pits
MND33-0112	Building 34 Fire-Fighting Training Pits
MND33-0113	Building 34 Fire-Fighting Training Pits
MND33-0114	Building 34 Oil Burn Structure

APPENDIX A

OU 3 LFI REPORT CROSS REFERENCE OF SAMPLE IDENTIFICATION NUMBERS TO INVESTIGATION SITE (Continued)

Sample Identification Number	Investigation Site
MND33-0058	Old Firing Range Drum Storage Site
MND33-0059	Old Firing Range Drum Storage Site
MND33-0060	Area H Pyrotechnic Waste Disposal Area
MND33-0061	Area H Pyrotechnic Waste Disposal Area
MND33-0062	Paint Shop Area
MND33-0063	Paint Shop Area
MND33-0064	Underground Sewer Lines Grids G6 and G7
MND33-0065	Underground Sewer Lines Grids G6 and G7
MND33-0067	Underground Sewer Lines Grids G6 and G7
MND33-0068	Underground Sewer Lines Grids G6 and G7
MND33-0069	Area C Drum Staging Area
MND33-0070	Area C Drum Staging Area
MND33-0071	Old Firing Range Drum Storage Site
MND33-0072	Old Firing Range Drum Storage Site
MND33-0073	Old Firing Range Drum Storage Site
MND33-0074	Old Firing Range Drum Storage Site
MND33-0075	Old Firing Range Drum Storage Site
MND33-0076	Old Firing Range Drum Storage Site
MND33-0077	Old Firing Range Drum Storage Site
MND33- 0078	Old Firing Range Drum Storage Site
MND33-0079	Old Firing Range Drum Storage Site
MND33-0080	Underground Sewer Lines Grid G5
MND33-0081	Area H Pyrotechnic Waste Disposal Area Underground Sewer Lines Grid G5
MND33-0082	Area H Pyrotechnic Waste Disposal Area
MND33-0083	Area H Pyrotechnic Waste Disposal Area
MND33-0084	Area H Thermal Treatment Unit

APPENDIX A

OU 3 LFI REPORT CROSS REFERENCE OF SAMPLE IDENTIFICATION NUMBERS TO INVESTIGATION SITE (Continued)

Sample Identification Number	Investigation Site
MND33-0031	Waste Oil Drum Field
MND33-0032	Waste Oil Drum Field
MND33-0033	Waste Oil Drum Field
MND33-0034	Waste Oil Drum Field
MND33-0035	Waste Oil Drum Field
MND33-0036	Waste Oil Drum Field
MND33-0037	Waste Oil Drum Field
MND33-0038	Waste Oil Drum Field
MND33-0039	Waste Oil Drum Field
MND33-0040	Waste Oil Drum Field
MND33-0041	Waste Oil Drum Field
MND33-0042	Waste Oil Drum Field
MND33-0043	Waste Oil Drum Field
MND33-0044	Waste Oil Drum Field
MND33-0045	Waste Oil Drum Field
MND33-0046	Waste Oil Drum Field
MND33-0047	Waste Oil Drum Field
MND33-0048	WD Building Drum Staging Area
MND33-0049	WD Building Drum Staging Area
MND33-0050	WD Building Drum Staging Area
MND33-0051	Building 61 Former Heavy Equipment Area
MND33-0052	Building 61 Former Heavy Equipment Area
MND33-0053	Building 61 Former Heavy Equipment Area
MND33-0054	Building 61 Former Heavy Equipment Area
MND33-0055	Building 61 Former Heavy Equipment Area
MND33-0056	Building 61 Former Heavy Equipment Area
MND33-0057	Old Firing Range Drum Storage Site

APPENDIX A

OU 3 LFI REPORT CROSS REFERENCE OF SAMPLE IDENTIFICATION NUMBERS TO INVESTIGATION SITE

Sample Identification Number	Investigation Site
MND33-0001	Powerhouse Area Fuel Tanks
MND33-0002	Powerhouse Area Fuel Tanks
MND33-0004	Powerhouse Area Fuel Tanks
MND33-0005	Powerhouse Area Fuel Tanks
MND33-0006	Building 27 Concrete Flume
MND33-0007	Building 27 Solvent Storage Area
MND33-0009	Building 27 Concrete Flume
MND33-0010	Building 27 Solvent Storage Area
MND33-0011	Building 27 Solvent Storage Area
MND33-0012	Underground Sewer Lines Grid G14 West
MND33-0013	Underground Sewer Lines Grid G14 East
MND33-0014	Building 27 Solvent Storage Area
MND33-0015	Building 27 Sump
MND33-0016	Building 51 Waste Solvent Tank
MND33-0017	Building 51 Waste Solvent Tank
MND33-0018	Building 51 Waste Solvent Tank
MND33-0019	Building 51 Waste Solvent Tank
MND33-0020	Building 34 Former Aviation Fuel Tank
MND33-0021	Building 34 Former Aviation Fuel Tank
MND33-0022	Building 34 Former Aviation Fuel Tank
MND33-0023	Building 34 Former Aviation Fuel Tank
MND33-0024	Building 34 Former Aviation Fuel Tank
MND33-0025	Waste Oil Drum Field
MND33-0026	Waste Oil Drum Field
MND33-0027	Waste Oil Drum Field
MND33-0028	Waste Oil Drum Field
MND33-0029	Waste Oil Drum Field
MND33-0030	Waste Oil Drum Field

APPENDIX A LEGEND

MATRIX

S - Soil
SE - Sediment
W - Water

UNITS OF MEASURE

5 MOIST	-	Percent Moisture
% RECOVERY	-	Percent Recovery
% SOLIDS	-	Percent Solids
mG/Kg	-	Milligrams per Kilogram
ng/g	-	Nanograms per Gram
pci/g	-	Picocuries per Gram
STDDEV	-	Standard Deviation
µg/g	-	Micrograms per Gram
µg/kg	-	Micrograms per Kilogram
µg/L	-	Micrograms per Liter

RUN TYPE

D - Dilution
I - Initial analysis
R - Reanalysis
X - Rejected value

LABORATORY DATA QUALIFIERS

Inorganic

U - Analyte was analyzed for, but not detected.
• - Duplicate analysis is not within control limits.
E - Reported value is estimated because of the presence of interference.
B - Reported value was obtained from a reading that was < CRDL but > IDL.

Organic

U - Analyte was analyzed for, but not detected.
J - Estimated value.
JB - Estimated value; analyte also detected in associated blank.
B - Analyte also detected in associated blank.

VALIDATED DATA QUALIFIERS

J - Associated value is an estimated quantity.
U - Analyte not detected above associated quantity.
R - Value is unusable; analyte may or may not be present.
UJ - Analyte not detected above the associated quantity; associated value is an estimate and may be inaccurate or imprecise.

(1) Laboratory qualifiers reported are U, J, B, JB, E, •
(2) Includes only validated results where data qualifiers changed. The rest are acceptable by data validators.

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0011	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0011	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0011	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0011	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0011	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			R X
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U			R X
1,2,4-TRICHLOROBENZENE	1002	S	MG/KG	0.7	0.7	U			R X
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	3.7	3.7	U			I
1,2,4-TRICHLOROBENZENE	0011	S	MG/KG	3.7	3.7	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I X
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,2,4-TRICHLOROBENZENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			R X
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U			R X
1,2-DICHLOROBENZENE	1002	S	MG/KG	0.7	0.7	U			R X
1,2-DICHLOROBENZENE	0001	S	MG/KG	3.7	3.7	U			I
1,2-DICHLOROBENZENE	0011	S	MG/KG	3.7	3.7	U			I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I X
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,2-DICHLOROBENZENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0011	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0011	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0011	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-CIS-DICHLOROPROPENE	0011	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			R X
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U			R X
1,3-DICHLOROBENZENE	1002	S	MG/KG	0.7	0.7	U			R X
1,3-DICHLOROBENZENE	0001	S	MG/KG	3.7	3.7	U			I
1,3-DICHLOROBENZENE	0011	S	MG/KG	3.7	3.7	U			I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I X
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,3-DICHLOROBENZENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0011	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			R X
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U			R X
1,4-DICHLOROBENZENE	1002	S	MG/KG	0.7	0.7	U			R X
1,4-DICHLOROBENZENE	0001	S	MG/KG	3.7	3.7	U			I
1,4-DICHLOROBENZENE	0011	S	MG/KG	3.7	3.7	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I X
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,4-DICHLOROBENZENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.3	3.3	U			R X
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.3	3.3	U			R
2,4,5-TRICHLOROPHENOL	1002	S	MG/KG	3.4	3.4	U			R
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	18.	18.	U			I
2,4,5-TRICHLOROPHENOL	0011	S	MG/KG	18.	18.	U			I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.3	3.3	U			I X
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.4	3.4	U			I X
2,4,5-TRICHLOROPHENOL	1002	S	MG/KG	3.4	3.4	U			I X
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.69	0.69	U			R X
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.69	0.69	U			R X
2,4,6-TRICHLOROPHENOL	1002	S	MG/KG	0.7	0.7	U			R X
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U			I
2,4,6-TRICHLOROPHENOL	0011	S	MG/KG	3.7	3.7	U			I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.69	0.69	U			I X
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.69	0.69	U			I X
2,4,6-TRICHLOROPHENOL	1002	S	MG/KG	0.69	0.69	U			I X
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.69	0.69	U			R X
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.69	0.69	U			R X
2,4-DICHLOROPHENOL	1002	S	MG/KG	0.7	0.7	U			R X
2,4-DICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U			I
2,4-DICHLOROPHENOL	0011	S	MG/KG	3.7	3.7	U			I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.69	0.69	U			I X
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.69	0.69	U			I X
2,4-DICHLOROPHENOL	1002	S	MG/KG	0.69	0.69	U			I X
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			R X
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.69	0.69	U			R X
2,4-DIMETHYLPHENOL	1002	S	MG/KG	0.7	0.7	U			R X
2,4-DIMETHYLPHENOL	0001	S	MG/KG	3.7	3.7	U			I
2,4-DIMETHYLPHENOL	0011	S	MG/KG	3.7	3.7	U			I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			I X
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.69	0.69	U			I X
2,4-DIMETHYLPHENOL	1002	S	MG/KG	0.69	0.69	U			I X
2,4-DINITROPHENOL	0002	S	MG/KG	3.3	3.3	U			R

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROPHENOL	0003	S	MG/KG	3.3	3.3	U			R X
2,4-DINITROPHENOL	1002	S	MG/KG	3.4	3.4	U			R X
2,4-DINITROPHENOL	0001	S	MG/KG	18.	18.	U			I
2,4-DINITROPHENOL	0011	S	MG/KG	18.	18.	U			I
2,4-DINITROPHENOL	0002	S	MG/KG	3.3	3.3	U			I X
2,4-DINITROPHENOL	0003	S	MG/KG	3.4	3.4	U			I X
2,4-DINITROPHENOL	1002	S	MG/KG	3.4	3.4	U			I X
2,4-DINITROTOLUENE	0002	S	MG/KG	0.69	0.69	U			R X
2,4-DINITROTOLUENE	0003	S	MG/KG	0.69	0.69	U			R X
2,4-DINITROTOLUENE	1002	S	MG/KG	0.7	0.7	U			R X
2,4-DINITROTOLUENE	0001	S	MG/KG	3.7	3.7	U			I
2,4-DINITROTOLUENE	0011	S	MG/KG	3.7	3.7	U			I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.69	0.69	U			I X
2,4-DINITROTOLUENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2,4-DINITROTOLUENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.69	0.69	U			R X
2,6-DINITROTOLUENE	0003	S	MG/KG	0.69	0.69	U			R X
2,6-DINITROTOLUENE	1002	S	MG/KG	0.7	0.7	U			R X
2,6-DINITROTOLUENE	0001	S	MG/KG	3.7	3.7	U			I
2,6-DINITROTOLUENE	0011	S	MG/KG	3.7	3.7	U			I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.69	0.69	U			I X
2,6-DINITROTOLUENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2,6-DINITROTOLUENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0011	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.01	0.01	U			I
2-BUTANONE	0003	S	MG/KG	0.01	0.01	U			I
2-BUTANONE	1002	S	MG/KG	0.01	0.01	U			I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.69	0.69	U			R X
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.69	0.69	U			R X
2-CHLORONAPHTHALENE	1002	S	MG/KG	0.7	0.7	U			R X
2-CHLORONAPHTHALENE	0001	S	MG/KG	3.7	3.7	U			I
2-CHLORONAPHTHALENE	0011	S	MG/KG	3.7	3.7	U			I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.69	0.69	U			I X
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-CHLORONAPHTHALENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.69	0.69	U			R X
2-CHLOROPHENOL	0003	S	MG/KG	0.69	0.69	U			R X
2-CHLOROPHENOL	1002	S	MG/KG	0.7	0.7	U			R X
2-CHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U			I
2-CHLOROPHENOL	0011	S	MG/KG	3.7	3.7	U			I
2-CHLOROPHENOL	0002	S	MG/KG	0.69	0.69	U			I X
2-CHLOROPHENOL	0003	S	MG/KG	0.69	0.69	U			I X
2-CHLOROPHENOL	1002	S	MG/KG	0.69	0.69	U			I X
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0011	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.01	0.01	U			I
2-HEXANONE	0003	S	MG/KG	0.01	0.01	U			I
2-HEXANONE	1002	S	MG/KG	0.01	0.01	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.69	0.69	U			R X
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.69	0.69	U			R X
2-METHYLNAPHTHALENE	1002	S	MG/KG	0.7	0.7	U			R X
2-METHYLNAPHTHALENE	0001	S	MG/KG	3.7	3.7	U			I
2-METHYLNAPHTHALENE	0011	S	MG/KG	3.7	3.7	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.69	0.69	U			I X
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-METHYLNAPHTHALENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			R X

APPENDIX A
Location: MWD33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0003	S	MG/KG	0.69	0.69	U			R X
2-METHYLPHENOL	1002	S	MG/KG	0.7	0.7	U			R X
2-METHYLPHENOL	0001	S	MG/KG	3.7	3.7	U			I
2-METHYLPHENOL	0011	S	MG/KG	3.7	3.7	U			I
2-METHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			I X
2-METHYLPHENOL	0003	S	MG/KG	0.69	0.69	U			I X
2-METHYLPHENOL	1002	S	MG/KG	0.69	0.69	U			I X
2-NITROANILINE	0002	S	MG/KG	3.3	3.3	U			R X
2-NITROANILINE	0003	S	MG/KG	3.3	3.3	U			R X
2-NITROANILINE	1002	S	MG/KG	3.4	3.4	U			R X
2-NITROANILINE	0001	S	MG/KG	18.	18.	U			I
2-NITROANILINE	0011	S	MG/KG	18.	18.	U			I
2-NITROANILINE	0002	S	MG/KG	3.3	3.3	U			I X
2-NITROANILINE	0003	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2-NITROANILINE	1002	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.69	0.69	U			R X
2-NITROPHENOL	0003	S	MG/KG	0.69	0.69	U			R X
2-NITROPHENOL	1002	S	MG/KG	0.7	0.7	U			R X
2-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U			I
2-NITROPHENOL	0011	S	MG/KG	3.7	3.7	U			I
2-NITROPHENOL	0002	S	MG/KG	0.69	0.69	U			I X
2-NITROPHENOL	0003	S	MG/KG	0.69	0.69	U			I X
2-NITROPHENOL	1002	S	MG/KG	0.69	0.69	U			I X
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U			R X
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.4	1.4	U			R X
3,3'-DICHLOROBENZIDINE	1002	S	MG/KG	1.4	1.4	U			R X
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	7.4	7.4	U			I
3,3'-DICHLOROBENZIDINE	0011	S	MG/KG	7.3	7.3	U			I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U			I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	1002	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.3	3.3	U			R X
3-NITROANILINE	0003	S	MG/KG	3.3	3.3	U			R X
3-NITROANILINE	1002	S	MG/KG	3.4	3.4	U			R X
3-NITROANILINE	0001	S	MG/KG	18.	18.	U			I
3-NITROANILINE	0011	S	MG/KG	18.	18.	U			I
3-NITROANILINE	0002	S	MG/KG	3.3	3.3	U			I X
3-NITROANILINE	0003	S	MG/KG	3.4	3.4	U	3.4	UJ	I
3-NITROANILINE	1002	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0076	0.0076	U			I
4,4'-DDD	0003	S	MG/KG	0.0077	0.0077	U			I
4,4'-DDD	1002	S	MG/KG	0.0077	0.0077	U			I
4,4'-DDD	0001	S	MG/KG	0.0412	0.0412	U			I
4,4'-DDD	0011	S	MG/KG	0.0082	0.0082	U			I
4,4'-DDE	0002	S	MG/KG	0.0028	0.0028	U			I
4,4'-DDE	0003	S	MG/KG	0.0028	0.0028	U			I
4,4'-DDE	1002	S	MG/KG	0.0028	0.0028	U			I
4,4'-DDE	0001	S	MG/KG	0.015	0.015	U	0.015	UJ	I
4,4'-DDE	0011	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0083	0.0083	U			I
4,4'-DDT	0003	S	MG/KG	0.0084	0.0084	U			I
4,4'-DDT	1002	S	MG/KG	0.0084	0.0084	U			I
4,4'-DDT	0001	S	MG/KG	0.045	0.045	U			I
4,4'-DDT	0011	S	MG/KG	0.0089	0.0089	U			I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.3	3.3	U			R X
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.3	3.3	U			R X
4,6-DINITRO-O-CRESOL	1002	S	MG/KG	3.4	3.4	U			R X
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	18.	18.	U			I

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,6-DINITRO-O-CRESOL	0011	S	MG/KG	18.	18.	U			I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.3	3.3	U			I X
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.4	3.4	U			I X
4,6-DINITRO-O-CRESOL	1002	S	MG/KG	3.4	3.4	U			I X
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.69	0.69	U			R X
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.69	0.69	U			R X
4-BROMOPHENYL-PHENYL ETHER	1002	S	MG/KG	0.7	0.7	U			R X
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	3.7	3.7	U			I
4-BROMOPHENYL-PHENYL ETHER	0011	S	MG/KG	3.7	3.7	U			I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.69	0.69	U			I X
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			R X
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.69	0.69	U			R X
4-CHLORO-3-METHYLPHENOL	1002	S	MG/KG	0.7	0.7	U			R X
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	3.7	3.7	U			I
4-CHLORO-3-METHYLPHENOL	0011	S	MG/KG	3.7	3.7	U			I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			I X
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.69	0.69	U			I X
4-CHLORO-3-METHYLPHENOL	1002	S	MG/KG	0.69	0.69	U			I X
4-CHLOROANILINE	0002	S	MG/KG	0.69	0.69	U			R X
4-CHLOROANILINE	0003	S	MG/KG	0.69	0.69	U			R X
4-CHLOROANILINE	1002	S	MG/KG	0.7	0.7	U			R X
4-CHLOROANILINE	0001	S	MG/KG	3.7	3.7	U			I
4-CHLOROANILINE	0011	S	MG/KG	3.7	3.7	U			I
4-CHLOROANILINE	0002	S	MG/KG	0.69	0.69	U			I X
4-CHLOROANILINE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-CHLOROANILINE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.69	0.69	U			R X
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.69	0.69	U			R X
4-CHLOROPHENYL-PHENYLETHER	1002	S	MG/KG	0.7	0.7	U			R X
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	3.7	3.7	U			I
4-CHLOROPHENYL-PHENYLETHER	0011	S	MG/KG	3.7	3.7	U			I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.69	0.69	U			I X
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0011	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.01	0.01	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.01	0.01	U			I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.01	0.01	U			I
4-METHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			R X
4-METHYLPHENOL	0003	S	MG/KG	0.69	0.69	U			R X
4-METHYLPHENOL	1002	S	MG/KG	0.7	0.7	U			R X
4-METHYLPHENOL	0001	S	MG/KG	3.7	3.7	U			I
4-METHYLPHENOL	0011	S	MG/KG	3.7	3.7	U			I
4-METHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			I X
4-METHYLPHENOL	0003	S	MG/KG	0.69	0.69	U			I X
4-METHYLPHENOL	1002	S	MG/KG	0.69	0.69	U			I X
4-NITROANILINE	0002	S	MG/KG	3.3	3.3	U			R X
4-NITROANILINE	0003	S	MG/KG	3.3	3.3	U			R X
4-NITROANILINE	1002	S	MG/KG	3.4	3.4	U			R X
4-NITROANILINE	0001	S	MG/KG	18.	18.	U			I
4-NITROANILINE	0011	S	MG/KG	18.	18.	U			I
4-NITROANILINE	0002	S	MG/KG	3.3	3.3	U			I X
4-NITROANILINE	0003	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4-NITROANILINE	1002	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.3	3.3	U			R X

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-NITROPHENOL	0003	S	MG/KG	3.3	3.3	U			R X
4-NITROPHENOL	1002	S	MG/KG	3.4	3.4	U			R X
4-NITROPHENOL	0001	S	MG/KG	18.	18.	U			I
4-NITROPHENOL	0011	S	MG/KG	18.	18.	U			I
4-NITROPHENOL	0002	S	MG/KG	3.3	3.3	U			I X
4-NITROPHENOL	0003	S	MG/KG	3.4	3.4	U			I X
4-NITROPHENOL	1002	S	MG/KG	3.4	3.4	U			I X
ACENAPHTHENE	0002	S	MG/KG	0.69	0.69	U			R X
ACENAPHTHENE	0003	S	MG/KG	0.69	0.69	U			R X
ACENAPHTHENE	1002	S	MG/KG	0.7	0.7	U			R X
ACENAPHTHENE	0001	S	MG/KG	3.7	3.7	U			I
ACENAPHTHENE	0011	S	MG/KG	3.7	3.7	U			I
ACENAPHTHENE	0002	S	MG/KG	0.69	0.69	U			I X
ACENAPHTHENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ACENAPHTHENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.69	0.69	U			R X
ACENAPHTHYLENE	0003	S	MG/KG	0.69	0.69	U			R X
ACENAPHTHYLENE	1002	S	MG/KG	0.7	0.7	U			R X
ACENAPHTHYLENE	0001	S	MG/KG	3.7	3.7	U			I
ACENAPHTHYLENE	0011	S	MG/KG	3.7	3.7	U			I
ACENAPHTHYLENE	0002	S	MG/KG	0.69	0.69	U			I X
ACENAPHTHYLENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ACENAPHTHYLENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0011	S	MG/KG	0.011	0.012	B	0.012	U	I
ACETONE	0002	S	MG/KG	0.01	0.01	JB	0.01	U	I
ACETONE	0003	S	MG/KG	0.01	0.01	U			I
ACETONE	1002	S	MG/KG	0.01	0.01	U			
ALDRIN	0002	S	MG/KG	0.0028	0.0028	U			I
ALDRIN	0003	S	MG/KG	0.0028	0.0028	U			I
ALDRIN	1002	S	MG/KG	0.0028	0.0028	U			I
ALDRIN	0001	S	MG/KG	0.015	0.015	U			I
ALDRIN	0011	S	MG/KG	0.003	0.003	U			I
ALPHA CHLORDANE	0002	S	MG/KG	0.0097	0.0097	U			I
ALPHA CHLORDANE	0003	S	MG/KG	0.0098	0.0098	U			I
ALPHA CHLORDANE	1002	S	MG/KG	0.0098	0.0098	U			I
ALPHA CHLORDANE	0001	S	MG/KG	0.0525	0.0525	U			I
ALPHA CHLORDANE	0011	S	MG/KG	0.0104	0.0104	U			I
ALPHA-BHC	0002	S	MG/KG	0.0021	0.0021	U			I
ALPHA-BHC	0003	S	MG/KG	0.0021	0.0021	U			I
ALPHA-BHC	1002	S	MG/KG	0.0021	0.0021	U			I
ALPHA-BHC	0001	S	MG/KG	0.0112	0.0112	U			I
ALPHA-BHC	0011	S	MG/KG	0.0022	0.0022	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	7210.	*	7210.	J	I
ALUMINUM, TOTAL	0011	S	MG/KG	6.	6880.	*	6880.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	.06	1340.	*	1340.	J	I
ALUMINUM, TOTAL	0003	S	MG/KG	.06	1910.	*	1910.	J	I
ALUMINUM, TOTAL	1002	S	MG/KG	.06	1720.	*	1720.	J	I
ANTHRACENE	0002	S	MG/KG	0.69	0.69	U			R X
ANTHRACENE	0003	S	MG/KG	0.69	0.69	U			R X
ANTHRACENE	1002	S	MG/KG	0.7	0.7	U			R X
ANTHRACENE	0001	S	MG/KG	3.7	3.7	U			I
ANTHRACENE	0011	S	MG/KG	3.7	3.7	U			I
ANTHRACENE	0002	S	MG/KG	0.69	0.69	U			I X
ANTHRACENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ANTHRACENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	9.3				

APPENDIX A
Location: MWD33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTIMONY, TOTAL	0011	S	MG/KG	3.	15.3		15.3	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	.03	28.4		28.4	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	.03	25.6		25.6	J	I
ANTIMONY, TOTAL	1002	S	MG/KG	.03	22.6		22.6	J	I
AROCLOR-1016	0002	S	MG/KG	0.0834	0.0834	U			I
AROCLOR-1016	0003	S	MG/KG	0.0839	0.0839	U			I
AROCLOR-1016	1002	S	MG/KG	0.0841	0.0841	U			I
AROCLOR-1016	0001	S	MG/KG	0.45	0.45	U			I
AROCLOR-1016	0011	S	MG/KG	0.0892	0.0892	U			I
AROCLOR-1221	0002	S	MG/KG	0.0834	0.0834	U			I
AROCLOR-1221	0003	S	MG/KG	0.0839	0.0839	U			I
AROCLOR-1221	1002	S	MG/KG	0.0841	0.0841	U			I
AROCLOR-1221	0001	S	MG/KG	0.45	0.45	U			I
AROCLOR-1221	0011	S	MG/KG	0.0892	0.0892	U			I
AROCLOR-1232	0002	S	MG/KG	0.0834	0.0834	U			I
AROCLOR-1232	0003	S	MG/KG	0.0839	0.0839	U			I
AROCLOR-1232	1002	S	MG/KG	0.0841	0.0841	U			I
AROCLOR-1232	0001	S	MG/KG	0.45	0.45	U			I
AROCLOR-1232	0011	S	MG/KG	0.0892	0.0892	U			I
AROCLOR-1242	0002	S	MG/KG	0.0834	0.0834	U			I
AROCLOR-1242	0003	S	MG/KG	0.0839	0.0839	U			I
AROCLOR-1242	1002	S	MG/KG	0.0841	0.0841	U			I
AROCLOR-1242	0001	S	MG/KG	0.45	0.45	U			I
AROCLOR-1242	0011	S	MG/KG	0.0892	0.0892	U			I
AROCLOR-1248	0002	S	MG/KG	0.0834	0.0834	U			I
AROCLOR-1248	0003	S	MG/KG	0.0839	0.0839	U			I
AROCLOR-1248	1002	S	MG/KG	0.0841	0.0841	U			I
AROCLOR-1248	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
AROCLOR-1248	0011	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.167	0.167	U			I
AROCLOR-1254	0003	S	MG/KG	0.168	0.168	U			I
AROCLOR-1254	1002	S	MG/KG	0.168	0.168	U			I
AROCLOR-1254	0001	S	MG/KG	0.9	0.9	U	0.9	UJ	I
AROCLOR-1254	0011	S	MG/KG	0.178	0.178	U	0.178	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.167	0.167	U			I
AROCLOR-1260	0003	S	MG/KG	0.168	0.168	U			I
AROCLOR-1260	1002	S	MG/KG	0.168	0.168	U			I
AROCLOR-1260	0001	S	MG/KG	0.9	0.9	U			I
AROCLOR-1260	0011	S	MG/KG	0.178	0.178	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.2	4.		4.	J	I
ARSENIC, TOTAL	0011	S	MG/KG	.2	3.9		3.9	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	2.		2.0	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.002	1.7		1.7	J	I
ARSENIC, TOTAL	1002	S	MG/KG	.002	1.5		1.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	71.1				I
BARIUM, TOTAL	0011	S	MG/KG	.2	14.6	B			I
BARIUM, TOTAL	0002	S	MG/KG	.002	10.1				I
BARIUM, TOTAL	0003	S	MG/KG	.002	13.3				I
BARIUM, TOTAL	1002	S	MG/KG	.002	12.2				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0011	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	0003	S	MG/KG	0.005	0.005	U			I
BENZENE	1002	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.69	0.69	U			R X

APPENDIX A
Location: MWD33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.69	0.69	U			R X
BENZO(A)ANTHRACENE	1002	S	MG/KG	0.7	0.7	U			R X
BENZO(A)ANTHRACENE	0001	S	MG/KG	3.7	3.7	U			I
BENZO(A)ANTHRACENE	0011	S	MG/KG	3.7	3.7	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.69	0.69	U			I X
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(A)ANTHRACENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.69	0.69	U			R X
BENZO(A)PYRENE	0003	S	MG/KG	0.69	0.69	U			R X
BENZO(A)PYRENE	1002	S	MG/KG	0.7	0.7	U			R X
BENZO(A)PYRENE	0001	S	MG/KG	3.7	3.7	U			I
BENZO(A)PYRENE	0011	S	MG/KG	3.7	3.7	U			I
BENZO(A)PYRENE	0002	S	MG/KG	0.69	0.69	U			I X
BENZO(A)PYRENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(A)PYRENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.69	0.69	U			R X
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.69	0.69	U			R X
BENZO(B)FLUORANTHENE	1002	S	MG/KG	0.7	0.7	U			R X
BENZO(B)FLUORANTHENE	0001	S	MG/KG	3.7	3.7	U			I
BENZO(B)FLUORANTHENE	0011	S	MG/KG	3.7	3.7	U			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.69	0.69	U			I X
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(B)FLUORANTHENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.69	0.69	U			R X
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.69	0.69	U			R X
BENZO(G,H,I)PERYLENE	1002	S	MG/KG	0.7	0.7	U			R X
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	3.7	3.7	U			I
BENZO(G,H,I)PERYLENE	0011	S	MG/KG	3.7	3.7	U			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.69	0.69	U			I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(G,H,I)PERYLENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.69	0.69	U			R X
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.69	0.69	U			R X
BENZO(K)FLUORANTHENE	1002	S	MG/KG	0.7	0.7	U			R X
BENZO(K)FLUORANTHENE	0001	S	MG/KG	3.7	3.7	U			I
BENZO(K)FLUORANTHENE	0011	S	MG/KG	3.7	3.7	U			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.69	0.69	U			I X
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(K)FLUORANTHENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.3	3.3	U			R X
BENZOIC ACID	0003	S	MG/KG	3.3	3.3	U			R X
BENZOIC ACID	1002	S	MG/KG	3.4	3.4	U			R X
BENZOIC ACID	0001	S	MG/KG	18.	18.	U			I
BENZOIC ACID	0011	S	MG/KG	18.	18.	U			I
BENZOIC ACID	0002	S	MG/KG	3.3	3.3	U			I X
BENZOIC ACID	0003	S	MG/KG	3.4	3.4	U			I X
BENZOIC ACID	1002	S	MG/KG	3.4	3.4	U			I X
BENZYL ALCOHOL	0002	S	MG/KG	0.69	0.69	U			R X
BENZYL ALCOHOL	0003	S	MG/KG	0.69	0.69	U			R X
BENZYL ALCOHOL	1002	S	MG/KG	0.7	0.7	U			R X
BENZYL ALCOHOL	0001	S	MG/KG	3.7	3.7	U			I
BENZYL ALCOHOL	0011	S	MG/KG	3.7	3.7	U			I
BENZYL ALCOHOL	0002	S	MG/KG	0.69	0.69	U			I X
BENZYL ALCOHOL	0003	S	MG/KG	0.69	0.69	U			I X
BENZYL ALCOHOL	1002	S	MG/KG	0.69	0.69	U			I X
BERYLLIUM	0001	S	MG/KG	.2	.61	B			I
BERYLLIUM	0011	S	MG/KG	.2	.7	B			I
BERYLLIUM	0002	S	MG/KG	.002	.46		0.46		I
BERYLLIUM	0003	S	MG/KG	.002	.45		0.45		

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BERYLLIUM	1002	S	MG/KG	.002	.44		0.44		I
BETA-BHC	0002	S	MG/KG	0.0042	0.0042	U			I
BETA-BHC	0003	S	MG/KG	0.0042	0.0042	U			I
BETA-BHC	1002	S	MG/KG	0.0042	0.0042	U			I
BETA-BHC	0001	S	MG/KG	0.0225	0.0225	U			I
BETA-BHC	0011	S	MG/KG	0.0046	0.0046	U			I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.69	0.69	U			R X
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.69	0.69	U			R X
BIS(2-CHLOROETHOXY)METHANE	1002	S	MG/KG	0.7	0.7	U			R X
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	3.7	3.7	U			I
BIS(2-CHLOROETHOXY)METHANE	0011	S	MG/KG	3.7	3.7	U			I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.69	0.69	U			I X
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.69	0.69	U			R X
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.69	0.69	U			R X
BIS(2-CHLOROETHYL)ETHER	1002	S	MG/KG	0.7	0.7	U			R X
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	3.7	3.7	U			I
BIS(2-CHLOROETHYL)ETHER	0011	S	MG/KG	3.7	3.7	U			I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.69	0.69	U			I X
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-CHLOROETHYL)ETHER	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.69	0.69	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.69	0.69	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	1002	S	MG/KG	0.7	0.7	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	3.7	3.7	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0011	S	MG/KG	3.7	3.7	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.69	0.69	U			I X
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.69	0.69	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.69	0.69	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	1002	S	MG/KG	0.7	0.7	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	3.7	3.7	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0011	S	MG/KG	3.7	3.7	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I X
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0011	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0011	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0003	S	MG/KG	0.005	0.005	U			I
BROMOFORM	1002	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0011	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.01	0.01	U			I
BROMOMETHANE	0003	S	MG/KG	0.01	0.01	U			I
BROMOMETHANE	1002	S	MG/KG	0.01	0.01	U			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			R X
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U			R X
BUTYL BENZYL PHTHALATE	1002	S	MG/KG	0.7	0.7	U			R X
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	3.7	3.7	U			I

APPENDIX A
Location: MWD33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BUTYL BENZYL PHTHALATE	0011	S	MG/KG	3.7	3.7	U			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I X
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BUTYL BENZYL PHTHALATE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	1.9		1.9	UJ	I
CADMIUM, TOTAL	0011	S	MG/KG	.2	2.5		2.5	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.002	5.6		5.6	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.002	6.1		6.1	J	I
CADMIUM, TOTAL	1002	S	MG/KG	.002	4.3		4.3	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	44600.				I
CALCIUM, TOTAL	0011	S	MG/KG	2.	153000.				I
CALCIUM, TOTAL	0002	S	MG/KG	.02	119000.				I
CALCIUM, TOTAL	0003	S	MG/KG	.02	105000.				I
CALCIUM, TOTAL	1002	S	MG/KG	.02	97100.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0011	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0011	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0011	S	MG/KG	0.005	0.005	J			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	1002	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0011	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.01	0.01	U			I
CHLOROETHANE	0003	S	MG/KG	0.01	0.01	U			I
CHLOROETHANE	1002	S	MG/KG	0.01	0.01	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0011	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0003	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	1002	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0011	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.01	0.01	U			I
CHLOROMETHANE	0003	S	MG/KG	0.01	0.01	U			I
CHLOROMETHANE	1002	S	MG/KG	0.01	0.01	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	22.3				I
CHROMIUM, TOTAL	0011	S	MG/KG	1.	28.3				I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	21.8				I
CHROMIUM, TOTAL	0003	S	MG/KG	.01	21.1				I
CHROMIUM, TOTAL	1002	S	MG/KG	.01	19.3				I
CHRYSENE	0002	S	MG/KG	0.69	0.69	U			R X
CHRYSENE	0003	S	MG/KG	0.69	0.69	U			R X
CHRYSENE	1002	S	MG/KG	0.7	0.7	U			R X
CHRYSENE	0001	S	MG/KG	3.7	3.7	U			I
CHRYSENE	0011	S	MG/KG	3.7	3.7	U			I
CHRYSENE	0002	S	MG/KG	0.69	0.69	U			I
CHRYSENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	9.9	B			I
COBALT, TOTAL	0011	S	MG/KG	1.	10.	B			I
COBALT, TOTAL	0002	S	MG/KG	.01	4.3				I
COBALT, TOTAL	0003	S	MG/KG	.01	4.4				I
COBALT, TOTAL	1002	S	MG/KG	.01	3.9				I
COPPER, TOTAL	0001	S	MG/KG	1.	21.6				I
COPPER, TOTAL	0011	S	MG/KG	1.	17.5				I
COPPER, TOTAL	0002	S	MG/KG	.01	11.6				I
COPPER, TOTAL	0003	S	MG/KG	.01	10.7				I
COPPER, TOTAL	1002	S	MG/KG	.01	10.5				I
DELTA-BHC	0002	S	MG/KG	0.0063	0.0063	U			I
DELTA-BHC	0003	S	MG/KG	0.0063	0.0063	U			I
DELTA-BHC	1002	S	MG/KG	0.0063	0.0063	U			I
DELTA-BHC	0001	S	MG/KG	0.0337	0.0337	U			I
DELTA-BHC	0011	S	MG/KG	0.0067	0.0067	U			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			R X
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U			R X
DI-N-BUTYL PHTHALATE	1002	S	MG/KG	0.7	0.7	U			R X
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	3.7	3.7	U			I
DI-N-BUTYL PHTHALATE	0011	S	MG/KG	3.7	3.7	U			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I X
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DI-N-BUTYL PHTHALATE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			R X
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U			R X
DI-N-OCTYL PHTHALATE	1002	S	MG/KG	0.7	0.7	U			R X
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	3.7	3.7	U			I
DI-N-OCTYL PHTHALATE	0011	S	MG/KG	3.7	3.7	U			I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I X
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DI-N-OCTYL PHTHALATE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.69	0.69	U			R X
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.69	0.69	U			R X
DIBENZO(A,H)ANTHRACENE	1002	S	MG/KG	0.7	0.7	U			R X
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	3.7	3.7	U			I
DIBENZO(A,H)ANTHRACENE	0011	S	MG/KG	3.7	3.7	U			I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.69	0.69	U			I X
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIBENZO(A,H)ANTHRACENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.69	0.69	U			R X
DIBENZOFURAN	0003	S	MG/KG	0.69	0.69	U			R X
DIBENZOFURAN	1002	S	MG/KG	0.7	0.7	U			R X
DIBENZOFURAN	0001	S	MG/KG	3.7	3.7	U			I
DIBENZOFURAN	0011	S	MG/KG	3.7	3.7	U			I
DIBENZOFURAN	0002	S	MG/KG	0.69	0.69	U			I X
DIBENZOFURAN	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIBENZOFURAN	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0011	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.001	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0011	S	MG/KG	0.006	0.003	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.016	B	0.016	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.024	B	0.024	J	I

APPENDIX A
Location: MWD33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.005	0.014	B	0.014	U	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	1002	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0001	S	MG/KG	0.0075	0.0075	U			I
DIELDRIN	0011	S	MG/KG	0.0015	0.0015	U			I
DIETHYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			R X
DIETHYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U			R X
DIETHYL PHTHALATE	1002	S	MG/KG	0.7	0.7	U			R X
DIETHYL PHTHALATE	0001	S	MG/KG	3.7	3.7	U			I
DIETHYL PHTHALATE	0011	S	MG/KG	3.7	3.7	U			I
DIETHYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I X
DIETHYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIETHYL PHTHALATE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			R X
DIMETHYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U			R X
DIMETHYL PHTHALATE	1002	S	MG/KG	0.7	0.7	U			R X
DIMETHYL PHTHALATE	0001	S	MG/KG	3.7	3.7	U			I
DIMETHYL PHTHALATE	0011	S	MG/KG	3.7	3.7	U			I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I X
DIMETHYL PHTHALATE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIMETHYL PHTHALATE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0083	0.0083	U			I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0084	0.0084	U			I
ENDOSULFAN I(ALPHA)	1002	S	MG/KG	0.0084	0.0084	U			I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.045	0.045	U			I
ENDOSULFAN I(ALPHA)	0011	S	MG/KG	0.0089	0.0089	U			I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0028	0.0028	U			I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0028	0.0028	U			I
ENDOSULFAN II(BETA)	1002	S	MG/KG	0.0028	0.0028	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.015	0.015	U			I
ENDOSULFAN II(BETA)	0011	S	MG/KG	0.003	0.003	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0167	0.0167	U			I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0168	0.0168	U			I
ENDOSULFAN SULFATE	1002	S	MG/KG	0.0168	0.0168	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.09	0.09	U			I
ENDOSULFAN SULFATE	0011	S	MG/KG	0.0178	0.0178	U			I
ENDRIN	0002	S	MG/KG	0.0042	0.0042	U			I
ENDRIN	0003	S	MG/KG	0.0042	0.0042	U			I
ENDRIN	1002	S	MG/KG	0.0042	0.0042	U			I
ENDRIN	0001	S	MG/KG	0.0225	0.0225	U			I
ENDRIN	0011	S	MG/KG	0.0046	0.0046	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0161	0.0161	U			I
ENDRIN ALDEHYDE	1002	S	MG/KG	0.0161	0.0161	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0862	0.0862	U			I
ENDRIN ALDEHYDE	0011	S	MG/KG	0.0171	0.0171	U			I
ENDRIN KETONE	0002	S	MG/KG	0.0167	0.0167	U			I
ENDRIN KETONE	0003	S	MG/KG	0.0168	0.0168	U			I
ENDRIN KETONE	1002	S	MG/KG	0.0168	0.0168	U			I
ENDRIN KETONE	0001	S	MG/KG	0.09	0.09	U			I
ENDRIN KETONE	0011	S	MG/KG	0.0178	0.0178	U			I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0011	S	MG/KG	0.005	0.001	J			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0003	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MWD33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ETHYLBENZENE	1002	S	MG/KG	0.005	0.005	U			I
EXTRACTABLE HB HYD AS MOTOR OIL	0002	S	MG/KG	-	290		290	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0003	S	MG/KG	-	230		230	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	1002	S	MG/KG	-	760		760	J	I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.	6000.		6000.	J	I
EXTRACTABLE HYD AS DIESEL FUEL	0011	S	MG/KG	5.	7500.		7500.	J	I
FLUORANTHENE	0002	S	MG/KG	0.69	0.69	U			R X
FLUORANTHENE	0003	S	MG/KG	0.69	0.69	U			R X
FLUORANTHENE	1002	S	MG/KG	0.7	0.7	U			R X
FLUORANTHENE	0001	S	MG/KG	3.7	3.7	U			I
FLUORANTHENE	0011	S	MG/KG	3.7	3.7	U			I
FLUORANTHENE	0002	S	MG/KG	0.69	0.69	U			I X
FLUORANTHENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
FLUORANTHENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
FLUORENE	0002	S	MG/KG	0.69	0.69	U			R X
FLUORENE	0003	S	MG/KG	0.69	0.69	U			R X
FLUORENE	1002	S	MG/KG	0.7	0.7	U			R X
FLUORENE	0001	S	MG/KG	3.7	3.7	U			I
FLUORENE	0011	S	MG/KG	3.7	3.7	U			I
FLUORENE	0002	S	MG/KG	0.69	0.69	U			I X
FLUORENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
FLUORENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0097	0.0097	U			I
GAMMA CHLORDANE	0003	S	MG/KG	0.0098	0.0098	U			I
GAMMA CHLORDANE	1002	S	MG/KG	0.0098	0.0098	U			I
GAMMA CHLORDANE	0001	S	MG/KG	0.0525	0.0525	U			I
GAMMA CHLORDANE	0011	S	MG/KG	0.0104	0.0104	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0028	0.0028	U			I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0028	0.0028	U			I
GAMMA-BHC (LINDANE)	1002	S	MG/KG	0.0028	0.0028	U			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.015	0.015	U			I
GAMMA-BHC (LINDANE)	0011	S	MG/KG	0.003	0.003	U			I
HEPTACHLOR	0002	S	MG/KG	0.0021	0.0021	U			I
HEPTACHLOR	0003	S	MG/KG	0.0021	0.0021	U			I
HEPTACHLOR	1002	S	MG/KG	0.0021	0.0021	U			I
HEPTACHLOR	0001	S	MG/KG	0.0112	0.0112	U			I
HEPTACHLOR	0011	S	MG/KG	0.0022	0.0022	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0083	0.0083	U			I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0084	0.0084	U			I
HEPTACHLOR EPOXIDE	1002	S	MG/KG	0.0084	0.0084	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.045	0.045	U			I
HEPTACHLOR EPOXIDE	0011	S	MG/KG	0.0089	0.0089	U			I
HEXACHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			R X
HEXACHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U			R X
HEXACHLOROBENZENE	1002	S	MG/KG	0.7	0.7	U			R X
HEXACHLOROBENZENE	0001	S	MG/KG	3.7	3.7	U			I
HEXACHLOROBENZENE	0011	S	MG/KG	3.7	3.7	U			I
HEXACHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I X
HEXACHLOROBENZENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROBENZENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.69	0.69	U			R X
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.69	0.69	U			R X
HEXACHLOROBUTADIENE	1002	S	MG/KG	0.7	0.7	U			R X
HEXACHLOROBUTADIENE	0001	S	MG/KG	3.7	3.7	U			I
HEXACHLOROBUTADIENE	0011	S	MG/KG	3.7	3.7	U			I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.69	0.69	U			I X

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROBUTADIENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.69	0.69	U			R X
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.69	0.69	U			R X
HEXACHLOROCYCLOPENTADIENE	1002	S	MG/KG	0.7	0.7	U			R X
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	3.7	3.7	U			I
HEXACHLOROCYCLOPENTADIENE	0011	S	MG/KG	3.7	3.7	U			I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.69	0.69	U			I X
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROCYCLOPENTADIENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.69	0.69	U			R X
HEXACHLOROETHANE	0003	S	MG/KG	0.69	0.69	U			R X
HEXACHLOROETHANE	1002	S	MG/KG	0.7	0.7	U			R X
HEXACHLOROETHANE	0001	S	MG/KG	3.7	3.7	U			I
HEXACHLOROETHANE	0011	S	MG/KG	3.7	3.7	U			I
HEXACHLOROETHANE	0002	S	MG/KG	0.69	0.69	U			I X
HEXACHLOROETHANE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROETHANE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.69	0.69	U			R X
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.69	0.69	U			R X
INDENO(1,2,3-CD)PYRENE	1002	S	MG/KG	0.7	0.7	U			R X
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	3.7	3.7	U			I
INDENO(1,2,3-CD)PYRENE	0011	S	MG/KG	3.7	3.7	U			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.69	0.69	U			I X
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
INDENO(1,2,3-CD)PYRENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	15100.	*			I
IRON, TOTAL	0011	S	MG/KG	1.	15200.	*			I
IRON, TOTAL	0002	S	MG/KG	.01	3830.	*	3830.	J	I
IRON, TOTAL	0003	S	MG/KG	.01	4500.	*	4500.	J	I
IRON, TOTAL	1002	S	MG/KG	.01	4270.	*	4270.	J	I
ISOPHORONE	0002	S	MG/KG	0.69	0.69	U			R X
ISOPHORONE	0003	S	MG/KG	0.69	0.69	U			R X
ISOPHORONE	1002	S	MG/KG	0.7	0.7	U			R X
ISOPHORONE	0001	S	MG/KG	3.7	0.78	J			I
ISOPHORONE	0011	S	MG/KG	3.7	0.51	J			I
ISOPHORONE	0002	S	MG/KG	0.69	0.69	U			I X
ISOPHORONE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ISOPHORONE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	19.		19.	J	I
LEAD, TOTAL	0011	S	MG/KG	.2	15.1		15.1	J	I
LEAD, TOTAL	0002	S	MG/KG	.002	2.2		2.2	J	I
LEAD, TOTAL	0003	S	MG/KG	.002	2.9		2.9	J	I
LEAD, TOTAL	1002	S	MG/KG	.002	2.5		2.5	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	13800.	*	13800.	J	I
MAGNESIUM, TOTAL	0011	S	MG/KG	5.	15900.	*	15900.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	42200.	*			I
MAGNESIUM, TOTAL	0003	S	MG/KG	.05	38900.	*			I
MAGNESIUM, TOTAL	1002	S	MG/KG	.05	32200.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	477.		477.	J	I
MANGANESE, TOTAL	0011	S	MG/KG	.2	464.		464.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.002	183.		183.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.002	178.		178.	J	I
MANGANESE, TOTAL	1002	S	MG/KG	.002	196.		196.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0011	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0002	S	MG/KG	.1	.1	U	0.10	UJ	I

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MERCURY, TOTAL	0003	S	MG/KG	.1	.1	U	0.10	UJ	I
MERCURY, TOTAL	1002	S	MG/KG	.1	.1	U	0.10	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0834	0.0834	U			I
METHOXYCHLOR	0003	S	MG/KG	0.0839	0.0839	U			I
METHOXYCHLOR	1002	S	MG/KG	0.0841	0.0841	U			I
METHOXYCHLOR	0001	S	MG/KG	0.45	0.45	U			I
METHOXYCHLOR	0011	S	MG/KG	0.0892	0.0892	U			I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.69	0.69	U			R X
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.69	0.69	U			R X
N-NITROSO-DI-N-PROPYLAMINE	1002	S	MG/KG	0.7	0.7	U			R X
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	3.7	0.74	J			I
N-NITROSO-DI-N-PROPYLAMINE	0011	S	MG/KG	3.7	0.44	J			I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.69	0.69	U			I X
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.69	0.69	U			R X
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.69	0.69	U			R X
N-NITROSODIPHENYLAMINE	1002	S	MG/KG	0.7	0.7	U			R X
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	3.7	3.7	U			I
N-NITROSODIPHENYLAMINE	0011	S	MG/KG	3.7	3.7	U			I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.69	0.69	U			I X
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
N-NITROSODIPHENYLAMINE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.69	0.69	U			R X
NAPHTHALENE	0003	S	MG/KG	0.69	0.69	U			R X
NAPHTHALENE	1002	S	MG/KG	0.7	0.7	U			R X
NAPHTHALENE	0001	S	MG/KG	3.7	3.7	U			I
NAPHTHALENE	0011	S	MG/KG	3.7	3.7	U			I
NAPHTHALENE	0002	S	MG/KG	0.69	0.69	U			I X
NAPHTHALENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
NAPHTHALENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	19.4				I
NICKEL, TOTAL	0011	S	MG/KG	2.	20.3				I
NICKEL, TOTAL	0002	S	MG/KG	.02	15.6				I
NICKEL, TOTAL	0003	S	MG/KG	.02	16.6				I
NICKEL, TOTAL	1002	S	MG/KG	.02	14.4				I
NITROBENZENE	0002	S	MG/KG	0.69	0.69	U			R X
NITROBENZENE	0003	S	MG/KG	0.69	0.69	U			R X
NITROBENZENE	1002	S	MG/KG	0.7	0.7	U			R X
NITROBENZENE	0001	S	MG/KG	3.7	3.7	U			I
NITROBENZENE	0011	S	MG/KG	3.7	3.7	U			I
NITROBENZENE	0002	S	MG/KG	0.69	0.69	U			I X
NITROBENZENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
NITROBENZENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.3	3.3	U			R X
PENTACHLOROPHENOL	0003	S	MG/KG	3.3	3.3	U			R X
PENTACHLOROPHENOL	1002	S	MG/KG	3.4	3.4	U			R X
PENTACHLOROPHENOL	0001	S	MG/KG	18.	18.	U			I
PENTACHLOROPHENOL	0011	S	MG/KG	18.	18.	U			I
PENTACHLOROPHENOL	0002	S	MG/KG	3.3	3.3	U			I X
PENTACHLOROPHENOL	0003	S	MG/KG	3.4	3.4	U			I X
PENTACHLOROPHENOL	1002	S	MG/KG	3.4	3.4	U			I X
PHENANTHRENE	0002	S	MG/KG	0.69	0.69	U			R X
PHENANTHRENE	0003	S	MG/KG	0.69	0.69	U			R X
PHENANTHRENE	1002	S	MG/KG	0.7	0.7	U			R X
PHENANTHRENE	0001	S	MG/KG	3.7	3.7	U			I
PHENANTHRENE	0011	S	MG/KG	3.7	3.7	U			I
PHENANTHRENE	0002	S	MG/KG	0.69	0.69	U			I X

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PHENANTHRENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
PHENANTHRENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
PHENOL	0002	S	MG/KG	0.69	0.69	U			R X
PHENOL	0003	S	MG/KG	0.69	0.69	U			R X
PHENOL	1002	S	MG/KG	0.7	0.7	U			R X
PHENOL	0001	S	MG/KG	3.7	3.7	U			I
PHENOL	0011	S	MG/KG	3.7	3.7	U			I
PHENOL	0002	S	MG/KG	0.69	0.69	U			I X
PHENOL	0003	S	MG/KG	0.69	0.69	U			I X
PHENOL	1002	S	MG/KG	0.69	0.69	U			I X
POTASSIUM, TOTAL	0001	S	MG/KG	10.	859.	B			I
POTASSIUM, TOTAL	0011	S	MG/KG	10.	1550.				I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	344.				I
POTASSIUM, TOTAL	0003	S	MG/KG	.1	378.				I
POTASSIUM, TOTAL	1002	S	MG/KG	.1	232.				I
PYRENE	0002	S	MG/KG	0.69	0.69	U			R X
PYRENE	0003	S	MG/KG	0.69	0.69	U			R X
PYRENE	1002	S	MG/KG	0.7	0.7	U			R X
PYRENE	0001	S	MG/KG	3.7	3.7	U			I
PYRENE	0011	S	MG/KG	3.7	3.7	U			I
PYRENE	0002	S	MG/KG	0.69	0.69	U			I X
PYRENE	0003	S	MG/KG	0.69	0.69	U	0.69	UJ	I
PYRENE	1002	S	MG/KG	0.69	0.69	U	0.69	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.43	.43	U			I
SELENIUM, TOTAL	0011	S	MG/KG	.42	.42	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.39	.39	U			I
SELENIUM, TOTAL	0003	S	MG/KG	.4	.4	U			I
SELENIUM, TOTAL	1002	S	MG/KG	.4	.4	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	9.3		9.3	UJ	I
SILVER, TOTAL	0011	S	MG/KG	1.	17.1		17.1	J	I
SILVER, TOTAL	0002	S	MG/KG	.01	15.3		15.3	J	I
SILVER, TOTAL	0003	S	MG/KG	.01	15.4		15.4	J	I
SILVER, TOTAL	1002	S	MG/KG	.01	15.6		15.6	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	106.	B			I
SODIUM, TOTAL	0011	S	MG/KG	10.	356.	B			I
SODIUM, TOTAL	0002	S	MG/KG	.1	148.				I
SODIUM, TOTAL	0003	S	MG/KG	.1	148.				I
SODIUM, TOTAL	1002	S	MG/KG	.1	127.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0011	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	0003	S	MG/KG	0.005	0.005	U			I
STYRENE	1002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0011	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.43	.43		0.43	UJ	I
THALLIUM, TOTAL	0011	S	MG/KG	.42	.42		0.42	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.39	.39		0.39	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.4	.4		0.40	UJ	I
THALLIUM, TOTAL	1002	S	MG/KG	.4	.4		0.40	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0011	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0001
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOLUENE	0003	S	MG/KG	0.005	0.005	U			I
TOLUENE	1002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0011	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0003	S	MG/KG	0.005	0.003	J			I
TOTAL XYLENES	1002	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0002	S	MG/KG	0.167	0.167	U			I
TOXAPHENE	0003	S	MG/KG	0.168	0.168	U			I
TOXAPHENE	1002	S	MG/KG	0.168	0.168	U			I
TOXAPHENE	0001	S	MG/KG	0.9	0.9	U			I
TOXAPHENE	0011	S	MG/KG	0.178	0.178	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0011	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	1002	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	24.2				I
VANADIUM, TOTAL	0011	S	MG/KG	1.	20.2				I
VANADIUM, TOTAL	0002	S	MG/KG	.01	16.5				I
VANADIUM, TOTAL	0003	S	MG/KG	.01	16.9				I
VANADIUM, TOTAL	1002	S	MG/KG	.01	15.2				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0011	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.01	0.01	U			I
VINYL ACETATE	0003	S	MG/KG	0.01	0.01	U			I
VINYL ACETATE	1002	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0011	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.01	0.01	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	47.9	•			I
ZINC, TOTAL	0011	S	MG/KG	.5	32.5	•			I
ZINC, TOTAL	0002	S	MG/KG	.005	15.8	•	15.8	J	I
ZINC, TOTAL	0003	S	MG/KG	.005	46.8	•	46.8	J	I
ZINC, TOTAL	1002	S	MG/KG	.005	17.2	•	17.2	J	I

APPENDIX A
Location: MND33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U			R X
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	3.9	3.9	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	7.8	7.8	U			I X
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	7.6	7.6	U			I X
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U			R X
1,2-DICHLOROBENZENE	0001	S	MG/KG	3.9	3.9	U			I
1,2-DICHLOROBENZENE	0002	S	MG/KG	7.8	7.8	U			I X
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
1,2-DICHLOROBENZENE	0003	S	MG/KG	7.6	7.6	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U			R X
1,3-DICHLOROBENZENE	0001	S	MG/KG	3.9	3.9	U			I
1,3-DICHLOROBENZENE	0002	S	MG/KG	7.8	7.8	U			I X
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
1,3-DICHLOROBENZENE	0003	S	MG/KG	7.6	7.6	U			I X
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U			R X
1,4-DICHLOROBENZENE	0001	S	MG/KG	3.9	3.9	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	7.8	7.8	U			I X
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
1,4-DICHLOROBENZENE	0003	S	MG/KG	7.6	7.6	U			I X
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.7	3.7	U			R
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	19.	19.	U			

APPENDIX A
Location: MWD33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	38.	38.	U			I X
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U			R X
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	37.	37.	U			I X
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.76	0.76	U			R X
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U			I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	7.8	7.8	U			I X
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	7.6	7.6	U			I X
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.76	0.76	U			R X
2,4-DICHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U			I
2,4-DICHLOROPHENOL	0002	S	MG/KG	7.8	7.8	U			I X
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2,4-DICHLOROPHENOL	0003	S	MG/KG	7.6	7.6	U			I X
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.76	0.76	U			R X
2,4-DIMETHYLPHENOL	0001	S	MG/KG	3.9	3.9	U			I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	7.8	7.8	U			I X
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.79	0.18	J			R X
2,4-DIMETHYLPHENOL	0003	S	MG/KG	7.6	7.6	U			I X
2,4-DINITROPHENOL	0003	S	MG/KG	3.7	3.7	U			R X
2,4-DINITROPHENOL	0001	S	MG/KG	19.	19.	U			I
2,4-DINITROPHENOL	0002	S	MG/KG	38.	38.	U			I X
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U			R X
2,4-DINITROPHENOL	0003	S	MG/KG	37.	37.	U			I X
2,4-DINITROTOLUENE	0003	S	MG/KG	0.76	0.76	U			R X
2,4-DINITROTOLUENE	0001	S	MG/KG	3.9	3.9	U			I
2,4-DINITROTOLUENE	0002	S	MG/KG	7.8	7.8	U			I X
2,4-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U			R X
2,4-DINITROTOLUENE	0003	S	MG/KG	7.6	7.6	U			I X
2,6-DINITROTOLUENE	0003	S	MG/KG	0.76	0.76	U			R X
2,6-DINITROTOLUENE	0001	S	MG/KG	3.9	3.9	U			I
2,6-DINITROTOLUENE	0002	S	MG/KG	7.8	7.8	U			I X
2,6-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U			R X
2,6-DINITROTOLUENE	0003	S	MG/KG	7.6	7.6	U			I X
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I X
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I X
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.76	0.76	U			R X
2-CHLORONAPHTHALENE	0001	S	MG/KG	3.9	3.9	U			I
2-CHLORONAPHTHALENE	0002	S	MG/KG	7.8	7.8	U			I X
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			R X
2-CHLORONAPHTHALENE	0003	S	MG/KG	7.6	7.6	U			I X
2-CHLOROPHENOL	0003	S	MG/KG	0.76	0.76	U			R X
2-CHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U			I
2-CHLOROPHENOL	0002	S	MG/KG	7.8	7.8	U			I X
2-CHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2-CHLOROPHENOL	0003	S	MG/KG	7.6	7.6	U			I X
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.76	0.76	U			R X
2-METHYLNAPHTHALENE	0001	S	MG/KG	3.9	3.9	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	7.8	7.8	U			I X
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			R X
2-METHYLNAPHTHALENE	0003	S	MG/KG	7.6	7.6	U			I X
2-METHYLPHENOL	0003	S	MG/KG	0.76	0.76	U			R X

APPENDIX A
Location: MWD33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0001	S	MG/KG	3.9	3.9	U			I
2-METHYLPHENOL	0002	S	MG/KG	7.8	7.8	U			I X
2-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2-METHYLPHENOL	0003	S	MG/KG	7.6	7.6	U			I X
2-NITROANILINE	0003	S	MG/KG	3.7	3.7	U			R X
2-NITROANILINE	0001	S	MG/KG	19.	19.	U			I
2-NITROANILINE	0002	S	MG/KG	38.	38.	U			I X
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			R X
2-NITROANILINE	0003	S	MG/KG	37.	37.	U			I X
2-NITROPHENOL	0003	S	MG/KG	0.76	0.76	U			R X
2-NITROPHENOL	0001	S	MG/KG	3.9	3.9	U			I
2-NITROPHENOL	0002	S	MG/KG	7.8	7.8	U			I X
2-NITROPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2-NITROPHENOL	0003	S	MG/KG	7.6	7.6	U			I X
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U			R X
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	7.9	7.9	U			I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	16.	16.	U			I X
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U			R X
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	15.	15.	U			I X
3-NITROANILINE	0003	S	MG/KG	3.7	3.7	U			R X
3-NITROANILINE	0001	S	MG/KG	19.	19.	U			I
3-NITROANILINE	0002	S	MG/KG	38.	38.	U			I X
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			R X
3-NITROANILINE	0003	S	MG/KG	37.	37.	U			I X
4,4'-DDD	0003	S	MG/KG	0.0253	0.0253	U	0.0253	UJ	D
4,4'-DDD	0002	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0525	0.0525	U	0.0525	UJ	D
4,4'-DDD	0003	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0442	0.0442	U			I
4,4'-DDE	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
4,4'-DDE	0002	S	MG/KG	0.0064	0.0064	U	0.0064	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	D
4,4'-DDE	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0276	0.0276	U	0.0276	UJ	D
4,4'-DDT	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0573	0.0573	U	0.0573	UJ	D
4,4'-DDT	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0482	0.0482	U			I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.7	3.7	U			R X
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	19.	19.	U			I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	38.	38.	U			I X
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U			R X
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	37.	37.	U			I X
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.76	0.76	U			R X
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	3.9	3.9	U			I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	7.8	7.8	U			I X
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.79	0.79	U			R X
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	7.6	7.6	U			I X
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.76	0.76	U			R X
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	3.9	3.9	U			I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	7.8	7.8	U			I X
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	7.6	7.6	U			I X
4-CHLOROANILINE	0003	S	MG/KG	0.76	0.76	U			R

APPENDIX A
Location: MWD33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLOROANILINE	0001	S	MG/KG	3.9	3.9	U			I
4-CHLOROANILINE	0002	S	MG/KG	7.8	7.8	U			I X
4-CHLOROANILINE	0002	S	MG/KG	0.79	0.79	U			R X
4-CHLOROANILINE	0003	S	MG/KG	7.6	7.6	U			I X
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.76	0.76	U			R X
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	3.9	3.9	U			I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	7.8	7.8	U			I X
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.79	0.79	U			R X
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	7.6	7.6	U			I X
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0003	S	MG/KG	0.76	0.76	U			R X
4-METHYLPHENOL	0001	S	MG/KG	3.9	3.9	U			I
4-METHYLPHENOL	0002	S	MG/KG	7.8	7.8	U			I X
4-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
4-METHYLPHENOL	0003	S	MG/KG	7.6	7.6	U			I X
4-NITROANILINE	0001	S	MG/KG	19.	19.	U			R
4-NITROANILINE	0003	S	MG/KG	3.7	3.7	U			R X
4-NITROANILINE	0002	S	MG/KG	38.	38.	U			I X
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			R X
4-NITROANILINE	0003	S	MG/KG	37.	37.	U			I X
4-NITROPHENOL	0001	S	MG/KG	19.	19.	U			R
4-NITROPHENOL	0003	S	MG/KG	3.7	3.7	U			R X
4-NITROPHENOL	0002	S	MG/KG	38.	38.	U			I X
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U			R X
4-NITROPHENOL	0003	S	MG/KG	37.	37.	U			I X
ACENAPHTHENE	0003	S	MG/KG	0.76	0.76	U			R X
ACENAPHTHENE	0001	S	MG/KG	3.9	3.9	U			I
ACENAPHTHENE	0002	S	MG/KG	7.8	7.8	U			I X
ACENAPHTHENE	0002	S	MG/KG	0.79	0.79	U			R X
ACENAPHTHENE	0003	S	MG/KG	7.6	7.6	U			I X
ACENAPHTHYLENE	0003	S	MG/KG	0.76	0.76	U			R X
ACENAPHTHYLENE	0001	S	MG/KG	3.9	3.9	U			I
ACENAPHTHYLENE	0002	S	MG/KG	7.8	7.8	U			I X
ACENAPHTHYLENE	0002	S	MG/KG	0.79	0.79	U			R X
ACENAPHTHYLENE	0003	S	MG/KG	7.6	7.6	U			I X
ACETONE	0001	S	MG/KG	0.012	0.012	U			I
ACETONE	0002	S	MG/KG	0.012	0.003	JB	0.012	U	I
ACETONE	0003	S	MG/KG	0.01	0.015	B	0.015	U	I
ALDRIN	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
ALDRIN	0002	S	MG/KG	0.0064	0.0064	U	0.0064	UJ	I
ALDRIN	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	D
ALDRIN	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0001	S	MG/KG	0.016	0.016	U			I
ALPHA CHLORDANE	0003	S	MG/KG	0.0322	0.0322	U	0.0322	UJ	D
ALPHA CHLORDANE	0002	S	MG/KG	0.0223	0.0223	U	0.0223	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0668	0.0668	U	0.0668	UJ	D
ALPHA CHLORDANE	0003	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0562	0.0562	U			I
ALPHA-BHC	0003	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	D
ALPHA-BHC	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0143	0.0143	U	0.0143	UJ	D
ALPHA-BHC	0003	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MND33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALUMINUM, TOTAL	0001	S	MG/KG	6.	8010.	*	8010.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	.06	1600.	*	1600.	J	I
ALUMINUM, TOTAL	0003	S	MG/KG	.06	3630.	*	3630.	J	I
ANTHRACENE	0003	S	MG/KG	0.76	0.76	U			R X
ANTHRACENE	0001	S	MG/KG	3.9	3.9	U			I
ANTHRACENE	0002	S	MG/KG	7.8	7.8	U			I X
ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			R X
ANTHRACENE	0003	S	MG/KG	7.6	7.6	U			I X
ANTIMONY, TOTAL	0001	S	MG/KG	3.	7.				I X
ANTIMONY, TOTAL	0002	S	MG/KG	.03	33.4		33.4	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	.03	21.7		21.7	J	I
AROCLOR-1016	0003	S	MG/KG	0.276	0.276	U	0.276	UJ	D
AROCLOR-1016	0002	S	MG/KG	0.191	0.191	U	0.191	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.573	0.573	U	0.573	UJ	D
AROCLOR-1016	0003	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.482	0.482	U			I
AROCLOR-1221	0003	S	MG/KG	0.276	0.276	U	0.276	UJ	D
AROCLOR-1221	0002	S	MG/KG	0.191	0.191	U	0.191	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.573	0.573	U	0.573	UJ	D
AROCLOR-1221	0003	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.482	0.482	U			I
AROCLOR-1232	0003	S	MG/KG	0.276	0.276	U	0.276	UJ	D
AROCLOR-1232	0002	S	MG/KG	0.191	0.191	U	0.191	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.573	0.573	U	0.573	UJ	D
AROCLOR-1232	0003	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.482	0.482	U			I
AROCLOR-1242	0003	S	MG/KG	0.276	0.276	U	0.276	UJ	D
AROCLOR-1242	0002	S	MG/KG	0.191	0.191	U	0.191	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.573	0.573	U	0.573	UJ	D
AROCLOR-1242	0003	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.482	0.482	U			I
AROCLOR-1248	0003	S	MG/KG	0.276	0.276	U	0.276	UJ	D
AROCLOR-1248	0002	S	MG/KG	0.191	0.191	U	0.191	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.573	0.573	U	0.573	UJ	D
AROCLOR-1248	0003	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.482	0.482	U	0.963	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.553	0.553	U	0.553	UJ	D
AROCLOR-1254	0002	S	MG/KG	0.382	0.382	U	0.382	UJ	I
AROCLOR-1254	0002	S	MG/KG	1.15	1.15	U	1.15	UJ	D
AROCLOR-1254	0003	S	MG/KG	0.184	0.184	U	0.184	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.963	0.963	U	1.93	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.553	0.553	U	0.553	UJ	D
AROCLOR-1260	0002	S	MG/KG	0.382	0.382	U	0.382	UJ	I
AROCLOR-1260	0002	S	MG/KG	1.15	1.15	U	1.15	UJ	D
AROCLOR-1260	0003	S	MG/KG	0.184	0.184	U	0.184	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.963	0.963	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.2	5.3		5.3	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	2.4		2.4	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.002	2.		2.0	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	60.2				I
BARIUM, TOTAL	0002	S	MG/KG	.002	13.3				I
BARIUM, TOTAL	0003	S	MG/KG	.002	27.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.76	0.76	U			R X
BENZO(A)ANTHRACENE	0001	S	MG/KG	3.9	3.9	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	7.8	7.8	U			I X
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			R X
BENZO(A)ANTHRACENE	0003	S	MG/KG	7.6	7.6	U			I X
BENZO(A)PYRENE	0003	S	MG/KG	0.76	0.76	U			R X
BENZO(A)PYRENE	0001	S	MG/KG	3.9	3.9	U			I
BENZO(A)PYRENE	0002	S	MG/KG	7.8	7.8	U			I X
BENZO(A)PYRENE	0002	S	MG/KG	0.79	0.33	J			R X
BENZO(A)PYRENE	0003	S	MG/KG	7.6	7.6	U			I X
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.76	0.76	U			R X
BENZO(B)FLUORANTHENE	0001	S	MG/KG	3.9	3.9	U			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	7.8	7.8	U			I X
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			R X
BENZO(B)FLUORANTHENE	0003	S	MG/KG	7.6	7.6	U			I X
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.76	0.76	U			R X
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	3.9	3.9	U			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	7.8	7.8	U			I X
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.79	0.79	U			R X
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	7.6	7.6	U			I X
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.76	0.76	U			R X
BENZO(K)FLUORANTHENE	0001	S	MG/KG	3.9	3.9	U			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	7.8	7.8	U			I X
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			R X
BENZO(K)FLUORANTHENE	0003	S	MG/KG	7.6	7.6	U			I X
BENZOIC ACID	0003	S	MG/KG	3.7	3.7	U			R X
BENZOIC ACID	0001	S	MG/KG	19.	19.	U			I
BENZOIC ACID	0002	S	MG/KG	38.	38.	U			I X
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U			R X
BENZOIC ACID	0003	S	MG/KG	37.	37.	U			I X
BENZYL ALCOHOL	0003	S	MG/KG	0.76	0.76	U			R X
BENZYL ALCOHOL	0001	S	MG/KG	3.9	3.9	U			I
BENZYL ALCOHOL	0002	S	MG/KG	7.8	7.8	U			I X
BENZYL ALCOHOL	0002	S	MG/KG	0.79	0.79	U			R X
BENZYL ALCOHOL	0003	S	MG/KG	7.6	7.6	U			I X
BERYLLIUM	0001	S	MG/KG	.2	.62	B			I
BERYLLIUM	0002	S	MG/KG	.002	.56		0.56		I
BERYLLIUM	0003	S	MG/KG	.002	.58		0.58		I
BETA-BHC	0003	S	MG/KG	0.0138	0.0138	U	0.0138	UJ	D
BETA-BHC	0002	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
BETA-BHC	0002	S	MG/KG	0.0286	0.0286	U	0.0286	UJ	D
BETA-BHC	0003	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BETA-BHC	0001	S	MG/KG	0.0241	0.0241	U			I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.76	0.76	U			R X
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	3.9	3.9	U			I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	7.8	7.8	U			I X
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.79	0.79	U			R X
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	7.6	7.6	U			I X
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.76	0.76	U			R X
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	3.9	3.9	U			I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	7.8	7.8	U			I X
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.79	0.79	U			R X
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	7.6	7.6	U			I X
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.76	0.76	U			R X

APPENDIX A
Location: MWD33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	3.9	3.9	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	7.8	7.8	U			I X
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.79	0.79	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	7.6	7.6	U			I X
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.76	0.76	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	3.9	3.9	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	7.8	7.8	U			I X
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	7.6	7.6	U			I X
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U	0.006	UJ	I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U	0.006	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U			R X
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	3.9	3.9	U			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	7.8	7.8	U			I X
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	7.6	7.6	U			I X
CADMIUM, TOTAL	0001	S	MG/KG	.2	1.3		1.3	UJ	I
CADMIUM, TOTAL	0002	S	MG/KG	.002	6.3		6.3	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.002	4.3		4.3	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	47100.				I
CALCIUM, TOTAL	0002	S	MG/KG	.02	136000.				I
CALCIUM, TOTAL	0003	S	MG/KG	.02	98100.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	22.				I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	24.				I
CHROMIUM, TOTAL	0003	S	MG/KG	.01	24.3				I
CHRYSENE	0003	S	MG/KG	0.76	0.76	U			R

APPENDIX A
Location: MWD33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0001	S	MG/KG	3.9	3.9	U			I
CHRYSENE	0002	S	MG/KG	7.8	7.8	U			I X
CHRYSENE	0002	S	MG/KG	0.79	0.79	U			R X
CHRYSENE	0003	S	MG/KG	7.6	7.6	U			I X
COBALT, TOTAL	0001	S	MG/KG	1.	9.9	B			I
COBALT, TOTAL	0002	S	MG/KG	.01	5.2				I
COBALT, TOTAL	0003	S	MG/KG	.01	5.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	16.9				I
COPPER, TOTAL	0002	S	MG/KG	.01	12.9				I
COPPER, TOTAL	0003	S	MG/KG	.01	14.7				I
DELTA-BHC	0003	S	MG/KG	0.0207	0.0207	U	0.0207	UJ	D
DELTA-BHC	0002	S	MG/KG	0.0143	0.0143	U	0.0143	UJ	I
DELTA-BHC	0002	S	MG/KG	0.023	0.023	U	0.023	UJ	D
DELTA-BHC	0003	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0361	0.0361	U			I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U			R X
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	3.9	3.9	U			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	7.8	7.8	U			I X
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	7.6	7.6	U			I X
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U			R X
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	3.9	3.9	U			I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	7.8	7.8	U			I X
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	7.6	7.6	U			I X
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.76	0.76	U			R X
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	3.9	3.9	U			I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	7.8	7.8	U			I X
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			R X
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	7.6	7.6	U			I X
DIBENZOFURAN	0003	S	MG/KG	0.76	0.76	U			R X
DIBENZOFURAN	0001	S	MG/KG	3.9	3.9	U			I
DIBENZOFURAN	0002	S	MG/KG	7.8	7.8	U			I X
DIBENZOFURAN	0002	S	MG/KG	0.79	0.79	U			R X
DIBENZOFURAN	0003	S	MG/KG	7.6	7.6	U			I X
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.003	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.014	B	0.014	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.014	B	0.014	U	I
DIELDRIN	0003	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	D
DIELDRIN	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
DIELDRIN	0002	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	D
DIELDRIN	0003	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0001	S	MG/KG	0.008	0.008	U			I
DIETHYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U			R X
DIETHYL PHTHALATE	0001	S	MG/KG	3.9	3.9	U			I
DIETHYL PHTHALATE	0002	S	MG/KG	7.8	7.8	U			I X
DIETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
DIETHYL PHTHALATE	0003	S	MG/KG	7.6	7.6	U			I X
DIMETHYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U			R X
DIMETHYL PHTHALATE	0001	S	MG/KG	3.9	3.9	U			I
DIMETHYL PHTHALATE	0002	S	MG/KG	7.8	7.8	U			I X

APPENDIX A
Location: MWD33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIMETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
DIMETHYL PHTHALATE	0003	S	MG/KG	7.6	7.6	U			I X
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0276	0.0276	U	0.0276	UJ	D
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0573	0.0573	U	0.0573	UJ	D
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0482	0.0482	U			I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0064	0.0064	U	0.0064	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	D
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.016	0.016	U			I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0553	0.0553	U	0.0553	UJ	D
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0382	0.0382	U	0.0382	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.115	0.115	U	0.115	UJ	D
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0963	0.0963	U			I
ENDRIN	0003	S	MG/KG	0.0138	0.0138	U	0.0138	UJ	D
ENDRIN	0002	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDRIN	0002	S	MG/KG	0.0286	0.0286	U	0.0286	UJ	D
ENDRIN	0003	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN	0001	S	MG/KG	0.0241	0.0241	U			I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.053	0.053	U	0.053	UJ	D
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0366	0.0366	U	0.0366	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.11	0.11	U	0.11	UJ	D
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0177	0.0177	U	0.0177	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0923	0.0923	U			I
ENDRIN KETONE	0003	S	MG/KG	0.0553	0.0553	U	0.0553	UJ	D
ENDRIN KETONE	0002	S	MG/KG	0.0382	0.0382	U	0.0382	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.115	0.115	U	0.115	UJ	D
ENDRIN KETONE	0003	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0963	0.0963	U			I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.002	J			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HB HYD AS MOTOR OIL	0002	S	MG/KG	-	4000		4000	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0003	S	MG/KG	-	3200		3200	J	I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.	48000.		48000.	J	I
FLUORANTHENE	0003	S	MG/KG	0.76	0.76	U			R X
FLUORANTHENE	0001	S	MG/KG	3.9	3.9	U			I
FLUORANTHENE	0002	S	MG/KG	7.8	7.8	U			I X
FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			R X
FLUORANTHENE	0003	S	MG/KG	7.6	7.6	U			I X
FLUORENE	0003	S	MG/KG	0.76	0.76	U			R X
FLUORENE	0001	S	MG/KG	3.9	3.9	U			I
FLUORENE	0002	S	MG/KG	7.8	7.8	U			I X
FLUORENE	0002	S	MG/KG	0.79	0.79	U			R X
FLUORENE	0003	S	MG/KG	7.6	7.6	U			I X
GAMMA CHLORDANE	0003	S	MG/KG	0.0322	0.0322	U	0.0322	UJ	D
GAMMA CHLORDANE	0002	S	MG/KG	0.0223	0.0223	U	0.0223	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0668	0.0668	U	0.0668	UJ	D
GAMMA CHLORDANE	0003	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0562	0.0562	U			I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D

APPENDIX A
Location: MND33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0064	0.0064	U	0.0064	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	D
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.016	0.016	U			I
HEPTACHLOR	0003	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	D
HEPTACHLOR	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0143	0.0143	U	0.0143	UJ	D
HEPTACHLOR	0003	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.012	0.012	U			I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0276	0.0276	U	0.0276	UJ	D
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0573	0.0573	U	0.0573	UJ	D
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0482	0.0482	U			I
HEXACHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U			R X
HEXACHLOROBENZENE	0001	S	MG/KG	3.9	3.9	U			I
HEXACHLOROBENZENE	0002	S	MG/KG	7.8	7.8	U			I X
HEXACHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROBENZENE	0003	S	MG/KG	7.6	7.6	U			I X
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.76	0.76	U			R X
HEXACHLOROBUTADIENE	0001	S	MG/KG	3.9	3.9	U			I
HEXACHLOROBUTADIENE	0002	S	MG/KG	7.8	7.8	U			I X
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROBUTADIENE	0003	S	MG/KG	7.6	7.6	U			I X
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.76	0.76	U			R X
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	3.9	3.9	U			I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	7.8	7.8	U			I X
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	7.6	7.6	U			I X
HEXACHLOROETHANE	0003	S	MG/KG	0.76	0.76	U			R X
HEXACHLOROETHANE	0001	S	MG/KG	3.9	3.9	U			I
HEXACHLOROETHANE	0002	S	MG/KG	7.8	7.8	U			I X
HEXACHLOROETHANE	0002	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROETHANE	0003	S	MG/KG	7.6	7.6	U			I X
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.76	0.76	U			R X
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	3.9	3.9	U			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	7.8	7.8	U			I X
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.79	0.79	U			R X
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	7.6	7.6	U			I X
IRON, TOTAL	0001	S	MG/KG	1.	15900.	*			I
IRON, TOTAL	0002	S	MG/KG	.01	4340.	*	4340.	J	I
IRON, TOTAL	0003	S	MG/KG	.01	7490.	*	7490.	J	I
ISOPHORONE	0003	S	MG/KG	0.76	0.76	U			R X
ISOPHORONE	0001	S	MG/KG	3.9	0.41	J			I
ISOPHORONE	0002	S	MG/KG	7.8	7.8	U			I X
ISOPHORONE	0002	S	MG/KG	0.79	0.79	U			R X
ISOPHORONE	0003	S	MG/KG	7.6	7.6	U			I X
LEAD, TOTAL	0001	S	MG/KG	.2	17.9		17.9	J	I
LEAD, TOTAL	0002	S	MG/KG	.002	7.2		9.2	J	I
LEAD, TOTAL	0003	S	MG/KG	.002	7.7		7.7	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	10100.	*	10100.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	47000.	*			I
MAGNESIUM, TOTAL	0003	S	MG/KG	.05	30900.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	486.		486.	J	I

APPENDIX A
Location: MND33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MANGANESE, TOTAL	0002	S	MG/KG	.002	236.		236.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.002	274.		274.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12	U			I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12	U	0.12	UJ	I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11	U	0.11	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.276	0.276	U	0.276	UJ	D
METHOXYCHLOR	0002	S	MG/KG	0.191	0.191	U	0.191	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.573	0.573	U	0.573	UJ	D
METHOXYCHLOR	0003	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.482	0.482	U			I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.76	0.76	U			R X
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	3.9	3.9	U			I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	7.8	7.8	U			I X
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.79	0.79	U			R X
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	7.6	7.6	U			I X
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.76	0.76	U			R X
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	3.9	3.9	U			I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	7.8	7.8	U			I X
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.79	0.79	U			R X
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	7.6	7.6	U			I X
NAPHTHALENE	0003	S	MG/KG	0.76	0.76	U			R X
NAPHTHALENE	0001	S	MG/KG	3.9	3.9	U			I
NAPHTHALENE	0002	S	MG/KG	7.8	7.8	U			I X
NAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			R X
NAPHTHALENE	0003	S	MG/KG	7.6	7.6	U			I
NICKEL, TOTAL	0001	S	MG/KG	2.	18.2				I
NICKEL, TOTAL	0002	S	MG/KG	.02	17.7				I
NICKEL, TOTAL	0003	S	MG/KG	.02	17.9				I
NITROBENZENE	0003	S	MG/KG	0.76	0.76	U			R X
NITROBENZENE	0001	S	MG/KG	3.9	3.9	U			I
NITROBENZENE	0002	S	MG/KG	7.8	7.8	U			I X
NITROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
NITROBENZENE	0003	S	MG/KG	7.6	7.6	U			I X
PENTACHLOROPHENOL	0003	S	MG/KG	3.7	3.7	U			R X
PENTACHLOROPHENOL	0001	S	MG/KG	19.	19.	U			I
PENTACHLOROPHENOL	0002	S	MG/KG	38.	38.	U			I X
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U			R X
PENTACHLOROPHENOL	0003	S	MG/KG	37.	37.	U			I X
PHENANTHRENE	0003	S	MG/KG	0.76	0.76	U			R X
PHENANTHRENE	0001	S	MG/KG	3.9	3.9	U			I
PHENANTHRENE	0002	S	MG/KG	7.8	7.8	U			I X
PHENANTHRENE	0002	S	MG/KG	0.79	0.79	U			R X
PHENANTHRENE	0003	S	MG/KG	7.6	7.6	U			I X
PHENOL	0003	S	MG/KG	0.76	0.76	U			R X
PHENOL	0001	S	MG/KG	3.9	3.9	U			I
PHENOL	0002	S	MG/KG	7.8	7.8	U			I X
PHENOL	0002	S	MG/KG	0.79	0.79	U			R X
PHENOL	0003	S	MG/KG	7.6	7.6	U			I X
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1020.	B			I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	288.				I
POTASSIUM, TOTAL	0003	S	MG/KG	.1	528.				I
PYRENE	0003	S	MG/KG	0.76	0.63	J			R X
PYRENE	0001	S	MG/KG	3.9	0.7	J			I
PYRENE	0002	S	MG/KG	7.8	0.82	J			

APPENDIX A
Location: MND33-0002
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PYRENE	0002	S	MG/KG	0.79	0.65	J			R X
PYRENE	0003	S	MG/KG	7.6	7.6	U			I X
SELENIUM, TOTAL	0001	S	MG/KG	.47	.47	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.45	.45	U			I
SELENIUM, TOTAL	0003	S	MG/KG	.44	.44	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	9.8		9.8	UJ	I
SILVER, TOTAL	0002	S	MG/KG	.01	15.5		15.5	J	I
SILVER, TOTAL	0003	S	MG/KG	.01	14.6		14.6	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	92.2	B			I
SODIUM, TOTAL	0002	S	MG/KG	.1	158.				I
SODIUM, TOTAL	0003	S	MG/KG	.1	128.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.47	.47		0.47	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.45	.45		0.45	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.44	.44		0.44	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.004	J			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.003	J			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0003	S	MG/KG	0.553	0.553	U	0.553	UJ	D
TOXAPHENE	0002	S	MG/KG	0.382	0.382	U	0.382	UJ	I
TOXAPHENE	0002	S	MG/KG	1.15	1.15	U	1.15	UJ	D
TOXAPHENE	0003	S	MG/KG	0.184	0.184	U	0.184	UJ	I
TOXAPHENE	0001	S	MG/KG	0.963	0.963	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.6				I
VANADIUM, TOTAL	0002	S	MG/KG	.01	19.4				I
VANADIUM, TOTAL	0003	S	MG/KG	.01	21.9				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	47.8	*			I
ZINC, TOTAL	0002	S	MG/KG	.005	20.7	*	20.7	J	I
ZINC, TOTAL	0003	S	MG/KG	.005	32.4	*	32.4	J	I

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I X
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.81	0.81	U			R X
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			R X
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I X
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.81	0.81	U			R
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			R X
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I X
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.81	0.81	U			R X
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			R X
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I X
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.81	0.81	U			R X
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			R X
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U			I X
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	R
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U			I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.9	3.9	U			R X
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.9	3.9	U			I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.8	3.8	U			R X
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U			I X
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.81	0.81	U			R X
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.79	0.79	U			I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.79	0.79	U			R X
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U			I X
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.81	0.81	U			R X
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.79	0.79	U			I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.79	0.79	U			R X
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.74	0.74	U			I X
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.81	0.81	U			R X
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.79	0.79	U			I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.79	0.79	U			R X
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U			I X
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	R
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U			I
2,4-DINITROPHENOL	0002	S	MG/KG	3.9	3.9	U			R X
2,4-DINITROPHENOL	0003	S	MG/KG	3.9	3.9	U			I
2,4-DINITROPHENOL	0003	S	MG/KG	3.8	3.8	U			R X
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2,4-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U			I X
2,4-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U			I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.81	0.81	U			R X
2,4-DINITROTOLUENE	0003	S	MG/KG	0.79	0.79	U			I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.79	0.79	U			R X
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U			I X
2,6-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2,6-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U			I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.81	0.81	U			R X

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,6-DINITROTOLUENE	0003	S	MG/KG	0.79	0.79	U			I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.79	0.79	U			R X
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.002	J			I
2-BUTANONE	0002	S	MG/KG	0.012	0.005	J			I
2-BUTANONE	0003	S	MG/KG	0.012	0.012	U			I X
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.74	0.74	U			I X
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.81	0.81	U			R X
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.79	0.79	U			I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.79	0.79	U			R X
2-CHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U			I X
2-CHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2-CHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			I
2-CHLOROPHENOL	0002	S	MG/KG	0.81	0.81	U			R X
2-CHLOROPHENOL	0003	S	MG/KG	0.79	0.79	U			I
2-CHLOROPHENOL	0003	S	MG/KG	0.79	0.79	U			R X
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.74	0.74	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.81	0.81	U			R X
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.79	0.79	U			I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.79	0.79	U			R X
2-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U			I X
2-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			I
2-METHYLPHENOL	0002	S	MG/KG	0.81	0.81	U			R X
2-METHYLPHENOL	0003	S	MG/KG	0.79	0.79	U			I
2-METHYLPHENOL	0003	S	MG/KG	0.79	0.79	U			R X
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I X
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	R
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			I
2-NITROANILINE	0002	S	MG/KG	3.9	3.9	U			R X
2-NITROANILINE	0003	S	MG/KG	3.9	3.9	U			I
2-NITROANILINE	0003	S	MG/KG	3.8	3.8	U			R X
2-NITROPHENOL	0002	S	MG/KG	0.81	0.81	U			R X
2-NITROPHENOL	0001	S	MG/KG	0.74	0.74	U			I X
2-NITROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
2-NITROPHENOL	0002	S	MG/KG	0.79	0.79	U			I
2-NITROPHENOL	0003	S	MG/KG	0.79	0.79	U			I
2-NITROPHENOL	0003	S	MG/KG	0.79	0.79	U			R X
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U			I X
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	R
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U			I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U			R X
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.6	1.6	U			I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.6	1.6	U			R X
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	

APPENDIX A
Location: MWD33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			I
3-NITROANILINE	0002	S	MG/KG	3.9	3.9	U			R X
3-NITROANILINE	0003	S	MG/KG	3.9	3.9	U			I
3-NITROANILINE	0003	S	MG/KG	3.8	3.8	U			R X
4,4'-DDD	0001	S	MG/KG	0.0082	0.0082	U			I
4,4'-DDD	0002	S	MG/KG	0.009	0.009	U			I
4,4'-DDD	0003	S	MG/KG	0.0087	0.0087	U			I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.009	0.009	U			I
4,4'-DDT	0002	S	MG/KG	0.0098	0.0098	U			I
4,4'-DDT	0003	S	MG/KG	0.0095	0.0095	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U			I X
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	R
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U			I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.9	3.9	U			R X
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.9	3.9	U			I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.8	3.8	U			R X
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.74	0.74	U			I X
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.79	0.79	U			I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.81	0.81	U			R X
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.79	0.79	U			I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.79	0.79	U			R X
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U			I X
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.81	0.81	U			R X
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.79	0.79	U			I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.79	0.79	U			R X
4-CHLOROANILINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
4-CHLOROANILINE	0001	S	MG/KG	0.74	0.74	U			I X
4-CHLOROANILINE	0002	S	MG/KG	0.79	0.79	U			I
4-CHLOROANILINE	0002	S	MG/KG	0.81	0.81	U			R X
4-CHLOROANILINE	0003	S	MG/KG	0.79	0.79	U			I
4-CHLOROANILINE	0003	S	MG/KG	0.79	0.79	U			R X
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.74	0.74	U			I X
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.79	0.79	U			I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.81	0.81	U			R X
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.79	0.79	U			I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.79	0.79	U			R X
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
4-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U			I X
4-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			I
4-METHYLPHENOL	0002	S	MG/KG	0.81	0.81	U			R X
4-METHYLPHENOL	0003	S	MG/KG	0.79	0.79	U			I
4-METHYLPHENOL	0003	S	MG/KG	0.79	0.79	U			R X
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	R
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I X
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			I

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-NITROANILINE	0002	S	MG/KG	3.9	3.9	U			R X
4-NITROANILINE	0003	S	MG/KG	3.9	3.9	U			I
4-NITROANILINE	0003	S	MG/KG	3.8	3.8	U			R X
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	R
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U			I X
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U			I
4-NITROPHENOL	0002	S	MG/KG	3.9	3.9	U			R X
4-NITROPHENOL	0003	S	MG/KG	3.9	3.9	U			I
4-NITROPHENOL	0003	S	MG/KG	3.8	3.8	U			R X
ACENAPHTHENE	0001	S	MG/KG	0.74	0.74	U			I X
ACENAPHTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
ACENAPHTHENE	0002	S	MG/KG	0.79	0.79	U			I
ACENAPHTHENE	0002	S	MG/KG	0.81	0.81	U			R X
ACENAPHTHENE	0003	S	MG/KG	0.79	0.79	U			I
ACENAPHTHENE	0003	S	MG/KG	0.79	0.79	U			R X
ACENAPHTHYLENE	0001	S	MG/KG	0.74	0.74	U			I X
ACENAPHTHYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
ACENAPHTHYLENE	0002	S	MG/KG	0.79	0.79	U			I
ACENAPHTHYLENE	0002	S	MG/KG	0.81	0.81	U			R X
ACENAPHTHYLENE	0003	S	MG/KG	0.79	0.79	U			I
ACENAPHTHYLENE	0003	S	MG/KG	0.79	0.79	U			R X
ACETONE	0001	S	MG/KG	0.011	0.027	B	0.027	J	I
ACETONE	0002	S	MG/KG	0.012	0.056	B	0.056	J	I
ACETONE	0003	S	MG/KG	0.012	0.011	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U			I
ALDRIN	0002	S	MG/KG	0.0033	0.0033	U			I
ALDRIN	0003	S	MG/KG	0.0032	0.0032	U			I
ALPHA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U			I
ALPHA CHLORDANE	0002	S	MG/KG	0.0115	0.0115	U			I
ALPHA CHLORDANE	0003	S	MG/KG	0.0111	0.0111	U			I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U			I
ALPHA-BHC	0002	S	MG/KG	0.0025	0.0025	U			I
ALPHA-BHC	0003	S	MG/KG	0.0024	0.0024	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	4990.	*	4990.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	.06	13000.	*	13000.	J	I
ALUMINUM, TOTAL	0003	S	MG/KG	.06	11000.	*	11000.	J	I
ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
ANTHRACENE	0001	S	MG/KG	0.74	0.74	U			I X
ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			I
ANTHRACENE	0002	S	MG/KG	0.81	0.81	U			R X
ANTHRACENE	0003	S	MG/KG	0.79	0.79	U			I
ANTHRACENE	0003	S	MG/KG	0.79	0.79	U			R X
ANTIMONY, TOTAL	0001	S	MG/KG	.03	27.1		27.1	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	.03	13.6		13.6	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	.03	14.8		14.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.0898	0.0898	U			I
AROCLOR-1016	0002	S	MG/KG	0.0984	0.0984	U			I
AROCLOR-1016	0003	S	MG/KG	0.0952	0.0952	U			I
AROCLOR-1221	0001	S	MG/KG	0.0898	0.0898	U			I
AROCLOR-1221	0002	S	MG/KG	0.0984	0.0984	U			I
AROCLOR-1221	0003	S	MG/KG	0.0952	0.0952	U			I
AROCLOR-1232	0001	S	MG/KG	0.0898	0.0898	U			I
AROCLOR-1232	0002	S	MG/KG	0.0984	0.0984	U			I

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1232	0003	S	MG/KG	0.0952	0.0952	U			I
AROCLOR-1242	0001	S	MG/KG	0.0898	0.0898	U			I
AROCLOR-1242	0002	S	MG/KG	0.0984	0.0984	U			I
AROCLOR-1242	0003	S	MG/KG	0.0952	0.0952	U			I
AROCLOR-1248	0001	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0952	0.0952	U	0.0952	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.197	0.197	U	0.197	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.18	0.18	U			I
AROCLOR-1260	0002	S	MG/KG	0.197	0.197	U			I
AROCLOR-1260	0003	S	MG/KG	0.19	0.19	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.002	4.2		4.2	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	2.6		2.6	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.002	1.9		1.9	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	34.6				I
BARIUM, TOTAL	0002	S	MG/KG	.002	40.4				I
BARIUM, TOTAL	0003	S	MG/KG	.002	37.5				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U			I X
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.81	0.81	U			R X
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.79	0.79	U			I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.79	0.79	U			R X
BENZO(A)PYRENE	0001	S	MG/KG	0.74	0.74	U			I X
BENZO(A)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BENZO(A)PYRENE	0002	S	MG/KG	0.79	0.79	U			I
BENZO(A)PYRENE	0002	S	MG/KG	0.81	0.81	U			R X
BENZO(A)PYRENE	0003	S	MG/KG	0.79	0.79	U			I
BENZO(A)PYRENE	0003	S	MG/KG	0.79	0.79	U			R X
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U			I X
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.81	0.81	U			R X
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.79	0.79	U			I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.79	0.79	U			R X
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.74	0.74	U			I X
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.79	0.79	U			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.81	0.81	U			R X
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.79	0.79	U			I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.79	0.79	U			R X
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U			I X
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.81	0.81	U			R X
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.79	0.79	U			I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.79	0.79	U			R X
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U			I X

APPENDIX A
Location: MWD33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	R
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U			I
BENZOIC ACID	0002	S	MG/KG	3.9	3.9	U			R X
BENZOIC ACID	0003	S	MG/KG	3.9	3.9	U			I
BENZOIC ACID	0003	S	MG/KG	3.8	3.8	U			R X
BENZYL ALCOHOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BENZYL ALCOHOL	0001	S	MG/KG	0.74	0.74	U			I X
BENZYL ALCOHOL	0002	S	MG/KG	0.79	0.79	U			I
BENZYL ALCOHOL	0002	S	MG/KG	0.81	0.81	U			R X
BENZYL ALCOHOL	0003	S	MG/KG	0.79	0.79	U			I
BENZYL ALCOHOL	0003	S	MG/KG	0.79	0.79	U			R X
BERYLLIUM	0001	S	MG/KG	.002	.67	B			I
BERYLLIUM	0002	S	MG/KG	.002	.99	B			I
BERYLLIUM	0003	S	MG/KG	.002	.82	B			I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U			I
BETA-BHC	0002	S	MG/KG	0.0049	0.0049	U			I
BETA-BHC	0003	S	MG/KG	0.0048	0.0048	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.74	0.74	U			I X
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.79	0.79	U			I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.81	0.81	U			R X
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.79	0.79	U			I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.79	0.79	U			R X
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.74	0.74	U			I X
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.79	0.79	U			I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.81	0.81	U			R
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.79	0.79	U			I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.79	0.79	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.74	0.74	U			I X
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.79	0.79	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.81	0.81	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.79	0.79	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.79	0.79	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I X
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.81	0.81	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.79	0.22	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.79	0.79	U			R X
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I X
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.81	0.81	U			R X
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			I

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			R X
CADMIUM, TOTAL	0001	S	MG/KG	.002	4.8		4.8	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.002	1.4		1.4	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.002	1.8		1.8	J	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	113000.				I
CALCIUM, TOTAL	0002	S	MG/KG	.02	97700.				I
CALCIUM, TOTAL	0003	S	MG/KG	.02	85500.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	25.9				I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	33.1				I
CHROMIUM, TOTAL	0003	S	MG/KG	.01	29.2				I
CHRYSENE	0001	S	MG/KG	0.74	0.74	U			I X
CHRYSENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
CHRYSENE	0002	S	MG/KG	0.79	0.79	U			I
CHRYSENE	0002	S	MG/KG	0.81	0.81	U			R X
CHRYSENE	0003	S	MG/KG	0.79	0.79	U			I
CHRYSENE	0003	S	MG/KG	0.79	0.79	U			R X
COBALT, TOTAL	0001	S	MG/KG	.01	9.				I
COBALT, TOTAL	0002	S	MG/KG	.01	17.3				I
COBALT, TOTAL	0003	S	MG/KG	.01	14.				I
COPPER, TOTAL	0001	S	MG/KG	.01	17.9				I
COPPER, TOTAL	0002	S	MG/KG	.01	24.8				I
COPPER, TOTAL	0003	S	MG/KG	.01	19.5				I
DELTA-BHC	0001	S	MG/KG	0.0067	0.0067	U			I
DELTA-BHC	0002	S	MG/KG	0.0074	0.0074	U			I
DELTA-BHC	0003	S	MG/KG	0.0071	0.0071	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I X
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.81	0.81	U			R X
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			R X
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I X

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.81	0.81	U			R X
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			R X
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U			I X
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.81	0.81	U			R X
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.79	0.79	U			I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.79	0.79	U			R X
DIBENZOFURAN	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
DIBENZOFURAN	0001	S	MG/KG	0.74	0.74	U			I X
DIBENZOFURAN	0002	S	MG/KG	0.79	0.79	U			I
DIBENZOFURAN	0002	S	MG/KG	0.81	0.81	U			R X
DIBENZOFURAN	0003	S	MG/KG	0.79	0.79	U			I
DIBENZOFURAN	0003	S	MG/KG	0.79	0.79	U			R X
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.014	B	0.014	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.012	B	0.012	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.049	B	0.049	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U			I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U			I
DIELDRIN	0003	S	MG/KG	0.0016	0.0016	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
DIETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I
DIETHYL PHTHALATE	0002	S	MG/KG	0.81	0.81	U			R X
DIETHYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			I
DIETHYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			R X
DIMETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
DIMETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I X
DIMETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.81	0.81	U			R X
DIMETHYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U			R X
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0098	0.0098	U			I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0095	0.0095	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U			I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0033	0.0033	U			I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0032	0.0032	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.018	0.018	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0197	0.0197	U			I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.019	0.019	U			I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U			I
ENDRIN	0002	S	MG/KG	0.0049	0.0049	U			I
ENDRIN	0003	S	MG/KG	0.0048	0.0048	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0172	0.0172	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0189	0.0189	U			I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0182	0.0182	U			I
ENDRIN KETONE	0001	S	MG/KG	0.018	0.018	U			

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN KETONE	0002	S	MG/KG	0.0197	0.0197	U			I
ENDRIN KETONE	0003	S	MG/KG	0.019	0.019	U			I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U			I X
FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			I
FLUORANTHENE	0002	S	MG/KG	0.81	0.81	U			R X
FLUORANTHENE	0003	S	MG/KG	0.79	0.79	U			I
FLUORANTHENE	0003	S	MG/KG	0.79	0.79	U			R X
FLUORENE	0001	S	MG/KG	0.74	0.74	U			I X
FLUORENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
FLUORENE	0002	S	MG/KG	0.79	0.79	U			I
FLUORENE	0002	S	MG/KG	0.81	0.81	U			R X
FLUORENE	0003	S	MG/KG	0.79	0.79	U			I
FLUORENE	0003	S	MG/KG	0.79	0.79	U			R X
GAMMA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U			I
GAMMA CHLORDANE	0002	S	MG/KG	0.0115	0.0115	U			I
GAMMA CHLORDANE	0003	S	MG/KG	0.0111	0.0111	U			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0033	0.0033	U			I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0032	0.0032	U			I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U			I
HEPTACHLOR	0002	S	MG/KG	0.0025	0.0025	U			I
HEPTACHLOR	0003	S	MG/KG	0.0024	0.0024	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.009	0.009	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0098	0.0098	U			I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0095	0.0095	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
HEXACHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I X
HEXACHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I
HEXACHLOROBENZENE	0002	S	MG/KG	0.81	0.81	U			R X
HEXACHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			I
HEXACHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.74	0.74	U			I X
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.79	0.79	U			I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.81	0.81	U			R X
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.79	0.79	U			I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.74	0.74	U			I X
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.79	0.79	U			I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.81	0.81	U			R X
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.79	0.79	U			I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROETHANE	0001	S	MG/KG	0.74	0.74	U			I X
HEXACHLOROETHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
HEXACHLOROETHANE	0002	S	MG/KG	0.79	0.79	U			I
HEXACHLOROETHANE	0002	S	MG/KG	0.81	0.81	U			R X
HEXACHLOROETHANE	0003	S	MG/KG	0.79	0.79	U			I
HEXACHLOROETHANE	0003	S	MG/KG	0.79	0.79	U			R X
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.74	0.74	U			I X
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.79	0.79	U			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.81	0.81	U			R X
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.79	0.79	U			I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.79	0.79	U			R X
IRON, TOTAL	0001	S	MG/KG	.01	12300.	*			I
IRON, TOTAL	0002	S	MG/KG	.01	27900.	*			I
IRON, TOTAL	0003	S	MG/KG	.01	23000.	*			I
ISOPHORONE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
ISOPHORONE	0001	S	MG/KG	0.74	0.74	U			I X
ISOPHORONE	0002	S	MG/KG	0.79	0.79	U			I
ISOPHORONE	0002	S	MG/KG	0.81	0.81	U			R X
ISOPHORONE	0003	S	MG/KG	0.79	0.79	U			I
ISOPHORONE	0003	S	MG/KG	0.79	0.79	U			R X
LEAD, TOTAL	0001	S	MG/KG	.002	10.		10.0	J	I
LEAD, TOTAL	0002	S	MG/KG	.002	10.		10.0	J	I
LEAD, TOTAL	0003	S	MG/KG	.46	.46		0.46	UJ	I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	34400.	*	34400.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	8650.	*	8650.	J	I
MAGNESIUM, TOTAL	0003	S	MG/KG	.05	12000.	*	12000	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	337.		337.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.002	766.		766.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.006	432.		432.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0898	0.0898	U			I
METHOXYCHLOR	0002	S	MG/KG	0.0984	0.0984	U			I
METHOXYCHLOR	0003	S	MG/KG	0.0952	0.0952	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.74	0.74	U			I X
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.79	0.79	U			I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.81	0.81	U			R X
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.79	0.79	U			I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.79	0.79	U			R X
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.74	0.74	U			I X
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.79	0.79	U			I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.81	0.81	U			R X
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.79	0.79	U			I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.79	0.79	U			R X
NAPHTHALENE	0001	S	MG/KG	0.74	0.74	U			I X
NAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
NAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			I
NAPHTHALENE	0002	S	MG/KG	0.81	0.81	U			R X
NAPHTHALENE	0003	S	MG/KG	0.79	0.79	U			I
NAPHTHALENE	0003	S	MG/KG	0.79	0.79	U			R X
NICKEL, TOTAL	0001	S	MG/KG	.02	23.				I
NICKEL, TOTAL	0002	S	MG/KG	.02	29.9				I
NICKEL, TOTAL	0003	S	MG/KG	.02	26.6				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.74	0.74	U			I X
NITROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
NITROBENZENE	0002	S	MG/KG	0.79	0.79	U			I
NITROBENZENE	0002	S	MG/KG	0.81	0.81	U			R X
NITROBENZENE	0003	S	MG/KG	0.79	0.79	U			I
NITROBENZENE	0003	S	MG/KG	0.79	0.79	U			R X
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U			I X
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	R
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U			I
PENTACHLOROPHENOL	0002	S	MG/KG	3.9	3.9	U			R X
PENTACHLOROPHENOL	0003	S	MG/KG	3.9	3.9	U			I
PENTACHLOROPHENOL	0003	S	MG/KG	3.8	3.8	U			R X
PHENANTHRENE	0001	S	MG/KG	0.74	0.74	U			I X
PHENANTHRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
PHENANTHRENE	0002	S	MG/KG	0.79	0.79	U			I
PHENANTHRENE	0002	S	MG/KG	0.81	0.81	U			R X
PHENANTHRENE	0003	S	MG/KG	0.79	0.79	U			I
PHENANTHRENE	0003	S	MG/KG	0.79	0.79	U			R X
PHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
PHENOL	0001	S	MG/KG	0.74	0.74	U			I X
PHENOL	0002	S	MG/KG	0.79	0.79	U			I
PHENOL	0002	S	MG/KG	0.81	0.81	U			R X
PHENOL	0003	S	MG/KG	0.79	0.79	U			I
PHENOL	0003	S	MG/KG	0.79	0.79	U			R X
POTASSIUM, TOTAL	0001	S	MG/KG	.1	1010.				I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	2340.				I
POTASSIUM, TOTAL	0003	S	MG/KG	.1	2030.				I
PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	R
PYRENE	0001	S	MG/KG	0.74	0.74	U			I X
PYRENE	0002	S	MG/KG	0.79	0.79	U			I
PYRENE	0002	S	MG/KG	0.81	0.81	U			R X
PYRENE	0003	S	MG/KG	0.79	0.79	U			I
PYRENE	0003	S	MG/KG	0.79	0.79	U			R X
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.42	.42		0.42	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.45	.45		0.45	UJ	I
SELENIUM, TOTAL	0003	S	MG/KG	.46	.46	U			I
SILVER, TOTAL	0001	S	MG/KG	.01	15.7		15.7	J	I
SILVER, TOTAL	0002	S	MG/KG	.01	14.7		14.7	J	I
SILVER, TOTAL	0003	S	MG/KG	.01	13.5		13.5	J	I
SODIUM, TOTAL	0001	S	MG/KG	.1	180.				I
SODIUM, TOTAL	0002	S	MG/KG	.1	372.				I
SODIUM, TOTAL	0003	S	MG/KG	.1	228.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.012				I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.004	J			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I

APPENDIX A
Location: MND33-0006
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.42	.42		0.42	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.45	.45		0.45	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.46	.46		0.46	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.18	0.18	U			I
TOXAPHENE	0002	S	MG/KG	0.197	0.197	U			I
TOXAPHENE	0003	S	MG/KG	0.19	0.19	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	21.4				I
VANADIUM, TOTAL	0002	S	MG/KG	.01	27.6				I
VANADIUM, TOTAL	0003	S	MG/KG	.01	22.1				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	34.7	*			I
ZINC, TOTAL	0002	S	MG/KG	.005	61.7	*			I
ZINC, TOTAL	0003	S	MG/KG	.005	46.8	*			I

APPENDIX A
Location: MWD33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U			I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U			I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U			I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U			I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U			I

APPENDIX A
Location: MWD33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.7	3.7	U			I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.76	0.76	U			I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.76	0.76	U			I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.76	0.76	U			I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
2,4-DINITROPHENOL	0002	S	MG/KG	3.7	3.7	U			I
2,4-DINITROPHENOL	0003	S	MG/KG	3.7	3.7	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U			I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.76	0.76	U			I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.77	0.77	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U			I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.76	0.76	U			I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.77	0.77	U			I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I X
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I X
2-BUTANONE	0003	S	MG/KG	0.012	0.003	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.72	0.72	U			I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.76	0.76	U			I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.77	0.77	U			I
2-CHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2-CHLOROPHENOL	0002	S	MG/KG	0.76	0.76	U			I
2-CHLOROPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.72	0.72	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.76	0.76	U			I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.77	0.77	U			I
2-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2-METHYLPHENOL	0002	S	MG/KG	0.76	0.76	U			I
2-METHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U			I
2-NITROANILINE	0002	S	MG/KG	3.7	3.7	U			I

APPENDIX A
Location: MND33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	0003	S	MG/KG	3.7	3.7	U			I
2-NITROPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2-NITROPHENOL	0002	S	MG/KG	0.76	0.76	U			I
2-NITROPHENOL	0003	S	MG/KG	0.77	0.77	U			I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U			I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U			I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U			I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U			I
3-NITROANILINE	0002	S	MG/KG	3.7	3.7	U			I
3-NITROANILINE	0003	S	MG/KG	3.7	3.7	U			I
4,4'-DDD	0001	S	MG/KG	0.0081	0.0081	U			I
4,4'-DDD	0002	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0088	0.0088	U			I
4,4'-DDT	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U			I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.7	3.7	U			I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.7	3.7	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.72	0.72	U			I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.76	0.76	U			I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.77	0.77	U			I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U			I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.76	0.76	U			I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I
4-CHLOROANILINE	0001	S	MG/KG	0.72	0.72	U			I
4-CHLOROANILINE	0002	S	MG/KG	0.76	0.76	U			I
4-CHLOROANILINE	0003	S	MG/KG	0.77	0.77	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.72	0.72	U			I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.76	0.76	U			I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.77	0.77	U			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U			I
4-METHYLPHENOL	0002	S	MG/KG	0.76	0.76	U			I
4-METHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U			I
4-NITROANILINE	0002	S	MG/KG	3.7	3.7	U			I
4-NITROANILINE	0003	S	MG/KG	3.7	3.7	U			I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
4-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U			I
4-NITROPHENOL	0003	S	MG/KG	3.7	3.7	U			I
ACENAPHTHENE	0001	S	MG/KG	0.72	0.72	U			I
ACENAPHTHENE	0002	S	MG/KG	0.76	0.76	U			I
ACENAPHTHENE	0003	S	MG/KG	0.77	0.77	U			I
ACENAPHTHYLENE	0001	S	MG/KG	0.72	0.72	U			I

APPENDIX A
Location: MND33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	0002	S	MG/KG	0.76	0.76	U			I
ACENAPHTHYLENE	0003	S	MG/KG	0.77	0.77	U			I
ACETONE	0001	S	MG/KG	0.011	0.008	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.011	0.005	JB	0.005	U	I
ACETONE	0003	S	MG/KG	0.012	0.014	B	0.014	U	I
ALDRIN	0001	S	MG/KG	0.0029	0.0029	U			I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0003	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0103	0.0103	U			I
ALPHA CHLORDANE	0002	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U			I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	6700.	*	6700.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	.06	9480.	*	9480.	J	I
ALUMINUM, TOTAL	0003	S	MG/KG	.06	7980.	*	7980.	J	I
ANTHRACENE	0001	S	MG/KG	0.72	0.72	U			I
ANTHRACENE	0002	S	MG/KG	0.76	0.76	U			I
ANTHRACENE	0003	S	MG/KG	0.77	0.77	U			I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	25.5		25.5	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	.03	18.5		18.5	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	.03	17.3		17.3	J	I
AROCLOR-1016	0001	S	MG/KG	0.088	0.088	U			I
AROCLOR-1016	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.088	0.088	U			I
AROCLOR-1221	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.088	0.088	U			I
AROCLOR-1232	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.088	0.088	U			I
AROCLOR-1242	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.176	0.176	U	0.176	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.184	0.184	U	0.184	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.176	0.176	U			I
AROCLOR-1260	0002	S	MG/KG	0.184	0.184	U	0.184	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.19	0.19	U	0.19	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	4.8		4.8	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	3.		3.0	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.002	2.4		2.4	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	25.8				I
BARIUM, TOTAL	0002	S	MG/KG	.002	32.				I
BARIUM, TOTAL	0003	S	MG/KG	.002	29.2				

APPENDIX A
Location: MND33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.76	0.76	U			I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.77	0.77	U			I
BENZO(A)PYRENE	0001	S	MG/KG	0.72	0.72	U			I
BENZO(A)PYRENE	0002	S	MG/KG	0.76	0.76	U			I
BENZO(A)PYRENE	0003	S	MG/KG	0.77	0.77	U			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.76	0.76	U			I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.77	0.77	U			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.72	0.72	U			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.76	0.76	U			I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.77	0.77	U			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.76	0.76	U			I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.77	0.77	U			I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U			I
BENZOIC ACID	0002	S	MG/KG	3.7	3.7	U			I
BENZOIC ACID	0003	S	MG/KG	3.7	3.7	U			I
BENZYL ALCOHOL	0001	S	MG/KG	0.72	0.72	U			I
BENZYL ALCOHOL	0002	S	MG/KG	0.76	0.76	U			I
BENZYL ALCOHOL	0003	S	MG/KG	0.77	0.77	U			I
BERYLLIUM	0001	S	MG/KG	.002	.71	B			I
BERYLLIUM	0002	S	MG/KG	.002	.77	B			I
BERYLLIUM	0003	S	MG/KG	.002	.77	B			I
BETA-BHC	0001	S	MG/KG	0.0044	0.0044	U			I
BETA-BHC	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BETA-BHC	0003	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.72	0.72	U			I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.76	0.76	U			I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.77	0.77	U			I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.72	0.72	U			I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.76	0.76	U			I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.77	0.77	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.72	0.72	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.76	0.76	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.77	0.77	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.76	0.76	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	0003	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U			I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
CADMIUM, TOTAL	0001	S	MG/KG	.002	4.3		4.3	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.002	2.5		2.5	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.002	2.2		2.2	J	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	87800.				I
CALCIUM, TOTAL	0002	S	MG/KG	.02	84400.				I
CALCIUM, TOTAL	0003	S	MG/KG	.02	114000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	24.9				I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	28.1				I
CHROMIUM, TOTAL	0003	S	MG/KG	.01	27.7				I
CHRYSENE	0001	S	MG/KG	0.72	0.72	U			I
CHRYSENE	0002	S	MG/KG	0.76	0.76	U			I
CHRYSENE	0003	S	MG/KG	0.77	0.77	U			I
COBALT, TOTAL	0001	S	MG/KG	.01	9.9				I
COBALT, TOTAL	0002	S	MG/KG	.01	13.4				I
COBALT, TOTAL	0003	S	MG/KG	.01	11.1				I
COPPER, TOTAL	0001	S	MG/KG	.01	25.3				I
COPPER, TOTAL	0002	S	MG/KG	.01	23.				I
COPPER, TOTAL	0003	S	MG/KG	.01	18.3				I
DELTA-BHC	0001	S	MG/KG	0.0066	0.0066	U			I
DELTA-BHC	0002	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U			I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U			I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U			I

APPENDIX A
Location: MND33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.76	0.76	U			I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.77	0.77	U			I
DIBENZOFURAN	0001	S	MG/KG	0.72	0.72	U			I
DIBENZOFURAN	0002	S	MG/KG	0.76	0.76	U			I
DIBENZOFURAN	0003	S	MG/KG	0.77	0.77	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.013	B	0.013	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.004	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.013	B	0.013	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U			I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0003	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I
DIETHYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U			I
DIETHYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U			I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0088	0.0088	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0029	0.0029	U			I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0176	0.0176	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN	0001	S	MG/KG	0.0044	0.0044	U			I
ENDRIN	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN	0003	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0169	0.0169	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0176	0.0176	U			I
ENDRIN KETONE	0002	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U			I
FLUORANTHENE	0002	S	MG/KG	0.76	0.76	U			I
FLUORANTHENE	0003	S	MG/KG	0.77	0.77	U			I
FLUORENE	0001	S	MG/KG	0.72	0.72	U			I
FLUORENE	0002	S	MG/KG	0.76	0.76	U			I
FLUORENE	0003	S	MG/KG	0.77	0.77	U			I
GAMMA CHLORDANE	0001	S	MG/KG	0.0103	0.0103	U			I
GAMMA CHLORDANE	0002	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I

APPENDIX A
Location: MWD33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0029	0.0029	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U			I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0088	0.0088	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
HEXACHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U			I
HEXACHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.72	0.72	U			I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.76	0.76	U			I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.77	0.77	U			I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.72	0.72	U			I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.76	0.76	U			I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.77	0.77	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.72	0.72	U			I
HEXACHLOROETHANE	0002	S	MG/KG	0.76	0.76	U			I
HEXACHLOROETHANE	0003	S	MG/KG	0.77	0.77	U			I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.72	0.72	U			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.76	0.76	U			I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.77	0.77	U			I
IRON, TOTAL	0001	S	MG/KG	.01	16000.	*			I
IRON, TOTAL	0002	S	MG/KG	.01	21200.	*			I
IRON, TOTAL	0003	S	MG/KG	.01	18900.	*			I
ISOPHORONE	0001	S	MG/KG	0.72	0.72	U			I
ISOPHORONE	0002	S	MG/KG	0.76	0.76	U			I
ISOPHORONE	0003	S	MG/KG	0.77	0.77	U			I
LEAD, TOTAL	0001	S	MG/KG	.002	7.4		7.4	J	I
LEAD, TOTAL	0002	S	MG/KG	.002	6.7		6.7	J	I
LEAD, TOTAL	0003	S	MG/KG	.002	7.1		7.1	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	31800.	*	31800.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	17400.	*	17400.	J	I
MAGNESIUM, TOTAL	0003	S	MG/KG	.05	13900.	*	13900.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	262.		262.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.002	458.		458.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.002	385.		385.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.1	.1	U			I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0003	S	MG/KG	.12	.12	U			I
METHOXYCHLOR	0001	S	MG/KG	0.088	0.088	U			I
METHOXYCHLOR	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.72	0.72	U			I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.76	0.76	U			I

APPENDIX A
Location: MWD33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.77	0.77	U			I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.72	0.72	U			I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.76	0.76	U			I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.77	0.77	U			I
NAPHTHALENE	0001	S	MG/KG	0.72	0.72	U			I
NAPHTHALENE	0002	S	MG/KG	0.76	0.76	U			I
NAPHTHALENE	0003	S	MG/KG	0.77	0.77	U			I
NICKEL, TOTAL	0001	S	MG/KG	.02	24.5				I
NICKEL, TOTAL	0002	S	MG/KG	.02	26.8				I
NICKEL, TOTAL	0003	S	MG/KG	.02	21.4				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
NITROBENZENE	0002	S	MG/KG	0.76	0.76	U			I
NITROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
PENTACHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U			I
PENTACHLOROPHENOL	0003	S	MG/KG	3.7	3.7	U			I
PHENANTHRENE	0001	S	MG/KG	0.72	0.72	U			I
PHENANTHRENE	0002	S	MG/KG	0.76	0.76	U			I
PHENANTHRENE	0003	S	MG/KG	0.77	0.77	U			I
PHENOL	0001	S	MG/KG	0.72	0.72	U			I
PHENOL	0002	S	MG/KG	0.76	0.76	U			I
PHENOL	0003	S	MG/KG	0.77	0.77	U			I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	1020.				I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	1720.				I
POTASSIUM, TOTAL	0003	S	MG/KG	.1	1410.				I
PYRENE	0001	S	MG/KG	0.72	0.72	U			I
PYRENE	0002	S	MG/KG	0.76	0.76	U			I
PYRENE	0003	S	MG/KG	0.77	0.77	U			I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.42	.42	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.44	.44	U			I
SELENIUM, TOTAL	0003	S	MG/KG	.45	.45		0.45	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.01	13.8		13.8	J	I
SILVER, TOTAL	0002	S	MG/KG	.01	13.5		13.5	J	I
SILVER, TOTAL	0003	S	MG/KG	.01	15.5		15.5	J	I
SODIUM, TOTAL	0001	S	MG/KG	.1	170.				I
SODIUM, TOTAL	0002	S	MG/KG	.1	202.				I
SODIUM, TOTAL	0003	S	MG/KG	.1	166.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.002	J			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.001	J			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.001	J			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I

APPENDIX A
Location: MWD33-0009
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.42	.42		0.42	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.44	.44		0.44	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.45	.45		0.45	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.176	0.176	U			I
TOXAPHENE	0002	S	MG/KG	0.184	0.184	U	0.184	UJ	I
TOXAPHENE	0003	S	MG/KG	0.19	0.19	U	0.19	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	23.6				I
VANADIUM, TOTAL	0002	S	MG/KG	.01	23.1				I
VANADIUM, TOTAL	0003	S	MG/KG	.01	20.6				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	39.7	*			I
ZINC, TOTAL	0002	S	MG/KG	.005	43.5	*			I
ZINC, TOTAL	0003	S	MG/KG	.005	39.2	*			I

APPENDIX A
Location: MND33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U	0.005	J	I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0005	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0006	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2,2-TETRACHLOROETHANE	0004	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2,2-TETRACHLOROETHANE	0005	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2,2-TETRACHLOROETHANE	0006	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0005	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0006	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0005	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0006	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0005	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0006	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.71	0.71	U			I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
1,2,4-TRICHLOROBENZENE	0005	S	MG/KG	0.81	0.81	U			I
1,2,4-TRICHLOROBENZENE	0006	S	MG/KG	0.81	0.81	U			I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U			I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.71	0.71	U			I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
1,2-DICHLOROBENZENE	0005	S	MG/KG	0.81	0.81	U			I
1,2-DICHLOROBENZENE	0006	S	MG/KG	0.81	0.81	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0005	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0006	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0005	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0006	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0005	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2-DICHLOROPROPANE	0006	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0003	S	MG/KG	1.2	1.2	U			I
1,3,5-TRINITROBENZENE	0005	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0006	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0005	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0006	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U			I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.71	0.71	U			I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
1,3-DICHLOROBENZENE	0005	S	MG/KG	0.81	0.81	U			I
1,3-DICHLOROBENZENE	0006	S	MG/KG	0.81	0.81	U			I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0005	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0006	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0005	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0006	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.71	0.71	U			I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
1,4-DICHLOROBENZENE	0005	S	MG/KG	0.81	0.81	U			I
1,4-DICHLOROBENZENE	0006	S	MG/KG	0.81	0.81	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U			I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.4	3.4	U			I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.8	3.8	U			I
2,4,5-TRICHLOROPHENOL	0005	S	MG/KG	3.9	3.9	U			I
2,4,5-TRICHLOROPHENOL	0006	S	MG/KG	3.9	3.9	U			I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U			I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.71	0.71	U			I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2,4,6-TRICHLOROPHENOL	0005	S	MG/KG	0.81	0.81	U			I
2,4,6-TRICHLOROPHENOL	0006	S	MG/KG	0.81	0.81	U			I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0005	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0006	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U			I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.71	0.71	U			I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2,4-DICHLOROPHENOL	0005	S	MG/KG	0.81	0.81	U			I
2,4-DICHLOROPHENOL	0006	S	MG/KG	0.81	0.81	U			I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.75	0.75	U			I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.71	0.71	U			I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2,4-DIMETHYLPHENOL	0005	S	MG/KG	0.81	0.81	U			I
2,4-DIMETHYLPHENOL	0006	S	MG/KG	0.81	0.81	U			I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U			I
2,4-DINITROPHENOL	0002	S	MG/KG	3.4	3.4	U			I
2,4-DINITROPHENOL	0003	S	MG/KG	3.8	3.8	U			I
2,4-DINITROPHENOL	0005	S	MG/KG	3.9	3.9	U			I
2,4-DINITROPHENOL	0006	S	MG/KG	3.9	3.9	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0005	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0006	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U			I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.71	0.71	U			I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.77	0.77	U			I
2,4-DINITROTOLUENE	0005	S	MG/KG	0.81	0.81	U			I
2,4-DINITROTOLUENE	0006	S	MG/KG	0.81	0.81	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0005	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0006	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U			I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.71	0.71	U			I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.77	0.77	U			I
2,6-DINITROTOLUENE	0005	S	MG/KG	0.81	0.81	U			I
2,6-DINITROTOLUENE	0006	S	MG/KG	0.81	0.81	U			I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0005	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0006	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.005	J			I
2-BUTANONE	0002	S	MG/KG	0.011	0.003	J			I
2-BUTANONE	0003	S	MG/KG	0.011	0.007	J			I
2-BUTANONE	0004	S	MG/KG	0.012	0.004	J			I
2-BUTANONE	0005	S	MG/KG	0.012	0.063		0.063	J	I
2-BUTANONE	0006	S	MG/KG	0.012	0.012	U			I X
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.75	0.75	U			I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.71	0.71	U			I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.77	0.77	U			I
2-CHLORONAPHTHALENE	0005	S	MG/KG	0.81	0.81	U			I
2-CHLORONAPHTHALENE	0006	S	MG/KG	0.81	0.81	U			I
2-CHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U			I
2-CHLOROPHENOL	0002	S	MG/KG	0.71	0.71	U			I
2-CHLOROPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2-CHLOROPHENOL	0005	S	MG/KG	0.81	0.81	U			I
2-CHLOROPHENOL	0006	S	MG/KG	0.81	0.81	U			I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U	0.00011	UJ	I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-HEXANONE	0004	S	MG/KG	0.012	0.011	J	0.011	UJ	I
2-HEXANONE	0005	S	MG/KG	0.012	0.012	U	0.012	UJ	I
2-HEXANONE	0006	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.75	0.75	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.71	0.71	U			I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.77	0.77	U			I
2-METHYLNAPHTHALENE	0005	S	MG/KG	0.81	0.81	U			I
2-METHYLNAPHTHALENE	0006	S	MG/KG	0.81	0.81	U			I
2-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U			I
2-METHYLPHENOL	0002	S	MG/KG	0.71	0.71	U			I
2-METHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2-METHYLPHENOL	0005	S	MG/KG	0.81	0.81	U			I
2-METHYLPHENOL	0006	S	MG/KG	0.81	0.81	U			I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I
2-NITROANILINE	0002	S	MG/KG	3.4	3.4	U			I
2-NITROANILINE	0003	S	MG/KG	3.8	3.8	U			I
2-NITROANILINE	0005	S	MG/KG	3.9	3.9	U			I
2-NITROANILINE	0006	S	MG/KG	3.9	3.9	U			I
2-NITROPHENOL	0001	S	MG/KG	0.75	0.75	U			I
2-NITROPHENOL	0002	S	MG/KG	0.71	0.71	U			I
2-NITROPHENOL	0003	S	MG/KG	0.77	0.77	U			I
2-NITROPHENOL	0005	S	MG/KG	0.81	0.81	U			I
2-NITROPHENOL	0006	S	MG/KG	0.81	0.81	U			I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U			I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U			I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U			I
3,3'-DICHLOROBENZIDINE	0005	S	MG/KG	1.6	1.6	U			I
3,3'-DICHLOROBENZIDINE	0006	S	MG/KG	1.6	1.6	U			I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I
3-NITROANILINE	0002	S	MG/KG	3.4	3.4	U			I
3-NITROANILINE	0003	S	MG/KG	3.8	3.8	U			I
3-NITROANILINE	0005	S	MG/KG	3.9	3.9	U			I
3-NITROANILINE	0006	S	MG/KG	3.9	3.9	U			I
4,4'-DDD	0001	S	MG/KG	0.0083	0.0083	U			I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0003	S	MG/KG	0.0087	0.0087	U			I
4,4'-DDD	0005	S	MG/KG	0.0091	0.0091	U			I
4,4'-DDD	0006	S	MG/KG	0.0089	0.0089	U			I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDE	0005	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	0006	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0091	0.0091	U			I
4,4'-DDT	0002	S	MG/KG	0.0087	0.0087	U			I
4,4'-DDT	0003	S	MG/KG	0.0095	0.0095	U			I
4,4'-DDT	0005	S	MG/KG	0.0099	0.0099	U			I
4,4'-DDT	0006	S	MG/KG	0.0098	0.0098	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U			I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.4	3.4	U			I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.8	3.8	U			I
4,6-DINITRO-O-CRESOL	0005	S	MG/KG	3.9	3.9	U			I
4,6-DINITRO-O-CRESOL	0006	S	MG/KG	3.9	3.9	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.75	0.75	U			I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.71	0.71	U			I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.77	0.77	U			I
4-BROMOPHENYL-PHENYL ETHER	0005	S	MG/KG	0.81	0.81	U			I
4-BROMOPHENYL-PHENYL ETHER	0006	S	MG/KG	0.81	0.81	U			I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U			I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.71	0.71	U			I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I
4-CHLORO-3-METHYLPHENOL	0005	S	MG/KG	0.81	0.81	U			I
4-CHLORO-3-METHYLPHENOL	0006	S	MG/KG	0.81	0.81	U			I
4-CHLOROANILINE	0001	S	MG/KG	0.75	0.75	U			I
4-CHLOROANILINE	0002	S	MG/KG	0.71	0.71	U			I
4-CHLOROANILINE	0003	S	MG/KG	0.77	0.77	U			I
4-CHLOROANILINE	0005	S	MG/KG	0.81	0.81	U			I
4-CHLOROANILINE	0006	S	MG/KG	0.81	0.81	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.75	0.75	U			I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.71	0.71	U			I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.77	0.77	U			I
4-CHLOROPHENYL-PHENYLETHER	0005	S	MG/KG	0.81	0.81	U			I
4-CHLOROPHENYL-PHENYLETHER	0006	S	MG/KG	0.81	0.81	U			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.008	J			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
4-METHYL-2-PENTANONE	0004	S	MG/KG	0.012	0.012	U	0.012	UJ	I
4-METHYL-2-PENTANONE	0005	S	MG/KG	0.012	0.012	U	0.012	UJ	I
4-METHYL-2-PENTANONE	0006	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U			I
4-METHYLPHENOL	0002	S	MG/KG	0.71	0.71	U			I
4-METHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I
4-METHYLPHENOL	0005	S	MG/KG	0.81	0.81	U			I
4-METHYLPHENOL	0006	S	MG/KG	0.81	0.81	U			I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I
4-NITROANILINE	0002	S	MG/KG	3.4	3.4	U			I
4-NITROANILINE	0003	S	MG/KG	3.8	3.8	U			I
4-NITROANILINE	0005	S	MG/KG	3.9	3.9	U			I
4-NITROANILINE	0006	S	MG/KG	3.9	3.9	U			I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U			I
4-NITROPHENOL	0002	S	MG/KG	3.4	3.4	U			I
4-NITROPHENOL	0003	S	MG/KG	3.8	3.8	U			I
4-NITROPHENOL	0005	S	MG/KG	3.9	3.9	U			I
4-NITROPHENOL	0006	S	MG/KG	3.9	3.9	U			I
ACENAPHTHENE	0001	S	MG/KG	0.75	0.75	U			I
ACENAPHTHENE	0002	S	MG/KG	0.71	0.71	U			I
ACENAPHTHENE	0003	S	MG/KG	0.77	0.77	U			I
ACENAPHTHENE	0005	S	MG/KG	0.81	0.81	U			I
ACENAPHTHENE	0006	S	MG/KG	0.81	0.81	U			I
ACENAPHTHYLENE	0001	S	MG/KG	0.75	0.75	U			I
ACENAPHTHYLENE	0002	S	MG/KG	0.71	0.71	U			I
ACENAPHTHYLENE	0003	S	MG/KG	0.77	0.77	U			I
ACENAPHTHYLENE	0005	S	MG/KG	0.81	0.81	U			I
ACENAPHTHYLENE	0006	S	MG/KG	0.81	0.81	U			I
ACETONE	0001	S	MG/KG	0.011	0.025	B	0.025	UJ	I
ACETONE	0002	S	MG/KG	0.011	0.008	JB	0.011	UJ	I
ACETONE	0003	S	MG/KG	0.011	0.042	B	0.042	UJ	I
ACETONE	0004	S	MG/KG	0.012	0.011	JB	0.011	UJ	I
ACETONE	0005	S	MG/KG	0.012	0.22	B	0.022	UJ	I
ACETONE	0006	S	MG/KG	0.012	0.008	J	0.012	UJ	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U			I
ALDRIN	0002	S	MG/KG	0.0029	0.0029	U			I
ALDRIN	0003	S	MG/KG	0.0032	0.0032	U			I
ALDRIN	0005	S	MG/KG	0.0033	0.0033	U			I
ALDRIN	0006	S	MG/KG	0.0032	0.0032	U			I
ALPHA CHLORDANE	0001	S	MG/KG	0.0106	0.0106	U			I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALPHA CHLORDANE	0002	S	MG/KG	0.0101	0.0101	U			I
ALPHA CHLORDANE	0003	S	MG/KG	0.0111	0.0111	U			I
ALPHA CHLORDANE	0005	S	MG/KG	0.0116	0.0116	U			I
ALPHA CHLORDANE	0006	S	MG/KG	0.0114	0.0114	U			I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U			I
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U			I
ALPHA-BHC	0003	S	MG/KG	0.0024	0.0024	U			I
ALPHA-BHC	0005	S	MG/KG	0.0025	0.0025	U			I
ALPHA-BHC	0006	S	MG/KG	0.0024	0.0024	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	1590.	*	1590.	J	I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	8550.	*	8550.	J	I
ALUMINUM, TOTAL	0005	S	MG/KG	6.	14000.	*	14000.	J	I
ALUMINUM, TOTAL	0006	S	MG/KG	6.	4950.	*	4950.	J	I
ANTHRACENE	0001	S	MG/KG	0.75	0.75	U			I
ANTHRACENE	0002	S	MG/KG	0.71	0.71	U			I
ANTHRACENE	0003	S	MG/KG	0.77	0.77	U			I
ANTHRACENE	0005	S	MG/KG	0.81	0.81	U			I
ANTHRACENE	0006	S	MG/KG	0.81	0.81	U			I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	40.9		40.9	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	6.7		3.3	J	I
ANTIMONY, TOTAL	0005	S	MG/KG	7.	7.		7.0	J	I
ANTIMONY, TOTAL	0006	S	MG/KG	3.	29.		29.0	J	I
AROCLOR-1016	0001	S	MG/KG	0.0909	0.0909	U			I
AROCLOR-1016	0002	S	MG/KG	0.087	0.087	U			I
AROCLOR-1016	0003	S	MG/KG	0.0952	0.0952	U			I
AROCLOR-1016	0005	S	MG/KG	0.0993	0.0993	U			I
AROCLOR-1016	0006	S	MG/KG	0.0975	0.0975	U			I
AROCLOR-1221	0001	S	MG/KG	0.0909	0.0909	U			I
AROCLOR-1221	0002	S	MG/KG	0.087	0.087	U			I
AROCLOR-1221	0003	S	MG/KG	0.0952	0.0952	U			I
AROCLOR-1221	0005	S	MG/KG	0.0993	0.0993	U			I
AROCLOR-1221	0006	S	MG/KG	0.0975	0.0975	U			I
AROCLOR-1232	0001	S	MG/KG	0.0909	0.0909	U			I
AROCLOR-1232	0002	S	MG/KG	0.087	0.087	U			I
AROCLOR-1232	0003	S	MG/KG	0.0952	0.0952	U			I
AROCLOR-1232	0005	S	MG/KG	0.0993	0.0993	U			I
AROCLOR-1232	0006	S	MG/KG	0.0975	0.0975	U			I
AROCLOR-1242	0001	S	MG/KG	0.0909	0.0909	U			I
AROCLOR-1242	0002	S	MG/KG	0.087	0.087	U			I
AROCLOR-1242	0003	S	MG/KG	0.0952	0.0952	U			I
AROCLOR-1242	0005	S	MG/KG	0.0993	0.0993	U			I
AROCLOR-1242	0006	S	MG/KG	0.0975	0.0975	U			I
AROCLOR-1248	0001	S	MG/KG	0.0909	0.0909	U	0.0909	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.087	0.087	U	0.087	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0952	0.0952	U	0.0952	UJ	I
AROCLOR-1248	0005	S	MG/KG	0.0993	0.0993	U	0.0993	UJ	I
AROCLOR-1248	0006	S	MG/KG	0.0975	0.0975	U	0.0975	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.182	0.182	U	0.182	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.174	0.174	U	0.174	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1254	0005	S	MG/KG	0.199	0.199	U	0.199	UJ	I
AROCLOR-1254	0006	S	MG/KG	0.195	0.195	U	0.195	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.182	0.182	U			I
AROCLOR-1260	0002	S	MG/KG	0.174	0.174	U			I
AROCLOR-1260	0003	S	MG/KG	0.19	0.19	U			I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1260	0005	S	MG/KG	0.199	0.199	U			I
AROCLOR-1260	0006	S	MG/KG	0.195	0.195	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.1		3.1	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	3.3				I
ARSENIC, TOTAL	0005	S	MG/KG	.2	7.6		7.6	J	I
ARSENIC, TOTAL	0006	S	MG/KG	.2	5.3		5.3	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	16.	B			I
BARIUM, TOTAL	0003	S	MG/KG	.2	72.3				I
BARIUM, TOTAL	0005	S	MG/KG	.2	85.6				I
BARIUM, TOTAL	0006	S	MG/KG	.2	40.7	B			I
BENZENE	0001	S	MG/KG	0.006	0.005	J			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	0004	S	MG/KG	0.006	0.006	U			I
BENZENE	0005	S	MG/KG	0.006	0.006	U			I
BENZENE	0006	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.71	0.71	U			I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.77	0.77	U			I
BENZO(A)ANTHRACENE	0005	S	MG/KG	0.81	0.81	U			I
BENZO(A)ANTHRACENE	0006	S	MG/KG	0.81	0.81	U			I
BENZO(A)PYRENE	0001	S	MG/KG	0.75	0.75	U			I
BENZO(A)PYRENE	0002	S	MG/KG	0.71	0.71	U			I
BENZO(A)PYRENE	0003	S	MG/KG	0.77	0.77	U			I
BENZO(A)PYRENE	0005	S	MG/KG	0.81	0.81	U			I
BENZO(A)PYRENE	0006	S	MG/KG	0.81	0.81	U			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.71	0.71	U			I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.77	0.77	U			I
BENZO(B)FLUORANTHENE	0005	S	MG/KG	0.81	0.81	U			I
BENZO(B)FLUORANTHENE	0006	S	MG/KG	0.81	0.81	U			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.75	0.75	U			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.71	0.71	U			I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.77	0.77	U			I
BENZO(G,H,I)PERYLENE	0005	S	MG/KG	0.81	0.81	U			I
BENZO(G,H,I)PERYLENE	0006	S	MG/KG	0.81	0.81	U			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.71	0.71	U			I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.77	0.77	U			I
BENZO(K)FLUORANTHENE	0005	S	MG/KG	0.81	0.81	U			I
BENZO(K)FLUORANTHENE	0006	S	MG/KG	0.81	0.81	U			I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U			I
BENZOIC ACID	0002	S	MG/KG	3.4	3.4	U			I
BENZOIC ACID	0003	S	MG/KG	3.8	3.8	U			I
BENZOIC ACID	0005	S	MG/KG	3.9	3.9	U			I
BENZOIC ACID	0006	S	MG/KG	3.9	3.9	U			I
BENZYL ALCOHOL	0001	S	MG/KG	0.75	0.75	U			I
BENZYL ALCOHOL	0002	S	MG/KG	0.71	0.71	U			I
BENZYL ALCOHOL	0003	S	MG/KG	0.77	0.77	U			I
BENZYL ALCOHOL	0005	S	MG/KG	0.81	0.81	U			I
BENZYL ALCOHOL	0006	S	MG/KG	0.81	0.81	U			I
BERYLLIUM	0001	S	MG/KG	.2	.59	B			I
BERYLLIUM	0003	S	MG/KG	.2	.65	B			I
BERYLLIUM	0005	S	MG/KG	.2	.87	B			I
BERYLLIUM	0006	S	MG/KG	.2	.64	B			I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U			I
BETA-BHC	0002	S	MG/KG	0.0043	0.0043	U			I
BETA-BHC	0003	S	MG/KG	0.0048	0.0048	U			I
BETA-BHC	0005	S	MG/KG	0.005	0.005	U			I
BETA-BHC	0006	S	MG/KG	0.0049	0.0049	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.75	0.75	U			I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.71	0.71	U			I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.77	0.77	U			I
BIS(2-CHLOROETHOXY)METHANE	0005	S	MG/KG	0.81	0.81	U			I
BIS(2-CHLOROETHOXY)METHANE	0006	S	MG/KG	0.81	0.81	U			I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.75	0.75	U			I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.71	0.71	U			I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.77	0.77	U			I
BIS(2-CHLOROETHYL)ETHER	0005	S	MG/KG	0.81	0.81	U			I
BIS(2-CHLOROETHYL)ETHER	0006	S	MG/KG	0.81	0.81	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.75	0.75	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.71	0.71	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.77	0.77	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0005	S	MG/KG	0.81	0.81	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0006	S	MG/KG	0.81	0.81	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.75	0.75	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.71	0.71	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0005	S	MG/KG	0.81	0.81	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0006	S	MG/KG	0.81	0.81	U			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0005	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0006	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0004	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0005	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0006	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0004	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0005	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0006	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.71	0.71	U			I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
BUTYL BENZYL PHTHALATE	0005	S	MG/KG	0.81	0.81	U			I
BUTYL BENZYL PHTHALATE	0006	S	MG/KG	0.81	0.81	U			I
CADMIUM, TOTAL	0001	S	MG/KG	.2	8.7		8.7	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.2	1.2		1.2	J	I
CADMIUM, TOTAL	0005	S	MG/KG	.2	.75		0.75	J	I
CADMIUM, TOTAL	0006	S	MG/KG	.2	5.9		5.9	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	167000.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	52200.				I
CALCIUM, TOTAL	0005	S	MG/KG	2.	14500.				I
CALCIUM, TOTAL	0006	S	MG/KG	2.	117000.				I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.009		0.009	J	I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.003	J			I
CARBON DISULFIDE	0004	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0005	S	MG/KG	0.006	0.006	J			I
CARBON DISULFIDE	0006	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0004	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0005	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0006	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROBENZENE	0004	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROBENZENE	0005	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROBENZENE	0006	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0004	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0005	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0006	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0004	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0005	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0006	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0004	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0005	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0006	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	23.5				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	24.7				I
CHROMIUM, TOTAL	0005	S	MG/KG	1.	23.6				I
CHROMIUM, TOTAL	0006	S	MG/KG	1.	27.6				I
CHRYSENE	0001	S	MG/KG	0.75	0.75	U			I
CHRYSENE	0002	S	MG/KG	0.71	0.71	U			I
CHRYSENE	0003	S	MG/KG	0.77	0.77	U			I
CHRYSENE	0005	S	MG/KG	0.81	0.81	U			I
CHRYSENE	0006	S	MG/KG	0.81	0.81	U			I
COBALT, TOTAL	0001	S	MG/KG	1.	6.1	B			I
COBALT, TOTAL	0003	S	MG/KG	1.	10.2	B			I
COBALT, TOTAL	0005	S	MG/KG	1.	17.1				I
COBALT, TOTAL	0006	S	MG/KG	1.	9.8	B			I
COPPER, TOTAL	0001	S	MG/KG	1.	11.1				I
COPPER, TOTAL	0003	S	MG/KG	1.	22.1				I
COPPER, TOTAL	0005	S	MG/KG	1.	20.				I
COPPER, TOTAL	0006	S	MG/KG	1.	17.7				I
DELTA-BHC	0001	S	MG/KG	0.0068	0.0068	U			I
DELTA-BHC	0002	S	MG/KG	0.0065	0.0065	U			I
DELTA-BHC	0003	S	MG/KG	0.0071	0.0071	U			I

APPENDIX A
Location: MND33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DELTA-BHC	0005	S	MG/KG	0.0074	0.0074	U			I
DELTA-BHC	0006	S	MG/KG	0.0073	0.0073	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.71	0.71	U			I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
DI-N-BUTYL PHTHALATE	0005	S	MG/KG	0.81	0.81	U			I
DI-N-BUTYL PHTHALATE	0006	S	MG/KG	0.81	0.81	U			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U			I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.71	0.077	J			I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
DI-N-OCTYL PHTHALATE	0005	S	MG/KG	0.81	0.81	U			I
DI-N-OCTYL PHTHALATE	0006	S	MG/KG	0.81	0.81	U			I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U			I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.71	0.71	U			I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.77	0.77	U			I
DIBENZO(A,H)ANTHRACENE	0005	S	MG/KG	0.81	0.81	U			I
DIBENZO(A,H)ANTHRACENE	0006	S	MG/KG	0.81	0.81	U			I
DIBENZOFURAN	0001	S	MG/KG	0.75	0.75	U			I
DIBENZOFURAN	0002	S	MG/KG	0.71	0.71	U			I
DIBENZOFURAN	0003	S	MG/KG	0.77	0.77	U			I
DIBENZOFURAN	0005	S	MG/KG	0.81	0.81	U			I
DIBENZOFURAN	0006	S	MG/KG	0.81	0.81	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0005	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0006	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.006	B	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.013	B	0.013	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0004	S	MG/KG	0.006	0.007	B	0.007	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0005	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0006	S	MG/KG	0.006	0.004	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U			I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0003	S	MG/KG	0.0016	0.0016	U			I
DIELDRIN	0005	S	MG/KG	0.0017	0.0017	U			I
DIELDRIN	0006	S	MG/KG	0.0016	0.0016	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U			I
DIETHYL PHTHALATE	0002	S	MG/KG	0.71	0.71	U			I
DIETHYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
DIETHYL PHTHALATE	0005	S	MG/KG	0.81	0.81	U			I
DIETHYL PHTHALATE	0006	S	MG/KG	0.81	0.81	U			I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U			I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.71	0.71	U			I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I
DIMETHYL PHTHALATE	0005	S	MG/KG	0.81	0.81	U			I
DIMETHYL PHTHALATE	0006	S	MG/KG	0.81	0.81	U			I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0091	0.0091	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0087	0.0087	U			I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0095	0.0095	U			I
ENDOSULFAN I(ALPHA)	0005	S	MG/KG	0.0099	0.0099	U			I
ENDOSULFAN I(ALPHA)	0006	S	MG/KG	0.0098	0.0098	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U			I

APPENDIX A
Location: MND33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0029	0.0029	U			I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0032	0.0032	U			I
ENDOSULFAN II(BETA)	0005	S	MG/KG	0.0033	0.0033	U			I
ENDOSULFAN II(BETA)	0006	S	MG/KG	0.0039	0.0039	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0182	0.0182	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0174	0.0174	U			I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.019	0.019	U			I
ENDOSULFAN SULFATE	0005	S	MG/KG	0.0199	0.0199	U			I
ENDOSULFAN SULFATE	0006	S	MG/KG	0.0195	0.0195	U			I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U			I
ENDRIN	0002	S	MG/KG	0.0043	0.0043	U			I
ENDRIN	0003	S	MG/KG	0.0048	0.0048	U			I
ENDRIN	0005	S	MG/KG	0.005	0.005	U			I
ENDRIN	0006	S	MG/KG	0.0049	0.0049	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0174	0.0174	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0167	0.0167	U			I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0182	0.0182	U			I
ENDRIN ALDEHYDE	0005	S	MG/KG	0.019	0.019	U			I
ENDRIN ALDEHYDE	0006	S	MG/KG	0.0187	0.0187	U			I
ENDRIN KETONE	0001	S	MG/KG	0.0182	0.0182	U			I
ENDRIN KETONE	0002	S	MG/KG	0.0174	0.0174	U			I
ENDRIN KETONE	0003	S	MG/KG	0.019	0.019	U			I
ENDRIN KETONE	0005	S	MG/KG	0.0199	0.0199	U			I
ENDRIN KETONE	0006	S	MG/KG	0.0195	0.0195	U			I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
ETHYLBENZENE	0004	S	MG/KG	0.006	0.006	U	0.006	UJ	I
ETHYLBENZENE	0005	S	MG/KG	0.006	0.006	U	0.006	UJ	I
ETHYLBENZENE	0006	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U			I
FLUORANTHENE	0002	S	MG/KG	0.71	0.71	U			I
FLUORANTHENE	0003	S	MG/KG	0.77	0.77	U			I
FLUORANTHENE	0005	S	MG/KG	0.81	0.81	U			I
FLUORANTHENE	0006	S	MG/KG	0.81	0.81	U			I
FLUORENE	0001	S	MG/KG	0.75	0.75	U			I
FLUORENE	0002	S	MG/KG	0.71	0.71	U			I
FLUORENE	0003	S	MG/KG	0.77	0.77	U			I
FLUORENE	0005	S	MG/KG	0.81	0.81	U			I
FLUORENE	0006	S	MG/KG	0.81	0.81	U			I
GAMMA CHLORDANE	0001	S	MG/KG	0.0106	0.0106	U			I
GAMMA CHLORDANE	0002	S	MG/KG	0.0101	0.0101	U			I
GAMMA CHLORDANE	0003	S	MG/KG	0.0111	0.0111	U			I
GAMMA CHLORDANE	0005	S	MG/KG	0.0116	0.0116	U			I
GAMMA CHLORDANE	0006	S	MG/KG	0.0114	0.0114	U			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0029	0.0029	U			I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0032	0.0032	U			I
GAMMA-BHC (LINDANE)	0005	S	MG/KG	0.0033	0.0033	U			I
GAMMA-BHC (LINDANE)	0006	S	MG/KG	0.0032	0.0032	U			I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U			I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U			I
HEPTACHLOR	0003	S	MG/KG	0.0024	0.0024	U			I
HEPTACHLOR	0005	S	MG/KG	0.0025	0.0025	U			I
HEPTACHLOR	0006	S	MG/KG	0.0024	0.0024	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0091	0.0091	U			I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0087	0.0087	U			I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0095	0.0095	U			I
HEPTACHLOR EPOXIDE	0005	S	MG/KG	0.0099	0.0099	U			I
HEPTACHLOR EPOXIDE	0006	S	MG/KG	0.0098	0.0098	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U			I
HEXACHLOROBENZENE	0002	S	MG/KG	0.71	0.71	U			I
HEXACHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
HEXACHLOROBENZENE	0005	S	MG/KG	0.81	0.81	U			I
HEXACHLOROBENZENE	0006	S	MG/KG	0.81	0.81	U			I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.75	0.75	U			I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.71	0.71	U			I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.77	0.77	U			I
HEXACHLOROBUTADIENE	0005	S	MG/KG	0.81	0.81	U			I
HEXACHLOROBUTADIENE	0006	S	MG/KG	0.81	0.81	U			I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.75	0.75	U			I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.71	0.71	U			I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.77	0.77	U			I
HEXACHLOROCYCLOPENTADIENE	0005	S	MG/KG	0.81	0.81	U			I
HEXACHLOROCYCLOPENTADIENE	0006	S	MG/KG	0.81	0.81	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.75	0.75	U			I
HEXACHLOROETHANE	0002	S	MG/KG	0.71	0.71	U			I
HEXACHLOROETHANE	0003	S	MG/KG	0.77	0.77	U			I
HEXACHLOROETHANE	0005	S	MG/KG	0.81	0.81	U			I
HEXACHLOROETHANE	0006	S	MG/KG	0.81	0.81	U			I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0005	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0006	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.75	0.75	U			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.71	0.71	U			I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.77	0.77	U			I
INDENO(1,2,3-CD)PYRENE	0005	S	MG/KG	0.81	0.81	U			I
INDENO(1,2,3-CD)PYRENE	0006	S	MG/KG	0.81	0.81	U			I
IRON, TOTAL	0001	S	MG/KG	1.	4630.	•			I
IRON, TOTAL	0003	S	MG/KG	1.	15900.	•			I
IRON, TOTAL	0005	S	MG/KG	1.	27600.	•			I
IRON, TOTAL	0006	S	MG/KG	1.	11500.	•			I
ISOPHORONE	0001	S	MG/KG	0.75	0.75	U			I
ISOPHORONE	0002	S	MG/KG	0.71	0.71	U			I
ISOPHORONE	0003	S	MG/KG	0.77	0.77	U			I
ISOPHORONE	0005	S	MG/KG	0.81	0.81	U			I
ISOPHORONE	0006	S	MG/KG	0.81	0.81	U			I
LEAD, TOTAL	0001	S	MG/KG	.2	5.4		5.4	J	I
LEAD, TOTAL	0003	S	MG/KG	.2	6.2		6.2	J	I
LEAD, TOTAL	0005	S	MG/KG	.2	14.9		14.9	J	I
LEAD, TOTAL	0006	S	MG/KG	.2	6.4		6.4	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	82300.	•	82300.	J	I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	9700.	•	9700.	J	I
MAGNESIUM, TOTAL	0005	S	MG/KG	5.	7180.	•	7180.	J	I
MAGNESIUM, TOTAL	0006	S	MG/KG	5.	47100.	•	47100.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	145.		145.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.2	537.		537.	J	I
MANGANESE, TOTAL	0005	S	MG/KG	.2	1320.		1320.	J	I
MANGANESE, TOTAL	0006	S	MG/KG	.2	343.		343.	J	I

APPENDIX A
Location: MND33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0005	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0006	S	MG/KG	.12	.12	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0909	0.0909	U			I
METHOXYCHLOR	0002	S	MG/KG	0.087	0.087	U			I
METHOXYCHLOR	0003	S	MG/KG	0.0952	0.0952	U			I
METHOXYCHLOR	0005	S	MG/KG	0.0993	0.0993	U			I
METHOXYCHLOR	0006	S	MG/KG	0.0975	0.0975	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.75	0.75	U			I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.71	0.71	U			I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.77	0.77	U			I
N-NITROSO-DI-N-PROPYLAMINE	0005	S	MG/KG	0.81	0.81	U			I
N-NITROSO-DI-N-PROPYLAMINE	0006	S	MG/KG	0.81	0.81	U			I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.75	0.75	U			I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.71	0.71	U			I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.77	0.77	U			I
N-NITROSODIPHENYLAMINE	0005	S	MG/KG	0.81	0.81	U			I
N-NITROSODIPHENYLAMINE	0006	S	MG/KG	0.81	0.81	U			I
NAPHTHALENE	0001	S	MG/KG	0.75	0.75	U			I
NAPHTHALENE	0002	S	MG/KG	0.71	0.71	U			I
NAPHTHALENE	0003	S	MG/KG	0.77	0.77	U			I
NAPHTHALENE	0005	S	MG/KG	0.81	0.81	U			I
NAPHTHALENE	0006	S	MG/KG	0.81	0.81	U			I
NICKEL, TOTAL	0001	S	MG/KG	2.	15.8				I
NICKEL, TOTAL	0003	S	MG/KG	2.	19.1				I
NICKEL, TOTAL	0005	S	MG/KG	2.	29.				I
NICKEL, TOTAL	0006	S	MG/KG	2.	26.				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0005	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0006	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.75	0.75	U			I
NITROBENZENE	0002	S	MG/KG	0.71	0.71	U			I
NITROBENZENE	0003	S	MG/KG	0.77	0.77	U			I
NITROBENZENE	0005	S	MG/KG	0.81	0.81	U			I
NITROBENZENE	0006	S	MG/KG	0.81	0.81	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U			I
PENTACHLOROPHENOL	0002	S	MG/KG	3.4	3.4	U			I
PENTACHLOROPHENOL	0003	S	MG/KG	3.8	3.8	U			I
PENTACHLOROPHENOL	0005	S	MG/KG	3.9	3.9	U			I
PENTACHLOROPHENOL	0006	S	MG/KG	3.9	3.9	U			I
PHENANTHRENE	0001	S	MG/KG	0.75	0.75	U			I
PHENANTHRENE	0002	S	MG/KG	0.71	0.71	U			I
PHENANTHRENE	0003	S	MG/KG	0.77	0.77	U			I
PHENANTHRENE	0005	S	MG/KG	0.81	0.81	U			I
PHENANTHRENE	0006	S	MG/KG	0.81	0.81	U			I
PHENOL	0001	S	MG/KG	0.75	0.75	U			I
PHENOL	0002	S	MG/KG	0.71	0.71	U			I
PHENOL	0003	S	MG/KG	0.77	0.77	U			I
PHENOL	0005	S	MG/KG	0.81	0.81	U			I
PHENOL	0006	S	MG/KG	0.81	0.81	U			I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	783.	B			I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	1120.				I
POTASSIUM, TOTAL	0005	S	MG/KG	10.	2080.				I

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
POTASSIUM, TOTAL	0006	S	MG/KG	10.	1020.	B			I
PYRENE	0001	S	MG/KG	0.75	0.75	U			I
PYRENE	0002	S	MG/KG	0.71	0.71	U			I
PYRENE	0003	S	MG/KG	0.77	0.77	U			I
PYRENE	0005	S	MG/KG	0.81	0.81	U			I
PYRENE	0006	S	MG/KG	0.81	0.81	U			I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0005	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0006	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.43	.43	U			I
SELENIUM, TOTAL	0003	S	MG/KG	.45	.45	U			I
SELENIUM, TOTAL	0005	S	MG/KG	.47	.47	U			I
SELENIUM, TOTAL	0006	S	MG/KG	.47	.47	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	18.3				I
SILVER, TOTAL	0003	S	MG/KG	1.	10.8				I
SILVER, TOTAL	0005	S	MG/KG	1.	4.4				I
SILVER, TOTAL	0006	S	MG/KG	1.	16.9		16.9	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	213.	B			I
SODIUM, TOTAL	0003	S	MG/KG	10.	118.	B			I
SODIUM, TOTAL	0005	S	MG/KG	10.	369.	B			I
SODIUM, TOTAL	0006	S	MG/KG	10.	294.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U	0.002	J	I
STYRENE	0002	S	MG/KG	0.005	0.005	U			
STYRENE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	
STYRENE	0004	S	MG/KG	0.006	0.006	U	0.006	UJ	I
STYRENE	0005	S	MG/KG	0.006	0.006	U	0.006	UJ	I
STYRENE	0006	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TETRACHLOROETHENE	0004	S	MG/KG	0.006	0.003	J			I
TETRACHLOROETHENE	0005	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TETRACHLOROETHENE	0006	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0005	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0006	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.43	.43				I
THALLIUM, TOTAL	0003	S	MG/KG	.45	.45				I
THALLIUM, TOTAL	0005	S	MG/KG	.47	.47				I
THALLIUM, TOTAL	0006	S	MG/KG	.47	.47		0.47	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOLUENE	0004	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOLUENE	0005	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOLUENE	0006	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.002	J			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOTAL XYLENES	0004	S	MG/KG	0.006	0.006	U	0.006	UJ	
TOTAL XYLENES	0005	S	MG/KG	0.006	0.006	U	0.006	UJ	

APPENDIX A
Location: MWD33-0010
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0006	S	MG/KG	0.006	0.002	J			I
TOXAPHENE	0001	S	MG/KG	0.182	0.182	U			I
TOXAPHENE	0002	S	MG/KG	0.174	0.174	U			I
TOXAPHENE	0003	S	MG/KG	0.19	0.19	U			I
TOXAPHENE	0005	S	MG/KG	0.199	0.199	U			I
TOXAPHENE	0006	S	MG/KG	0.195	0.195	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.005	J	0.005	UJ	I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0004	S	MG/KG	0.006	0.002	J			I
TRICHLOROETHENE	0005	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0006	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	22.3				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	27.6				I
VANADIUM, TOTAL	0005	S	MG/KG	1.	29.2				I
VANADIUM, TOTAL	0006	S	MG/KG	1.	23.8				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0004	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0005	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0006	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0004	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0005	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0006	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	26.1	•			I
ZINC, TOTAL	0003	S	MG/KG	.5	47.4	•			I
ZINC, TOTAL	0005	S	MG/KG	.5	60.4	•			I
ZINC, TOTAL	0006	S	MG/KG	.5	37.1	•			I

APPENDIX A
Location: MND33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.69	0.69	U			I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U			I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.69	0.69	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.005	0.005	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U			I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.69	0.69	U			I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.69	0.69	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.3	3.3	U			I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.4	3.4	U			I

APPENDIX A
Location: MND33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.3	3.3	U			I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.69	0.69	U			I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.69	0.69	U			I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.69	0.69	U			I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.69	0.69	U			I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.69	0.69	U			I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.69	0.69	U			I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.69	0.69	U			I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.69	0.69	U			I
2,4-DINITROPHENOL	0001	S	MG/KG	3.3	3.3	U			I
2,4-DINITROPHENOL	0002	S	MG/KG	3.4	3.4	U			I
2,4-DINITROPHENOL	1001	S	MG/KG	3.3	3.3	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.69	0.69	U			I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.69	0.69	U			I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.69	0.69	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.69	0.69	U			I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.69	0.69	U			I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.69	0.69	U			I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.01	0.01	U			I
2-BUTANONE	0002	S	MG/KG	0.01	0.01	U			I
2-BUTANONE	1001	S	MG/KG	0.01	0.002	JB	0.01	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.69	0.69	U			I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.69	0.69	U			I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.69	0.69	U			I
2-CHLOROPHENOL	0001	S	MG/KG	0.69	0.69	U			I
2-CHLOROPHENOL	0002	S	MG/KG	0.69	0.69	U			I
2-CHLOROPHENOL	1001	S	MG/KG	0.69	0.69	U			I
2-HEXANONE	0001	S	MG/KG	0.01	0.01	U			I
2-HEXANONE	0002	S	MG/KG	0.01	0.01	U			I
2-HEXANONE	1001	S	MG/KG	0.01	0.01	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.69	0.69	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.69	0.69	U			I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.69	0.69	U			I
2-METHYLPHENOL	0001	S	MG/KG	0.69	0.69	U			I
2-METHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			I
2-METHYLPHENOL	1001	S	MG/KG	0.69	0.69	U			I
2-NITROANILINE	0001	S	MG/KG	3.3	3.3	U			I
2-NITROANILINE	0002	S	MG/KG	3.4	3.4	U			I

APPENDIX A
Location: MWD33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	1001	S	MG/KG	3.3	3.3	U			I
2-NITROPHENOL	0001	S	MG/KG	0.69	0.69	U			I
2-NITROPHENOL	0002	S	MG/KG	0.69	0.69	U			I
2-NITROPHENOL	1001	S	MG/KG	0.69	0.69	U			I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U			I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U			I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.4	1.4	U			I
3-NITROANILINE	0001	S	MG/KG	3.3	3.3	U			I
3-NITROANILINE	0002	S	MG/KG	3.4	3.4	U			I
3-NITROANILINE	1001	S	MG/KG	3.3	3.3	U			I
4,4'-DDD	0001	S	MG/KG	0.0077	0.0077	U			I
4,4'-DDD	0002	S	MG/KG	0.0079	0.0079	U			I
4,4'-DDD	1001	S	MG/KG	0.0077	0.0077	U			I
4,4'-DDE	0001	S	MG/KG	0.0028	0.0028	U	0.0028	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0028	0.0028	U	0.0028	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0084	0.0084	U			I
4,4'-DDT	0002	S	MG/KG	0.0086	0.0086	U			I
4,4'-DDT	1001	S	MG/KG	0.0084	0.0084	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.3	3.3	U			I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.4	3.4	U			I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.3	3.3	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.69	0.69	U			I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.69	0.69	U			I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.69	0.69	U			I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.69	0.69	U			I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.69	0.69	U			I
4-CHLOROANILINE	0001	S	MG/KG	0.69	0.69	U			I
4-CHLOROANILINE	0002	S	MG/KG	0.69	0.69	U			I
4-CHLOROANILINE	1001	S	MG/KG	0.69	0.69	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.69	0.69	U			I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.69	0.69	U			I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.69	0.69	U			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.01	0.01	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.01	0.01	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.01	0.007	JB	0.01	U	I
4-METHYLPHENOL	0001	S	MG/KG	0.69	0.69	U			I
4-METHYLPHENOL	0002	S	MG/KG	0.69	0.69	U			I
4-METHYLPHENOL	1001	S	MG/KG	0.69	0.69	U			I
4-NITROANILINE	0001	S	MG/KG	3.3	3.3	U			I
4-NITROANILINE	0002	S	MG/KG	3.4	3.4	U			I
4-NITROANILINE	1001	S	MG/KG	3.3	3.3	U			I
4-NITROPHENOL	0001	S	MG/KG	3.3	3.3	U			I
4-NITROPHENOL	0002	S	MG/KG	3.4	3.4	U			I
4-NITROPHENOL	1001	S	MG/KG	3.3	3.3	U			I
ACENAPHTHENE	0001	S	MG/KG	0.69	0.69	U			I
ACENAPHTHENE	0002	S	MG/KG	0.69	0.69	U			I
ACENAPHTHENE	1001	S	MG/KG	0.69	0.69	U			I
ACENAPHTHYLENE	0001	S	MG/KG	0.69	0.69	U			

APPENDIX A
Location: MWD33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	0002	S	MG/KG	0.69	0.69	U			I
ACENAPHTHYLENE	1001	S	MG/KG	0.69	0.69	U			I
ACETONE	0001	S	MG/KG	0.01	0.004	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.01	0.008	JB	0.01	U	I
ACETONE	1001	S	MG/KG	0.01	0.016		0.016	U	I
ALDRIN	0001	S	MG/KG	0.0028	0.0028	U			I
ALDRIN	0002	S	MG/KG	0.0029	0.0029	U			I
ALDRIN	1001	S	MG/KG	0.0028	0.0028	U			I
ALPHA CHLORDANE	0001	S	MG/KG	0.0098	0.0098	U			I
ALPHA CHLORDANE	0002	S	MG/KG	0.01	0.01	U			I
ALPHA CHLORDANE	1001	S	MG/KG	0.0098	0.0098	U			I
ALPHA-BHC	0001	S	MG/KG	0.0021	0.0021	U			I
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U			I
ALPHA-BHC	1001	S	MG/KG	0.0021	0.0021	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	3050.	*	3050.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	.06	5180.	*	5180.	J	I
ALUMINUM, TOTAL	1001	S	MG/KG	.06	1490.	*	1490.	J	I
ANTHRACENE	0001	S	MG/KG	0.69	0.69	U			I
ANTHRACENE	0002	S	MG/KG	0.69	0.69	U			I
ANTHRACENE	1001	S	MG/KG	0.69	0.69	U			I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	48.5		48.5	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	.03	24.4		24.4	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	.03	53.3		53.3	J	I
AROCLOR-1016	0001	S	MG/KG	0.0842	0.0842	U			I
AROCLOR-1016	0002	S	MG/KG	0.086	0.086	U			I
AROCLOR-1016	1001	S	MG/KG	0.0839	0.0839	U			I
AROCLOR-1221	0001	S	MG/KG	0.0842	0.0842	U			I
AROCLOR-1221	0002	S	MG/KG	0.086	0.086	U			I
AROCLOR-1221	1001	S	MG/KG	0.0839	0.0839	U			I
AROCLOR-1232	0001	S	MG/KG	0.0842	0.0842	U			I
AROCLOR-1232	0002	S	MG/KG	0.086	0.086	U			I
AROCLOR-1232	1001	S	MG/KG	0.0839	0.0839	U			I
AROCLOR-1242	0001	S	MG/KG	0.0842	0.0842	U			I
AROCLOR-1242	0002	S	MG/KG	0.086	0.086	U			I
AROCLOR-1242	1001	S	MG/KG	0.0839	0.0839	U			I
AROCLOR-1248	0001	S	MG/KG	0.08	0.147		0.147	J	I
AROCLOR-1248	0002	S	MG/KG	0.08	0.0368	J			I
AROCLOR-1248	1001	S	MG/KG	0.08	0.182		0.182	J	I
AROCLOR-1254	0001	S	MG/KG	0.168	0.168	U	0.168	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.172	0.172	U	0.172	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.168	0.168	U	0.168	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.168	0.168	U			I
AROCLOR-1260	0002	S	MG/KG	0.172	0.172	U			I
AROCLOR-1260	1001	S	MG/KG	0.168	0.168	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.002	2.7		2.7	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	3.4		3.4	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.002	2.6		2.6	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	22.2				I
BARIUM, TOTAL	0002	S	MG/KG	.002	35.4				I
BARIUM, TOTAL	1001	S	MG/KG	.002	18.				I

APPENDIX A
Location: MWD33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	1001	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.69	0.69	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.69	0.69	U			I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.69	0.69	U			I
BENZO(A)PYRENE	0001	S	MG/KG	0.69	0.69	U			I
BENZO(A)PYRENE	0002	S	MG/KG	0.69	0.69	U			I
BENZO(A)PYRENE	1001	S	MG/KG	0.69	0.69	U			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.69	0.69	U			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.69	0.69	U			I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.69	0.12	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.69	0.69	U			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.69	0.69	U			I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.69	0.69	U			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.69	0.69	U			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.69	0.69	U			I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.69	0.69	U			I
BENZOIC ACID	0001	S	MG/KG	3.3	3.3	U			I
BENZOIC ACID	0002	S	MG/KG	3.4	3.4	U			I
BENZOIC ACID	1001	S	MG/KG	3.3	3.3	U			I
BENZYL ALCOHOL	0001	S	MG/KG	0.69	0.69	U			I
BENZYL ALCOHOL	0002	S	MG/KG	0.69	0.69	U			I
BENZYL ALCOHOL	1001	S	MG/KG	0.69	0.69	U			I
BERYLLIUM	0001	S	MG/KG	.002	.66				I
BERYLLIUM	0002	S	MG/KG	.002	.65				I
BERYLLIUM	1001	S	MG/KG	.002	.63				I
BETA-BHC	0001	S	MG/KG	0.0042	0.0042	U			I
BETA-BHC	0002	S	MG/KG	0.0043	0.0043	U			I
BETA-BHC	1001	S	MG/KG	0.0042	0.0042	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.69	0.69	U			I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.69	0.69	U			I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.69	0.69	U			I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.69	0.69	U			I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.69	0.69	U			I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.69	0.69	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.69	0.69	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.69	0.69	U			I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.69	0.69	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.69	0.69	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.69	0.69	U			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	1001	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.01	0.01	U			I
BROMOMETHANE	0002	S	MG/KG	0.01	0.01	U			I

APPENDIX A
Location: MWD33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	1001	S	MG/KG	0.01	0.01	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.69	0.69	U			I
CADMIUM, TOTAL	0001	S	MG/KG	.002	9.5		9.5	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.002	6.		6.0	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.002	12.7		12.7	J	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	149000.				I
CALCIUM, TOTAL	0002	S	MG/KG	.02	129000.				I
CALCIUM, TOTAL	1001	S	MG/KG	.02	188000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.005	0.001	J			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	1001	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.01	0.01	U			I
CHLOROETHANE	0002	S	MG/KG	0.01	0.01	U			I
CHLOROETHANE	1001	S	MG/KG	0.01	0.01	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	1001	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.01	0.01	U			I
CHLOROMETHANE	0002	S	MG/KG	0.01	0.01	U			I
CHLOROMETHANE	1001	S	MG/KG	0.01	0.01	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	26.7				I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	24.5				I
CHROMIUM, TOTAL	1001	S	MG/KG	.01	22.3				I
CHRYSENE	0001	S	MG/KG	0.69	0.69	U			I
CHRYSENE	0002	S	MG/KG	0.69	0.69	U			I
CHRYSENE	1001	S	MG/KG	0.69	0.69	U			I
COBALT, TOTAL	0001	S	MG/KG	.01	10.6				I
COBALT, TOTAL	0002	S	MG/KG	.01	7.2				I
COBALT, TOTAL	1001	S	MG/KG	.01	8.				I
COPPER, TOTAL	0001	S	MG/KG	.01	17.6				I
COPPER, TOTAL	0002	S	MG/KG	.01	14.8				I
COPPER, TOTAL	1001	S	MG/KG	.01	11.8				I
DELTA-BHC	0001	S	MG/KG	0.0063	0.0063	U			I
DELTA-BHC	0002	S	MG/KG	0.0064	0.0064	U			I
DELTA-BHC	1001	S	MG/KG	0.0063	0.0063	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.69	0.69	U			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U			I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.69	0.69	U			I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.69	0.69	U			I

APPENDIX A
Location: MWD33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.69	0.69	U			I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.69	0.69	U			I
DIBENZOFURAN	0001	S	MG/KG	0.69	0.69	U			I
DIBENZOFURAN	0002	S	MG/KG	0.69	0.69	U			I
DIBENZOFURAN	1001	S	MG/KG	0.69	0.69	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.009		0.009	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.003	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.005	0.004	JB	0.005	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	1001	S	MG/KG	0.0014	0.0014	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U			I
DIETHYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I
DIETHYL PHTHALATE	1001	S	MG/KG	0.69	0.69	U			I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U			I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.69	0.69	U			I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.69	0.69	U			I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0084	0.0084	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0086	0.0086	U			I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0084	0.0084	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0028	0.0028	U			
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0029	0.0029	U			I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0028	0.0028	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0168	0.0168	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0172	0.0172	U			I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0168	0.0168	U			I
ENDRIN	0001	S	MG/KG	0.0042	0.0042	U			I
ENDRIN	0002	S	MG/KG	0.0043	0.0043	U			I
ENDRIN	1001	S	MG/KG	0.0042	0.0042	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0161	0.0161	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0165	0.0165	U			I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0161	0.0161	U			I
ENDRIN KETONE	0001	S	MG/KG	0.0168	0.0168	U			I
ENDRIN KETONE	0002	S	MG/KG	0.0172	0.0172	U			I
ENDRIN KETONE	1001	S	MG/KG	0.0168	0.0168	U			I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	1001	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.69	0.077	J			I
FLUORANTHENE	0002	S	MG/KG	0.69	0.69	U			I
FLUORANTHENE	1001	S	MG/KG	0.69	0.17	J			I
FLUORENE	0001	S	MG/KG	0.69	0.69	U			I
FLUORENE	0002	S	MG/KG	0.69	0.69	U			I
FLUORENE	1001	S	MG/KG	0.69	0.69	U			I
GAMMA CHLORDANE	0001	S	MG/KG	0.0098	0.0098	U			I
GAMMA CHLORDANE	0002	S	MG/KG	0.01	0.01	U			
GAMMA CHLORDANE	1001	S	MG/KG	0.0098	0.0098	U			

APPENDIX A
Location: MWD33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0028	0.0028	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0029	0.0029	U			I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0028	0.0028	U			I
HEPTACHLOR	0001	S	MG/KG	0.0021	0.0021	U			I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U			I
HEPTACHLOR	1001	S	MG/KG	0.0021	0.0021	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0084	0.0084	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0086	0.0086	U			I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0084	0.0084	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U			I
HEXACHLOROBENZENE	0002	S	MG/KG	0.69	0.69	U			I
HEXACHLOROBENZENE	1001	S	MG/KG	0.69	0.69	U			I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.69	0.69	U			I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.69	0.69	U			I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.69	0.69	U			I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.69	0.69	U			I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.69	0.69	U			I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.69	0.69	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.69	0.69	U			I
HEXACHLOROETHANE	0002	S	MG/KG	0.69	0.69	U			I
HEXACHLOROETHANE	1001	S	MG/KG	0.69	0.69	U			I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.69	0.69	U			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.69	0.69	U			I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.69	0.69	U			I
IRON, TOTAL	0001	S	MG/KG	.01	15400.	*			I
IRON, TOTAL	0002	S	MG/KG	.01	9470.	*			I
IRON, TOTAL	1001	S	MG/KG	.01	4250.	*			I
ISOPHORONE	0001	S	MG/KG	0.69	0.69	U			I
ISOPHORONE	0002	S	MG/KG	0.69	0.69	U			I
ISOPHORONE	1001	S	MG/KG	0.69	0.69	U			I
LEAD, TOTAL	0001	S	MG/KG	.002	5.3		5.3	J	I
LEAD, TOTAL	0002	S	MG/KG	.002	6.6		6.6	J	I
LEAD, TOTAL	1001	S	MG/KG	.002	5.7		5.7	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	60700.	*	60700.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	37300.	*	37300.	J	I
MAGNESIUM, TOTAL	1001	S	MG/KG	.05	93000.	*	93000.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	329.		329.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.002	383.		383.	J	I
MANGANESE, TOTAL	1001	S	MG/KG	.002	345.		345.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.09	.09	U			I
MERCURY, TOTAL	0002	S	MG/KG	.1	.1	U			I
MERCURY, TOTAL	1001	S	MG/KG	.1	.1	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0842	0.0842	U			I
METHOXYCHLOR	0002	S	MG/KG	0.086	0.086	U			I
METHOXYCHLOR	1001	S	MG/KG	0.0839	0.0839	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.69	0.69	U			I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.69	0.69	U			I

APPENDIX A
Location: MWD33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.69	0.69	U			I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.69	0.69	U			I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.69	0.69	U			I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.69	0.69	U			I
NAPHTHALENE	0001	S	MG/KG	0.69	0.69	U			I
NAPHTHALENE	0002	S	MG/KG	0.69	0.69	U			I
NAPHTHALENE	1001	S	MG/KG	0.69	0.69	U			I
NICKEL, TOTAL	0001	S	MG/KG	.02	22.3				I
NICKEL, TOTAL	0002	S	MG/KG	.02	20.3				I
NICKEL, TOTAL	1001	S	MG/KG	.02	16.7				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.69	0.69	U			I
NITROBENZENE	0002	S	MG/KG	0.69	0.69	U			I
NITROBENZENE	1001	S	MG/KG	0.69	0.69	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.3	3.3	U			I
PENTACHLOROPHENOL	0002	S	MG/KG	3.4	3.4	U			I
PENTACHLOROPHENOL	1001	S	MG/KG	3.3	3.3	U			I
PHENANTHRENE	0001	S	MG/KG	0.69	0.69	U			I
PHENANTHRENE	0002	S	MG/KG	0.69	0.69	U			I
PHENANTHRENE	1001	S	MG/KG	0.69	0.11	J			I
PHENOL	0001	S	MG/KG	0.69	0.69	U			I
PHENOL	0002	S	MG/KG	0.69	0.69	U			I
PHENOL	1001	S	MG/KG	0.69	0.69	U			I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	501.				I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	503.				I
POTASSIUM, TOTAL	1001	S	MG/KG	.1	242.				I
PYRENE	0001	S	MG/KG	0.69	0.08	J			I
PYRENE	0002	S	MG/KG	0.69	0.69	U			I
PYRENE	1001	S	MG/KG	0.69	0.16	J			I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.4	.4		0.40	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.4	.4	U			I
SELENIUM, TOTAL	1001	S	MG/KG	.39	.39	U			I
SILVER, TOTAL	0001	S	MG/KG	.01	18.1		18.1	J	I
SILVER, TOTAL	0002	S	MG/KG	.01	15.8		15.8	J	I
SILVER, TOTAL	1001	S	MG/KG	.01	19.6		19.6	J	I
SODIUM, TOTAL	0001	S	MG/KG	.1	215.				I
SODIUM, TOTAL	0002	S	MG/KG	.1	152.				I
SODIUM, TOTAL	1001	S	MG/KG	.1	217.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	1001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	

APPENDIX A
Location: MND33-0011
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.4	.4		0.40	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.4	.4		0.40	UJ	I
THALLIUM, TOTAL	1001	S	MG/KG	.39	.39		0.39	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	1001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	1001	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.168	0.168	U			I
TOXAPHENE	0002	S	MG/KG	0.172	0.172	U			I
TOXAPHENE	1001	S	MG/KG	0.168	0.168	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.002	J			I
TRICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	24.3				I
VANADIUM, TOTAL	0002	S	MG/KG	.01	23.9				I
VANADIUM, TOTAL	1001	S	MG/KG	.01	22.1				I
VINYL ACETATE	0001	S	MG/KG	0.01	0.01	U			I
VINYL ACETATE	0002	S	MG/KG	0.01	0.01	U			I
VINYL ACETATE	1001	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.01	0.01	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	24.5	*			I
ZINC, TOTAL	0002	S	MG/KG	.005	30.7	*			I
ZINC, TOTAL	1001	S	MG/KG	.005	14.8	*			I

APPENDIX A
Location: MWD33-0012
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U			R X
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U			R X
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U			R X
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U			R X
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U			R X
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U			R X
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U			R X
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.78	0.78	U			R X
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U			R X
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U			R X
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U			R X
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	

APPENDIX A
Location: MWD33-0012
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.78	0.78	U			R X
2-CHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U			R X
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.78	0.78	U			R X
2-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U			R X
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U			R X
2-NITROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.78	0.78	U			R X
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U			R X
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U			R X
4,4'-DDD	0001	S	MG/KG	0.0088	0.0088	U			I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0096	0.0096	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U			R X
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.78	0.78	U			R X
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U			R X
4-CHLOROANILINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.78	0.78	U			R X
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.78	0.78	U			R X
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.003	JB	0.012	U	I
4-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U			R X
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U			R X
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U			R X
ACENAPHTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.78	0.78	U			R X
ACENAPHTHYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.78	0.78	U			R X
ACETONE	0001	S	MG/KG	0.012	0.01	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U			I

APPENDIX A
Location: MWD33-0012
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALPHA CHLORDANE	0001	S	MG/KG	0.0112	0.0112	U			I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	12700.	*	12700.	J	I
ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ANTHRACENE	0001	S	MG/KG	0.78	0.78	U			R X
ANTIMONY, TOTAL	0001	S	MG/KG	.03	11.9		11.9	J	I
AROCLOR-1016	0001	S	MG/KG	0.0964	0.0964	U			I
AROCLOR-1221	0001	S	MG/KG	0.0964	0.0964	U			I
AROCLOR-1232	0001	S	MG/KG	0.0964	0.0964	U			I
AROCLOR-1242	0001	S	MG/KG	0.0964	0.0964	U			I
AROCLOR-1248	0001	S	MG/KG	0.0964	0.0964	U	0.0964	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.193	0.193	U	0.193	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.193	0.193	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.002	1.5		1.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	22.1				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U			R X
BENZO(A)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.78	0.78	U			R X
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U			R X
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.78	0.78	U			R X
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U			R X
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U			R X
BENZYL ALCOHOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.78	0.78	U			R X
BERYLLIUM	0001	S	MG/KG	.002	.83				I
BETA-BHC	0001	S	MG/KG	0.0048	0.0048	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.78	0.78	U			R X
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.78	0.78	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.78	0.78	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	

APPENDIX A
Location: MND33-0012
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.78	0.78	U			R X
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U			R X
CADMIUM, TOTAL	0001	S	MG/KG	.002	2.		2.0	J	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	57200.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	34.5				I
CHRYSENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
CHRYSENE	0001	S	MG/KG	0.78	0.78	U			R X
COBALT, TOTAL	0001	S	MG/KG	.01	16.9				I
COPPER, TOTAL	0001	S	MG/KG	.01	22.3				I
DELTA-BHC	0001	S	MG/KG	0.0072	0.0072	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U			R X
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U			R X
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U			R X
DIBENZOFURAN	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.78	0.78	U			R X
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.012		0.012	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U			R X
DIMETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U			R X
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0096	0.0096	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0193	0.0193	U			I

APPENDIX A
Location: MND33-0012
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN	0001	S	MG/KG	0.0048	0.0048	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0185	0.0185	U			I
ENDRIN KETONE	0001	S	MG/KG	0.0193	0.0193	U			I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U			R X
FLUORENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORENE	0001	S	MG/KG	0.78	0.78	U			R X
GAMMA CHLORDANE	0001	S	MG/KG	0.0112	0.0112	U			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U			I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0096	0.0096	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U			R X
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.78	0.78	U			R X
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.78	0.78	U			R
HEXACHLOROETHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	[illegible]
HEXACHLOROETHANE	0001	S	MG/KG	0.78	0.78	U			R X
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.78	0.78	U			R X
IRON, TOTAL	0001	S	MG/KG	.01	29200.	•			I
ISOPHORONE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ISOPHORONE	0001	S	MG/KG	0.78	0.78	U			R X
LEAD, TOTAL	0001	S	MG/KG	.002	3.4		3.4	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	13800.	•	13800.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	591.		591.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0964	0.0964	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.78	0.78	U			R X
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.78	0.78	U			R X
NAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.78	0.78	U			R X
NICKEL, TOTAL	0001	S	MG/KG	.02	35.				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	[illegible]

APPENDIX A
Location: MND33-0012
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NITROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NITROBENZENE	0001	S	MG/KG	0.78	0.78	U			R X
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U			R X
PHENANTHRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.78	0.78	U			R X
PHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENOL	0001	S	MG/KG	0.78	0.78	U			R X
POTASSIUM, TOTAL	0001	S	MG/KG	.1	2460.				I
PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PYRENE	0001	S	MG/KG	0.78	0.78	U			R X
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.45	.45	U			I
SILVER, TOTAL	0001	S	MG/KG	.01	11.2		11.2	J	I
SODIUM, TOTAL	0001	S	MG/KG	.1	263.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.45	.45		0.45	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.193	0.193	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	25.2				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	68.	•			I

APPENDIX A
Location: MWD33-0013
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U			I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U			I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U			I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.74	0.74	U			I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U			I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.003	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.74	0.74	U			I
2-CHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U			I
2-HEXANONE	0001	S	MG/KG	0.011	0.001	JB	0.011	U	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.74	0.74	U			I
2-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U			I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I
2-NITROPHENOL	0001	S	MG/KG	0.74	0.74	U			I

APPENDIX A
Location: MWD33-0013
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U			I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I
4,4'-DDD	0001	S	MG/KG	0.0082	0.0082	U			I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0089	0.0089	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.74	0.74	U			I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U			I
4-CHLOROANILINE	0001	S	MG/KG	0.74	0.74	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.74	0.74	U			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.015				I
4-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U			I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U			I
ACENAPHTHENE	0001	S	MG/KG	0.74	0.74	U			I
ACENAPHTHYLENE	0001	S	MG/KG	0.74	0.74	U			I
ACETONE	0001	S	MG/KG	0.011	0.016		0.016	U	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U			I
ALPHA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U			I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	11600.	*	11600.	J	I
ANTHRACENE	0001	S	MG/KG	0.74	0.74	U			I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	15.9		15.9	J	I
AROCLOR-1016	0001	S	MG/KG	0.0893	0.0893	U			I
AROCLOR-1221	0001	S	MG/KG	0.0893	0.0893	U			I
AROCLOR-1232	0001	S	MG/KG	0.0893	0.0893	U			I
AROCLOR-1242	0001	S	MG/KG	0.0893	0.0893	U			I
AROCLOR-1248	0001	S	MG/KG	0.0893	0.0893	U	0.0893	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.179	0.179	U	0.179	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.179	0.179	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.002	1.5		1.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	18.7				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U			I

APPENDIX A
Location: MWD33-0013
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.74	0.74	U			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.74	0.74	U			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U			I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U			I
BENZYL ALCOHOL	0001	S	MG/KG	0.74	0.74	U			I
BERYLLIUM	0001	S	MG/KG	.002	.83				I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.74	0.74	U			I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.74	0.74	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.74	0.74	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I
CADMIUM, TOTAL	0001	S	MG/KG	.002	2.5		2.5	J	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	74200.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.003	J			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	30.2				I
CHRYSENE	0001	S	MG/KG	0.74	0.74	U			I
COBALT, TOTAL	0001	S	MG/KG	.01	16.8				I
COPPER, TOTAL	0001	S	MG/KG	.01	18.8				I
DELTA-BHC	0001	S	MG/KG	0.0067	0.0067	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U			I
DIBENZOFURAN	0001	S	MG/KG	0.74	0.74	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MWD33-0013
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.044				I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U			I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0089	0.0089	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0179	0.0179	U			I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0171	0.0171	U			I
ENDRIN KETONE	0001	S	MG/KG	0.0179	0.0179	U			I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U			I
FLUORENE	0001	S	MG/KG	0.74	0.74	U			I
GAMMA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U			I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0089	0.0089	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U			I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.74	0.74	U			I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.74	0.74	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.74	0.74	U			I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.74	0.74	U			I
IRON, TOTAL	0001	S	MG/KG	.01	27700.	*			I
ISOPHORONE	0001	S	MG/KG	0.74	0.74	U			I
LEAD, TOTAL	0001	S	MG/KG	.002	4.5		4.5	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	17000.	*	17000.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	534.		534.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.1	.1	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0893	0.0893	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.74	0.74	U			I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.74	0.74	U			I
NAPHTHALENE	0001	S	MG/KG	0.74	0.74	U			I
NICKEL, TOTAL	0001	S	MG/KG	.02	32.8				I

APPENDIX A
Location: MWD33-0013
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Rec. Type
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.74	0.74	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U			I
PHENANTHRENE	0001	S	MG/KG	0.74	0.74	U			I
PHENOL	0001	S	MG/KG	0.74	0.74	U			I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	2230.				I
PYRENE	0001	S	MG/KG	0.74	0.74	U			I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.42	.42	U			I
SILVER, TOTAL	0001	S	MG/KG	.01	12.7		12.7	J	I
SODIUM, TOTAL	0001	S	MG/KG	.1	200.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.42	.42		0.42	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.003	J			
TOXAPHENE	0001	S	MG/KG	0.179	0.179	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	25.6				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	64.	•			I

APPENDIX A
Location: MWD33-0014
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U			I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.73	0.73	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U			I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.73	0.73	U			I

APPENDIX A
Location: MND33-0014
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.001	JB	0.011	U	I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.72	0.72	U			I
2-CHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.72	0.72	U			I
2-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U			I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U			I
2-NITROPHENOL	0001	S	MG/KG	0.72	0.72	U			I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U			I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U			I
4,4'-DDD	0001	S	MG/KG	0.0082	0.0082	U			I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0089	0.0089	U			I
4,4'-DDT	0002	S	MG/KG	0.0088	0.0088	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.72	0.72	U			I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U			I
4-CHLOROANILINE	0001	S	MG/KG	0.72	0.72	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.72	0.72	U			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.003	JB	0.011	U	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U			I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U			I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
ACENAPHTHENE	0001	S	MG/KG	0.72	0.72	U			I
ACENAPHTHYLENE	0001	S	MG/KG	0.72	0.72	U			I
ACETONE	0001	S	MG/KG	0.011	0.005	JB	0.011	U	I
ACETONE	0002	S	MG/KG	0.011	0.011	U			I
ALDRIN	0001	S	MG/KG	0.003	0.003	U			I
ALDRIN	0002	S	MG/KG	0.0029	0.0029	U			I
ALPHA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U			I
ALPHA CHLORDANE	0002	S	MG/KG	0.0102	0.0102	U			I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U			

APPENDIX A
Location: MWD33-0014
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	8600.	*	8600.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	.06	8220.	*	8220.	J	I
ANTHRACENE	0001	S	MG/KG	0.72	0.72	U			I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	21.2		21.2	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	.03	21.8		21.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.0892	0.0892	U			I
AROCLOR-1016	0002	S	MG/KG	0.0876	0.0876	U			I
AROCLOR-1221	0001	S	MG/KG	0.0892	0.0892	U			I
AROCLOR-1221	0002	S	MG/KG	0.0876	0.0876	U			I
AROCLOR-1232	0001	S	MG/KG	0.0892	0.0892	U			I
AROCLOR-1232	0002	S	MG/KG	0.0876	0.0876	U			I
AROCLOR-1242	0001	S	MG/KG	0.0892	0.0892	U			I
AROCLOR-1242	0002	S	MG/KG	0.0876	0.0876	U			I
AROCLOR-1248	0001	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0876	0.0876	U	0.0876	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.16	0.0424	J			I
AROCLOR-1254	0002	S	MG/KG	0.16	0.0424	J			I
AROCLOR-1260	0001	S	MG/KG	0.16	0.0446	J			I
AROCLOR-1260	0002	S	MG/KG	0.16	0.0254	J			I
ARSENIC, TOTAL	0001	S	MG/KG	.002	3.6		3.6	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	2.7		2.7	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	29.3				I
BARIUM, TOTAL	0002	S	MG/KG	.002	28.7				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.72	0.16	J			I
BENZO(A)PYRENE	0001	S	MG/KG	0.72	0.095	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.72	0.3	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.72	0.72	U			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U			I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U			I
BENZYL ALCOHOL	0001	S	MG/KG	0.72	0.72	U			I
BERYLLIUM	0001	S	MG/KG	.002	.71				I
BERYLLIUM	0002	S	MG/KG	.002	.71				I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U			I
BETA-BHC	0002	S	MG/KG	0.0044	0.0044	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.72	0.72	U			I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.72	0.72	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.72	0.72	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.72	0.13	J			I

APPENDIX A
Location: MWD33-0014
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I
CADMIUM, TOTAL	0001	S	MG/KG	.002	3.4		3.4	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.002	3.8		3.8	J	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	80800.				I
CALCIUM, TOTAL	0002	S	MG/KG	.02	92100.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.002	J			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	27.4				I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	27.6				I
CHRYSENE	0001	S	MG/KG	0.72	0.2	J			I
COBALT, TOTAL	0001	S	MG/KG	.01	13.				I
COBALT, TOTAL	0002	S	MG/KG	.01	12.7				I
COPPER, TOTAL	0001	S	MG/KG	.01	21.5				I
COPPER, TOTAL	0002	S	MG/KG	.01	19.9				I
DELTA-BHC	0001	S	MG/KG	0.0067	0.0067	U			I
DELTA-BHC	0002	S	MG/KG	0.0066	0.0066	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.72	0.18	J			I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U			I
DIBENZOFURAN	0001	S	MG/KG	0.72	0.72	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.013				I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.003	JB	0.005	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U			I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I

APPENDIX A
Location: MND33-0014
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIMETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U			I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0089	0.0089	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0088	0.0088	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U			I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0029	0.0029	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0178	0.0178	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0175	0.0175	U			I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U			I
ENDRIN	0002	S	MG/KG	0.0044	0.0044	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0171	0.0171	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0168	0.0168	U			I
ENDRIN KETONE	0001	S	MG/KG	0.0178	0.0178	U			I
ENDRIN KETONE	0002	S	MG/KG	0.0175	0.0175	U			I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.72	0.39	J			I
FLUORENE	0001	S	MG/KG	0.72	0.72	U			I
GAMMA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U			I
GAMMA CHLORDANE	0002	S	MG/KG	0.0102	0.0102	U			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0029	0.0029	U			I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U			I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0089	0.0089	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0088	0.0088	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.72	0.72	U			I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.72	0.72	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.72	0.72	U			I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.72	0.72	U			I
IRON, TOTAL	0001	S	MG/KG	.01	20100.	*			I
IRON, TOTAL	0002	S	MG/KG	.01	19700.	*			I
ISOPHORONE	0001	S	MG/KG	0.72	0.72	U			I
LEAD, TOTAL	0001	S	MG/KG	.002	8.5		8.5	J	I
LEAD, TOTAL	0002	S	MG/KG	.002	7.		7.0	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	22200.	*	22200.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	24700.	*	24700.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	457.		457.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.002	413.		413.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.1	.1	U			I

APPENDIX A
Location: MWD33-0014
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MERCURY, TOTAL	0002	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0892	0.0892	U			I
METHOXYCHLOR	0002	S	MG/KG	0.0876	0.0876	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.72	0.72	U			I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.72	0.72	U			I
NAPHTHALENE	0001	S	MG/KG	0.72	0.72	U			I
NICKEL, TOTAL	0001	S	MG/KG	.02	27.9				I
NICKEL, TOTAL	0002	S	MG/KG	.02	28.2				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.72	0.72	U			I
NITROBENZENE	0002	S	MG/KG	0.73	0.73	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
PHENANTHRENE	0001	S	MG/KG	0.72	0.27	J			I
PHENOL	0001	S	MG/KG	0.72	0.72	U			I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	1510.				I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	1530.				I
PYRENE	0001	S	MG/KG	0.72	0.38	J			I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	[illegible]
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	[illegible]
SELENIUM, TOTAL	0001	S	MG/KG	.42	.42	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.41	.41	U			I
SILVER, TOTAL	0001	S	MG/KG	.01	14.		14.0	J	I
SILVER, TOTAL	0002	S	MG/KG	.01	14.6		14.6	J	I
SODIUM, TOTAL	0001	S	MG/KG	.1	194.				I
SODIUM, TOTAL	0002	S	MG/KG	.1	210.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.42	.42		0.42	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.41	.41		0.41	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.178	0.178	U			I
TOXAPHENE	0002	S	MG/KG	0.175	0.175	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	24.1				[illegible]

APPENDIX A
Location: MND33-0014
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VANADIUM, TOTAL	0002	S	MG/KG	.01	24.6				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	57.8	*			I
ZINC, TOTAL	0002	S	MG/KG	.005	52.8	*			I

APPENDIX A
Location: MWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U			R X
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I X
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I X
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.78	0.78	U			R X
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U			R X
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I X
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			[illegible]
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.78	0.78	U			R
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U			R X
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I X
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I X
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.78	0.78	U			R X
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			[illegible]

APPENDIX A
Location: NWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U			R X
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I X
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I X
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.78	0.78	U			R X
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U			R X
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U			I X
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U			R X
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.7	3.7	U			I X
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.8	3.8	U			R X
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U			R X
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			I X
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.77	0.77	U			I X
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.78	0.78	U			R X
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U			R X
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			I X
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.77	0.77	U			I X
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.78	0.78	U			R X
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U			R X
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			I X
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I X
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.78	0.78	U			R X
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U			R X
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U			I X
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U			R X
2,4-DINITROPHENOL	0003	S	MG/KG	3.7	3.7	U			I X
2,4-DINITROPHENOL	0003	S	MG/KG	3.8	3.8	U			R X
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U			R X
2,4-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U			I X
2,4-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U			R X
2,4-DINITROTOLUENE	0003	S	MG/KG	0.77	0.77	U			I X
2,4-DINITROTOLUENE	0003	S	MG/KG	0.78	0.78	U			R X
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U			R X
2,6-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U			I X
2,6-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U			R X

APPENDIX A
Location: MWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,6-DINITROTOLUENE	0003	S	MG/KG	0.77	0.77	U			I X
2,6-DINITROTOLUENE	0003	S	MG/KG	0.78	0.78	U			R X
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0003	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U			R X
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			I X
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			R X
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.77	0.77	U			I X
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.78	0.78	U			R X
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U			R X
2-CHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			I X
2-CHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2-CHLOROPHENOL	0003	S	MG/KG	0.77	0.77	U			I X
2-CHLOROPHENOL	0003	S	MG/KG	0.78	0.78	U			R X
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U			R
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			R
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.77	0.77	U			I X
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.78	0.78	U			R X
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U			R X
2-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			I X
2-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2-METHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I X
2-METHYLPHENOL	0003	S	MG/KG	0.78	0.78	U			R X
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U			R X
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			I X
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			R X
2-NITROANILINE	0003	S	MG/KG	3.7	3.7	U			I X
2-NITROANILINE	0003	S	MG/KG	3.8	3.8	U			R X
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U			R X
2-NITROPHENOL	0002	S	MG/KG	0.79	0.79	U			I X
2-NITROPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
2-NITROPHENOL	0003	S	MG/KG	0.77	0.77	U			I X
2-NITROPHENOL	0003	S	MG/KG	0.78	0.78	U			R X
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U			R X
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U			I X
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U			R X
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U			I X
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.6	1.6	U			R X
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U			

APPENDIX A
Location: MND33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			I X
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			R X
3-NITROANILINE	0003	S	MG/KG	3.7	3.7	U			I X
3-NITROANILINE	0003	S	MG/KG	3.8	3.8	U			R X
4,4'-DDD	0001	S	MG/KG	0.0086	0.0086	U			I
4,4'-DDD	0002	S	MG/KG	0.0088	0.0088	U			I
4,4'-DDD	0003	S	MG/KG	0.0086	0.0086	U			I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0094	0.0094	U			I
4,4'-DDT	0002	S	MG/KG	0.0096	0.0096	U			I
4,4'-DDT	0003	S	MG/KG	0.0094	0.0094	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U			R X
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U			I X
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U			R X
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.7	3.7	U			I X
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.8	3.8	U			R X
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U			R X
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.79	0.79	U			I X
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.79	0.79	U			R X
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.77	0.77	U			I X
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.78	0.78	U			R X
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U			R X
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			I X
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I X
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.78	0.78	U			R X
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U			R X
4-CHLOROANILINE	0002	S	MG/KG	0.79	0.79	U			I X
4-CHLOROANILINE	0002	S	MG/KG	0.79	0.79	U			R X
4-CHLOROANILINE	0003	S	MG/KG	0.77	0.77	U			I X
4-CHLOROANILINE	0003	S	MG/KG	0.78	0.78	U			R X
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U			R X
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.79	0.79	U			I X
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.79	0.79	U			R X
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.77	0.77	U			I X
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.78	0.78	U			R X
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.012	0.003	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U			R X
4-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			I X
4-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U			R X
4-METHYLPHENOL	0003	S	MG/KG	0.77	0.77	U			I X
4-METHYLPHENOL	0003	S	MG/KG	0.78	0.78	U			R X
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U			R X
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			I X

APPENDIX A
Location: MWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			R X
4-NITROANILINE	0003	S	MG/KG	3.7	3.7	U			I X
4-NITROANILINE	0003	S	MG/KG	3.8	3.8	U			R X
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U			R X
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U			I X
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U			R X
4-NITROPHENOL	0003	S	MG/KG	3.7	3.7	U			I X
4-NITROPHENOL	0003	S	MG/KG	3.8	3.8	U			R X
ACENAPHTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.77	0.088	J			R X
ACENAPHTHENE	0002	S	MG/KG	0.79	0.79	U			I X
ACENAPHTHENE	0002	S	MG/KG	0.79	0.79	U			R X
ACENAPHTHENE	0003	S	MG/KG	0.77	0.77	U			I X
ACENAPHTHENE	0003	S	MG/KG	0.78	0.78	U			R X
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U			R X
ACENAPHTHYLENE	0002	S	MG/KG	0.79	0.79	U			I X
ACENAPHTHYLENE	0002	S	MG/KG	0.79	0.79	U			R X
ACENAPHTHYLENE	0003	S	MG/KG	0.77	0.77	U			I X
ACENAPHTHYLENE	0003	S	MG/KG	0.78	0.78	U			R X
ACETONE	0001	S	MG/KG	0.012	0.004	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.012	0.009	JB	0.01	U	I
ACETONE	0003	S	MG/KG	0.012	0.009	JB	0.01	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U			I
ALDRIN	0002	S	MG/KG	0.0032	0.0032	U			I
ALDRIN	0003	S	MG/KG	0.0031	0.0031	U			I
ALPHA CHLORDANE	0001	S	MG/KG	0.0109	0.0109	U			I
ALPHA CHLORDANE	0002	S	MG/KG	0.0112	0.0112	U			I
ALPHA CHLORDANE	0003	S	MG/KG	0.011	0.011	U			I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U			I
ALPHA-BHC	0002	S	MG/KG	0.0024	0.0024	U			I
ALPHA-BHC	0003	S	MG/KG	0.0023	0.0023	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	6140.				I
ALUMINUM, TOTAL	0002	S	MG/KG	.06	10400.				I
ALUMINUM, TOTAL	0003	S	MG/KG	.06	8490.				I
ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTHRACENE	0001	S	MG/KG	0.77	0.15	J			R X
ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			I X
ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			R X
ANTHRACENE	0003	S	MG/KG	0.77	0.77	U			I X
ANTHRACENE	0003	S	MG/KG	0.78	0.78	U			R X
ANTIMONY, TOTAL	0001	S	MG/KG	.03	20.8		20.8	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	.03	16.		16.	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	.03	17.1		17.0	J	I
AROCLOR-1016	0001	S	MG/KG	0.0937	0.0937	U			I
AROCLOR-1016	0002	S	MG/KG	0.0959	0.0959	U			I
AROCLOR-1016	0003	S	MG/KG	0.0939	0.0939	U			I
AROCLOR-1221	0001	S	MG/KG	0.0937	0.0937	U			I
AROCLOR-1221	0002	S	MG/KG	0.0959	0.0959	U			I
AROCLOR-1221	0003	S	MG/KG	0.0939	0.0939	U			I
AROCLOR-1232	0001	S	MG/KG	0.0937	0.0937	U			I
AROCLOR-1232	0002	S	MG/KG	0.0959	0.0959	U			I

APPENDIX A
Location: MND33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1232	0003	S	MG/KG	0.0939	0.0939	U			I
AROCLOR-1242	0001	S	MG/KG	0.0937	0.0937	U			I
AROCLOR-1242	0002	S	MG/KG	0.0959	0.0959	U			I
AROCLOR-1242	0003	S	MG/KG	0.0939	0.0939	U			I
AROCLOR-1248	0001	S	MG/KG	0.0937	0.0937	U	0.0937	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0939	0.0939	U	0.0939	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.16	0.0664	J			I
AROCLOR-1254	0002	S	MG/KG	0.192	0.192	U	0.192	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.188	0.188	U	0.188	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.187	0.187	U			I
AROCLOR-1260	0002	S	MG/KG	0.192	0.192	U			I
AROCLOR-1260	0003	S	MG/KG	0.188	0.188	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.002	3.9		3.9	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	3.6		3.6	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.002	2.2	B	2.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	36.4	B			I
BARIUM, TOTAL	0002	S	MG/KG	.002	65.5				I
BARIUM, TOTAL	0003	S	MG/KG	.002	10.5	B			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.29	J			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.76	J			R X
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			I X
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			R X
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.77	0.77	U			I X
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.78	0.78	U			R X
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.19	J			I
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.63	J			R X
BENZO(A)PYRENE	0002	S	MG/KG	0.79	0.79	U			I X
BENZO(A)PYRENE	0002	S	MG/KG	0.79	0.79	U			R X
BENZO(A)PYRENE	0003	S	MG/KG	0.77	0.77	U			I X
BENZO(A)PYRENE	0003	S	MG/KG	0.78	0.78	U			R X
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	0.58	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	1.3				R X
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			I X
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			R X
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.77	0.77	U			I X
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.78	0.78	U			R X
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.22	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.5	J			R X
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.79	0.79	U			I X
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.79	0.79	U			R X
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.77	0.77	U			I X
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.78	0.78	U			R X
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U			R X
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			I X
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			R X
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.77	0.77	U			I X
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.78	0.78	U			R X
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I

APPENDIX A
Location: MWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U			R X
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U			I X
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U			R X
BENZOIC ACID	0003	S	MG/KG	3.7	3.7	U			I X
BENZOIC ACID	0003	S	MG/KG	3.8	3.8	U			R X
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U			R X
BENZYL ALCOHOL	0002	S	MG/KG	0.79	0.79	U			I X
BENZYL ALCOHOL	0002	S	MG/KG	0.79	0.79	U			R X
BENZYL ALCOHOL	0003	S	MG/KG	0.77	0.77	U			I X
BENZYL ALCOHOL	0003	S	MG/KG	0.78	0.78	U			R X
BERYLLIUM	0001	S	MG/KG	.002	.7	B			I
BERYLLIUM	0002	S	MG/KG	.002	.92	B			I
BERYLLIUM	0003	S	MG/KG	.002	.77	B			I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U			I
BETA-BHC	0002	S	MG/KG	0.0048	0.0048	U			I
BETA-BHC	0003	S	MG/KG	0.0047	0.0047	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U			R X
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.79	0.79	U			I X
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.79	0.79	U			R X
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.77	0.77	U			I X
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.78	0.78	U			R X
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U			R X
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.79	0.79	U			I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.79	0.79	U			R
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.77	0.77	U			I X
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.78	0.78	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.79	0.79	U			I X
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.79	0.79	U			R X
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.77	0.77	U			I X
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.78	0.78	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0.77	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I X
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I X
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.78	0.78	U			R X
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U			R X
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I X
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I

APPENDIX A
Location: MND33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.78	0.78	U			R X
CADMIUM, TOTAL	0001	S	MG/KG	.002	3.5		3.5	UJ	I
CADMIUM, TOTAL	0002	S	MG/KG	.002	1.9		1.9	UJ	I
CADMIUM, TOTAL	0003	S	MG/KG	.002	1.7		1.7	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	71200.				I
CALCIUM, TOTAL	0002	S	MG/KG	.02	63000.				I
CALCIUM, TOTAL	0003	S	MG/KG	.02	94600.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	28.4		28.4	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	26.9		26.9	J	I
CHROMIUM, TOTAL	0003	S	MG/KG	.01	27.7		27.7	J	I
CHRYSENE	0001	S	MG/KG	0.77	0.3	J			I
CHRYSENE	0001	S	MG/KG	0.77	0.88				R X
CHRYSENE	0002	S	MG/KG	0.79	0.79	U			I X
CHRYSENE	0002	S	MG/KG	0.79	0.79	U			R X
CHRYSENE	0003	S	MG/KG	0.77	0.77	U			I X
CHRYSENE	0003	S	MG/KG	0.78	0.78	U			R X
COBALT, TOTAL	0001	S	MG/KG	.01	11.2	B	11.2	J	I
COBALT, TOTAL	0002	S	MG/KG	.01	12.9		12.9	J	I
COBALT, TOTAL	0003	S	MG/KG	.01	13.7		13.7	J	I
COPPER, TOTAL	0001	S	MG/KG	.01	25.3		25.3	J	I
COPPER, TOTAL	0002	S	MG/KG	.01	20.		20.0	J	I
COPPER, TOTAL	0003	S	MG/KG	.01	18.8		18.8	J	I
DELTA-BHC	0001	S	MG/KG	0.007	0.007	U			I
DELTA-BHC	0002	S	MG/KG	0.0072	0.0072	U			I
DELTA-BHC	0003	S	MG/KG	0.007	0.007	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	1.1				R X
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I X
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I X
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.78	0.78	U			R X
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U			R X

APPENDIX A
Location: MWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.79	0.1	J			I X
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.79	0.1	J			R X
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I X
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.78	0.78	U			R X
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.1	J			R X
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			I X
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U			R X
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.77	0.77	U			I X
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.78	0.78	U			R X
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U			R X
DIBENZOFURAN	0002	S	MG/KG	0.79	0.79	U			I X
DIBENZOFURAN	0002	S	MG/KG	0.79	0.79	U			R X
DIBENZOFURAN	0003	S	MG/KG	0.77	0.77	U			I X
DIBENZOFURAN	0003	S	MG/KG	0.78	0.78	U			R X
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.012	B	0.012	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.017	B	0.017	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U			I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U			I
DIELDRIN	0003	S	MG/KG	0.0016	0.0016	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U			R
DIETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I X
DIETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
DIETHYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I X
DIETHYL PHTHALATE	0003	S	MG/KG	0.78	0.78	U			R X
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U			R X
DIMETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			I X
DIMETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U			R X
DIMETHYL PHTHALATE	0003	S	MG/KG	0.77	0.77	U			I X
DIMETHYL PHTHALATE	0003	S	MG/KG	0.78	0.78	U			R X
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0094	0.0094	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0096	0.0096	U			I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0094	0.0094	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U			I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0032	0.0032	U			I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0031	0.0031	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0187	0.0187	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0192	0.0192	U			I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0188	0.0188	U			I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U			I
ENDRIN	0002	S	MG/KG	0.0048	0.0048	U			I
ENDRIN	0003	S	MG/KG	0.0047	0.0047	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.018	0.018	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0184	0.0184	U			I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.018	0.018	U			I
ENDRIN KETONE	0001	S	MG/KG	0.0187	0.0187	U			I
ENDRIN KETONE	0002	S	MG/KG	0.0192	0.0192	U			I

APPENDIX A
Location: MWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN KETONE	0003	S	MG/KG	0.0188	0.0188	U			I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.77	0.49	J			I
FLUORANTHENE	0001	S	MG/KG	0.77	1.7				R X
FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			I X
FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U			R X
FLUORANTHENE	0003	S	MG/KG	0.77	0.77	U			I X
FLUORANTHENE	0003	S	MG/KG	0.78	0.78	U			R X
FLUORENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.77	0.77	U			R X
FLUORENE	0002	S	MG/KG	0.79	0.79	U			I X
FLUORENE	0002	S	MG/KG	0.79	0.79	U			R X
FLUORENE	0003	S	MG/KG	0.77	0.77	U			I X
FLUORENE	0003	S	MG/KG	0.78	0.78	U			R X
GAMMA CHLORDANE	0001	S	MG/KG	0.0109	0.0109	U			I
GAMMA CHLORDANE	0002	S	MG/KG	0.0112	0.0112	U			I
GAMMA CHLORDANE	0003	S	MG/KG	0.011	0.011	U			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0032	0.0032	U			I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0031	0.0031	U			I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U			I
HEPTACHLOR	0002	S	MG/KG	0.0024	0.0024	U			I
HEPTACHLOR	0003	S	MG/KG	0.0023	0.0023	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0094	0.0094	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0096	0.0096	U			I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0094	0.0094	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U			R X
HEXACHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			I X
HEXACHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROBENZENE	0003	S	MG/KG	0.77	0.77	U			I X
HEXACHLOROBENZENE	0003	S	MG/KG	0.78	0.78	U			R X
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U			R X
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.79	0.79	U			I X
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.77	0.77	U			I X
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.78	0.78	U			R X
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U			R X
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.79	0.79	U			I X
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.77	0.77	U			I X
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.78	0.78	U			R X
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U			R X
HEXACHLOROETHANE	0002	S	MG/KG	0.79	0.79	U			I X
HEXACHLOROETHANE	0002	S	MG/KG	0.79	0.79	U			R X
HEXACHLOROETHANE	0003	S	MG/KG	0.77	0.77	U			I X
HEXACHLOROETHANE	0003	S	MG/KG	0.78	0.78	U			R X
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I

APPENDIX A
Location: MWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HMX	0003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.15	J			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.41	J			R X
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.79	0.79	U			I X
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.79	0.79	U			R X
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.77	0.77	U			I X
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.78	0.78	U			R X
IRON, TOTAL	0001	S	MG/KG	.01	16300.				I
IRON, TOTAL	0002	S	MG/KG	.01	23500.				I
IRON, TOTAL	0003	S	MG/KG	.01	21700.				I
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U			R X
ISOPHORONE	0002	S	MG/KG	0.79	0.79	U			I X
ISOPHORONE	0002	S	MG/KG	0.79	0.79	U			R X
ISOPHORONE	0003	S	MG/KG	0.77	0.77	U			I X
ISOPHORONE	0003	S	MG/KG	0.78	0.78	U			R X
LEAD, TOTAL	0001	S	MG/KG	.002	21.5				I
LEAD, TOTAL	0002	S	MG/KG	.002	7.				I
LEAD, TOTAL	0003	S	MG/KG	.002	4.3				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	22000.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	14100.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	.05	12700.				I
MANGANESE, TOTAL	0001	S	MG/KG	.002	401.				I
MANGANESE, TOTAL	0002	S	MG/KG	.002	543.				I
MANGANESE, TOTAL	0003	S	MG/KG	.002	437.				I
MERCURY, TOTAL	0001	S	MG/KG	.0002	.13				I
MERCURY, TOTAL	0002	S	MG/KG	.1	.1	U			I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0937	0.0937	U			I
METHOXYCHLOR	0002	S	MG/KG	0.0959	0.0959	U			I
METHOXYCHLOR	0003	S	MG/KG	0.0939	0.0939	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U			R X
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.79	0.79	U			I X
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.79	0.79	U			R X
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.77	0.77	U			I X
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.78	0.78	U			R X
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U			R X
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.79	0.79	U			I X
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.79	0.79	U			R X
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.77	0.77	U			I X
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.78	0.78	U			R X
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U			R X
NAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			I X
NAPHTHALENE	0002	S	MG/KG	0.79	0.79	U			R X
NAPHTHALENE	0003	S	MG/KG	0.77	0.77	U			I X
NAPHTHALENE	0003	S	MG/KG	0.78	0.78	U			R X
NICKEL, TOTAL	0001	S	MG/KG	.02	25.3				I
NICKEL, TOTAL	0002	S	MG/KG	.02	26.1				I
NICKEL, TOTAL	0003	S	MG/KG	.02	25.3				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	

APPENDIX A
Location: MWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U			R X
NITROBENZENE	0002	S	MG/KG	0.79	0.79	U			I X
NITROBENZENE	0002	S	MG/KG	0.79	0.79	U			R X
NITROBENZENE	0003	S	MG/KG	0.77	0.77	U			I X
NITROBENZENE	0003	S	MG/KG	0.78	0.78	U			R X
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U			R X
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U			I X
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U			R X
PENTACHLOROPHENOL	0003	S	MG/KG	3.7	3.7	U			I X
PENTACHLOROPHENOL	0003	S	MG/KG	3.8	3.8	U			R X
PHENANTHRENE	0001	S	MG/KG	0.77	0.25	J			I
PHENANTHRENE	0001	S	MG/KG	0.77	1.2				R X
PHENANTHRENE	0002	S	MG/KG	0.79	0.79	U			I X
PHENANTHRENE	0002	S	MG/KG	0.79	0.79	U			R X
PHENANTHRENE	0003	S	MG/KG	0.77	0.77	U			I X
PHENANTHRENE	0003	S	MG/KG	0.78	0.78	U			R X
PHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.77	0.77	U			R X
PHENOL	0002	S	MG/KG	0.79	0.79	U			I X
PHENOL	0002	S	MG/KG	0.79	0.79	U			R X
PHENOL	0003	S	MG/KG	0.77	0.77	U			I X
PHENOL	0003	S	MG/KG	0.78	0.78	U			R X
POTASSIUM, TOTAL	0001	S	MG/KG	.1	1000.	B			I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	1290.				I
POTASSIUM, TOTAL	0003	S	MG/KG	.1	1540.				I
PYRENE	0001	S	MG/KG	0.77	0.51	J			I
PYRENE	0001	S	MG/KG	0.77	1.6				R X
PYRENE	0002	S	MG/KG	0.79	0.79	U			I X
PYRENE	0002	S	MG/KG	0.79	0.79	U			R X
PYRENE	0003	S	MG/KG	0.77	0.77	U			I X
PYRENE	0003	S	MG/KG	0.78	0.78	U			R X
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.45	.45	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.46	.46	U			I
SELENIUM, TOTAL	0003	S	MG/KG	.44	.44	U			I
SILVER, TOTAL	0001	S	MG/KG	.01	13.2		13.2	J	I
SILVER, TOTAL	0002	S	MG/KG	.01	12.1		12.1	J	I
SILVER, TOTAL	0003	S	MG/KG	.01	14.7		14.7	J	I
SODIUM, TOTAL	0001	S	MG/KG	.1	128.	B			I
SODIUM, TOTAL	0002	S	MG/KG	.1	119.	B			I
SODIUM, TOTAL	0003	S	MG/KG	.1	198.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I

APPENDIX A
Location: MWD33-0015
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.45	.45	U	0.45	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.46	.46	U	0.46	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.44	.44	U	0.44	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.187	0.187	U			I
TOXAPHENE	0002	S	MG/KG	0.192	0.192	U			I
TOXAPHENE	0003	S	MG/KG	0.188	0.188	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	21.6				I
VANADIUM, TOTAL	0002	S	MG/KG	.01	27.6				I
VANADIUM, TOTAL	0003	S	MG/KG	.01	22.5				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	62.5		62.5	J	I
ZINC, TOTAL	0002	S	MG/KG	.005	47.		47.0	J	I
ZINC, TOTAL	0003	S	MG/KG	.005	37.9		37.9	J	I

APPENDIX A
Location: MND33-0016
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.42	0.42	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.42	0.42	U			I
2-BUTANONE	0001	S	MG/KG	0.01	0.018				I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-HEXANONE	0001	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
3-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDT	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I

APPENDIX A
Location: MND33-0016
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.069	B	0.069	U	I
ALDRIN	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	18100.				I
ANTHRACENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	6.2	B	6.1	U	I
AROCLOR-1016	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	10.5		10.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	72.2				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZOIC ACID	0001	S	MG/KG	2.	2.	U	2.	UJ	I

APPENDIX A
Location: MND33-0016
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZYL ALCOHOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.9				I
BETA-BHC	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.5	.5	U	0.5	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	53900.		53700.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	18.5				I
CHRYSENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	10.6				I
COPPER, TOTAL	0001	S	MG/KG	.01	20.4		20.4	J	I
CYANIDE	0001	S	UG/G	.63	.63	U			I
DELTA-BHC	0001	S	MG/KG	0.0077	0.014		0.014	J	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.002	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.33	0.27	JB	0.42	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I

APPENDIX A
Location: MWD33-0016
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.056	0.056	U	0.056	UJ	I
ENDRIN	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
FLUORENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.07	0.07	U	0.07	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	25200.		25100.	J	I
ISOPHORONE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	23.9				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	16100.		16000.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	519.				I
MERCURY, TOTAL	0001	S	MG/KG	.06	.06	U			I
METHOXYCHLOR	0001	S	MG/KG	0.15	0.15	U	0.15	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	22.1		22.1	J	I
NITROBENZENE	0001	S	MG/KG	0.42	0.42	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	21.				I
PHENANTHRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
PHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I

APPENDIX A
Location: MWD33-0016
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
POTASSIUM, TOTAL	0001	S	MG/KG	.1	4210.				I
PYRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.002	1.79		1.7	J	I
SILVER, TOTAL	0001	S	MG/KG	.01	.62	B	0.62	U	I
SODIUM, TOTAL	0001	S	MG/KG	.02	310.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.002	.26	B			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	28.5				I
VINYL ACETATE	0001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	74.2				I

APPENDIX A
Location: MND33-0017
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.007	0.007	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.007	0.007	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.007	0.007	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.007	0.007	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.45	0.45	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.45	0.45	U			I
2-BUTANONE	0001	S	MG/KG	0.01	0.07				I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
2-HEXANONE	0001	S	MG/KG	0.014	0.014	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
2-NITROANILINE	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.9	0.9	U	0.9	UJ	I
3-NITROANILINE	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
4,4'-DDD	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0037	0.0037	U	0.0037	UJ	I
4,4'-DDT	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I

APPENDIX A
Location: MND33-0017
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.014	0.014	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
4-NITROANILINE	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
4-NITROPHENOL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.33	0.047	J			I
ACENAPHTHYLENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.24	B	0.24		I
ALDRIN	0001	S	MG/KG	0.0037	0.0037	U	0.0037	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.013	0.013	U	0.013	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	19900.				I
ANTHRACENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	5.9	5.9	U			I
AROCLOR-1016	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.22	0.22	U	0.22	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.22	0.22	U	0.22	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	13.2				I
BARIUM, TOTAL	0001	S	MG/KG	.002	70.8				I
BENZENE	0001	S	MG/KG	0.007	0.007	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BENZOIC ACID	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I

APPENDIX A
Location: MWD33-0017
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZYL ALCOHOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.94				I
BETA-BHC	0001	S	MG/KG	0.0055	0.0055	U	0.0055	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.007	0.007	U			I
BROMOFORM	0001	S	MG/KG	0.007	0.007	U			I
BROMOMETHANE	0001	S	MG/KG	0.014	0.014	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.33	0.048	J			I
CADMIUM, TOTAL	0001	S	MG/KG	.52	.52	U	0.52	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	15300.		15300.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.004	J			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.007	0.007	U			I
CHLOROBENZENE	0001	S	MG/KG	0.007	0.007	U			I
CHLOROETHANE	0001	S	MG/KG	0.014	0.014	U			I
CHLOROFORM	0001	S	MG/KG	0.007	0.007	U			I
CHLOROMETHANE	0001	S	MG/KG	0.014	0.014	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	21.8				I
CHRYSENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	12.8				I
COPPER, TOTAL	0001	S	MG/KG	.01	26.		26.0	J	I
CYANIDE	0001	S	UG/G	.68	.68	U			I
DELTA-BHC	0001	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.007	0.007	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.007	0.007	U			I
DIELDRIN	0001	S	MG/KG	0.0018	0.0018	U	0.0018	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.33	0.29	JB	0.45	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I

APPENDIX A
Location: MWD33-0017
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.013	0.013	U	0.013	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0037	0.0037	U	0.0037	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
ENDRIN	0001	S	MG/KG	0.0055	0.0055	U	0.0055	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.022	0.022	U	0.022	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.007	0.007	U			I
FLUORANTHENE	0001	S	MG/KG	0.33	0.16	J			I
FLUORENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.013	0.013	U	0.013	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0037	0.0037	U	0.0037	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.076	0.076	U	0.076	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	34000.		34100.	J	I
ISOPHORONE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	20.2				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	8580.		8600.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	681.				I
MERCURY, TOTAL	0001	S	MG/KG	.06	.06	U			I
METHOXYCHLOR	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	28.2		28.2	J	I
NITROBENZENE	0001	S	MG/KG	0.45	0.45	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	27.				I
PHENANTHRENE	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I
PHENOL	0001	S	MG/KG	0.45	0.45	U	0.45	UJ	I

APPENDIX A
Location: MWD33-0017
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
POTASSIUM, TOTAL	0001	S	MG/KG	.1	4260.				I
PYRENE	0001	S	MG/KG	0.33	0.086	J			I
SELENIUM, TOTAL	0001	S	MG/KG	.002	1.92		1.9	J	I
SILVER, TOTAL	0001	S	MG/KG	.01	.94	B	0.94	U	I
SODIUM, TOTAL	0001	S	MG/KG	.1	161.	B			I
STYRENE	0001	S	MG/KG	0.007	0.007	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.007	0.007	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.002	.42	B			I
TOLUENE	0001	S	MG/KG	0.007	0.007	U			I
TOTAL XYLENES	0001	S	MG/KG	0.007	0.007	U			I
TOXAPHENE	0001	S	MG/KG	0.22	0.22	U	0.22	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.007	0.007	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	33.4				I
VINYL ACETATE	0001	S	MG/KG	0.014	0.014	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.014	0.014	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	91.4				I

APPENDIX A
Location: MND33-0018
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	2.1	2.1	U	2.1	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	2.1	2.1	U	2.1	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.42	0.42	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.42	0.42	U			I
2-BUTANONE	0001	S	MG/KG	0.01	0.059				I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-HEXANONE	0001	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-NITROANILINE	0001	S	MG/KG	2.1	2.1	U	2.1	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
3-NITROANILINE	0001	S	MG/KG	2.1	2.1	U	2.1	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDT	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I

APPENDIX A
Location: MWD33-0018
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	2.1	2.1	U	2.1	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-NITROANILINE	0001	S	MG/KG	2.1	2.1	U	2.1	UJ	I
4-NITROPHENOL	0001	S	MG/KG	2.1	2.1	U	2.1	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.25	B	0.25		I
ALDRIN	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	22200.				I
ANTHRACENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	5.7	5.7	U			I
AROCLOR-1016	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	11.3				I
BARIUM, TOTAL	0001	S	MG/KG	.002	89.5				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZOIC ACID	0001	S	MG/KG	2.1	2.1	U	2.1	UJ	I

APPENDIX A
Location: MND33-0018
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZYL ALCOHOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.9				I
BETA-BHC	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.51	.51	U	0.51	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	11300.		11300.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	23.7				I
CHRYSENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	13.4				I
COPPER, TOTAL	0001	S	MG/KG	.01	20.2		20.2	J	I
CYANIDE	0001	S	UG/G	.64	.64	U			I
DELTA-BHC	0001	S	MG/KG	0.0077	0.0077	U	0.0077	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.002	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.33	0.36	JB	0.42	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I

APPENDIX A
Location: MND33-0018
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.057	0.057	U	0.057	UJ	I
ENDRIN	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
FLUORENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.071	0.071	U	0.071	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	33100.		33200.	J	I
ISOPHORONE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	20.3				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	5550.		5560.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	1030.				I
MERCURY, TOTAL	0001	S	MG/KG	.06	.06	U			I
METHOXYCHLOR	0001	S	MG/KG	0.15	0.15	U	0.15	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	22.		22.0	J	I
NITROBENZENE	0001	S	MG/KG	0.42	0.42	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	2.1	2.1	U	2.1	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	22.				I
PHENANTHRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
PHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I

APPENDIX A
Location: MWD33-0018
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
POTASSIUM, TOTAL	0001	S	MG/KG	.1	4640.				I
PYRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.002	1.53		1.6	J	I
SILVER, TOTAL	0001	S	MG/KG	.38	.38	U	0.38	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	.1	237.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.002	.24	B			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	38.3				I
VINYL ACETATE	0001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	73.8				I

APPENDIX A
Location: MND33-0019
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			[illegible]
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			[illegible]
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.4	0.4	U			I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.42	0.42	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.4	0.4	U			I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.42	0.42	U			I
2-BUTANONE	0001	S	MG/KG	0.01	0.053				I
2-BUTANONE	1001	S	MG/KG	0.01	0.031				I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	[illegible]

APPENDIX A
Location: MWD33-0019
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1001	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROANILINE	1001	S	MG/KG	2.	2.	U	2.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	1001	S	MG/KG	2.	2.	U	2.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0034	0.0034		0.0034	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDT	1001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROANILINE	1001	S	MG/KG	2.	2.	U	2.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MND33-0019
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.2	B	0.2		I
ACETONE	1001	S	MG/KG	0.01	0.14	B	0.14	U	I
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	19300.				I
ALUMINUM, TOTAL	1001	S	MG/KG	.06	18800.				I
ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ANTHRACENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	5.4	5.4	U			I
ANTIMONY, TOTAL	1001	S	MG/KG	5.7	5.7	U			I
AROCLOR-1016	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	7.53				I
ARSENIC, TOTAL	1001	S	MG/KG	.002	7.97				I
BARIUM, TOTAL	0001	S	MG/KG	.002	82.2				I
BARIUM, TOTAL	1001	S	MG/KG	.002	86.				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MND33-0019
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZOIC ACID	1001	S	MG/KG	2.	2.	U	2.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.87				I
BERYLLIUM	1001	S	MG/KG	.002	.92				I
BETA-BHC	0001	S	MG/KG	0.0049	0.0049		0.0049	UJ	I
BETA-BHC	1001	S	MG/KG	0.0051	0.0051		0.0051	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1001	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.48	.48	U	0.48	UJ	I
CADMIUM, TOTAL	1001	S	MG/KG	.5	.5	U	0.51	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	26200.		26200.	J	I
CALCIUM, TOTAL	1001	S	MG/KG	.02	56300.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1001	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1001	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	19.9				I
CHROMIUM, TOTAL	1001	S	MG/KG	.01	20.4				I
CHRYSENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MWD33-0019
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	12.8				I
COBALT, TOTAL	1001	S	MG/KG	.01	11.2				I
COPPER, TOTAL	0001	S	MG/KG	.01	28.1		28.0	J	I
COPPER, TOTAL	1001	S	MG/KG	.01	38.1		38.2	J	I
CYANIDE	0001	S	UG/G	.61	.61	U			I
CYANIDE	1001	S	UG/G	.64	.64	U			I
DELTA-BHC	0001	S	MG/KG	0.0073	0.0073		0.0073	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0086	0.0086		0.0086	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.005	0.007	B	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	1001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.33	0.23	JB	0.4	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.33	0.26	JB	0.42	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.054	0.054	U	0.054	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.056	0.056	U	0.056	UJ	I
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	1001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.19	0.019	U	0.019	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.019	0.019	U	0.02	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.33	0.069	J	0.069	UJ	I
FLUORENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	

APPENDIX A
Location: MND33-0019
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
FLUORENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.068	0.068	U	0.068	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.071	0.071	U	0.071	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	30000.		30000.	J	I
IRON, TOTAL	1001	S	MG/KG	.01	26400.		26500.	J	I
ISOPHORONE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ISOPHORONE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	19.6				I
LEAD, TOTAL	1001	S	MG/KG	.002	21.9				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	8950.		8940.	J	I
MAGNESIUM, TOTAL	1001	S	MG/KG	.05	18000.		18000.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	867.				I
MANGANESE, TOTAL	1001	S	MG/KG	.002	482.				I
MERCURY, TOTAL	0001	S	MG/KG	.06	.28				I
MERCURY, TOTAL	1001	S	MG/KG	.06	.38				I
METHOXYCHLOR	0001	S	MG/KG	0.14	0.14	U	0.14	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.15	0.15	U	0.15	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	20.3		20.3	J	I
NICKEL, TOTAL	1001	S	MG/KG	.02	22.9		23.0	J	I
NITROBENZENE	0001	S	MG/KG	0.4	0.4	U			I
NITROBENZENE	1001	S	MG/KG	0.42	0.42	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I

APPENDIX A
Location: MWD33-0019
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	18.				I
PERCENT MOISTURE	1001	S	% MOIST	-	22.				I
PHENANTHRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
PHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
PHENOL	1001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	4080.				I
POTASSIUM, TOTAL	1001	S	MG/KG	.1	4660.				I
PYRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
PYRENE	1001	S	MG/KG	0.33	0.044	J			I
SELENIUM, TOTAL	0001	S	MG/KG	.002	1.44		1.4	J	I
SELENIUM, TOTAL	1001	S	MG/KG	.002	1.63		1.7	J	I
SILVER, TOTAL	0001	S	MG/KG	.01	.86	B	0.86	U	I
SILVER, TOTAL	1001	S	MG/KG	.01	.83	B	0.83	U	I
SODIUM, TOTAL	0001	S	MG/KG	.1	232.	B			I
SODIUM, TOTAL	1001	S	MG/KG	.1	261.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.002	.21	B			I
THALLIUM, TOTAL	1001	S	MG/KG	.002	.27	B			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TOXAPHENE	1001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	27.9				I
VANADIUM, TOTAL	1001	S	MG/KG	.01	27.2				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	94.1				I
ZINC, TOTAL	1001	S	MG/KG	.005	112.				I

APPENDIX A
Location: MWD33-0020
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.4	0.4	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.4	0.4	U			I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
3-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I

APPENDIX A
Location: MWD33-0020
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.027	B	0.027	U	I
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	7010.				I
ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	5.3	5.3	U			I
AROCLOR-1016	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	5.57				I
BARIUM, TOTAL	0001	S	MG/KG	.002	31.2		31.3	J	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZOIC ACID	0001	S	MG/KG	2.	2.	U	2.	UJ	I

APPENDIX A
Location: MWD33-0020
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZYL ALCOHOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.24	B			I
BETA-BHC	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.47	.47	U	0.47	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	161000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	7.6				I
CHRYSENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	4.1				I
COPPER, TOTAL	0001	S	MG/KG	.01	11.9		11.9	J	I
CYANIDE	0001	S	UG/G	.61	.61	U			I
DELTA-BHC	0001	S	MG/KG	0.0073	0.0073		0.0073	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.002	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.33	0.18	JB	0.4	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MWD33-0020
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.054	0.054	U	0.054	UJ	I
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.00	6		6.		I
FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
FLUORENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.068	0.068	U	0.068	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	11400.		11500.	J	I
ISOPHORONE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	8.				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	62400.				I
MANGANESE, TOTAL	0001	S	MG/KG	.002	237.				I
MERCURY, TOTAL	0001	S	MG/KG	.06	.06	U			I
METHOXYCHLOR	0001	S	MG/KG	0.14	0.14	U	0.14	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	11.7		11.7	J	I
NITROBENZENE	0001	S	MG/KG	0.4	0.4	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	18.				I
PHENANTHRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MND33-0020
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	2230.				I
PYRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.12	.12	U	0.12	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.01	.46	B	0.46	U	I
SODIUM, TOTAL	0001	S	MG/KG	.1	225.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.002	.37	B			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	14.1				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	35.6				I

APPENDIX A
Location: MND33-0021
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0081	0.0081	U	0.0081	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.029	B	0.029	U	I
ALDRIN	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I

APPENDIX A
Location: MWD33-0021
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALPHA CHLORDANE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	7250.				I
ANTHRACENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	4.4				I
AROCLOR-1016	0001	S	MG/KG	0.087	0.087	U	0.087	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.087	0.087	U	0.087	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.087	0.087	U	0.087	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.087	0.087	U	0.087	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.087	0.087	U	0.087	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.17	0.17	U	0.17	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.17	0.17	U	0.17	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	4.7				I
BARIUM, TOTAL	0001	S	MG/KG	.002	66.1		66.3	J	I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.29	B			I
BETA-BHC	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.33	0.082	JB	0.082	J	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.33	0.053	J			I
CADMIUM, TOTAL	0001	S	MG/KG	.39	.39	U	0.40	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	162000.				I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	7.6				I
CHRYSENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	3.5				I
COPPER, TOTAL	0001	S	MG/KG	.01	11.2		11.2	J	I

APPENDIX A
Location: MWD33-0021
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CYANIDE	0001	S	UG/G	.55	.55	U			I
DELTA-BHC	0001	S	MG/KG	0.0065	0.0065		0.0065	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.003	JB	0.005	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.33	0.22	JB	0.36	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.048	0.048	U	0.048	UJ	I
ENDRIN	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.017	0.017	U	0.017	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.00	17		17.	J	I
FLUORANTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
FLUORENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.061	0.061	U	0.061	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	11900.		11900.	J	I
ISOPHORONE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	7.4				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	58400.				I
MANGANESE, TOTAL	0001	S	MG/KG	.002	226.				I
MERCURY, TOTAL	0001	S	MG/KG	.05	.05	U			I

APPENDIX A
Location: MND33-0021
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
METHOXYCHLOR	0001	S	MG/KG	0.13	0.13	U	0.13	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	9.7		9.7	J	I
NITROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	9.				I
PHENANTHRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
PHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	2270.				I
PYRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.1	.1	U	0.10	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.3	.3	U	.3	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	.1	195.	B			I
THALLIUM, TOTAL	0001	S	MG/KG	.002	.32	B			I
TOXAPHENE	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
VANADIUM, TOTAL	0001	S	MG/KG	.01	14.3				I
ZINC, TOTAL	0001	S	MG/KG	.005	36.				I

APPENDIX A
Location: MWD33-0022
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U			I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0085	0.0085	U	0.0085	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	

APPENDIX A
Location: MND33-0022
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.024	B	0.024	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	8550.				I
ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	7.5		7.5	U	I
AROCLOR-1016	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	8.67				I
BARIUM, TOTAL	0001	S	MG/KG	.002	69.9		69.6	J	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I

APPENDIX A
Location: MWD33-0022
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZYL ALCOHOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.43	B			I
BETA-BHC	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.33	0.041	JB	0.38	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.45	.45	U	0.45	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	132000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	8.9				I
CHRYSENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	4.8				I
COPPER, TOTAL	0001	S	MG/KG	.01	15.1		15.1	J	I
CYANIDE	0001	S	UG/G	.57	.57	U			I
DELTA-BHC	0001	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.003	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.33	0.17	JB	0.38	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I

APPENDIX A
Location: MWD33-0022
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.05	0.05	U	0.05	UJ	I
ENDRIN	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.00	5	U			I
FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
FLUORENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.064	0.064	U	0.064	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	14700.		14600.	J	I
ISOPHORONE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	8.2				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	44300.				I
MANGANESE, TOTAL	0001	S	MG/KG	.002	255.				I
MERCURY, TOTAL	0001	S	MG/KG	.06	.06	U			I
METHOXYCHLOR	0001	S	MG/KG	0.13	0.13	U	0.13	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	12.1		12.1	J	I
NITROBENZENE	0001	S	MG/KG	0.38	0.38	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	13.				I
PHENANTHRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I

APPENDIX A
Location: MWD33-0022
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	2620.				I
PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.002	.12	B	0.12	J	I
SILVER, TOTAL	0001	S	MG/KG	.34	.34	U	0.34	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	.1	185.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.002	.35	B			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	16.4				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	43.2				I

APPENDIX A
Location: MWD33-0023
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U			I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U			I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I

APPENDIX A
Location: MWD33-0023
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROANILINE	1001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	1001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROANILINE	1001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	1001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	

APPENDIX A
Location: MND33-0023
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.026	B	0.026	U	I
ACETONE	1001	S	MG/KG	0.01	0.021	B	0.021	UJ	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	6220.	B			I
ALUMINUM, TOTAL	1001	S	MG/KG	.06	5950.	B			I
ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ANTHRACENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	6.6	B	6.5	U	I
ANTIMONY, TOTAL	1001	S	MG/KG	.03	4.8				I
AROCLOR-1016	0001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.093	0.093	U	0.093	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.19	0.19	U	0.18	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.19	0.19	U	0.18	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	4.14				I
ARSENIC, TOTAL	1001	S	MG/KG	.002	5.74				I
BARIUM, TOTAL	0001	S	MG/KG	.002	102.		101.	J	I
BARIUM, TOTAL	1001	S	MG/KG	.002	50.9		51.1	J	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I

APPENDIX A
Location: MND33-0023
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZOIC ACID	1001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.18	B			I
BERYLLIUM	1001	S	MG/KG	.002	.21	B			I
BETA-BHC	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BETA-BHC	1001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.45	.45	U	0.45	UJ	I
CADMIUM, TOTAL	1001	S	MG/KG	.42	.42	U	0.43	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	149000.				I
CALCIUM, TOTAL	1001	S	MG/KG	.02	138000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	6.1				I
CHROMIUM, TOTAL	1001	S	MG/KG	.01	6.1				I
CHRYSENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I

APPENDIX A
Location: MWD33-0023
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	3.7				I
COBALT, TOTAL	1001	S	MG/KG	.01	4.6				I
COPPER, TOTAL	0001	S	MG/KG	.01	11.6		11.6	J	I
COPPER, TOTAL	1001	S	MG/KG	.01	10.5		10.6	J	I
CYANIDE	0001	S	UG/G	.58	.58	U			I
CYANIDE	1001	S	UG/G	.58	.58	U			I
DELTA-BHC	0001	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DELTA-BHC	1001	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.005	0.008	B	0.008	UJ	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	1001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.33	0.2	JB	0.38	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.33	0.21	JB	0.38	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.051	0.051	U	0.051	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.051	0.051	U	0.057	UJ	I
ENDRIN	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN	1001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.00	8		8.	J	I
EXTRACTABLE HYD AS DIESEL FUEL	1001	S	MG/KG	5.00	7		7.	J	I
FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I

APPENDIX A
Location: MND33-0023
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
FLUORANTHENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
FLUORENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
FLUORENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.064	0.064	U	0.064	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.064	0.064	U	0.064	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	10400.		10400.	J	I
IRON, TOTAL	1001	S	MG/KG	.01	10700.		10700.	J	I
ISOPHORONE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ISOPHORONE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	7.7				I
LEAD, TOTAL	1001	S	MG/KG	.002	8.9				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	61600.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	.05	53500.				I
MANGANESE, TOTAL	0001	S	MG/KG	.002	234.				I
MANGANESE, TOTAL	1001	S	MG/KG	.002	249.				I
MERCURY, TOTAL	0001	S	MG/KG	.06	.06	U			I
MERCURY, TOTAL	1001	S	MG/KG	.05	.05	U			I
METHOXYCHLOR	0001	S	MG/KG	0.14	0.14	U	0.14	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.14	0.14	U	0.14	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	12.4		12.3	J	I
NICKEL, TOTAL	1001	S	MG/KG	.01	13.		13.0	J	I
NITROBENZENE	0001	S	MG/KG	0.38	0.38	U			

APPENDIX A
Location: MND33-0023
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NITROBENZENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	14.				I
PHENANTHRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
PHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
PHENOL	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	2010.				I
POTASSIUM, TOTAL	1001	S	MG/KG	.1	1710.				I
PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
PYRENE	1001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.11	.11	U	0.12	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.11	.11	U	0.11	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.34	.34	U	0.34	UJ	I
SILVER, TOTAL	1001	S	MG/KG	.32	.32	U	0.32	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	.1	273.	B			I
SODIUM, TOTAL	1001	S	MG/KG	.1	223.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.002	.35	B			I
THALLIUM, TOTAL	1001	S	MG/KG	.002	.24	B			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOXAPHENE	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
TOXAPHENE	1001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
VANADIUM, TOTAL	0001	S	MG/KG	.01	11.7				I
VANADIUM, TOTAL	1001	S	MG/KG	.01	12.4				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ZINC, TOTAL	0001	S	MG/KG	.005	33.				I
ZINC, TOTAL	1001	S	MG/KG	.005	35.9				I

APPENDIX A
Location: MND33-0024
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0044	0.0044	U	0.0081	UJ	I
4,4'-DDE	0001	S	MG/KG	0.01	0.01	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I

APPENDIX A
Location: MND33-0024
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.8	1.8	U	0.36	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.019	B	0.019	U	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.13	0.13	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	9030.	B			I
ANTHRACENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	4.6				I
AROCLOR-1016	0001	S	MG/KG	0.18	0.18	U	0.088	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	7.62				I
BARIUM, TOTAL	0001	S	MG/KG	.002	40.5		40.7	J	I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I

APPENDIX A
Location: MND33-0024
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZYL ALCOHOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.34	B			I
BETA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0044	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.41	.41	U	0.41	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	.02	129000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	9.7				I
CHRYSENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	5.3				I
COPPER, TOTAL	0001	S	MG/KG	.01	13.4		13.4	J	I
CYANIDE	0001	S	UG/G	.55	.55	U			I
DELTA-BHC	0001	S	MG/KG	0.0044	0.0044	U	0.0066	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.004	JB	0.005	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.33	0.14	JB	0.36	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I

APPENDIX A
Location: MND33-0024
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0081	0.0081	U	0.049	UJ	I
ENDRIN	0001	S	MG/KG	0.003	0.003	U	0.0044	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.049	0.049	U	0.018	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.00	5	U	5	UJ	I
FLUORANTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
FLUORENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0066	0.0066	U	0.01	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.061	0.061	U	0.061	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	14500.		14600.	J	I
ISOPHORONE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	9.4				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	48000.				I
MANGANESE, TOTAL	0001	S	MG/KG	.01	264.				I
MERCURY, TOTAL	0001	S	MG/KG	.05	.05	U			I
METHOXYCHLOR	0001	S	MG/KG	0.017	0.017	U	0.13	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.01	12.6		12.7	J	I
NITROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
PHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.01	2380.				I

APPENDIX A
Location: MWD33-0024
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PYRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.11	.11	U	0.11	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.01	.56	B	0.57	U	I
SODIUM, TOTAL	0001	S	MG/KG	.1	182.	B			I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.002	.22	B			I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.018	0.018	U	0.18	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	16.7				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	42.2				I

APPENDIX A
Location: MND33-0025
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I

APPENDIX A
Location: MND33-0025
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.01	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I

APPENDIX A
Location: MWD33-0025
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.003	JB	0.011	U	I
ACETONE	1001	S	MG/KG	0.011	0.003	JB	0.011	U	I
ACETONE	0002	S	MG/KG	0.012	0.053	B	0.053		I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	9170.				I
ALUMINUM, TOTAL	1001	S	MG/KG	4.	9680.				I
ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.2	3.2		3.2	UJ	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.2	3.2		3.2	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	10.1		10.1	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	8.9				I
BARIUM, TOTAL	0001	S	MG/KG	.2	71.9				I
BARIUM, TOTAL	1001	S	MG/KG	.2	58.7				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0025
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.59				I
BERYLLIUM	1001	S	MG/KG	.1	.46	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	1001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.72	0.72	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.74	0.11	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.54	.54				I
CADMIUM, TOTAL	1001	S	MG/KG	.54	.54				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	27200.		27200.	J	I
CALCIUM, TOTAL	1001	S	MG/KG	3.	45400.		45400.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0025
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	19.3				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	17.4				I
CHRYSENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
CHRYSENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	7.6				I
COBALT, TOTAL	1001	S	MG/KG	2.	7.				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.4				I
COPPER, TOTAL	1001	S	MG/KG	1.	13.3				I
CYANIDE	0001	S	MG/KG	1.	4.8		4.8	J	I
CYANIDE	1001	S	MG/KG	1.	4.4		4.4	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.006	B	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.004	JB	0.012	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	1001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MWD33-0025
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIMETHYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	1001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	17700.				I
IRON, TOTAL	1001	S	MG/KG	1.	14600.				I
ISOPHORONE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ISOPHORONE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	14.5				I
LEAD, TOTAL	1001	S	MG/KG	.2	16.9				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	11700.	*			I

APPENDIX A
Location: MND33-0025
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MAGNESIUM, TOTAL	1001	S	MG/KG	3.	21100.	•	21100.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	431.				I
MANGANESE, TOTAL	1001	S	MG/KG	.2	392.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.03				I
MERCURY, TOTAL	1001	S	MG/KG	.02	.03				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	17.4				I
NICKEL, TOTAL	1001	S	MG/KG	2.	12.5				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NITROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	675.				I
POTASSIUM, TOTAL	1001	S	MG/KG	100.	998.				I
PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.22	.22		.22	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.65	.65		.65	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.54	.54	U	.54	UJ	I
SILVER, TOTAL	1001	S	MG/KG	.54	.54	U	.54	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	207.				I
SODIUM, TOTAL	1001	S	MG/KG	20.	203.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22				I
THALLIUM, TOTAL	1001	S	MG/KG	.22	.22				I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0025
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	1001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	19.9				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	18.9				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	38.9				I
ZINC, TOTAL	1001	S	MG/KG	.5	37.				I

APPENDIX A
Location: MWD33-0026
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MWD33-0026
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-BUTANONE	1002	S	MG/KG	0.012	0.002	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.003	JB	0.011	U	I
ACETONE	0002	S	MG/KG	0.012	0.001	J	0.005	U	I
ACETONE	1002	S	MG/KG	0.012	0.008	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	12000.				I
ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.3	3.3		3.3	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MWD33-0026
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	7.1				I
BARIUM, TOTAL	0001	S	MG/KG	.2	51.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	1002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.6				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.73	0.14	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.55	.55				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	85500.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0026
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON DISULFIDE	1002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.019		0.019	J	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	15.				I
CHRYSENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	10.2				I
COPPER, TOTAL	0001	S	MG/KG	1.	16.7				I
CYANIDE	0001	S	MG/KG	1.	7.2		7.2	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.016	B	0.016	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.006	0.004	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I

APPENDIX A
Location: MND33-0026
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	26200.				I
ISOPHORONE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	14.7				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	21800.	•			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	549.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	18.3				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1890.				I
PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.88	.88		.88	UJ	I

APPENDIX A
Location: MWD33-0026
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SILVER, TOTAL	0001	S	MG/KG	.55	.55	U	.55	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	228.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	1002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	1002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	19.1				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	57.				I

APPENDIX A
Location: MWD33-0027
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.002	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MND33-0027
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.002	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.002	JB	0.012	U	I
ACETONE	0002	S	MG/KG	0.012	0.01	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	14400.				I
ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.5	3.5		3.5	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	12.8				I
BARIUM, TOTAL	0001	S	MG/KG	.2	111.				I

APPENDIX A
Location: MWD33-0027
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.9				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.79	0.47	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.5	.98				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	15900.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	17.4				I
CHRYSENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MND33-0027
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
COBALT, TOTAL	0001	S	MG/KG	2.	13.5				I
COPPER, TOTAL	0001	S	MG/KG	1.	19.4				I
CYANIDE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.02	B	0.02	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.007	B	0.007	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	28300.				I

APPENDIX A
Location: MND33-0027
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ISOPHORONE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	23.1				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	5930.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	688.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.04				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	22.				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1080.				I
PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.47	.47		.47	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.58	.58	U	.58	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	233.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	30.				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MWD33-0027
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	63.9				I

APPENDIX A
Location: MWD33-0028
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.001	J	0.012	U	I
2-BUTANONE	0002	S	MG/KG	0.012	0.003	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MWD33-0028
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.007	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.006	JB	0.012	U	I
ACETONE	0002	S	MG/KG	0.012	0.021	B	0.021	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	17000.				I
ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.4	3.4		3.4	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	12.9				I
BARIUM, TOTAL	0001	S	MG/KG	.2	116.				I

APPENDIX A
Location: MND33-0028
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.91				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0.83		0.83	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.57	.57				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	13800.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	20.1				I
CHRYSENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MND33-0028
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
COBALT, TOTAL	0001	S	MG/KG	2.	11.6				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.4				I
CYANIDE	0001	S	MG/KG	1.1	1.1	U	1.1	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.007	B	0.007	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	31300.				I

APPENDIX A
Location: MND33-0028
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	22.9				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	5080.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	571.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.05				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	21.7				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1230.				I
PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.46	.46		.46	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.57	.57	U	.57	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	274.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	35.				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MWD33-0028
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	66.2				I

APPENDIX A
Location: MWD33-0029
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.003	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MWD33-0029
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.003	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.004	JB	0.012	U	I
ACETONE	0002	S	MG/KG	0.011	0.012	B	0.012	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	12600.				I
ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	4.4		4.4	J	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	11.5		11.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	94.				I

APPENDIX A
Location: MWD33-0029
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.76				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0.76	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.57	.57				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	22400.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.001	J			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	16.				I
CHRYSENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MWD33-0029
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
COBALT, TOTAL	0001	S	MG/KG	2.	9.				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.3				I
CYANIDE	0001	S	MG/KG	1.	1.9		1.9	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.007	B	0.007	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.006	B	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	25600.				I

APPENDIX A
Location: MND33-0029
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	19.6				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	7940.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	499.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.03				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	20.3				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1030.				I
PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.46	.46		.46	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.57	.57	U	.57	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	195.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	26.1				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MWD33-0029
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	58.4				I

APPENDIX A
Location: MND33-0030
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MND33-0030
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.012	U			I
ACETONE	0002	S	MG/KG	0.011	0.004	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	11100.				I
ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.4	3.4		3.4	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	12.6				I
BARIUM, TOTAL	0001	S	MG/KG	.2	95.6				I

APPENDIX A
Location: MWD33-0030
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.78				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0.11	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.57	.57				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	21200.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	14.8				I
CHRYSENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MWD33-0030
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
COBALT, TOTAL	0001	S	MG/KG	2.	9.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	19.7				I
CYANIDE	0001	S	MG/KG	1.	1.4		1.4	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.007	B	0.007	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.004	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	24600.				

APPENDIX A
Location: MWD33-0030
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	21.2				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	6750.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	480.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.08				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	19.6				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	726.				I
PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.23	.23		.23	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.57	.57	U	.57	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	532.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.001	JB	0.006	U	I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.2				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MWD33-0030
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	73.4				I

APPENDIX A
Location: MND33-0031
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I

APPENDIX A
Location: MND33-0031
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.001	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0031
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.002	JB	0.011	U	I
ACETONE	1001	S	MG/KG	0.011	0.003	JB	0.011	U	I
ACETONE	0002	S	MG/KG	0.012	0.006	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	14000.				I
ALUMINUM, TOTAL	1001	S	MG/KG	4.	14200.				I
ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.4	3.4		3.4	UJ	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.4	3.4		3.4	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	12.9				I
ARSENIC, TOTAL	1001	S	MG/KG	.2	13.3				I
BARIUM, TOTAL	0001	S	MG/KG	.2	96.7				I
BARIUM, TOTAL	1001	S	MG/KG	.2	97.8				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0031
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.85				I
BERYLLIUM	1001	S	MG/KG	.1	.84				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	1001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.76	1.		1.	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.74	0.18	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.56	.56				I
CADMIUM, TOTAL	1001	S	MG/KG	.56	.56				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	29600.				I
CALCIUM, TOTAL	1001	S	MG/KG	3.	31300.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0031
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	20.3				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	16.8				I
CHRYSENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
CHRYSENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	11.2				I
COBALT, TOTAL	1001	S	MG/KG	2.	10.3				I
COPPER, TOTAL	0001	S	MG/KG	1.	29.7				I
COPPER, TOTAL	1001	S	MG/KG	1.	18.6				I
CYANIDE	0001	S	MG/KG	1.	2.4		2.4	J	I
CYANIDE	1001	S	MG/KG	1.	2.7		2.7	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.014	B	0.014	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.004	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	1001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I

APPENDIX A
Location: MWD33-0031
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIMETHYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	1001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	27800.				I
IRON, TOTAL	1001	S	MG/KG	1.	26700.				I
ISOPHORONE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ISOPHORONE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	20.				I
LEAD, TOTAL	1001	S	MG/KG	.2	18.7				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	12400.	*			I

APPENDIX A
Location: MND33-0031
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MAGNESIUM, TOTAL	1001	S	MG/KG	3.	13900.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	519.				I
MANGANESE, TOTAL	1001	S	MG/KG	.2	513.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.04				I
MERCURY, TOTAL	1001	S	MG/KG	.02	.03				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	33.7				I
NICKEL, TOTAL	1001	S	MG/KG	2.	21.8				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NITROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1370.				I
POTASSIUM, TOTAL	1001	S	MG/KG	100.	1220.				I
PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.45	.45		.45	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.22	.22		.22	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.56	.56	U	.56	UJ	I
SILVER, TOTAL	1001	S	MG/KG	.56	.56	U	.56	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	460.				I
SODIUM, TOTAL	1001	S	MG/KG	20.	506.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22				I
THALLIUM, TOTAL	1001	S	MG/KG	.22	.22				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0031
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	1001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	28.8				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	28.				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	67.2				I
ZINC, TOTAL	1001	S	MG/KG	.5	61.1				I

APPENDIX A
Location: MWD33-0032
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	2.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.004	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MWD33-0032
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.025	0.025	U	0.025	UJ	I
4,4'-DDE	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.003	JB	0.012	U	I
ACETONE	0002	S	MG/KG	0.012	0.035	B	0.035	U	I
ALDRIN	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	12100.				I
ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.4	3.4		3.4	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.12		0.12	J	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.12		0.12	J	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.91		0.91	J	I
AROCLOR-1254	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	9.9				I
BARIUM, TOTAL	0001	S	MG/KG	.2	89.8				I

APPENDIX A
Location: MWD33-0032
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.75				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0.21	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.57	.57				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	43400.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.22	0.22	U	0.22	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	14.3				I
CHRYSENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MWD33-0032
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
COBALT, TOTAL	0001	S	MG/KG	2.	10.1				I
COPPER, TOTAL	0001	S	MG/KG	1.	16.7				I
CYANIDE	0001	S	MG/KG	1.	2.1		2.1	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.026	0.026	U	0.026	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.046	0.046	U	0.046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	23600.				I

APPENDIX A
Location: MND33-0032
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	35.2				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	18700.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	516.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.03				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	19.5				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	2.2	UJ	I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1060.				I
PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.46	.46		.46	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.57	.57	U	.57	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	327.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.4				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MND33-0032
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	60.8				I

APPENDIX A
Location: MWD33-0033
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U			I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MWD33-0033
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.012	U			I
ACETONE	0002	S	MG/KG	0.011	0.031	B	0.031	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	14600.				I
ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.7	3.7		3.7	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MND33-0033
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	13.4		13.4	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	89.5				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.89				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.61	.61				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	31900.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MND33-0033
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	17.3				I
CHRYSENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	11.5				I
COPPER, TOTAL	0001	S	MG/KG	1.	22.6				I
CYANIDE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.014	B	0.014	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	

APPENDIX A
Location: MND33-0033
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	27400.				I
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	16.1				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	15900.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	542.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.05				I X
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	22.6				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1080.				I
PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.24	.24		.24	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.61	.61	U	.61	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	539.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.24	.24				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL HB HYD AS MOTOR OIL	0002	S	MG/KG	4.4	160		160.	J	I

APPENDIX A
Location: MWD33-0033
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	23.8				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	65.2				I

APPENDIX A
Location: MND33-0034
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I

APPENDIX A
Location: MWD33-0034
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U			I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I

APPENDIX A
Location: MWD33-0034
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0002	S	MG/KG	0.011	0.004	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	12500.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	6080.				I
ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTHRACENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.6	3.6		3.6	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	13.6		13.6	J	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1836	0.1836	U	0.1836	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1836	0.1836	U	0.1836	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	19.2		19.2	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	7.4		7.4	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	91.8				I
BARIUM, TOTAL	0002	S	MG/KG	.2	32.6				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.76	0.19	J			I
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.76	0.13	J			I

APPENDIX A
Location: MND33-0034
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.76	0.25	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.76	0.093	J			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.68				I
BERYLLIUM	0002	S	MG/KG	.2	.73		0.73	J	I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0,17	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.76	0.1	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.61	.61	U			I
CADMIUM, TOTAL	0002	S	MG/KG	2.2	2.2		2.2	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	23000.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	165000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			

APPENDIX A
Location: MND33-0034
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	14.4				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	26.2		26.2	J	I
CHRYSENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CHRYSENE	0002	S	MG/KG	0.76	0.24	J			I
COBALT, TOTAL	0001	S	MG/KG	2.	10.2				I
COBALT, TOTAL	0002	S	MG/KG	1.	9.		9.0	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	18.5				I
COPPER, TOTAL	0002	S	MG/KG	1.	16.8		16.8	J	I
CYANIDE	0001	S	MG/KG	1.	2.7		2.7	J	I
CYANIDE	0002	S	MG/KG	.11	.11	U	.11	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.004	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.01	B	0.01	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MND33-0034
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN KETONE	0002	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.76	0.32	J			I
FLUORENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.76	0.078	J			I
IRON, TOTAL	0001	S	MG/KG	1.	24100.				I
IRON, TOTAL	0002	S	MG/KG	1.	13000.		13000.	J	I
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ISOPHORONE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	14.2				I
LEAD, TOTAL	0002	S	MG/KG	.2	12.9		12.9	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	8550.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	12200.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	558.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	404.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.04				I X
MERCURY, TOTAL	0002	S	MG/KG	.02	.98				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MND33-0034
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NAPHTHALENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	17.6				I
NICKEL, TOTAL	0002	S	MG/KG	2.	17.6		17.6	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NITROBENZENE	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.76	0.18	J			I
PHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	891.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	946.				I
PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PYRENE	0002	S	MG/KG	0.76	0.3	J			I
RDX	0001	S	MG/KG	2.2	2.2	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.24	.24		.24	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.45	.45	U			I
SILVER, TOTAL	0001	S	MG/KG	.61	.61		.61	UJ	I
SILVER, TOTAL	0002	S	MG/KG	1.	17.		17.	J	I
SODIUM, TOTAL	0001	S	MG/KG	20.	439.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	306.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.24	.24	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.45	.45	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL HB HYD AS MOTOR OIL	0002	S	MG/KG	4.6	41		41.	J	I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1836	0.1836	U	0.1836	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	22.2				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	20.8		20.8	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0034
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	54.6				I
ZINC, TOTAL	0002	S	MG/KG	.5	30.1		30.1	J	I

APPENDIX A
Location: MND33-0035
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U			I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.004	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MWD33-0035
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0002	S	MG/KG	0.012	0.017	B	0.017	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	11200.				I
ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.5	3.5		3.5	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MWD33-0035
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	14.		14.	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	80.				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.62				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.79	3.5		3.5	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.59	.59	U			I
CALCIUM, TOTAL	0001	S	MG/KG	3.	62200.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0035
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	14.9				I
CHRYSENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	9.1				I
COPPER, TOTAL	0001	S	MG/KG	1.	20.4				I
CYANIDE	0001	S	MG/KG	1.	3.6		3.6	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.004	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.009	B	0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	

APPENDIX A
Location: MWD33-0035
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	28500.				I
ISOPHORONE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	18.5				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	19100.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	490.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I X
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	17.7				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1000.				I
PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U			I
RDX	0001	S	MG/KG	2.2	2.2	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.24	.24		.24	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.59	.59		.59	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	502.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.24	.24	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0035
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	21.9				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	52.3				I

APPENDIX A
Location: MWD33-0036
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DNB	0001	S	MG/KG	1.3	1.2	U	1.3	U	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U			I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.014	B	0.014	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MWD33-0036
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0002	S	MG/KG	0.012	0.077	B	0.077	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	11500.				I
ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.5	3.5		3.5	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	

APPENDIX A
Location: MWD33-0036
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	4.1				I
BARIUM, TOTAL	0001	S	MG/KG	.2	79.1				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.73				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.5	.9				I
CALCIUM, TOTAL	0001	S	MG/KG	3.	47300.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0036
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	13.8				I
CHRYSENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	8.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.9				I
CYANIDE	0001	S	MG/KG	1.	1.8				I X
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.004	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.01	B	0.01	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MWD33-0036
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	22500.				I
ISOPHORONE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	12.1				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	17400.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	425.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I X
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	17.2				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	963.				I
PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.7	.7		.7	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.59	.59		.59	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	322.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23		.23	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL HB HYD AS MOTOR OIL	0002	S	MG/KG	8.5	540		540.	J	I

APPENDIX A
Location: MWD33-0036
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	20.9				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	56.3				I

APPENDIX A
Location: MWD33-0037
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.005	0.005	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U			I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,3-DNB	0001	S	MG/KG	1.3	1.2	U	1.3	U	I

APPENDIX A
Location: MWD33-0037
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-DNB	1001	S	MG/KG	1.2	1.2	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U			I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U			I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U			I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1002	S	MG/KG	0.011	0.001	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I

APPENDIX A
Location: MND33-0037
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	1001	S	MG/KG	0.012	0.012	U			I
ACETONE	0002	S	MG/KG	0.011	0.006	JB	0.011	U	I
ACETONE	0003	S	MG/KG	0.011	0.005	JB	0.011	U	I
ACETONE	1002	S	MG/KG	0.011	0.032	B	0.032	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I

APPENDIX A
Location: MWD33-0037
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALPHA-BHC	1001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	12400.				I
ALUMINUM, TOTAL	1001	S	MG/KG	4.	10700.				I
ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTHRACENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.6	3.6		3.6	UJ	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.6	3.6		3.6	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	18.5		18.5	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	13.9		13.9	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	89.5				I
BARIUM, TOTAL	1001	S	MG/KG	.2	92.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	0003	S	MG/KG	0.005	0.005	U			I
BENZENE	1002	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.84				

APPENDIX A
Location: MWD33-0037
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BERYLLIUM	1001	S	MG/KG	.1	.85				I
BETA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
BETA-BHC	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.78	3.		3.	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.79	2.9		2.9	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0003	S	MG/KG	0.005	0.005	U			I
BROMOFORM	1002	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.61	.61	U			I
CADMIUM, TOTAL	1001	S	MG/KG	.59	.59	U			I
CALCIUM, TOTAL	0001	S	MG/KG	3.	26000.				I
CALCIUM, TOTAL	1001	S	MG/KG	3.	21500.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.005	0.005	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	1002	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0037
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0003	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	1002	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	14.9				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	14.1				I
CHRYSENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CHRYSENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	10.				I
COBALT, TOTAL	1001	S	MG/KG	2.	9.7				I
COPPER, TOTAL	0001	S	MG/KG	1.	18.5				I
COPPER, TOTAL	1001	S	MG/KG	1.	20.6				I
CYANIDE	0001	S	MG/KG	1.2	1.2	U			I
CYANIDE	1001	S	MG/KG	1.2	1.2	U			
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.009	B	0.009	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.004	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.008	B	0.008	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.009	B	0.009	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.005	0.017	B	0.017	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	1001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	

APPENDIX A
Location: MND33-0037
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIMETHYL PHTHALATE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.057	0.057	U	0.057	UJ	I
ENDRIN	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0003	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	1002	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U			I
HMX	1001	S	MG/KG	2.9	2.9	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	23800.				I
IRON, TOTAL	1001	S	MG/KG	1.	26900.				I
ISOPHORONE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ISOPHORONE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	21.5				I

APPENDIX A
Location: MND33-0037
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
LEAD, TOTAL	1001	S	MG/KG	.2	19.				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	8700.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	3.	8060.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	437.		437.	J	I
MANGANESE, TOTAL	1001	S	MG/KG	.2	662.		662.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.02	.03				I X
MERCURY, TOTAL	1001	S	MG/KG	.02	.02	U			I X
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	20.				I
NICKEL, TOTAL	1001	S	MG/KG	2.	19.9				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NITROBENZENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	922.				I
POTASSIUM, TOTAL	1001	S	MG/KG	100.	604.				I
PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PYRENE	1001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U			I
RDX	1001	S	MG/KG	2.2	2.2	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.24	.24		.24	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.24	.24		.24	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.61	.61		.61	UJ	I
SILVER, TOTAL	1001	S	MG/KG	.59	.59		.59	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	300.				I
SODIUM, TOTAL	1001	S	MG/KG	20.	292.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	0003	S	MG/KG	0.005	0.005	U			I
STYRENE	1002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.018		0.018	J	I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.046		0.046	J	I

APPENDIX A
Location: MWD33-0037
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.005	0.002	J			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.24	.24	U			I
THALLIUM, TOTAL	1001	S	MG/KG	.24	.24	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	0003	S	MG/KG	0.005	0.005	U			I
TOLUENE	1002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0003	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	1002	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	1001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	1002	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	21.4				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	21.5				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	54.2		54.2	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	79.5		79.5	J	I

APPENDIX A
Location: MWD33-0038
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DNB	0001	S	MG/KG	1.3	1.2	U	1.3	U	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U			I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.019	B	0.019	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	

APPENDIX A
Location: MND33-0038
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.012	U			I
ACETONE	0002	S	MG/KG	0.011	0.089	B	0.089	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	12900.				I
ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.6	3.6		3.6	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MWD33-0038
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	14.9				I
BARIUM, TOTAL	0001	S	MG/KG	.2	98.8				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.86				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.78	0.27	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.61	.61	U			I
CALCIUM, TOTAL	0001	S	MG/KG	3.	17400.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			

APPENDIX A
Location: MWD33-0038
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	16.1				I
CHRYSENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	11.3				I
COPPER, TOTAL	0001	S	MG/KG	1.	18.6				I
CYANIDE	0001	S	MG/KG	1.2	1.2	U			I X
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.009	B	0.009	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.01	B	0.01	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MND33-0038
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	27700.				I
ISOPHORONE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	23.5				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	6870.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	514.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I X
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	22.3				
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1140.				I
PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.24	.24		.24	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.61	.61		.61	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	431.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.24	.24	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL HB HYD AS MOTOR OIL	0002	S	MG/KG	45	1500		1500.	J	

APPENDIX A
Location: MWD33-0038
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	22.6				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	58.8				I

APPENDIX A
Location: MWD33-0039
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U			
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,3-DNB	0001	S	MG/KG	1.3	1.2	U	1.3	U	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	
2,4-DINITROTOLUENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	

APPENDIX A
Location: MWD33-0039
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U			I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.002	JB	0.006	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0002	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	0002	S	MG/KG	4.	4.	U	4.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	4.	4.	U	4.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I

APPENDIX A
Location: MWD33-0039
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-NITROANILINE	0002	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0002	S	MG/KG	4.	4.	U	4.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.012	U			I
ACETONE	0002	S	MG/KG	0.012	0.022	B	0.022	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	13200.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	9480.				I
ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.5	3.5		3.5	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	11.9		11.9	J	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.196	0.196	U	0.196	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.196	0.196	U	0.196	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.1				I
ARSENIC, TOTAL	0002	S	MG/KG	.2	1.2		1.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	87.6				I
BARIUM, TOTAL	0002	S	MG/KG	.2	43.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.83	0.26	J			I
BENZO(A)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.83	0.19	J			I

APPENDIX A
Location: MWD33-0039
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.83	0.33	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.83	0.13	J			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	0002	S	MG/KG	4.	4.	U	4.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.77				I
BERYLLIUM	0002	S	MG/KG	.2	.88		.88	J	I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0002	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.74	0.45	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.83	0.17	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.59	.59	U			I
CADMIUM, TOTAL	0002	S	MG/KG	.2	1.8		1.8	J	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	37500.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	126000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: NWD33-0039
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	15.6				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	29.9		29.9	J	I
CHRYSENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	0002	S	MG/KG	0.83	0.3	J			I
COBALT, TOTAL	0001	S	MG/KG	2.	10.2				I
COBALT, TOTAL	0002	S	MG/KG	1.	12.2		12.2	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	19.				I
COPPER, TOTAL	0002	S	MG/KG	1.	20.4		20.4	J	I
CYANIDE	0001	S	MG/KG	1.2	1.2	U			I X
CYANIDE	0002	S	MG/KG	.12	.12	U	.12	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.009	B	0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0002	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	

APPENDIX A
Location: MND33-0039
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN KETONE	0002	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.83	0.42	J			I
FLUORENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.83	0.1	J			I
IRON, TOTAL	0001	S	MG/KG	1.	24800.				I
IRON, TOTAL	0002	S	MG/KG	1.	19200.		19200.	J	I
ISOPHORONE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	16.8				I
LEAD, TOTAL	0002	S	MG/KG	.2	6.2		6.2	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	15200.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	12000.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	500.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	467.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I X
MERCURY, TOTAL	0002	S	MG/KG	.02	1.				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0039
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NAPHTHALENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	19.9				I
NICKEL, TOTAL	0002	S	MG/KG	2.	25.9		25.9	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	4.	4.	U	4.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.83	0.29	J			I
PHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0002	S	MG/KG	0.83	0.83	U	0.83	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1180.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	931.				I
PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	0002	S	MG/KG	0.83	0.4	J			I
RDX	0001	S	MG/KG	2.2	2.2	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.47	.47		.47	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.48	.48	U			I
SILVER, TOTAL	0001	S	MG/KG	.59	.59		.59	UJ	I
SILVER, TOTAL	0002	S	MG/KG	1.	16.6		16.6	J	
SODIUM, TOTAL	0001	S	MG/KG	20.	296.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	377.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.48	.48		.48	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL HB HYD AS MOTOR OIL	0002	S	MG/KG	4.7	210		210.	J	I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0002	S	MG/KG	0.196	0.196	U	0.196	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	22.				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	25.2		25.2	J	I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			

APPENDIX A
Location: MND33-0039
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	58.1				I
ZINC, TOTAL	0002	S	MG/KG	.5	54.4		54.4	J	I

APPENDIX A
Location: MWD33-0040
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
1,3-DNB	0001	S	MG/KG	1.3	1.2	U	1.3	U	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U			
2,4-DINITROTOLUENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	

APPENDIX A
Location: MWD33-0040
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U			I
2-BUTANONE	0001	S	MG/KG	0.01	0.01	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	B	0.012	U	I
2-BUTANONE	1002	S	MG/KG	0.012	0.012	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-HEXANONE	0001	S	MG/KG	0.01	0.01	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.01	0.01	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.01	U			I
ACETONE	0002	S	MG/KG	0.012	0.066	B	0.066		I
ACETONE	1002	S	MG/KG	0.012	0.064	B	0.064		I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I

APPENDIX A
Location: MND33-0040
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALUMINUM, TOTAL	0001	S	MG/KG	4.	5770.				I
ANTHRACENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.1	3.1		3.1	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	.49		.49	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	54.2				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	1002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.31	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.69	6.5		6.5	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.01	0.01	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I

APPENDIX A
Location: MND33-0040
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CADMIUM, TOTAL	0001	S	MG/KG	.52	.52	U			I
CALCIUM, TOTAL	0001	S	MG/KG	3.	133000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.01	0.01	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.01	0.01	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	8.3				I
CHRYSENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	4.4				I
COPPER, TOTAL	0001	S	MG/KG	1.	11.				I
CYANIDE	0001	S	MG/KG	1.	22.9				I X
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.008	B	0.008	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.007	B	0.007	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.006	0.008	B	0.008	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I

APPENDIX A
Location: MWD33-0040
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
FLUORENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U			
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	11800.				I
ISOPHORONE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	5.7				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	41800.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	327.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I X
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	9.5				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
PHENOL	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	556.				

APPENDIX A
Location: MWD33-0040
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PYRENE	0001	S	MG/KG	0.69	0.69	U	0.69	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.84	.84		.84	UJ	I
SILVER, TOTAL	0001	S	MG/KG	2.6	2.6		2.6	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	286.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	1002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.21	.21		.21	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	1002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	11.				I
VINYL ACETATE	0001	S	MG/KG	0.01	0.01	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	29.8				I

APPENDIX A
Location: MND33-0041
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	

APPENDIX A
Location: MWD33-0041
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.003	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.011	0.009	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	11200.				I
ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MND33-0041
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	10.5		10.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	88.4				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.7				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.83	1.6		1.6	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.59	.59	U	.59	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	21700.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			

APPENDIX A
Location: MWD33-0041
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	14.7		14.7	J	I
CHRYSENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	9.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	16.7				I
CYANIDE	0001	S	MG/KG	1.	1.6		1.6	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.007	B	0.007	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
FLUORENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MWD33-0041
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	24300.				I
ISOPHORONE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	16.8				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	8930.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	448.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.04		.04	J	I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	18.4				
NITROBENZENE NITROBENZENE	0001 0001	S S	MG/KG MG/KG	1.3 0.83	1.3 0.83	U U	1.3 0.83	UJ UJ	I I
PENTACHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	859.				I
PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.23	.23	U			I X
SILVER, TOTAL	0001	S	MG/KG	.59	.59	U	.59	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	138.	B			I
STYRENE STYRENE	0001 0002	S S	MG/KG MG/KG	0.006 0.006	0.006 0.006	U U			I I
TETRACHLOROETHENE TETRACHLOROETHENE	0001 0002	S S	MG/KG MG/KG	0.006 0.006	0.006 0.006	U U			I I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23	U	.23	UJ	I
TOLUENE TOLUENE	0001 0002	S S	MG/KG MG/KG	0.006 0.006	0.006 0.006	U U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			

APPENDIX A
Location: MND33-0041
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	23.7				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	51.2		51.9	J	I

APPENDIX A
Location: MND33-0042
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			[illegible]
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			[illegible]
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	[illegible]

APPENDIX A
Location: MWD33-0042
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.003	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.011	0.005	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	7220.				I
ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MWD33-0042
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	9.2		9.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	104.				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.58				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.75	0.73	J	0.73	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.5	1.4		1.4	J	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	33600.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			

APPENDIX A
Location: MND33-0042
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	11.5		11.5	J	I
CHRYSENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	8.6				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.				I
CYANIDE	0001	S	MG/KG	1.	1.8		1.8	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.022	B	0.022	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.009	B	0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MWD33-0042
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	19500.				I
ISOPHORONE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	14.2				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	13300.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	437.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.03		.03	J	I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	15.3				
NITROBENZENE NITROBENZENE	0001 0001	S S	MG/KG MG/KG	1.3 0.75	1.3 0.75	U U	1.3 0.75	UJ UJ	I I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	567.				I
PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.23	.23	U			I X
SILVER, TOTAL	0001	S	MG/KG	.56	.56	U	.56	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	105.	B			I
STYRENE STYRENE	0001 0002	S S	MG/KG MG/KG	0.006 0.006	0.006 0.006	U U			I I
TETRACHLOROETHENE TETRACHLOROETHENE	0001 0002	S S	MG/KG MG/KG	0.006 0.006	0.006 0.006	U U			I I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23	U	.23	UJ	I
TOLUENE TOLUENE	0001 0002	S S	MG/KG MG/KG	0.006 0.006	0.006 0.006	U U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			

APPENDIX A
Location: MWD33-0042
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	18.3				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	56.6		56.6	J	I

APPENDIX A
Location: MWD33-0043
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I

APPENDIX A
Location: MND33-0043
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.029	B	0.029		I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0043
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.004	JB	0.01	U	
ACETONE	1001	S	MG/KG	0.011	0.004	JB	0.01	U	
ACETONE	0002	S	MG/KG	0.011	0.15	B	0.15		I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	10900.				I
ALUMINUM, TOTAL	1001	S	MG/KG	4.	8570.				I
ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.3	3.3	U	3.3	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.095		0.095	J	I
AROCLOR-1248	1001	S	MG/KG	0.04	0.14		0.14	J	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.09	0.09	U	0.09	UJ	I

APPENDIX A
Location: MND33-0043
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	7.5		7.5	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	5.8		5.8	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	88.8				I
BARIUM, TOTAL	1001	S	MG/KG	.2	83.7				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.76				I
BERYLLIUM	1001	S	MG/KG	.1	.66				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	1001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.74	0.39	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.75	1.5		1.5	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0043
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CADMIUM, TOTAL	0001	S	MG/KG	.5	1.4		1.4	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.55	.55	U	.55	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	25400.				I
CALCIUM, TOTAL	1001	S	MG/KG	3.	22000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			
CHROMIUM, TOTAL	0001	S	MG/KG	1.	14.7		14.7	J	I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	12.5		12.5	J	I
CHRYSENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	9.9				I
COBALT, TOTAL	1001	S	MG/KG	2.	9.7				I
COPPER, TOTAL	0001	S	MG/KG	1.	16.1				I
COPPER, TOTAL	1001	S	MG/KG	1.	15.9				I
CYANIDE	0001	S	MG/KG	1.	1.6		1.6	J	I
CYANIDE	1001	S	MG/KG	1.1	1.1	U	1.1	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			

APPENDIX A
Location: MND33-0043
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.008	B	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.013	B	0.013	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.008	B	0.008	U	I
DIELDRIN	0001	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
DIELDRIN	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	1001	S	MG/KG	0.007	0.007	U	0.007	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0043
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	24400.				I
IRON, TOTAL	1001	S	MG/KG	1.	21700.				I
ISOPHORONE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	13.9				I
LEAD, TOTAL	1001	S	MG/KG	.2	13.6				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	9890.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	3.	8560.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	471.				I
MANGANESE, TOTAL	1001	S	MG/KG	.2	485.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.03		.03	J	I
MERCURY, TOTAL	1001	S	MG/KG	.02	.04		.04	J	I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	19.9				I
NICKEL, TOTAL	1001	S	MG/KG	2.	16.8				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	850.				I
POTASSIUM, TOTAL	1001	S	MG/KG	100.	618.				I
PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	1001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.22	.22	U			I X
SELENIUM, TOTAL	1001	S	MG/KG	.22	.22	U			I X
SILVER, TOTAL	0001	S	MG/KG	.56	.56	U	.56	UJ	I
SILVER, TOTAL	1001	S	MG/KG	.55	.55	U	.55	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	103.	B	103.	J	I
SODIUM, TOTAL	1001	S	MG/KG	20.	102.	B	102.	J	I

APPENDIX A
Location: MND33-0043
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22	U	.22	UJ	I
THALLIUM, TOTAL	1001	S	MG/KG	.22	.22	U	.22	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	1001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	23.4				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	21.2				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	61.4		61.4	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	53.8		53.8	J	I

APPENDIX A
Location: MWD33-0044
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	

APPENDIX A
Location: MWD33-0044
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.016	B	0.016	U	I
ACETONE	0002	S	MG/KG	0.011	0.01	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	12000.				I
ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.3	3.3	U	3.3	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MWD33-0044
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	8.2		8.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	77.2				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.6				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.72	0.54	J	0.54	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.55	.55	U	.55	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	54000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			

APPENDIX A
Location: MND33-0044
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	11.5		11.5	J	I
CHRYSENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	9.1				I
COPPER, TOTAL	0001	S	MG/KG	1.	13.				I
CYANIDE	0001	S	MG/KG	3.	3.	U	3.	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.003	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.008	B	0.008	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MWD33-0044
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	18200.				I
ISOPHORONE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	12.8				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	14600.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	501.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.03		.03	J	I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	18.6				
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1550.				I
PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.22	.22	U			I X
SILVER, TOTAL	0001	S	MG/KG	.5	.55	B	.55	J	I
SODIUM, TOTAL	0001	S	MG/KG	20.	178.	B			I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22	U	.22	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			

APPENDIX A
Location: MND33-0044
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	11.4				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	54.6		54.6	J	I

APPENDIX A
Location: MND33-0045
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			
1,3-DICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.01	0.01	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.016	B	0.016		I
2-CHLORONAPHTHALENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	

APPENDIX A
Location: MND33-0045
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-HEXANONE	0001	S	MG/KG	0.01	0.01	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-NITROANILINE	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
2-NITROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.01	0.01	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-NITROANILINE	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
4-NITROPHENOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
ACENAPHTHENE	0001	S	MG/KG	1.7	1.1	J	1.1	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	1.7	1.7	U	1.1	J	I
ACETONE	0001	S	MG/KG	0.01	0.004	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.012	0.12	B	0.12		I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	5700.				I
ANTHRACENE	0001	S	MG/KG	1.7	2.8		2.8	J	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.2	3.2	U	3.2	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MND33-0045
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	7.9		7.9	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	52.5				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	1.7	4.2		4.2	J	I
BENZO(A)PYRENE	0001	S	MG/KG	1.7	3.6		3.6	J	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	1.7	2.8		2.8	J	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	1.7	2.1		2.1	J	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	1.7	3.4		3.4	J	I
BENZOIC ACID	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.4	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	1.7	0.48	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.01	0.01	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.53	.53	U	.53	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	86800.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.098		0.098	J	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.01	0.01	U			I

APPENDIX A
Location: MWD33-0045
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.01	0.01	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	8.9		8.9	J	I
CHRYSENE	0001	S	MG/KG	3.9	3.9	U	3.9	J	I
COBALT, TOTAL	0001	S	MG/KG	2.	5.5				I
COPPER, TOTAL	0001	S	MG/KG	1.	12.5				I
CYANIDE	0001	S	MG/KG	1.	7.8		7.8	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	1.7	0.8	J			I
DIBENZOFURAN	0001	S	MG/KG	1.7	0.58	J			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.004	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.009	B	0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.017	0.017	U	0.017	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.03	0.03	U	0.03	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	1.7	11.		11.	J	I
FLUORENE	0001	S	MG/KG	1.7	1.1	J			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I

APPENDIX A
Location: MWD33-0045
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	1.7	1.9		1.9	J	I
IRON, TOTAL	0001	S	MG/KG	1.	14200.				I
ISOPHORONE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	13.3				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	25700.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	379.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.03		.03	J	I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
NAPHTHALENE	0001	S	MG/KG	1.7	0.41	J			I
NICKEL, TOTAL	0001	S	MG/KG	2.	12.2				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
PHENANTHRENE	0001	S	MG/KG	1.7	11.		11.	J	I
PHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	475.	B			I
PYRENE	0001	S	MG/KG	1.7	9.7		9.7	J	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.21	.21	U			I X
SILVER, TOTAL	0001	S	MG/KG	.53	.53	U	.53	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	160.	B	160.	J	I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.21	.21	U	.21	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MWD33-0045
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	13.				I
VINYL ACETATE	0001	S	MG/KG	0.01	0.01	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	37.8		37.8	J	I

APPENDIX A
Location: MND33-0046
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	8.2	8.2	U	8.2	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I

APPENDIX A
Location: MWD33-0046
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DICHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	8.2	8.2	U	8.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.002	JB	0.01	U	I
2-BUTANONE	0002	S	MG/KG	0.012	0.023	B	0.023		I
2-BUTANONE	0003	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-BUTANONE	1002	S	MG/KG	0.012	0.002	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1002	S	MG/KG	0.012	0.001	JB	0.012	U	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-NITROANILINE	0001	S	MG/KG	8.2	8.2	U	8.2	UJ	I
2-NITROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
3-NITROANILINE	0001	S	MG/KG	8.2	8.2	U	8.2	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	8.2	8.2	U	8.2	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-NITROANILINE	0001	S	MG/KG	8.2	8.2	U	8.2	UJ	I
4-NITROPHENOL	0001	S	MG/KG	8.2	8.2	U	8.2	UJ	I

APPENDIX A
Location: MWD33-0046
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHENE	0001	S	MG/KG	1.7	0.38	J	0.38	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	1.7	1.7	U	0.38	J	I
ACETONE	0001	S	MG/KG	0.011	0.002	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.012	0.11	B	0.11		I
ACETONE	0003	S	MG/KG	0.011	0.033	B	0.033	U	I
ACETONE	1002	S	MG/KG	0.012	0.025	B	0.025	U	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	8570.				I
ANTHRACENE	0001	S	MG/KG	1.7	1.3	J			I
ANTIMONY, TOTAL	0001	S	MG/KG	3.3	3.3	U	3.3	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	
ARSENIC, TOTAL	0001	S	MG/KG	.2	.7		8.7	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	63.				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.005	0.005	U			I
BENZENE	1002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	1.7	1.8		1.8	J	I
BENZO(A)PYRENE	0001	S	MG/KG	1.7	1.6	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	1.7	1.4	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	1.7	1.	J			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	1.7	1.3	J			I
BENZOIC ACID	0001	S	MG/KG	8.2	8.2	U	8.2	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.49	B			I
BETA-BHC	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	1.7	0.37	J			

APPENDIX A
Location: MWD33-0046
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.005	0.005	U			I
BROMOFORM	1002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.55	.55	U	.55	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	64600.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	1002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	11.		1.1	J	I
CHRYSENE	0001	S	MG/KG	1.7	1.7		1.7	J	I
COBALT, TOTAL	0001	S	MG/KG	2.	7.5				I
COPPER, TOTAL	0001	S	MG/KG	1.	14.4				I
CYANIDE	0001	S	MG/KG	1.	8.9		8.9	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I

APPENDIX A
Location: MND33-0046
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	1.7	0.38	J			I
DIBENZOFURAN	0001	S	MG/KG	1.7	0.19	J			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.013	B	0.013	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.008	B	0.008	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.007	B	0.007	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.006	0.009	B	0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.023		0.023	J	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	1002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	1.7	4.7		4.7	J	I
FLUORENE	0001	S	MG/KG	1.7	0.47	J			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	1.7	0.89	J			I
IRON, TOTAL	0001	S	MG/KG	1.	18200.				I
ISOPHORONE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	12.9				

APPENDIX A
Location: MWD33-0046
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	20600.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	372.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.03		.03	J	I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
NAPHTHALENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	13.6				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	8.2	8.2	U	8.2	UJ	I
PHENANTHRENE	0001	S	MG/KG	1.7	4.2		4.2	J	I
PHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	732.				I
PYRENE	0001	S	MG/KG	1.7	4.		4.	J	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.22	.22	U			I X
SILVER, TOTAL	0001	S	MG/KG	.55	.55	U	.55	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	168.	B	168.	J	I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.005	0.005	U			I
STYRENE	1002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22	U	.22	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.005	0.005	U			I
TOLUENE	1002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	1002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MWD33-0046
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TRICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	17.1				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	44.8		44.8	J	I

APPENDIX A
Location: MND33-0047
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.01	0.01	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.029				I
2-CHLORONAPHTHALENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I

APPENDIX A
Location: MWD33-0047
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-HEXANONE	0001	S	MG/KG	0.01	0.01	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-NITROANILINE	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
2-NITROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.01	0.01	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-NITROANILINE	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
4-NITROPHENOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
ACENAPHTHENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.007	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.012	0.15	B	0.15		I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	3670.				I
ANTHRACENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.1	3.1	U	3.1	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	

APPENDIX A
Location: MND33-0047
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	6.2		6.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	24.1				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	1.7	0.3	J			I
BENZO(A)PYRENE	0001	S	MG/KG	1.7	0.27	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	1.7	0.46	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BENZOIC ACID	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.14	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	1.7	1.3	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.01	0.01	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.52	.52	U	.52	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	138000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.01	0.01	U			I

APPENDIX A
Location: MWD33-0047
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.01	0.01	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	6.3		6.3	J	I
CHRYSENE	0001	S	MG/KG	1.7	0.31	J			I
COBALT, TOTAL	0001	S	MG/KG	2.	3.4	B			I
COPPER, TOTAL	0001	S	MG/KG	1.	9.8				I
CYANIDE	0001	S	MG/KG	1.	1.	U	1.	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DIBENZOFURAN	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.005	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.008	B	0.008	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	1.7	0.63	J			I
FLUORENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	

APPENDIX A
Location: MND33-0047
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	1.7	0.18	J			I
IRON, TOTAL	0001	S	MG/KG	1.	8580.				I
ISOPHORONE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	8.8				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	41600.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	217.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U	.02	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
NAPHTHALENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	6.9				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	8.4	8.4	U	8.4	UJ	I
PHENANTHRENE	0001	S	MG/KG	1.7	0.38	J			I
PHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	467.	B			I
PYRENE	0001	S	MG/KG	1.7	0.52	J			I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.21	.21	U			I X
SILVER, TOTAL	0001	S	MG/KG	2.6	2.6	U	2.6	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	168.	B			I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.21	.21	U	.21	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MWD33-0047
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	9.9				I
VINYL ACETATE	0001	S	MG/KG	0.01	0.01	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	27.8		27.8	J	I

APPENDIX A
Location: MWD33-0048
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			R
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	R
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			R
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			R
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			R
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			R
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			R
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			R
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			R
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			R
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I

APPENDIX A
Location: MWD33-0048
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.001	JB	0.011	U	R
2-BUTANONE	0001	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-BUTANONE	0002	S	MG/KG	0.01	0.002	JB	0.01	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	R
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-HEXANONE	0002	S	MG/KG	0.01	0.01	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0081	0.0081	U	0.0081	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0078	0.0078	U	0.0078	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0085	0.0085	U	0.0085	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.003	J	0.011	UJ	R
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.01	0.01	U			
4-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	

APPENDIX A
Location: MWD33-0048
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYLPHENOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.01	JB	0.011	U	R
ACETONE	0001	S	MG/KG	0.011	0.009	JB	0.011	U	I
ACETONE	0002	S	MG/KG	0.01	0.006	JB	0.01	U	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0103	0.0103	U	0.0103	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0021	0.0021	U	0.0021	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	3120.	*	3120.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	2160.	*	2160.	J	I
ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTHRACENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	17.1		17.1	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	26.9		26.9	J	I
AROCLOR-1016	0001	S	MG/KG	0.0886	0.0886	U	0.0886	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0851	0.0851	U	0.0851	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0886	0.0886	U	0.0886	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0851	0.0851	U	0.0851	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0886	0.0886	U	0.0886	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0851	0.0851	U	0.0851	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0886	0.0886	U	0.0886	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0851	0.0851	U	0.0851	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0886	0.0886	U	0.0886	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0851	0.0851	U	0.0851	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.177	0.177	U	0.177	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.17	0.17	U	0.17	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.177	0.177	U	0.177	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.17	0.17	U	0.17	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.3				I
ARSENIC, TOTAL	0002	S	MG/KG	.2	1.3				I
BARIUM, TOTAL	0001	S	MG/KG	.2	35.4				I
BARIUM, TOTAL	0002	S	MG/KG	.2	18.3				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			R
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MWD33-0048
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.73	0.084	J			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.67				I
BERYLLIUM	0002	S	MG/KG	.2	.55				I
BETA-BHC	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BETA-BHC	0002	S	MG/KG	0.0043	0.0043	U	0.0043	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	[illegible]
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	[illegible]
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			R
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			R
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			R
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.01	0.01	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.		3.0	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	4.7		4.7	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	113000.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	2.	98800.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			R
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			R
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			[illegible]

APPENDIX A
Location: MND33-0048
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	R
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			R
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.01	0.01	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			R
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			R
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.01	0.01	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	22.	•	22.0	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	19.4	•	19.4	J	I
CHRYSENE	0001	S	MG/KG	0.73	0.11	J			I
CHRYSENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	6.2		6.2	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	5.4		5.4	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	14.7		14.7	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	12.1		12.1	J	I
CYANIDE	0001	S	MG/KG	.11	.11	U			I
CYANIDE	0002	S	MG/KG	1.	1.	U	1.0	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0066	0.0066	U	0.0066	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0064	0.0064	U	0.0064	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			R
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.01	B	0.01	U	R
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.011	B	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.007	B	0.007	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I

APPENDIX A
Location: MWD33-0048
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0085	0.0085	U	0.0085	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0177	0.0177	U	0.0177	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.017	0.017	U	0.017	UJ	I
ENDRIN	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN	0002	S	MG/KG	0.0043	0.0043	U	0.0043	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0169	0.0169	U	0.0169	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0163	0.0163	U	0.0163	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0177	0.0177	U	0.0177	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.017	0.017	U	0.017	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	R
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.73	0.14	J			I
FLUORANTHENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
FLUORENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0103	0.0103	U	0.0103	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0021	0.0021	U	0.0021	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0085	0.0085	U	0.0085	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	6180.	*	6180.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	5660.	*	5660.	J	I
ISOPHORONE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ISOPHORONE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	11.1	*	11.1	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	3.8	*	3.8	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	19000.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	40300.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	409.				I

APPENDIX A
Location: MND33-0048
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MANGANESE, TOTAL	0002	S	MG/KG	.2	285.				I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11				I X
MERCURY, TOTAL	0002	S	MG/KG	.1	.1		0.10	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.0886	0.0886	U	0.0886	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0851	0.0851	U	0.0851	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	16.5	•			I
NICKEL, TOTAL	0002	S	MG/KG	2.	16.5	•			I
NITROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NITROBENZENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
PHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	640.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	356.				I
PYRENE	0001	S	MG/KG	0.73	0.13	J			I
PYRENE	0002	S	MG/KG	0.68	0.68	U	0.68	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.43	.43		0.43	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.42	.42		0.42	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	14.8		14.8	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	13.8		13.8	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	126.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	130.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	R
STYRENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	R
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.2	.51		0.51	J	I
THALLIUM, TOTAL	0002	S	MG/KG	.42	.42		0.42	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	R
TOLUENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	R
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.177	0.177	U	0.177	UJ	I

APPENDIX A
Location: MWD33-0048
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOXAPHENE	0002	S	MG/KG	0.17	0.17	U	0.17	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			R
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRITIUM	0001	S	PCI/G	50.	50.	U	1.611	U	I
TRITIUM	0002	S	PCI/G	50.	50.	U	1.608	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	17.4		17.4	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	18.3		18.3	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			R
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.01	0.01	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			R
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.01	0.01	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	38.8		38.8	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	21.2		21.2	J	I

APPENDIX A
Location: MND33-0049
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			R
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			R
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			R
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			R
1,1-DICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			R
1,1-DICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			R
1,2-DICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			R
1,2-DICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			R
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			R
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			R
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.002	JB	0.011	U	R
2-BUTANONE	1001	S	MG/KG	0.011	0.003	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MWD33-0049
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Rul. Type
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			R
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.163	0.163	U	0.163	UJ	R
4,4'-DDD	1001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0604	0.0604	U	0.0604	UJ	R
4,4'-DDE	1001	S	MG/KG	0.0593	0.0593	U	0.0593	UJ	
4,4'-DDT	0001	S	MG/KG	0.179	0.179	U	0.179	UJ	R
4,4'-DDT	1001	S	MG/KG	0.176	0.176	U	0.176	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			R
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	

APPENDIX A
Location: MWD33-0049
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.012	B	0.012	U	R
ACETONE	1001	S	MG/KG	0.011	0.008	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0604	0.0604	U	0.0604	UJ	R
ALDRIN	1001	S	MG/KG	0.0593	0.0593	U	0.0593	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.208	0.208	U	0.208	UJ	R
ALPHA CHLORDANE	1001	S	MG/KG	0.204	0.204	U	0.204	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0448	0.0448	U	0.0448	UJ	R
ALPHA-BHC	1001	S	MG/KG	0.044	0.044	U	0.044	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	5030.	*	5030	J	I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	5070.	*	5070.	J	I
ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTHRACENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	12.5		12.5	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	11.9		11.9	J	I
AROCLOR-1016	0001	S	MG/KG	1.791	1.791	U	1.791	UJ	R
AROCLOR-1016	1001	S	MG/KG	1.758	1.758	U	1.758	UJ	I
AROCLOR-1221	0001	S	MG/KG	1.791	1.791	U	1.791	UJ	R
AROCLOR-1221	1001	S	MG/KG	1.758	1.758	U	1.758	UJ	I
AROCLOR-1232	0001	S	MG/KG	1.791	1.791	U	1.791	UJ	R
AROCLOR-1232	1001	S	MG/KG	1.758	1.758	U	1.758	UJ	I
AROCLOR-1242	0001	S	MG/KG	1.791	1.791	U	1.791	UJ	R
AROCLOR-1242	1001	S	MG/KG	1.758	1.758	U	1.758	UJ	I
AROCLOR-1248	0001	S	MG/KG	1.791	1.791	U	1.791	UJ	R
AROCLOR-1248	1001	S	MG/KG	1.758	1.758	U	1.758	UJ	I
AROCLOR-1254	0001	S	MG/KG	3.582	3.9		3.9	J	R
AROCLOR-1254	1001	S	MG/KG	3.582	3.8		3.8	J	I
AROCLOR-1260	0001	S	MG/KG	3.582	3.582	U	3.582	UJ	R
AROCLOR-1260	1001	S	MG/KG	3.582	3.582	U	3.582	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.2				I
ARSENIC, TOTAL	1001	S	MG/KG	.2	3.1				I
BARIUM, TOTAL	0001	S	MG/KG	.2	127.				I
BARIUM, TOTAL	1001	S	MG/KG	.2	121.				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			R
BENZENE	1001	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.72	0.13	J			I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.72	0.13	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MND33-0049
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.67				I
BERYLLIUM	1001	S	MG/KG	.2	.65				I
BETA-BHC	0001	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	R
BETA-BHC	1001	S	MG/KG	0.0879	0.0879	U	0.0879	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.72	1.3		1.3	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.72	2.3		2.3	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			R
BROMODICHLOROMETHANE	1001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			R
BROMOFORM	1001	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			R
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.6		3.6	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.2	3.1		3.1	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	40200.	*			I
CALCIUM, TOTAL	1001	S	MG/KG	2.	28800.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			R
CARBON DISULFIDE	1001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			R
CARBON TETRACHLORIDE	1001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			R
CHLOROBENZENE	1001	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			R
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			R
CHLOROFORM	1001	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			R
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	163.	*			I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	140.	*			I
CHRYSENE	0001	S	MG/KG	0.72	0.1	J			

APPENDIX A
Location: MWD33-0049
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	1001	S	MG/KG	0.72	0.14	J			I
COBALT, TOTAL	0001	S	MG/KG	1.	9.8		9.8	J	I
COBALT, TOTAL	1001	S	MG/KG	1.	9.6		9.6	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	36.2		36.2	J	I
COPPER, TOTAL	1001	S	MG/KG	1.	29.6		29.6	J	I
CYANIDE	0001	S	MG/KG	.2	.37				I
CYANIDE	1001	S	MG/KG	.2	.2				I
DELTA-BHC	0001	S	MG/KG	0.134	0.134	U	0.134	UJ	R
DELTA-BHC	1001	S	MG/KG	0.132	0.132	U	0.132	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.72	0.09	J			I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			R
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.008	B	0.008	U	R
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.005	0.006	B	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0291	0.0291	U	0.0291	UJ	R
DIELDRIN	1001	S	MG/KG	0.0286	0.0286	U	0.0286	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.179	0.179	U	0.179	UJ	R
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.176	0.176	U	0.176	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0604	0.0604	U	0.0604	UJ	R
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0593	0.0593	U	0.0593	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.358	0.358	U	0.358	UJ	R
ENDOSULFAN SULFATE	1001	S	MG/KG	0.352	0.352	U	0.352	UJ	I
ENDRIN	0001	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	R
ENDRIN	1001	S	MG/KG	0.0879	0.0879	U	0.0879	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.342	0.342	U	0.342	UJ	R
ENDRIN ALDEHYDE	1001	S	MG/KG	0.336	0.336	U	0.336	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.358	0.358	U	0.358	UJ	R
ENDRIN KETONE	1001	S	MG/KG	0.352	0.352	U	0.352	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			R
ETHYLBENZENE	1001	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.72	0.11	J			I
FLUORANTHENE	1001	S	MG/KG	0.72	0.1	J			I
FLUORENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MWD33-0049
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
FLUORENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.208	0.208	U	0.208	UJ	R
GAMMA CHLORDANE	1001	S	MG/KG	0.204	0.204	U	0.204	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0604	0.0604	U	0.0604	UJ	R
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0593	0.0593	U	0.0593	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0448	0.0448	U	0.0448	UJ	R
HEPTACHLOR	1001	S	MG/KG	0.044	0.044	U	0.044	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.179	0.179	U	0.179	UJ	R
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.176	0.176	U	0.176	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	10800.	*	10800.	J	I
IRON, TOTAL	1001	S	MG/KG	1.	11100.	*	11100.	J	I
ISOPHORONE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ISOPHORONE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	32.8	*	32.8	J	I
LEAD, TOTAL	1001	S	MG/KG	.2	123.	*	123.	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	14900.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	12200.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	594.				I
MANGANESE, TOTAL	1001	S	MG/KG	.2	639.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.42				I
MERCURY, TOTAL	1001	S	MG/KG	.02	.32				I
METHOXYCHLOR	0001	S	MG/KG	1.791	1.791	U	1.791	UJ	R
METHOXYCHLOR	1001	S	MG/KG	1.758	1.758	U	1.758	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	71.6	*			I
NICKEL, TOTAL	1001	S	MG/KG	2.	53.8	*			I
NITROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NITROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	

APPENDIX A
Location: MND33-0049
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1430.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	1270.				I
PYRENE	0001	S	MG/KG	0.72	0.11	J			I
PYRENE	1001	S	MG/KG	0.72	0.11	J			I
SELENIUM, TOTAL	0001	S	MG/KG	.43	.43		0.43	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.44	.44		0.44	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	9.4		9.4	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	7.6		7.6	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	244.				I
SODIUM, TOTAL	1001	S	MG/KG	10.	216.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			R
STYRENE	1001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			R
TETRACHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.43	.43		0.43	UJ	I
THALLIUM, TOTAL	1001	S	MG/KG	.44	.44		0.44	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			R
TOLUENE	1001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			R
TOTAL XYLENES	1001	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	3.582	3.582	U	3.582	UJ	R
TOXAPHENE	1001	S	MG/KG	3.216	3.216	U	3.216	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			R
TRICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
TRITIUM	0001	S	PCI/G	50.	50.	U	1.615	U	I
TRITIUM	1001	S	PCI/G	50.	50.	U	1.618	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	19.5		19.5	J	I
VANADIUM, TOTAL	1001	S	MG/KG	1.	18.2		18.2	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			R
VINYL ACETATE	1001	S	MG/KG	0.011	0.001	J			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			R
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	117.		117.	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	126.		126.	J	I

APPENDIX A
Location: MND33-0050
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.164	0.164	U	0.164	UJ	R
4,4'-DDE	0001	S	MG/KG	0.0607	0.0607	U	0.0607	UJ	[illegible]
4,4'-DDT	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	R

APPENDIX A
Location: MND33-0050
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.007	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0607	0.0607	U	0.0607	UJ	R
ALPHA CHLORDANE	0001	S	MG/KG	0.209	0.209	U	0.209	UJ	R
ALPHA-BHC	0001	S	MG/KG	0.0449	0.0449	U	0.0449	UJ	R
ALUMINUM, TOTAL	0001	S	MG/KG	6.	3060.	•	3060.	J	I
ANTHRACENE	0001	S	MG/KG	0.73	0.098	J			I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	11.3		11.3	J	I
AROCLOR-1016	0001	S	MG/KG	1.798	1.798	U	1.798	UJ	R
AROCLOR-1221	0001	S	MG/KG	1.798	1.798	U	1.798	UJ	R
AROCLOR-1232	0001	S	MG/KG	1.798	1.798	U	1.798	UJ	R
AROCLOR-1242	0001	S	MG/KG	1.798	1.798	U	1.798	UJ	R
AROCLOR-1248	0001	S	MG/KG	1.798	1.798	U	1.798	UJ	R
AROCLOR-1254	0001	S	MG/KG	3.596	2.2	J			R
AROCLOR-1260	0001	S	MG/KG	3.596	3.596	U	3.596	UJ	R
ARSENIC, TOTAL	0001	S	MG/KG	.2	1.5				I
BARIUM, TOTAL	0001	S	MG/KG	.2	97.4				I
BENZENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.73	0.17	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.73	0.44	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.73	0.13	J			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I

APPENDIX A
Location: MWD33-0050
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZYL ALCOHOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.56				I
BETA-BHC	0001	S	MG/KG	0.0899	0.0899	U	0.0899	UJ	R
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.73	0.8		0.8	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	4.3		4.3	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	47000.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	22.9	*	22.9	J	I
CHRYSENE	0001	S	MG/KG	0.73	0.5	J			I
COBALT, TOTAL	0001	S	MG/KG	1.	6.3		6.3	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	23.5		23.5	J	I
CYANIDE	0001	S	MG/KG	.15	.15				I
DELTA-BHC	0001	S	MG/KG	0.135	0.135	U	0.135	UJ	R
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.013	B	0.013	U	I
DIELDRIN	0001	S	MG/KG	0.0292	0.0292	U	0.0292	UJ	R
DIETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MND33-0050
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	R
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0607	0.0607	U	0.0607	UJ	R
ENDOSULFAN SULFATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	R
ENDRIN	0001	S	MG/KG	0.0899	0.0899	U	0.0899	UJ	R
ENDRIN ALDEHYDE	0001	S	MG/KG	0.344	0.344	U	0.344	UJ	R
ENDRIN KETONE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	R
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
FLUORANTHENE	0001	S	MG/KG	0.73	0.91		0.91	J	I
FLUORENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.209	0.209	U	0.209	UJ	R
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0607	0.0607	U	0.0607	UJ	R
HEPTACHLOR	0001	S	MG/KG	0.0449	0.0449	U	0.0449	UJ	R
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	R
HEXACHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.73	0.11	J			I
IRON, TOTAL	0001	S	MG/KG	1.	5780.	•	5780.	J	I
ISOPHORONE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	53.1	•	53.1	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	14900.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	474.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	1.8				I
METHOXYCHLOR	0001	S	MG/KG	1.798	1.798	U	1.798	UJ	R
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	14.7	•			I
NITROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.73	0.67	J			I
PHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	748.				I

APPENDIX A
Location: MWD33-0050
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PYRENE	0001	S	MG/KG	0.73	0.77		0.77	J	I
SELENIUM, TOTAL	0001	S	MG/KG	.44	.44		0.44	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	13.		13.0	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	95.5				I
STYRENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		0.44	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
TOXAPHENE	0001	S	MG/KG	3.596	3.596	U	3.596	UJ	R
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
TRITIUM	0001	S	PCI/G	50.	50.	U	1.615	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	13.6		13.6	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	80.7		80.7	J	

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1;1,1-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2,4-TRICHLOROBENZENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2,4-TRICHLOROBENZENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROBENZENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROBENZENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MWD33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,3-DICHLOROBENZENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,3-DICHLOROBENZENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,4-DICHLOROBENZENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,4-DICHLOROBENZENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	0004	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,5-TRICHLOROPHENOL	1003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,6-TRICHLOROPHENOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,6-TRICHLOROPHENOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DICHLOROPHENOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DICHLOROPHENOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DIMETHYLPHENOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DIMETHYLPHENOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	0004	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROPHENOL	1003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DINITROTOLUENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DINITROTOLUENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,6-DINITROTOLUENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,6-DINITROTOLUENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0003	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0004	S	MG/KG	0.013	0.013	U			I
2-BUTANONE	1003	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLORONAPHTHALENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-CHLORONAPHTHALENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLOROPHENOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-CHLOROPHENOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0004	S	MG/KG	0.013	0.013	U			I
2-HEXANONE	1003	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLNAPHTHALENE	0004	S	MG/KG	0.83	0.27	J			I
2-METHYLNAPHTHALENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLPHENOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-METHYLPHENOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROANILINE	0004	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROANILINE	1003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-NITROPHENOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-NITROPHENOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0004	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	1003	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	0004	S	MG/KG	4.	4.	U	4.	UJ	I
3-NITROANILINE	1003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0004	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	1003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	1003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,4'-DDT	0002	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0004	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	1003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	0004	S	MG/KG	4.	4.	U	4.	UJ	I
4,6-DINITRO-O-CRESOL	1003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLORO-3-METHYLPHENOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLORO-3-METHYLPHENOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROANILINE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROANILINE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0004	S	MG/KG	0.013	0.013	U			I
4-METHYL-2-PENTANONE	1003	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-METHYLPHENOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-METHYLPHENOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	0004	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROANILINE	1003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0004	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	1003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHENE	0004	S	MG/KG	0.83	1.		1.	J	I
ACENAPHTHENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHYLENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACENAPHTHYLENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0002	S	MG/KG	0.012	0.08		0.08	J	I
ACETONE	0003	S	MG/KG	0.012	0.061		0.061	J	I
ACETONE	0004	S	MG/KG	0.013	0.052		0.052	J	I
ACETONE	1003	S	MG/KG	0.012	0.057		0.057	J	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	1003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA-BHC	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	1003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	8230.				I
ALUMINUM, TOTAL	0002	S	MG/KG	4.	5140.				I
ALUMINUM, TOTAL	0003	S	MG/KG	4.	11900.				I
ALUMINUM, TOTAL	0004	S	MG/KG	4.	20000.				I
ALUMINUM, TOTAL	1003	S	MG/KG	4.	8920.				I
ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTHRACENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ANTHRACENE	0004	S	MG/KG	0.83	0.4	J			I
ANTHRACENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.2	3.2		3.2	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.4	3.4		3.4	UJ	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.6	3.6		3.6	UJ	I
ANTIMONY, TOTAL	0004	S	MG/KG	3.6	3.6		3.6	UJ	I
ANTIMONY, TOTAL	1003	S	MG/KG	3.5	3.5		3.5	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	1003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	1003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.04	0.04	U	0.84	UJ	I
AROCLOR-1232	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	1003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	1003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	1003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0004	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	1003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0004	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	1003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	4.1				I
ARSENIC, TOTAL	0002	S	MG/KG	.2	4.7				I
ARSENIC, TOTAL	0003	S	MG/KG	.2	3.				I
ARSENIC, TOTAL	0004	S	MG/KG	.2	7.8				I
ARSENIC, TOTAL	1003	S	MG/KG	.2	3.7				I
BARIUM, TOTAL	0001	S	MG/KG	.2	34.5				I
BARIUM, TOTAL	0002	S	MG/KG	.2	34.1				I
BARIUM, TOTAL	0003	S	MG/KG	.2	44.3		44.3	J	I
BARIUM, TOTAL	0004	S	MG/KG	.2	101.				I
BARIUM, TOTAL	1003	S	MG/KG	.2	29.4		29.4	J	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	0004	S	MG/KG	0.006	0.006	U			I
BENZENE	1003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.73	0.17	J			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.79	0.31	J			I
BENZO(A)ANTHRACENE	0004	S	MG/KG	0.83	0.8	J			I
BENZO(A)ANTHRACENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.73	0.16	J			I
BENZO(A)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.79	0.29	J			I
BENZO(A)PYRENE	0004	S	MG/KG	0.83	0.82	J			I
BENZO(A)PYRENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.73	0.15	J			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.77	0.085	J			I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.79	0.2	J			I
BENZO(B)FLUORANTHENE	0004	S	MG/KG	0.83	0.67	J			I
BENZO(B)FLUORANTHENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.73	0.13	J			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.79	0.19	J			I
BENZO(G,H,I)PERYLENE	0004	S	MG/KG	0.83	0.6	J			I
BENZO(G,H,I)PERYLENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.73	0.14	J			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.79	0.25	J			I
BENZO(K)FLUORANTHENE	0004	S	MG/KG	0.83	0.66	J			I
BENZO(K)FLUORANTHENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZOIC ACID	0003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	0004	S	MG/KG	4.	4.	U	4.	UJ	I
BENZOIC ACID	1003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZYL ALCOHOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZYL ALCOHOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.47	B			I
BERYLLIUM	0002	S	MG/KG	.1	.23	B			I
BERYLLIUM	0003	S	MG/KG	.1	.59	B			I
BERYLLIUM	0004	S	MG/KG	.1	.97				I
BERYLLIUM	1003	S	MG/KG	.1	.58	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0002	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0004	S	MG/KG	0.011	0.011	U	0.011	UJ	I
BETA-BHC	1003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHYL)ETHER	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHYL)ETHER	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.73	2.6	B	2.6	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.77	0.74	JB	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.79	0.24	JB	0.79	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0004	S	MG/KG	0.83	0.89	B	0.89	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1003	S	MG/KG	0.78	0.62	JB	0.78	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0004	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0004	S	MG/KG	0.013	0.013	U			I
BROMOMETHANE	1003	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BUTYL BENZYL PHTHALATE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BUTYL BENZYL PHTHALATE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.54	.54	U	0.54	UJ	I
CADMIUM, TOTAL	0002	S	MG/KG	.56	.56	U	0.56	UJ	I
CADMIUM, TOTAL	0003	S	MG/KG	.59	.59	U	0.59	UJ	I
CADMIUM, TOTAL	0004	S	MG/KG	.6	.6	U	0.6	UJ	I
CADMIUM, TOTAL	1003	S	MG/KG	.59	.59	U	0.59	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	89200.				I
CALCIUM, TOTAL	0002	S	MG/KG	3.	129000.				I
CALCIUM, TOTAL	0003	S	MG/KG	3.	128000.		128000.	J	I
CALCIUM, TOTAL	0004	S	MG/KG	3.	34100.				I
CALCIUM, TOTAL	1003	S	MG/KG	3.	222000.		222000.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0004	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0004	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1003	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.031		0.031	J	I
CHLORDANE	0002	S	MG/KG	0.009	0.04		0.04	J	I
CHLORDANE	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
CHLORDANE	0004	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	1003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0004	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0004	S	MG/KG	0.013	0.013	U			I
CHLOROETHANE	1003	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0004	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0004	S	MG/KG	0.013	0.013	U			I
CHLOROMETHANE	1003	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	10.4				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	7.4				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	15.3				I
CHROMIUM, TOTAL	0004	S	MG/KG	1.	20.7				I
CHROMIUM, TOTAL	1003	S	MG/KG	1.	10.9				I
CHRYSENE	0001	S	MG/KG	0.73	0.2	J			

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CHRYSENE	0003	S	MG/KG	0.79	0.29	J			I
CHRYSENE	0004	S	MG/KG	0.83	0.82	J			I
CHRYSENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	7.				I
COBALT, TOTAL	0002	S	MG/KG	2.	5.6				I
COBALT, TOTAL	0003	S	MG/KG	2.	11.7				I
COBALT, TOTAL	0004	S	MG/KG	2.	10.8				I
COBALT, TOTAL	1003	S	MG/KG	2.	8.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	11.4				I
COPPER, TOTAL	0002	S	MG/KG	1.	12.8				I
COPPER, TOTAL	0003	S	MG/KG	1.	17.1				I
COPPER, TOTAL	0004	S	MG/KG	1.	16.				I
COPPER, TOTAL	1003	S	MG/KG	1.	9.8				I
CYANIDE	0001	S	MG/KG	1.	8.2		8.2	J	I
CYANIDE	0002	S	MG/KG	1.	2.		2.0	J	I
CYANIDE	0003	S	MG/KG	1.	1.7		1.7	J	I
CYANIDE	0004	S	MG/KG	1.	2.7		2.1	J	I
CYANIDE	1003	S	MG/KG	1.	2.1		2.1	J	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0004	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	1003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.77	0.13	J			I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-BUTYL PHTHALATE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DI-N-BUTYL PHTHALATE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-OCTYL PHTHALATE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DI-N-OCTYL PHTHALATE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.79	0.083	J			I
DIBENZO(A,H)ANTHRACENE	0004	S	MG/KG	0.83	0.23	J			I
DIBENZO(A,H)ANTHRACENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZOFURAN	0004	S	MG/KG	0.83	0.39	J			I
DIBENZOFURAN	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.001	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.002	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.002	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0004	S	MG/KG	0.006	0.002	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	1003	S	MG/KG	0.006	0.002	J			I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0004	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	1003	S	MG/KG	0.0018	0.0018	U	0.0018	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIETHYL PHTHALATE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIETHYL PHTHALATE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIMETHYL PHTHALATE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIMETHYL PHTHALATE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0004	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	1003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	1003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	1003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0002	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0004	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	1003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0004	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	1003	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	1003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0004	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1003	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HB HYD AS MOTOR OIL	0001	S	MG/KG	20.	47.		51.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0002	S	MG/KG	20.	20.	U	20.	UJ	I
EXTRACTABLE HB HYD AS MOTOR OIL	0003	S	MG/KG	20.	42.		49.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0004	S	MG/KG	20.	69.		81.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	1003	S	MG/KG	20.	23.		27.	J	I
FLUORANTHENE	0001	S	MG/KG	0.73	0.46	J			

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
FLUORANTHENE	0002	S	MG/KG	0.77	0.14	J			I
FLUORANTHENE	0003	S	MG/KG	0.79	0.45	J			I
FLUORANTHENE	0004	S	MG/KG	0.83	2.1		2.1	J	I
FLUORANTHENE	1003	S	MG/KG	0.78	0.098	J			I
FLUORENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORENE	0004	S	MG/KG	0.83	0.59	J			I
FLUORENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0004	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	1003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	1003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0004	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	1003	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBENZENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROBENZENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBUTADIENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROBUTADIENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROCYCLOPENTADIENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROCYCLOPENTADIENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROETHANE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROETHANE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.73	0.11	J			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.79	0.16	J			I
INDENO(1,2,3-CD)PYRENE	0004	S	MG/KG	0.83	0.51	J			I
INDENO(1,2,3-CD)PYRENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	15400.				I
IRON, TOTAL	0002	S	MG/KG	1.	13700.				I
IRON, TOTAL	0003	S	MG/KG	1.	25100.				I
IRON, TOTAL	0004	S	MG/KG	1.	27900.				I
IRON, TOTAL	1003	S	MG/KG	1.	18700.				I
ISOPHORONE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ISOPHORONE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ISOPHORONE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ISOPHORONE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ISOPHORONE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	10.1				I
LEAD, TOTAL	0002	S	MG/KG	.2	7.4		7.4	J	I
LEAD, TOTAL	0003	S	MG/KG	.2	8.2		8.2	J	I
LEAD, TOTAL	0004	S	MG/KG	.2	15.4		15.4	J	I
LEAD, TOTAL	1003	S	MG/KG	.2	8.6		8.6	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	32100.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	3.	39500.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	3.	11700.				I
MAGNESIUM, TOTAL	0004	S	MG/KG	3.	7920.				I
MAGNESIUM, TOTAL	1003	S	MG/KG	3.	9000.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	334.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	305.				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	723.				I
MANGANESE, TOTAL	0004	S	MG/KG	.2	316.				I
MANGANESE, TOTAL	1003	S	MG/KG	.2	711.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0002	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0003	S	MG/KG	.02	.03				I
MERCURY, TOTAL	0004	S	MG/KG	.02	.03				I
MERCURY, TOTAL	1003	S	MG/KG	.02	.07				I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0004	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	1003	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSODIPHENYLAMINE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSODIPHENYLAMINE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NAPHTHALENE	0004	S	MG/KG	0.83	0.12	J			I
NAPHTHALENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	13.5				I
NICKEL, TOTAL	0002	S	MG/KG	2.	11.2				I
NICKEL, TOTAL	0003	S	MG/KG	2.	21.6		21.6	J	I
NICKEL, TOTAL	0004	S	MG/KG	2.	22.6				I
NICKEL, TOTAL	1003	S	MG/KG	2.	14.9		14.9	J	I
NITROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NITROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NITROBENZENE	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NITROBENZENE	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NITROBENZENE	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	0004	S	MG/KG	4.	4.	U	4.	UJ	I
PENTACHLOROPHENOL	1003	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.73	0.35	J			I
PHENANTHRENE	0002	S	MG/KG	0.77	0.091	J			I
PHENANTHRENE	0003	S	MG/KG	0.79	0.16	J			I
PHENANTHRENE	0004	S	MG/KG	0.83	1.7		1.7	J	I
PHENANTHRENE	1003	S	MG/KG	0.78	0.1	J			I
PHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0003	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENOL	0004	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PHENOL	1003	S	MG/KG	0.78	0.78	U	0.78	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1450.				I
POTASSIUM, TOTAL	0002	S	MG/KG	100.	676.				I
POTASSIUM, TOTAL	0003	S	MG/KG	100.	1990.				I
POTASSIUM, TOTAL	0004	S	MG/KG	100.	1770.				I
POTASSIUM, TOTAL	1003	S	MG/KG	100.	1670.				I
PYRENE	0001	S	MG/KG	0.73	0.38	J			I
PYRENE	0002	S	MG/KG	0.77	0.12	J			I
PYRENE	0003	S	MG/KG	0.79	0.41	J			I
PYRENE	0004	S	MG/KG	0.83	2.		2.	J	I
PYRENE	1003	S	MG/KG	0.78	0.1	J			I
SELENIUM, TOTAL	0001	S	MG/KG	.22	.22				I X
SELENIUM, TOTAL	0002	S	MG/KG	.22	.22				I X
SELENIUM, TOTAL	0003	S	MG/KG	.47	.47				I X
SELENIUM, TOTAL	0004	S	MG/KG	.24	.24				I X
SELENIUM, TOTAL	1003	S	MG/KG	.24	.24				I X
SILVER, TOTAL	0001	S	MG/KG	.54	.54				I
SILVER, TOTAL	0002	S	MG/KG	.5	.56				I
SILVER, TOTAL	0003	S	MG/KG	.5	.59		0.59	UJ	I
SILVER, TOTAL	0004	S	MG/KG	.5	.73				I
SILVER, TOTAL	1003	S	MG/KG	2.9	2.9		2.9	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	303.	B			I
SODIUM, TOTAL	0002	S	MG/KG	20.	195.	B			I
SODIUM, TOTAL	0003	S	MG/KG	20.	237.	B			I
SODIUM, TOTAL	0004	S	MG/KG	20.	177.	B			I
SODIUM, TOTAL	1003	S	MG/KG	20.	224.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	0004	S	MG/KG	0.006	0.006	U			I
STYRENE	1003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1003	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22		0.22	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.22	.22		0.22	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.24	.24	U	0.24	UJ	I
THALLIUM, TOTAL	0004	S	MG/KG	.24	.24	U	0.24	UJ	I
THALLIUM, TOTAL	1003	S	MG/KG	.24	.24		0.24	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0051
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOLUENE	0002	S	MG/KG	0.006	0.001	J			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOLUENE	0004	S	MG/KG	0.006	0.006	U			I
TOLUENE	1003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0004	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0002	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0003	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0004	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	1003	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	12.9				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	11.1				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	15.5				I
VANADIUM, TOTAL	0004	S	MG/KG	1.	31.1				I
VANADIUM, TOTAL	1003	S	MG/KG	1.	10.8				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0004	S	MG/KG	0.013	0.013	U			I
VINYL ACETATE	1003	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0004	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	1003	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	37.9				I
ZINC, TOTAL	0002	S	MG/KG	.5	31.8				I
ZINC, TOTAL	0003	S	MG/KG	.5	56.8		56.8	J	I
ZINC, TOTAL	0004	S	MG/KG	.5	66.6				I
ZINC, TOTAL	1003	S	MG/KG	.5	39.6		39.6	J	I

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,4-DICHLOROBENZENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	9.3	9.3	U	9.3	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	9.3	9.3	U	9.3	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	9.3	9.3	U	9.3	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	9.3	9.3	U	9.3	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	1001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	
2-METHYLPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
2-NITROANILINE	0002	S	MG/KG	9.3	9.3	U	9.3	UJ	I
2-NITROANILINE	1001	S	MG/KG	9.3	9.3	U	9.3	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
3-NITROANILINE	0002	S	MG/KG	9.3	9.3	U	9.3	UJ	I
3-NITROANILINE	1001	S	MG/KG	9.3	9.3	U	9.3	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	1001	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	0002	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	1001	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	1001	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	9.3	9.3	U	9.3	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	9.3	9.3	U	9.3	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
4-NITROANILINE	0002	S	MG/KG	9.3	9.3	U	9.3	UJ	I
4-NITROANILINE	1001	S	MG/KG	9.3	9.3	U	9.3	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
4-NITROPHENOL	0002	S	MG/KG	9.3	9.3	U	9.3	UJ	I
4-NITROPHENOL	1001	S	MG/KG	9.3	9.3	U	9.3	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0002	S	MG/KG	0.012	0.032				I
ACETONE	1001	S	MG/KG	0.011	0.011	U			I
ACETONE	0003	S	MG/KG	0.011	0.011	U			
ALDRIN	0001	S	MG/KG	0.002	0.002	U			I
ALDRIN	0002	S	MG/KG	0.002	0.002	U			I
ALDRIN	1001	S	MG/KG	0.002	0.002	U			I
ALDRIN	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0002	S	MG/KG	0.002	0.003				I
ALPHA-BHC	1001	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	9930.				I
ALUMINUM, TOTAL	0002	S	MG/KG	4.	6250.				I
ALUMINUM, TOTAL	1001	S	MG/KG	4.	13800.				I
ALUMINUM, TOTAL	0003	S	MG/KG	4.	12300.				I
ANTHRACENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ANTHRACENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ANTHRACENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	3.4		3.4	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	3.4		3.5	UJ	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	3.5		3.4	UJ	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.5	3.5		3.5	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	0002	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	1001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0002	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	1001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	6.8		6.8	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	4.9				I
ARSENIC, TOTAL	1001	S	MG/KG	.2	5.5				I
ARSENIC, TOTAL	0003	S	MG/KG	.2	2.5				I
BARIUM, TOTAL	0001	S	MG/KG	.2	41.1		41.1	J	I
BARIUM, TOTAL	0002	S	MG/KG	.2	36.9				I
BARIUM, TOTAL	1001	S	MG/KG	.2	59.8		59.8	J	I
BARIUM, TOTAL	0003	S	MG/KG	.2	31.1				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0002	S	MG/KG	9.3	9.3	U	9.3	UJ	I
BENZOIC ACID	1001	S	MG/KG	9.3	9.3	U	9.3	UJ	I
BENZOIC ACID	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.55	B			I
BERYLLIUM	0002	S	MG/KG	.1	.44	B			I
BERYLLIUM	1001	S	MG/KG	.1	.81				I
BERYLLIUM	0003	S	MG/KG	.1	.56	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U			I
BETA-BHC	0002	S	MG/KG	0.004	0.004	U			I
BETA-BHC	1001	S	MG/KG	0.004	0.004	U			I
BETA-BHC	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	1.9	0.22	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.74	0.29	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.57	.57	U	0.57	UJ	I
CADMIUM, TOTAL	0002	S	MG/KG	.56	.56	U	0.58	UJ	I
CADMIUM, TOTAL	1001	S	MG/KG	.58	.58	U	0.56	UJ	I
CADMIUM, TOTAL	0003	S	MG/KG	.58	.58	U			I
CALCIUM, TOTAL	0001	S	MG/KG	3.	136000.		136000.	J	
CALCIUM, TOTAL	0002	S	MG/KG	3.	149000.				

APPENDIX A
Location: MWD33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CALCIUM, TOTAL	1001	S	MG/KG	3.	65400.		65400.	J	I
CALCIUM, TOTAL	0003	S	MG/KG	3.	115000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.012		0.012	J	I
CHLORDANE	0002	S	MG/KG	0.009	0.009	U			I
CHLORDANE	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	11.2				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	7.8				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	16.				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	15.5				I
CHRYSENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
CHRYSENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
CHRYSENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
CHRYSENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	8.9				I
COBALT, TOTAL	0002	S	MG/KG	2.	5.7				I
COBALT, TOTAL	1001	S	MG/KG	2.	12.2				I
COBALT, TOTAL	0003	S	MG/KG	2.	12.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	11.3		11.3	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	11.5				I
COPPER, TOTAL	1001	S	MG/KG	1.	17.7		17.7	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	20.3				I
CYANIDE	0001	S	MG/KG	1.1	1.1	U	1.1	UJ	I
CYANIDE	0002	S	MG/KG	1.1	1.1	U	1.1	UJ	I
CYANIDE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
CYANIDE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	0002	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	1001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DELTA-BHC	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIBENZOFURAN	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIBENZOFURAN	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.009		0.009	J	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.002	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.003	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.004	J	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	1001	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U			I
ENDRIN	0002	S	MG/KG	0.004	0.004	U			I
ENDRIN	1001	S	MG/KG	0.004	0.004	U			I
ENDRIN	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	I

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	0002	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	1001	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HB HYD AS MOTOR OIL	0001	S	MG/KG	20.	42.		64.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0002	S	MG/KG	20.	2200.		2600.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	1001	S	MG/KG	20.	27.		40.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0003	S	MG/KG	20.	20.	U	39	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0003	S	MG/KG	20.	20.		25	J	R
FLUORANTHENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
FLUORANTHENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
FLUORANTHENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
FLUORENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
FLUORENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
FLUORENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	0002	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	1001	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	17100.		171000.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	14400.		14400		I
IRON, TOTAL	1001	S	MG/KG	1.	26900.		269000.	J	I
IRON, TOTAL	0003	S	MG/KG	1.	27700.				I
ISOPHORONE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ISOPHORONE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ISOPHORONE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ISOPHORONE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	24.5		24.5	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	16.7				I
LEAD, TOTAL	1001	S	MG/KG	.2	11.9		11.9	J	I
LEAD, TOTAL	0003	S	MG/KG	.2	12.		12.0	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	18000.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	3.	42800.		42800		I
MAGNESIUM, TOTAL	1001	S	MG/KG	3.	14800.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	3.	7430.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	852.		852.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	395.				I
MANGANESE, TOTAL	1001	S	MG/KG	.2	579.		579.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.2	879.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.06		0.06	J	I
MERCURY, TOTAL	0002	S	MG/KG	.02	.03		0.02		I
MERCURY, TOTAL	1001	S	MG/KG	.02	.02	U	0.02	J	I
MERCURY, TOTAL	0003	S	MG/KG	.02	.02	U			I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	0002	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	1001	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	0003	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
NAPHTHALENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
NAPHTHALENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	14.3		14.3	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	9.8				I
NICKEL, TOTAL	1001	S	MG/KG	2.	21.7		21.7	J	I
NICKEL, TOTAL	0003	S	MG/KG	2.	23.4				I
NITROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
NITROBENZENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
NITROBENZENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
NITROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	9.3	9.3	U	9.3	UJ	I

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	1001	S	MG/KG	9.3	9.3	U	9.3	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENANTHRENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENANTHRENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1700.				I
POTASSIUM, TOTAL	0002	S	MG/KG	100.	888.				I
POTASSIUM, TOTAL	1001	S	MG/KG	100.	2080.				I
POTASSIUM, TOTAL	0003	S	MG/KG	100.	1700.				I
PYRENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PYRENE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PYRENE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.23	.23				I X
SELENIUM, TOTAL	0002	S	MG/KG	.45	.45				I X
SELENIUM, TOTAL	1001	S	MG/KG	.46	.46				I X
SELENIUM, TOTAL	0003	S	MG/KG	.93	.93				I X
SILVER, TOTAL	0001	S	MG/KG	.5	.57				I
SILVER, TOTAL	0002	S	MG/KG	.56	.56				I
SILVER, TOTAL	1001	S	MG/KG	.5	.58				I
SILVER, TOTAL	0003	S	MG/KG	.58	.58	U			I
SODIUM, TOTAL	0001	S	MG/KG	20.	460.		460		I
SODIUM, TOTAL	0002	S	MG/KG	20.	260.		260		I
SODIUM, TOTAL	1001	S	MG/KG	20.	519.		519		I
SODIUM, TOTAL	0003	S	MG/KG	20.	177.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.22	.22		0.22	UJ	I
THALLIUM, TOTAL	1001	S	MG/KG	.23	.23	U			I
THALLIUM, TOTAL	0003	S	MG/KG	.23	.23	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	0002	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	1001	S	MG/KG	0.16	0.16	U			I

APPENDIX A
Location: MND33-0052
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOXAPHENE	0003	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	14.5		14.5	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	12.8				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	21.4		21.4	J	I
VANADIUM, TOTAL	0003	S	MG/KG	1.	13.1				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	41.6				I
ZINC, TOTAL	0002	S	MG/KG	.5	32.5				I
ZINC, TOTAL	1001	S	MG/KG	.5	58.8				I
ZINC, TOTAL	0003	S	MG/KG	.5	58.5	*			I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2,4-TRICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0004	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0004	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,3-DICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0004	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,4-DICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,6-TRICHLOROPHENOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DICHLOROPHENOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DIMETHYLPHENOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DINITROTOLUENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,6-DINITROTOLUENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0004	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLORONAPHTHALENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLOROPHENOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0004	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLNAPHTHALENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLPHENOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-NITROPHENOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0004	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.7	3.7	U	3.7	UJ	I
3-NITROANILINE	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0004	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0002	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0004	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLORO-3-METHYLPHENOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROANILINE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	0004	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-METHYLPHENOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.72	0.093	J			I
ACENAPHTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHYLENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0002	S	MG/KG	0.011	0.01	J			I
ACETONE	0003	S	MG/KG	0.011	0.011	U			I
ACETONE	0004	S	MG/KG	0.011	0.011	U			I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	9010.				I
ALUMINUM, TOTAL	0002	S	MG/KG	4.	8690.				I
ALUMINUM, TOTAL	0003	S	MG/KG	4.	11000.				I
ALUMINUM, TOTAL	0004	S	MG/KG	4.	4940.				I
ANTHRACENE	0001	S	MG/KG	0.72	0.1	J			I
ANTHRACENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTHRACENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ANTHRACENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.3	3.3	U	3.3	UJ	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ANTIMONY, TOTAL	0004	S	MG/KG	3.3	3.3	U	3.3	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0004	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0004	S	MG/KG	0.09	0.09	U	0.09	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	8.3		8.3	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	6.1		6.1	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	9.5		9.5	J	I
ARSENIC, TOTAL	0004	S	MG/KG	.2	4.5				I
BARIUM, TOTAL	0001	S	MG/KG	.2	57.2				I
BARIUM, TOTAL	0002	S	MG/KG	.2	46.8				I
BARIUM, TOTAL	0003	S	MG/KG	.2	80.1				I
BARIUM, TOTAL	0004	S	MG/KG	.2	47.				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	0004	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.72	0.22	J			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)ANTHRACENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.72	0.24	J			I
BENZO(A)PYRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)PYRENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.72	0.24	J			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(B)FLUORANTHENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.72	0.24	J			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(G,H,I)PERYLENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.72	0.23	J			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(K)FLUORANTHENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	0003	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZOIC ACID	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZYL ALCOHOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.51	B			I
BERYLLIUM	0002	S	MG/KG	.1	.52	B			I
BERYLLIUM	0003	S	MG/KG	.1	.59	B			I
BERYLLIUM	0004	S	MG/KG	.1	.15	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0002	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0004	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHYL)ETHER	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.72	0.13	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.73	3.4		3.4	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.76	0.11	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0004	S	MG/KG	0.73	0.88		0.88	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0004	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0004	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0004	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BUTYL BENZYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.56	.56	U			I
CADMIUM, TOTAL	0002	S	MG/KG	.56	.56	U			I
CADMIUM, TOTAL	0003	S	MG/KG	.59	.59	U			I
CADMIUM, TOTAL	0004	S	MG/KG	.55	.55	U			I
CALCIUM, TOTAL	0001	S	MG/KG	3.	116000.				I
CALCIUM, TOTAL	0002	S	MG/KG	3.	106000.				I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CALCIUM, TOTAL	0003	S	MG/KG	3.	44100.				I
CALCIUM, TOTAL	0004	S	MG/KG	3.	127000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0004	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0004	S	MG/KG	0.005	0.005	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	0004	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0004	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0004	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	11.5				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	11.1				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	14.2				I
CHROMIUM, TOTAL	0004	S	MG/KG	1.	7.8				I
CHRYSENE	0001	S	MG/KG	0.72	0.28	J			I
CHRYSENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CHRYSENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
CHRYSENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	7.8				I
COBALT, TOTAL	0002	S	MG/KG	2.	8.				I
COBALT, TOTAL	0003	S	MG/KG	2.	7.7				I
COBALT, TOTAL	0004	S	MG/KG	2.	5.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	14.5				I
COPPER, TOTAL	0002	S	MG/KG	1.	14.1				I
COPPER, TOTAL	0003	S	MG/KG	1.	16.7				I
COPPER, TOTAL	0004	S	MG/KG	1.	14.3				I
CYANIDE	0001	S	MG/KG	1.1	1.1	U	1.1	UJ	I
CYANIDE	0002	S	MG/KG	1.1	1.1	U	1.1	UJ	I
CYANIDE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
CYANIDE	0004	S	MG/KG	1.1	1.1	U	1.1	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DELTA-BHC	0004	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-BUTYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-OCTYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.72	0.085	J			I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZO(A,H)ANTHRACENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZOFURAN	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0004	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.003	J	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.003	J	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.004	J	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0004	S	MG/KG	0.005	0.005	J	0.005	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0004	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIETHYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIMETHYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0004	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0002	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	
ENDRIN	0004	S	MG/KG	0.004	0.004	U	0.004	UJ	

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0004	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0004	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0004	S	MG/KG	0.005	0.005	U			I
EXTRACTABLE HB HYD AS MOTOR OIL	0001	S	MG/KG	20.	71.		121	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0002	S	MG/KG	20.	32.		78.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0003	S	MG/KG	20.	22.		25.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0004	S	MG/KG	20.	27.		38.	J	I
FLUORANTHENE	0001	S	MG/KG	0.72	0.61	J			I
FLUORANTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORANTHENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0004	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0004	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0004	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBUTADIENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROCYCLOPENTADIENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROETHANE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.72	0.19	J			I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
INDENO(1,2,3-CD)PYRENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	16400.				I
IRON, TOTAL	0002	S	MG/KG	1.	17500.				I
IRON, TOTAL	0003	S	MG/KG	1.	22100.				I
IRON, TOTAL	0004	S	MG/KG	1.	14200.				I
ISOPHORONE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ISOPHORONE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ISOPHORONE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ISOPHORONE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	19.6				I
LEAD, TOTAL	0002	S	MG/KG	.2	10.9				I
LEAD, TOTAL	0003	S	MG/KG	.2	8.6				I
LEAD, TOTAL	0004	S	MG/KG	.2	6.5		6.5	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	36100.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	3.	30000.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	3.	17500.				I
MAGNESIUM, TOTAL	0004	S	MG/KG	3.	54100.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	472.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	389.				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	464.				I
MANGANESE, TOTAL	0004	S	MG/KG	.2	260.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.04				I
MERCURY, TOTAL	0002	S	MG/KG	.02	.03				I
MERCURY, TOTAL	0003	S	MG/KG	.02	.04				I
MERCURY, TOTAL	0004	S	MG/KG	.02	.02	U			I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0004	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSODIPHENYLAMINE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NAPHTHALENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	13.6				I
NICKEL, TOTAL	0002	S	MG/KG	2.	14.2				I
NICKEL, TOTAL	0003	S	MG/KG	2.	18.8				I
NICKEL, TOTAL	0004	S	MG/KG	2.	12.8				I
NITROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NITROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NITROBENZENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NITROBENZENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	0003	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.72	0.47	J			I
PHENANTHRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENANTHRENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENOL	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1390.				I
POTASSIUM, TOTAL	0002	S	MG/KG	100.	1220.				I
POTASSIUM, TOTAL	0003	S	MG/KG	100.	655.				I
POTASSIUM, TOTAL	0004	S	MG/KG	100.	1060.				I
PYRENE	0001	S	MG/KG	0.72	0.54	J			I
PYRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PYRENE	0003	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PYRENE	0004	S	MG/KG	0.73	0.73	U	0.73	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.22	.22				I X
SELENIUM, TOTAL	0002	S	MG/KG	.45	.45				I X
SELENIUM, TOTAL	0003	S	MG/KG	.48	.48				I X
SELENIUM, TOTAL	0004	S	MG/KG	.44	.44				I X
SILVER, TOTAL	0001	S	MG/KG	.56	.56				I
SILVER, TOTAL	0002	S	MG/KG	.56	.56				I
SILVER, TOTAL	0003	S	MG/KG	.5	.74				I
SILVER, TOTAL	0004	S	MG/KG	.55	.55	U			I
SODIUM, TOTAL	0001	S	MG/KG	20.	145.				I
SODIUM, TOTAL	0002	S	MG/KG	20.	192.				I
SODIUM, TOTAL	0003	S	MG/KG	20.	334.				I
SODIUM, TOTAL	0004	S	MG/KG	20.	191.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	0004	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.22	.22	U			I
THALLIUM, TOTAL	0003	S	MG/KG	.24	.24	U			I
THALLIUM, TOTAL	0004	S	MG/KG	.22	.22		.22	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOLUENE	0004	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0004	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0002	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0003	S	MG/KG	0.16	0.16	U	0.16	UJ	I

APPENDIX A
Location: MND33-0053
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOXAPHENE	0004	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	18.2				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	15.1				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	22.5				I
VANADIUM, TOTAL	0004	S	MG/KG	1.	11.7				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0004	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0004	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	61.6				I
ZINC, TOTAL	0002	S	MG/KG	.5	54.1				I
ZINC, TOTAL	0003	S	MG/KG	.5	46.2				I
ZINC, TOTAL	0004	S	MG/KG	.5	48.5				I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2,4-TRICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0004	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-DICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,4-DICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0004	S	MG/KG	3.5	3.5	U			I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,6-TRICHLOROPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2,4-DINITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0004	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROTOLUENE	0004	S	MG/KG	0.73	0.73	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0004	S	MG/KG	0.73	0.73	U			I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0004	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLORONAPHTHALENE	0004	S	MG/KG	0.73	0.73	U			I
2-CHLOROPHENOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0004	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLNAPHTHALENE	0004	S	MG/KG	0.73	0.73	U			I
2-METHYLPHENOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0004	S	MG/KG	3.5	3.5	U			I
2-NITROPHENOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROPHENOL	0004	S	MG/KG	0.73	0.73	U			I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0004	S	MG/KG	1.5	1.5	U			I
3-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0004	S	MG/KG	3.5	3.5	U			I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0004	S	MG/KG	0.008	0.008	U			I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0004	S	MG/KG	0.002	0.002	U			I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0002	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0004	S	MG/KG	0.008	0.008	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0004	S	MG/KG	3.5	3.5	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0004	S	MG/KG	0.73	0.73	U			I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0004	S	MG/KG	0.73	0.73	U			I
4-CHLOROANILINE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0004	S	MG/KG	0.73	0.73	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0004	S	MG/KG	0.73	0.73	U			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	0004	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYLPHENOL	0004	S	MG/KG	0.73	0.73	U			I
4-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0004	S	MG/KG	3.5	3.5	U			I
4-NITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0004	S	MG/KG	3.5	3.5	U			I
ACENAPHTHENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHENE	0004	S	MG/KG	0.73	0.73	U			I
ACENAPHTHYLENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.72	0.09	J			I
ACENAPHTHYLENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0004	S	MG/KG	0.73	0.73	U			I
ACETONE	0001	S	MG/KG	0.012	0.03		0.03	J	I
ACETONE	0002	S	MG/KG	0.011	0.011	U			I
ACETONE	0003	S	MG/KG	0.011	0.011	U			I
ACETONE	0004	S	MG/KG	0.011	0.031				I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0004	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0004	S	MG/KG	0.002	0.002	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	4620.				I
ALUMINUM, TOTAL	0002	S	MG/KG	4.	3160.				I
ALUMINUM, TOTAL	0003	S	MG/KG	4.	3800.				I
ALUMINUM, TOTAL	0004	S	MG/KG	12.	4090.				I
ANTHRACENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTHRACENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTHRACENE	0004	S	MG/KG	0.73	0.73	U			I
ANTIMONY, TOTAL	0001	S	MG/KG	3.3	3.3		3.3	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.3	3.3		3.3	UJ	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.3	3.3		3.3	UJ	I
ANTIMONY, TOTAL	0004	S	MG/KG	3.3	3.3	U	3.3	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0004	S	MG/KG	0.04	0.04	U			I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0004	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0004	S	MG/KG	0.09	0.09	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.8				I
ARSENIC, TOTAL	0002	S	MG/KG	.2	5.1		5.1	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	7.3		7.3	J	I
ARSENIC, TOTAL	0004	S	MG/KG	.4	3.1	B	3.1	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	43.4				I
BARIUM, TOTAL	0002	S	MG/KG	.2	34.7				I
BARIUM, TOTAL	0003	S	MG/KG	.2	28.1				I
BARIUM, TOTAL	0004	S	MG/KG	.4	52.1				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	0004	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.72	0.13	J			I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)ANTHRACENE	0004	S	MG/KG	0.73	0.73	U			I
BENZO(A)PYRENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.72	0.15	J			I
BENZO(A)PYRENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0004	S	MG/KG	0.73	0.73	U			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.72	0.23	J			I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0004	S	MG/KG	0.73	0.73	U			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.72	0.12	J			I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0004	S	MG/KG	0.73	0.73	U			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0004	S	MG/KG	0.73	0.73	U			I
BENZOIC ACID	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	0004	S	MG/KG	3.5	3.5	U			I
BENZYL ALCOHOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZYL ALCOHOL	0004	S	MG/KG	0.73	0.73	U			I
BERYLLIUM	0001	S	MG/KG	.1	.27	B			I
BERYLLIUM	0002	S	MG/KG	.1	.23	B			I
BERYLLIUM	0003	S	MG/KG	.1	.24	B			I
BERYLLIUM	0004	S	MG/KG	.4	.15	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0002	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0004	S	MG/KG	0.004	0.004	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0004	S	MG/KG	0.73	0.73	U			I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0004	S	MG/KG	0.73	0.73	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0004	S	MG/KG	0.73	0.73	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.8	6.4		6.4	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.72	7.1		7.1	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.73	9.5		9.5	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0004	S	MG/KG	0.73	0.088	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0004	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0004	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BUTYL BENZYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
CADMIUM, TOTAL	0001	S	MG/KG	.54	.54	U	0.54	UJ	I
CADMIUM, TOTAL	0002	S	MG/KG	.55	.55	U	0.55	UJ	I
CADMIUM, TOTAL	0003	S	MG/KG	.56	.56	U	0.56	UJ	I
CADMIUM, TOTAL	0004	S	MG/KG	.55	.55	U	0.55	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	76300.				
CALCIUM, TOTAL	0002	S	MG/KG	3.	129000.				

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CALCIUM, TOTAL	0003	S	MG/KG	3.	101000.				I
CALCIUM, TOTAL	0004	S	MG/KG	4.	105000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0004	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0004	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	0004	S	MG/KG	0.009	0.009	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0004	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0004	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	7.3				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	6.				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	4.6				I
CHROMIUM, TOTAL	0004	S	MG/KG	2.	6.				I
CHRYSENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
CHRYSENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
CHRYSENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CHRYSENE	0004	S	MG/KG	0.73	0.73	U			I
COBALT, TOTAL	0001	S	MG/KG	2.	3.6				I
COBALT, TOTAL	0002	S	MG/KG	2.	3.9				I
COBALT, TOTAL	0003	S	MG/KG	2.	4.6				I
COBALT, TOTAL	0004	S	MG/KG	2.	5.	B			I
COPPER, TOTAL	0001	S	MG/KG	1.	10.9				I
COPPER, TOTAL	0002	S	MG/KG	1.	13.1				I
COPPER, TOTAL	0003	S	MG/KG	1.	8.8				I
COPPER, TOTAL	0004	S	MG/KG	2.	13.9				I
CYANIDE	0001	S	MG/KG	1.1	1.1	U	1.1	UJ	I
CYANIDE	0002	S	MG/KG	1.	26.5		26.5	J	I
CYANIDE	0003	S	MG/KG	1.	31.4		31.4	J	I
CYANIDE	0004	S	MG/KG	1.1	1.1	U	1.1	UJ	I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DELTA-BHC	0004	S	MG/KG	0.006	0.006	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-BUTYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0004	S	MG/KG	0.73	0.73	U			I
DIBENZOFURAN	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0004	S	MG/KG	0.73	0.73	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.004	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.003	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.001	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0004	S	MG/KG	0.006	0.009		0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0004	S	MG/KG	0.0014	0.0014	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIETHYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0004	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0004	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0004	S	MG/KG	0.04	0.04	U			I
ENDRIN	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0002	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0004	S	MG/KG	0.004	0.004	U			I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0004	S	MG/KG	0.016	0.016	U			I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0004	S	MG/KG	0.04	0.04	U			I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0004	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HB HYD AS MOTOR OIL	0001	S	MG/KG	20.	32.		53	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0002	S	MG/KG	20.	69.		98	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0003	S	MG/KG	20.	20.	U	45	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0004	S	MG/KG	20	76		108	J	I
FLUORANTHENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.72	0.19	J			I
FLUORANTHENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORANTHENE	0004	S	MG/KG	0.73	0.73	U			I
FLUORENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
FLUORENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0004	S	MG/KG	0.73	0.73	U			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0004	S	MG/KG	0.003	0.003	U			I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0004	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0004	S	MG/KG	0.06	0.06	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0004	S	MG/KG	0.73	0.73	U			I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0004	S	MG/KG	0.73	0.73	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0004	S	MG/KG	0.73	0.73	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.72	0.12	J			I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0004	S	MG/KG	0.73	0.73	U			I
IRON, TOTAL	0001	S	MG/KG	1.	11200.				I
IRON, TOTAL	0002	S	MG/KG	1.	11000.				I
IRON, TOTAL	0003	S	MG/KG	1.	7870.				I
IRON, TOTAL	0004	S	MG/KG	2.	12200.				I
ISOPHORONE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ISOPHORONE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ISOPHORONE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ISOPHORONE	0004	S	MG/KG	0.73	0.73	U			I
LEAD, TOTAL	0001	S	MG/KG	.2	11.5				I
LEAD, TOTAL	0002	S	MG/KG	.2	6.7				I
LEAD, TOTAL	0003	S	MG/KG	.2	4.8		4.8	J	I
LEAD, TOTAL	0004	S	MG/KG	.4	5.6		5.6	J	I
LITHIUM, TOTAL	0001	S	MG/KG	1.	6.1				I
LITHIUM, TOTAL	0002	S	MG/KG	1.	6.				I
LITHIUM, TOTAL	0003	S	MG/KG	1.	9.3				I
LITHIUM, TOTAL	0004	S	MG/KG	.2	9.8	B			I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	31700.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	3.	48300.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	3.	36800.				I
MAGNESIUM, TOTAL	0004	S	MG/KG	10.	39700.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	270.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	215.				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	203.				I
MANGANESE, TOTAL	0004	S	MG/KG	.4	183.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0002	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0003	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0004	S	MG/KG	.02	.02	U			I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0004	S	MG/KG	0.12	0.12	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0004	S	MG/KG	0.73	0.73	U			I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0004	S	MG/KG	0.73	0.73	U			I
NAPHTHALENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0004	S	MG/KG	0.73	0.73	U			I
NICKEL, TOTAL	0001	S	MG/KG	2.	9.8				I
NICKEL, TOTAL	0002	S	MG/KG	2.	9.				I
NICKEL, TOTAL	0003	S	MG/KG	2.	11.				I
NICKEL, TOTAL	0004	S	MG/KG	4.	11.2				I
NITROBENZENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	
NITROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NITROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NITROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0004	S	MG/KG	3.5	3.5	U			I
PHENANTHRENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENANTHRENE	0004	S	MG/KG	0.73	0.73	U			I
PHENOL	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
PHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0004	S	MG/KG	0.73	0.73	U			I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	440.				I
POTASSIUM, TOTAL	0002	S	MG/KG	100.	451.				I
POTASSIUM, TOTAL	0003	S	MG/KG	100.	955.				I
POTASSIUM, TOTAL	0004	S	MG/KG	20.	739.				I
PYRENE	0001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
PYRENE	0002	S	MG/KG	0.72	0.19	J			I
PYRENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PYRENE	0004	S	MG/KG	0.73	0.73	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.44	.44				I X
SELENIUM, TOTAL	0002	S	MG/KG	.22	.22				I X
SELENIUM, TOTAL	0003	S	MG/KG	.67	.67				I X
SELENIUM, TOTAL	0004	S	MG/KG	.88	.88	U			I X
SILVER, TOTAL	0001	S	MG/KG	.54	.54	U			I
SILVER, TOTAL	0002	S	MG/KG	.55	.55	U			I
SILVER, TOTAL	0003	S	MG/KG	.56	.56	U			I
SILVER, TOTAL	0004	S	MG/KG	.55	.55	U			I
SODIUM, TOTAL	0001	S	MG/KG	20.	406.				I
SODIUM, TOTAL	0002	S	MG/KG	20.	385.				I
SODIUM, TOTAL	0003	S	MG/KG	20.	582.				I
SODIUM, TOTAL	0004	S	MG/KG	20.	420.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	0004	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22		0.22	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.22	.22		0.22	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.22	.22		0.22	UJ	I
THALLIUM, TOTAL	0004	S	MG/KG	.22	.22	U	0.22	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOLUENE	0004	S	MG/KG	0.006	0.002	J			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0054
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0004	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0002	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0003	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0004	S	MG/KG	0.16	0.16	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	13.5				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	8.7				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	6.8				I
VANADIUM, TOTAL	0004	S	MG/KG	2.	8.8				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0004	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0004	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	41.2	*			I
ZINC, TOTAL	0002	S	MG/KG	.5	30.5	*			I
ZINC, TOTAL	0003	S	MG/KG	.5	31.3	*			
ZINC, TOTAL	0004	S	MG/KG	1.	46.9				

APPENDIX A
Location: MWD33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1004	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1004	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1004	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U			I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U			I
1,2,4-TRICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
1,2,4-TRICHLOROBENZENE	1004	S	MG/KG	0.81	0.81	U			I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U			I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U			I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U			I
1,2-DICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
1,2-DICHLOROBENZENE	1004	S	MG/KG	0.81	0.81	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1004	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1004	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U			I

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U			I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U			I
1,3-DICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
1,3-DICHLOROBENZENE	1004	S	MG/KG	0.81	0.81	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1004	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U			I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U			I
1,4-DICHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
1,4-DICHLOROBENZENE	1004	S	MG/KG	0.81	0.81	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U			I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U			I
2,4,5-TRICHLOROPHENOL	0004	S	MG/KG	3.6	3.6	U			I
2,4,5-TRICHLOROPHENOL	1004	S	MG/KG	3.9	3.9	U			I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U			I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U			I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U			I
2,4,6-TRICHLOROPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2,4,6-TRICHLOROPHENOL	1004	S	MG/KG	0.81	0.81	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U			I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U			I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U			I
2,4-DICHLOROPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2,4-DICHLOROPHENOL	1004	S	MG/KG	0.81	0.81	U			I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.73	0.73	U			I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.72	0.72	U			I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.74	0.74	U			I
2,4-DIMETHYLPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2,4-DIMETHYLPHENOL	1004	S	MG/KG	0.81	0.81	U			I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0004	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	1004	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U			I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U			I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U			I
2,4-DINITROTOLUENE	0004	S	MG/KG	0.73	0.73	U			I
2,4-DINITROTOLUENE	1004	S	MG/KG	0.81	0.81	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U			I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U			I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U			I
2,6-DINITROTOLUENE	0004	S	MG/KG	0.73	0.73	U			I
2,6-DINITROTOLUENE	1004	S	MG/KG	0.81	0.81	U			I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0004	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1004	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.73	0.73	U			

APPENDIX A
Location: MWD33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.72	0.72	U			I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.74	0.74	U			I
2-CHLORONAPHTHALENE	0004	S	MG/KG	0.73	0.73	U			I
2-CHLORONAPHTHALENE	1004	S	MG/KG	0.81	0.81	U			I
2-CHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U			I
2-CHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U			I
2-CHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U			I
2-CHLOROPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2-CHLOROPHENOL	1004	S	MG/KG	0.81	0.81	U			I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0004	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1004	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.73	0.73	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.72	0.72	U			I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.74	0.74	U			I
2-METHYLNAPHTHALENE	0004	S	MG/KG	0.73	0.73	U			I
2-METHYLNAPHTHALENE	1004	S	MG/KG	0.81	0.81	U			I
2-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U			I
2-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U			I
2-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U			I
2-METHYLPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2-METHYLPHENOL	1004	S	MG/KG	0.81	0.81	U			I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U			I
2-NITROANILINE	0002	S	MG/KG	3.5	3.5	U			I
2-NITROANILINE	0003	S	MG/KG	3.6	3.6	U			I
2-NITROANILINE	0004	S	MG/KG	3.6	3.6	U			I
2-NITROANILINE	1004	S	MG/KG	3.9	3.9	U			I
2-NITROPHENOL	0001	S	MG/KG	0.73	0.73	U			I
2-NITROPHENOL	0002	S	MG/KG	0.72	0.72	U			I
2-NITROPHENOL	0003	S	MG/KG	0.74	0.74	U			I
2-NITROPHENOL	0004	S	MG/KG	0.73	0.73	U			I
2-NITROPHENOL	1004	S	MG/KG	0.81	0.81	U			I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U			I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U			I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U			I
3,3'-DICHLOROBENZIDINE	0004	S	MG/KG	1.5	1.5	U			I
3,3'-DICHLOROBENZIDINE	1004	S	MG/KG	1.6	1.6	U			I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U			I
3-NITROANILINE	0002	S	MG/KG	3.5	3.5	U			I
3-NITROANILINE	0003	S	MG/KG	3.6	3.6	U			I
3-NITROANILINE	0004	S	MG/KG	3.6	3.6	U			I
3-NITROANILINE	1004	S	MG/KG	3.9	3.9	U			I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0003	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0004	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	1004	S	MG/KG	0.008	0.008	U			I
4,4'-DDE	0001	S	MG/KG	0.002	0.002				I
4,4'-DDE	0002	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	0003	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	0004	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	1004	S	MG/KG	0.002	0.002	U			I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U			I

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,4'-DDT	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	0003	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	0004	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	1004	S	MG/KG	0.008	0.008	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U			I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.5	3.5	U			I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.6	3.6	U			I
4,6-DINITRO-O-CRESOL	0004	S	MG/KG	3.6	3.6	U			I
4,6-DINITRO-O-CRESOL	1004	S	MG/KG	3.9	3.9	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.73	0.73	U			I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.72	0.72	U			I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.74	0.74	U			I
4-BROMOPHENYL-PHENYL ETHER	0004	S	MG/KG	0.73	0.73	U			I
4-BROMOPHENYL-PHENYL ETHER	1004	S	MG/KG	0.81	0.81	U			I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U			I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U			I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U			I
4-CHLORO-3-METHYLPHENOL	0004	S	MG/KG	0.73	0.73	U			I
4-CHLORO-3-METHYLPHENOL	1004	S	MG/KG	0.81	0.81	U			I
4-CHLOROANILINE	0001	S	MG/KG	0.73	0.73	U			I
4-CHLOROANILINE	0002	S	MG/KG	0.72	0.72	U			I
4-CHLOROANILINE	0003	S	MG/KG	0.74	0.74	U			I
4-CHLOROANILINE	0004	S	MG/KG	0.73	0.73	U			I
4-CHLOROANILINE	1004	S	MG/KG	0.81	0.81	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.73	0.73	U			I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.72	0.72	U			I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.74	0.74	U			I
4-CHLOROPHENYL-PHENYLETHER	0004	S	MG/KG	0.73	0.73	U			I
4-CHLOROPHENYL-PHENYLETHER	1004	S	MG/KG	0.81	0.81	U			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0004	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1004	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U			I
4-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U			I
4-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U			I
4-METHYLPHENOL	0004	S	MG/KG	0.73	0.73	U			I
4-METHYLPHENOL	1004	S	MG/KG	0.81	0.81	U			I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U			I
4-NITROANILINE	0002	S	MG/KG	3.5	3.5	U			I
4-NITROANILINE	0003	S	MG/KG	3.6	3.6	U			I
4-NITROANILINE	0004	S	MG/KG	3.6	3.6	U			I
4-NITROANILINE	1004	S	MG/KG	3.9	3.9	U			I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
4-NITROPHENOL	0002	S	MG/KG	3.5	3.5	U			I
4-NITROPHENOL	0003	S	MG/KG	3.6	3.6	U			I
4-NITROPHENOL	0004	S	MG/KG	3.6	3.6	U			I
4-NITROPHENOL	1004	S	MG/KG	3.9	3.9	U			I
ACENAPHTHENE	0001	S	MG/KG	0.73	0.73	U			I
ACENAPHTHENE	0002	S	MG/KG	0.72	0.72	U			I
ACENAPHTHENE	0003	S	MG/KG	0.74	0.74	U			I
ACENAPHTHENE	0004	S	MG/KG	0.73	0.73	U			I
ACENAPHTHENE	1004	S	MG/KG	0.81	0.81	U			I
ACENAPHTHYLENE	0001	S	MG/KG	0.73	0.73	U			

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	0002	S	MG/KG	0.72	0.72	U			I
ACENAPHTHYLENE	0003	S	MG/KG	0.74	0.74	U			I
ACENAPHTHYLENE	0004	S	MG/KG	0.73	0.73	U			I
ACENAPHTHYLENE	1004	S	MG/KG	0.81	0.81	U			I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0002	S	MG/KG	0.011	0.011	U			I
ACETONE	0003	S	MG/KG	0.011	0.012				I
ACETONE	0004	S	MG/KG	0.011	0.011	U			I
ACETONE	1004	S	MG/KG	0.012	0.005	J			I
ALDRIN	0001	S	MG/KG	0.002	0.002	U			I
ALDRIN	0002	S	MG/KG	0.002	0.002	U			I
ALDRIN	0003	S	MG/KG	0.002	0.002	U			I
ALDRIN	0004	S	MG/KG	0.002	0.002	U			I
ALDRIN	1004	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0002	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0003	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0004	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	1004	S	MG/KG	0.002	0.002	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	12.	8750.				I
ALUMINUM, TOTAL	0002	S	MG/KG	12.	7910.				I
ALUMINUM, TOTAL	0003	S	MG/KG	12.	7220.				I
ALUMINUM, TOTAL	0004	S	MG/KG	12.	2650.				I
ALUMINUM, TOTAL	1004	S	MG/KG	12.	3350.				I
ANTHRACENE	0001	S	MG/KG	0.73	0.73	U			I
ANTHRACENE	0002	S	MG/KG	0.72	0.72	U			I
ANTHRACENE	0003	S	MG/KG	0.74	0.74	U			I
ANTHRACENE	0004	S	MG/KG	0.73	0.73	U			I
ANTHRACENE	1004	S	MG/KG	0.81	0.81	U			I
ANTIMONY, TOTAL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.3	3.3	U	3.3	UJ	I
ANTIMONY, TOTAL	0004	S	MG/KG	3.4	3.4	U	3.4	UJ	I
ANTIMONY, TOTAL	1004	S	MG/KG	3.4	3.4	U	3.4	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	0004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	1004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	1004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	1004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	1004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U			I

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	1004	S	MG/KG	0.04	0.04	U			I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	0002	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	0003	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	0004	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	1004	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0002	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0003	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0004	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	1004	S	MG/KG	0.09	0.09	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.4	8.7	B	8.7	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.4	9.4		9.4	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.4	4.1		4.1	J	I
ARSENIC, TOTAL	0004	S	MG/KG	.4	7.6	B	7.6	J	I
ARSENIC, TOTAL	1004	S	MG/KG	.4	2.7		2.7	J	I
BARIUM, TOTAL	0001	S	MG/KG	.4	61.6				I
BARIUM, TOTAL	0002	S	MG/KG	.4	46.5				I
BARIUM, TOTAL	0003	S	MG/KG	.4	41.7				I
BARIUM, TOTAL	0004	S	MG/KG	.4	19.9	B			I
BARIUM, TOTAL	1004	S	MG/KG	.4	27.2				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	0004	S	MG/KG	0.006	0.006	U			I
BENZENE	1004	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.72	0.72	U			I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U			I
BENZO(A)ANTHRACENE	0004	S	MG/KG	0.73	0.73	U			I
BENZO(A)ANTHRACENE	1004	S	MG/KG	0.81	0.81	U			I
BENZO(A)PYRENE	0001	S	MG/KG	0.73	0.73	U			I
BENZO(A)PYRENE	0002	S	MG/KG	0.72	0.72	U			I
BENZO(A)PYRENE	0003	S	MG/KG	0.74	0.74	U			I
BENZO(A)PYRENE	0004	S	MG/KG	0.73	0.73	U			I
BENZO(A)PYRENE	1004	S	MG/KG	0.81	0.81	U			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.73	0.11	J			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U			I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U			I
BENZO(B)FLUORANTHENE	0004	S	MG/KG	0.73	0.73	U			I
BENZO(B)FLUORANTHENE	1004	S	MG/KG	0.81	0.81	U			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.73	0.73	U			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.72	0.72	U			I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.74	0.74	U			I
BENZO(G,H,I)PERYLENE	0004	S	MG/KG	0.73	0.73	U			I
BENZO(G,H,I)PERYLENE	1004	S	MG/KG	0.81	0.81	U			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U			I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U			I
BENZO(K)FLUORANTHENE	0004	S	MG/KG	0.73	0.73	U			I
BENZO(K)FLUORANTHENE	1004	S	MG/KG	0.81	0.81	U			I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U			

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0002	S	MG/KG	3.5	3.5	U			I
BENZOIC ACID	0003	S	MG/KG	3.6	3.6	U			I
BENZOIC ACID	0004	S	MG/KG	3.6	3.6	U			I
BENZOIC ACID	1004	S	MG/KG	3.9	3.9	U			I
BENZYL ALCOHOL	0001	S	MG/KG	0.73	0.73	U			I
BENZYL ALCOHOL	0002	S	MG/KG	0.72	0.72	U			I
BENZYL ALCOHOL	0003	S	MG/KG	0.74	0.74	U			I
BENZYL ALCOHOL	0004	S	MG/KG	0.73	0.73	U			I
BENZYL ALCOHOL	1004	S	MG/KG	0.81	0.81	U			I
BERYLLIUM	0001	S	MG/KG	.4	.52	B			I
BERYLLIUM	0002	S	MG/KG	.4	.45	B			I
BERYLLIUM	0003	S	MG/KG	.4	.41	B			I
BERYLLIUM	0004	S	MG/KG	.11	.11	U			I
BERYLLIUM	1004	S	MG/KG	.4	.15	B			I
BETA-BHC	0001	S	MG/KG	0.03	0.03	U			I
BETA-BHC	0002	S	MG/KG	0.018	0.018	U			I
BETA-BHC	0003	S	MG/KG	0.004	0.004	U			I
BETA-BHC	0004	S	MG/KG	0.004	0.004	U			I
BETA-BHC	1004	S	MG/KG	0.004	0.004	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.73	0.73	U			I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.72	0.72	U			I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.74	0.74	U			I
BIS(2-CHLOROETHOXY)METHANE	0004	S	MG/KG	0.73	0.73	U			I
BIS(2-CHLOROETHOXY)METHANE	1004	S	MG/KG	0.81	0.81	U			I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.73	0.73	U			I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.72	0.72	U			I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.74	0.74	U			I
BIS(2-CHLOROETHYL)ETHER	0004	S	MG/KG	0.73	0.73	U			I
BIS(2-CHLOROETHYL)ETHER	1004	S	MG/KG	0.81	0.81	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.73	0.73	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.72	0.72	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.74	0.74	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0004	S	MG/KG	0.73	0.73	U			I
BIS(2-CHLOROISOPROPYL)ETHER	1004	S	MG/KG	0.81	0.81	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.73	0.18	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.72	0.25	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.74	0.55	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0004	S	MG/KG	0.73	0.28	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1004	S	MG/KG	0.81	0.13	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1004	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0004	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1004	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0004	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1004	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U			I

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U			I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U			I
BUTYL BENZYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
BUTYL BENZYL PHTHALATE	1004	S	MG/KG	0.81	0.81	U			I
CADMIUM, TOTAL	0001	S	MG/KG	.57	.57	U	0.57	UJ	I
CADMIUM, TOTAL	0002	S	MG/KG	.62	.62	U	0.62	UJ	I
CADMIUM, TOTAL	0003	S	MG/KG	.56	.56	U	.56	UJ	I
CADMIUM, TOTAL	0004	S	MG/KG	.56	.56	U	0.56	UJ	I
CADMIUM, TOTAL	1004	S	MG/KG	.56	.56	U	0.56	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	4.	51000.				I
CALCIUM, TOTAL	0002	S	MG/KG	4.	76300.				I
CALCIUM, TOTAL	0003	S	MG/KG	4.	99100.				I
CALCIUM, TOTAL	0004	S	MG/KG	4.	166000.				I
CALCIUM, TOTAL	1004	S	MG/KG	4.	63700.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0004	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1004	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0004	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1004	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.009	0.53		0.53	J	I
CHLORDANE	0002	S	MG/KG	0.009	0.029		0.029	J	I
CHLORDANE	0003	S	MG/KG	0.009	0.018		0.018	J	I
CHLORDANE	0004	S	MG/KG	0.009	0.009	U			I
CHLORDANE	1004	S	MG/KG	0.009	0.009	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0004	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1004	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1004	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0004	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1004	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1004	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	2.	11.8				I
CHROMIUM, TOTAL	0002	S	MG/KG	2.	10.4				I
CHROMIUM, TOTAL	0003	S	MG/KG	2.	8.9				I
CHROMIUM, TOTAL	0004	S	MG/KG	2.	3.8				I
CHROMIUM, TOTAL	1004	S	MG/KG	2.	5.1				I
CHRYSENE	0001	S	MG/KG	0.73	0.73	U			

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0002	S	MG/KG	0.72	0.72	U			I
CHRYSENE	0003	S	MG/KG	0.74	0.74	U			I
CHRYSENE	0004	S	MG/KG	0.73	0.73	U			I
CHRYSENE	1004	S	MG/KG	0.81	0.81	U			I
COBALT, TOTAL	0001	S	MG/KG	2.	7.8				I
COBALT, TOTAL	0002	S	MG/KG	2.	7.7				I
COBALT, TOTAL	0003	S	MG/KG	2.	6.9				I
COBALT, TOTAL	0004	S	MG/KG	2.	3.5	B			I
COBALT, TOTAL	1004	S	MG/KG	2.	3.1	B			I
COPPER, TOTAL	0001	S	MG/KG	2.	14.2				I
COPPER, TOTAL	0002	S	MG/KG	2.	17.3				I
COPPER, TOTAL	0003	S	MG/KG	2.	13.1				I
COPPER, TOTAL	0004	S	MG/KG	2.	9.7				I
COPPER, TOTAL	1004	S	MG/KG	2.	7.2				I
CYANIDE	0001	S	MG/KG	1.1	1.1	U	1.1	UJ	I
CYANIDE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
CYANIDE	0003	S	MG/KG	1.1	1.1	U	1.1	UJ	I
CYANIDE	0004	S	MG/KG	1.1	1.1	U	1.1	UJ	I
CYANIDE	1004	S	MG/KG	1.1	1.1	U	1.1	UJ	I
DELTA-BHC	0001	S	MG/KG	0.008	0.008	U			I
DELTA-BHC	0002	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	0003	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	0004	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	1004	S	MG/KG	0.006	0.006	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U			I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U			I
DI-N-BUTYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
DI-N-BUTYL PHTHALATE	1004	S	MG/KG	0.81	0.81	U			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U			I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U			I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U			I
DI-N-OCTYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
DI-N-OCTYL PHTHALATE	1004	S	MG/KG	0.81	0.81	U			I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U			I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.72	0.72	U			I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U			I
DIBENZO(A,H)ANTHRACENE	0004	S	MG/KG	0.73	0.73	U			I
DIBENZO(A,H)ANTHRACENE	1004	S	MG/KG	0.81	0.81	U			I
DIBENZOFURAN	0001	S	MG/KG	0.73	0.73	U			I
DIBENZOFURAN	0002	S	MG/KG	0.72	0.72	U			I
DIBENZOFURAN	0003	S	MG/KG	0.74	0.74	U			I
DIBENZOFURAN	0004	S	MG/KG	0.73	0.73	U			I
DIBENZOFURAN	1004	S	MG/KG	0.81	0.81	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1004	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.003	J	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.004	J	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.003	J	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0004	S	MG/KG	0.006	0.005	J	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1004	S	MG/KG	0.006	0.006	J	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0069				I

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0004	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	1004	S	MG/KG	0.0014	0.0014	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U			I
DIETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U			I
DIETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U			I
DIETHYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
DIETHYL PHTHALATE	1004	S	MG/KG	0.81	0.81	U			I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U			I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U			I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U			I
DIMETHYL PHTHALATE	0004	S	MG/KG	0.73	0.73	U			I
DIMETHYL PHTHALATE	1004	S	MG/KG	0.81	0.81	U			I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.13	0.13	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	0004	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	1004	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.006	0.006	U			I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	0004	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	1004	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	0004	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	1004	S	MG/KG	0.04	0.04	U			I
ENDRIN	0001	S	MG/KG	0.004	0.004	U			I
ENDRIN	0002	S	MG/KG	0.004	0.004	U			I
ENDRIN	0003	S	MG/KG	0.004	0.004	U			I
ENDRIN	0004	S	MG/KG	0.004	0.004	U			I
ENDRIN	1004	S	MG/KG	0.004	0.004	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0004	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	1004	S	MG/KG	0.016	0.016	U			I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	0002	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	0003	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	0004	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	1004	S	MG/KG	0.04	0.04	U			I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0004	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1004	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HB HYD AS MOTOR OIL	0001	S	MG/KG	20	64		90	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0002	S	MG/KG	20	35		35	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0003	S	MG/KG	20	38		86	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0004	S	MG/KG	20	59		78	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	1004	S	MG/KG	20	30		47	J	I
FLUORANTHENE	0001	S	MG/KG	0.73	0.12	J			

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U			I
FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U			I
FLUORANTHENE	0004	S	MG/KG	0.73	0.73	U			I
FLUORANTHENE	1004	S	MG/KG	0.81	0.81	U			I
FLUORENE	0001	S	MG/KG	0.73	0.73	U			I
FLUORENE	0002	S	MG/KG	0.72	0.72	U			I
FLUORENE	0003	S	MG/KG	0.74	0.74	U			I
FLUORENE	0004	S	MG/KG	0.73	0.73	U			I
FLUORENE	1004	S	MG/KG	0.81	0.81	U			I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0004	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	1004	S	MG/KG	0.003	0.003	U			I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	0002	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	0003	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	0004	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	1004	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	0004	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	1004	S	MG/KG	0.06	0.06	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U			I
HEXACHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U			I
HEXACHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U			I
HEXACHLOROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
HEXACHLOROBENZENE	1004	S	MG/KG	0.81	0.81	U			I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.73	0.73	U			I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.72	0.72	U			I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.74	0.74	U			I
HEXACHLOROBUTADIENE	0004	S	MG/KG	0.73	0.73	U			I
HEXACHLOROBUTADIENE	1004	S	MG/KG	0.81	0.81	U			I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.73	0.73	U			I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.72	0.72	U			I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.74	0.74	U			I
HEXACHLOROCYCLOPENTADIENE	0004	S	MG/KG	0.73	0.73	U			I
HEXACHLOROCYCLOPENTADIENE	1004	S	MG/KG	0.81	0.81	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.73	0.73	U			I
HEXACHLOROETHANE	0002	S	MG/KG	0.72	0.72	U			I
HEXACHLOROETHANE	0003	S	MG/KG	0.74	0.74	U			I
HEXACHLOROETHANE	0004	S	MG/KG	0.73	0.73	U			I
HEXACHLOROETHANE	1004	S	MG/KG	0.81	0.81	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.73	0.73	U			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.72	0.72	U			I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.74	0.74	U			I
INDENO(1,2,3-CD)PYRENE	0004	S	MG/KG	0.73	0.73	U			I
INDENO(1,2,3-CD)PYRENE	1004	S	MG/KG	0.81	0.81	U			I
IRON, TOTAL	0001	S	MG/KG	2.	17000.				I
IRON, TOTAL	0002	S	MG/KG	2.	18300.				I
IRON, TOTAL	0003	S	MG/KG	2.	14900.				I
IRON, TOTAL	0004	S	MG/KG	2.	7690.				I
IRON, TOTAL	1004	S	MG/KG	2.	8280.				I
ISOPHORONE	0001	S	MG/KG	0.73	0.73	U			I

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ISOPHORONE	0002	S	MG/KG	0.72	0.72	U			I
ISOPHORONE	0003	S	MG/KG	0.74	0.74	U			I
ISOPHORONE	0004	S	MG/KG	0.73	0.73	U			I
ISOPHORONE	1004	S	MG/KG	0.81	0.81	U			I
LEAD, TOTAL	0001	S	MG/KG	.4	11.6				I
LEAD, TOTAL	0002	S	MG/KG	.4	12.				I
LEAD, TOTAL	0003	S	MG/KG	.4	8.6		8.6	J	I
LEAD, TOTAL	0004	S	MG/KG	.4	8.4		8.4	J	I
LEAD, TOTAL	1004	S	MG/KG	.4	7.2		7.2	J	I
LITHIUM, TOTAL	0001	S	MG/KG	.2	9.8	B			I
LITHIUM, TOTAL	0002	S	MG/KG	.2	12.4				I
LITHIUM, TOTAL	0003	S	MG/KG	.2	11.4				I
LITHIUM, TOTAL	0004	S	MG/KG	.2	6.8	B			I
LITHIUM, TOTAL	1004	S	MG/KG	.2	7.2	B			I
MAGNESIUM, TOTAL	0001	S	MG/KG	10.	19200.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	10.	30500.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	10.	29900.				I
MAGNESIUM, TOTAL	0004	S	MG/KG	10.	81500.				I
MAGNESIUM, TOTAL	1004	S	MG/KG	10.	22200.				I
MANGANESE, TOTAL	0001	S	MG/KG	.4	503.				I
MANGANESE, TOTAL	0002	S	MG/KG	.4	376.				I
MANGANESE, TOTAL	0003	S	MG/KG	.4	546.				I
MANGANESE, TOTAL	0004	S	MG/KG	.4	158.				I
MANGANESE, TOTAL	1004	S	MG/KG	.4	150.				I
MERCURY, TOTAL	0001	S	MG/KG	.04	.1				
MERCURY, TOTAL	0002	S	MG/KG	.02	.03				
MERCURY, TOTAL	0003	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0004	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	1004	S	MG/KG	.02	.02	U			I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	0002	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	0003	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	0004	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	1004	S	MG/KG	0.12	0.12	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.73	0.73	U			I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.72	0.72	U			I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.74	0.74	U			I
N-NITROSO-DI-N-PROPYLAMINE	0004	S	MG/KG	0.73	0.73	U			I
N-NITROSO-DI-N-PROPYLAMINE	1004	S	MG/KG	0.81	0.81	U			I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.73	0.73	U			I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.72	0.72	U			I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.74	0.74	U			I
N-NITROSODIPHENYLAMINE	0004	S	MG/KG	0.73	0.73	U			I
N-NITROSODIPHENYLAMINE	1004	S	MG/KG	0.81	0.81	U			I
NAPHTHALENE	0001	S	MG/KG	0.73	0.73	U			I
NAPHTHALENE	0002	S	MG/KG	0.72	0.72	U			I
NAPHTHALENE	0003	S	MG/KG	0.74	0.74	U			I
NAPHTHALENE	0004	S	MG/KG	0.73	0.73	U			I
NAPHTHALENE	1004	S	MG/KG	0.81	0.81	U			I
NICKEL, TOTAL	0001	S	MG/KG	4.	12.8				I
NICKEL, TOTAL	0002	S	MG/KG	4.	16.2				I
NICKEL, TOTAL	0003	S	MG/KG	4.	16.8				I
NICKEL, TOTAL	0004	S	MG/KG	4.	7.4				I
NICKEL, TOTAL	1004	S	MG/KG	4.	7.8				I
NITROBENZENE	0001	S	MG/KG	0.73	0.73	U			

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NITROBENZENE	0002	S	MG/KG	0.72	0.72	U			I
NITROBENZENE	0003	S	MG/KG	0.74	0.74	U			I
NITROBENZENE	0004	S	MG/KG	0.73	0.73	U			I
NITROBENZENE	1004	S	MG/KG	0.81	0.81	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U			I
PENTACHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U			I
PENTACHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U			I
PENTACHLOROPHENOL	0004	S	MG/KG	3.6	3.6	U			I
PENTACHLOROPHENOL	1004	S	MG/KG	3.9	3.9	U			I
PHENANTHRENE	0001	S	MG/KG	0.73	0.73	U			I
PHENANTHRENE	0002	S	MG/KG	0.72	0.72	U			I
PHENANTHRENE	0003	S	MG/KG	0.74	0.74	U			I
PHENANTHRENE	0004	S	MG/KG	0.73	0.73	U			I
PHENANTHRENE	1004	S	MG/KG	0.81	0.81	U			I
PHENOL	0001	S	MG/KG	0.73	0.73	U			I
PHENOL	0002	S	MG/KG	0.72	0.72	U			I
PHENOL	0003	S	MG/KG	0.74	0.74	U			I
PHENOL	0004	S	MG/KG	0.73	0.73	U			I
PHENOL	1004	S	MG/KG	0.81	0.81	U			I
POTASSIUM, TOTAL	0001	S	MG/KG	20.	868.				I
POTASSIUM, TOTAL	0002	S	MG/KG	20.	711.				I
POTASSIUM, TOTAL	0003	S	MG/KG	20.	1060.				I
POTASSIUM, TOTAL	0004	S	MG/KG	20.	359.	B			I
POTASSIUM, TOTAL	1004	S	MG/KG	20.	725.				I
PYRENE	0001	S	MG/KG	0.73	0.12	J			I
PYRENE	0002	S	MG/KG	0.72	0.72	U			I
PYRENE	0003	S	MG/KG	0.74	0.74	U			I
PYRENE	0004	S	MG/KG	0.73	0.73	U			I
PYRENE	1004	S	MG/KG	0.81	0.81	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.69	.69	U			I X
SELENIUM, TOTAL	0002	S	MG/KG	.25	.25	U			I X
SELENIUM, TOTAL	0003	S	MG/KG	.89	.89	U			I X
SELENIUM, TOTAL	0004	S	MG/KG	.9	.9	U			I X
SELENIUM, TOTAL	1004	S	MG/KG	.9	.9	U			I X
SILVER, TOTAL	0001	S	MG/KG	.57	.57	U			I
SILVER, TOTAL	0002	S	MG/KG	.62	.62	U			I
SILVER, TOTAL	0003	S	MG/KG	.56	.56	U			I
SILVER, TOTAL	0004	S	MG/KG	2.8	2.8	U	2.8	UJ	I
SILVER, TOTAL	1004	S	MG/KG	.56	.56	U			I
SODIUM, TOTAL	0001	S	MG/KG	20.	205.	B			I
SODIUM, TOTAL	0002	S	MG/KG	20.	272.	B			I
SODIUM, TOTAL	0003	S	MG/KG	20.	177.	B			I
SODIUM, TOTAL	0004	S	MG/KG	20.	185.	B			I
SODIUM, TOTAL	1004	S	MG/KG	20.	104.	B			I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	0004	S	MG/KG	0.006	0.006	U			I
STYRENE	1004	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1004	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.23	.23	U			I

APPENDIX A
Location: MND33-0055
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
THALLIUM, TOTAL	0002	S	MG/KG	.25	.25	U			I
THALLIUM, TOTAL	0003	S	MG/KG	.22	.22	U	0.22	UJ	I
THALLIUM, TOTAL	0004	S	MG/KG	.22	.22	U	0.22	UJ	I
THALLIUM, TOTAL	1004	S	MG/KG	.22	.22	U	0.22	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOLUENE	0004	S	MG/KG	0.006	0.006	U			I
TOLUENE	1004	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0004	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1004	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	0002	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	0003	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	0004	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	1004	S	MG/KG	0.16	0.16	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1004	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	2.	17.2				I
VANADIUM, TOTAL	0002	S	MG/KG	2.	15.6				I
VANADIUM, TOTAL	0003	S	MG/KG	2.	12.8				I
VANADIUM, TOTAL	0004	S	MG/KG	2.	5.7				I
VANADIUM, TOTAL	1004	S	MG/KG	2.	6.1				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0004	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1004	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0004	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1004	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	1.	45.3				I
ZINC, TOTAL	0002	S	MG/KG	1.	51.9				I
ZINC, TOTAL	0003	S	MG/KG	1.	34.5				I
ZINC, TOTAL	0004	S	MG/KG	1.	21.9				I
ZINC, TOTAL	1004	S	MG/KG	1.	25.				I

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
4,4'-DDE	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDT	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,4'-DDT	0002	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0002	S	MG/KG	0.011	0.011	U			I
ACETONE	0003	S	MG/KG	0.011	0.053		0.053	J	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	9050.				I
ALUMINUM, TOTAL	0002	S	MG/KG	4.	12700.				I
ALUMINUM, TOTAL	0003	S	MG/KG	4.	8930.				I
ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTHRACENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTHRACENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTIMONY, TOTAL	0001	S	MG/KG	3.3	3.3		3.3	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	4.3		4.3	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.3	3.3		3.3	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.09	0.13		0.13	J	I
AROCLOR-1254	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	
AROCLOR-1260	0003	S	MG/KG	0.09	0.09	U	0.09	UJ	
ARSENIC, TOTAL	0001	S	MG/KG	.2	6.9		6.9	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.23	.23		0.23	UJ	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	7.				I
BARIUM, TOTAL	0001	S	MG/KG	.2	50.5				I
BARIUM, TOTAL	0002	S	MG/KG	.2	17.4				I
BARIUM, TOTAL	0003	S	MG/KG	.2	41.2				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	
BENZOIC ACID	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.51	B			I
BERYLLIUM	0002	S	MG/KG	.1	.62				I
BERYLLIUM	0003	S	MG/KG	.1	.43	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0002	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.75	6.5		6.5	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.75	5.		5.	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.73	12.		12.	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.56	.56	U			I
CADMIUM, TOTAL	0002	S	MG/KG	.57	.57	U			I
CADMIUM, TOTAL	0003	S	MG/KG	.56	.56	U			I
CALCIUM, TOTAL	0001	S	MG/KG	3.	65800.				I
CALCIUM, TOTAL	0002	S	MG/KG	3.	59400.				I
CALCIUM, TOTAL	0003	S	MG/KG	3.	85000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CHLORDANE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
CHLORDANE	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	11.7				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	15.5				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	12.				I
CHRYSENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
CHRYSENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
CHRYSENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	9.2				I
COBALT, TOTAL	0002	S	MG/KG	2.	12.1				I
COBALT, TOTAL	0003	S	MG/KG	2.	11.1				I
COPPER, TOTAL	0001	S	MG/KG	1.	26.1				I
COPPER, TOTAL	0002	S	MG/KG	1.	20.9				I
COPPER, TOTAL	0003	S	MG/KG	1.	19.				I
CYANIDE	0001	S	MG/KG	2.2	2.2	U			I
CYANIDE	0002	S	MG/KG	1.	7.4				I X
CYANIDE	0003	S	MG/KG	1.	17.4				I X
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0003	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.003	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.002	J			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.01				I
DIELDRIN	0001	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ENDRIN	0002	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN	0003	S	MG/KG	0.004	0.004	U	0.004	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HB HYD AS MOTOR OIL	0001	S	MG/KG	20.	55.		60.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0002	S	MG/KG	20.	20.		35.	J	I
EXTRACTABLE HB HYD AS MOTOR OIL	0003	S	MG/KG	20.	20.	U	458.	J	I
FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	22700.				I
IRON, TOTAL	0002	S	MG/KG	1.	24200.		24200.	J	I
IRON, TOTAL	0003	S	MG/KG	1.	21200.		21200.	J	I
ISOPHORONE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ISOPHORONE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ISOPHORONE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	6.				I
LEAD, TOTAL	0002	S	MG/KG	.23	.23	U			I
LEAD, TOTAL	0003	S	MG/KG	.2	7.5		7.5	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	15300.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	3.	12400.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	3.	12200.		12200.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	566.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	512.		512.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.2	610.		610.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.02	.04				I
MERCURY, TOTAL	0002	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0003	S	MG/KG	.02	.02	U			I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.12	0.12	U	0.12	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	18.1				I
NICKEL, TOTAL	0002	S	MG/KG	2.	21.8				I
NICKEL, TOTAL	0003	S	MG/KG	2.	19.1				I
NITROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NITROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NITROBENZENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PHENANTHRENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1100.				I
POTASSIUM, TOTAL	0002	S	MG/KG	100.	2840.				I
POTASSIUM, TOTAL	0003	S	MG/KG	100.	1340.				I
PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PYRENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PYRENE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.22	.22				I X
SELENIUM, TOTAL	0002	S	MG/KG	.68	.68				I X
SELENIUM, TOTAL	0003	S	MG/KG	.45	.45				I X
SILVER, TOTAL	0001	S	MG/KG	.56	.56	U			I
SILVER, TOTAL	0002	S	MG/KG	.57	.57	U			I
SILVER, TOTAL	0003	S	MG/KG	.56	.56	U			I
SODIUM, TOTAL	0001	S	MG/KG	20.	111.				I
SODIUM, TOTAL	0002	S	MG/KG	20.	126.				I
SODIUM, TOTAL	0003	S	MG/KG	20.	149.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.23	.23		0.23	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.22	.22	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0002	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0003	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	14.4				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	14.2				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	11.3				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0056
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ZINC, TOTAL	0001	S	MG/KG	.5	60.3	•			I
ZINC, TOTAL	0002	S	MG/KG	.5	46.5	•	46.5	J	I
ZINC, TOTAL	0003	S	MG/KG	.5	41.6	•	41.6	J	I

APPENDIX A
Location: MND33-0057
Report Date: 03/10/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	18.	18.	U	18.	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	18.	18.	U	18.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	18.	18.	U	18.	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	18.	18.	U	18.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MND33-0057
Report Date: 03/10/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0002	S	MG/KG	18.	18.	U	18.	UJ	I
2-NITROANILINE	0003	S	MG/KG	18.	18.	U	18.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	7.5	7.5	U	7.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	7.2	7.2	U	7.2	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0002	S	MG/KG	18.	18.	U	18.	UJ	I
3-NITROANILINE	0003	S	MG/KG	18.	18.	U	18.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0003	S	MG/KG	0.008	0.008	U			I
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
4,4'-DDE	0002	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	0003	S	MG/KG	0.002	0.002	U			I
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDT	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	0003	S	MG/KG	0.008	0.008	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	18.	18.	U	18.	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	18.	18.	U	18.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MND33-0057
Report Date: 03/10/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0002	S	MG/KG	18.	18.	U	18.	UJ	I
4-NITROANILINE	0003	S	MG/KG	18.	18.	U	18.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0002	S	MG/KG	18.	18.	U	18.	UJ	I
4-NITROPHENOL	0003	S	MG/KG	18.	18.	U	18.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACETONE	0002	S	MG/KG	0.011	0.11		0.11	J	I
ACETONE	0003	S	MG/KG	0.011	0.036		0.036	J	I
ALDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALDRIN	0002	S	MG/KG	0.002	0.002	U			I
ALDRIN	0003	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0003	S	MG/KG	0.002	0.002	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	6390.				I
ALUMINUM, TOTAL	0002	S	MG/KG	4.	10500.				I
ALUMINUM, TOTAL	0003	S	MG/KG	4.	7920.				I
ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTHRACENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ANTHRACENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.3	3.3		3.3	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	4.6		4.6	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	3.4		3.4	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I

APPENDIX A
Location: MND33-0057
Report Date: 03/10/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1232	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	0003	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0003	S	MG/KG	0.09	0.09	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.2	7.5				I
ARSENIC, TOTAL	0002	S	MG/KG	.2	7.8	*	4.6	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	4.8				I
BARIUM, TOTAL	0001	S	MG/KG	.2	39.				I
BARIUM, TOTAL	0002	S	MG/KG	.2	48.1				I
BARIUM, TOTAL	0003	S	MG/KG	.2	39.9				I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.72	0.23	J			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	3.6	0.64	J			I
BENZO(A)PYRENE	0001	S	MG/KG	0.72	0.25	J			I
BENZO(A)PYRENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	3.6	0.57	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.72	0.24	J			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	3.7	0.44	J			I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	3.6	1.	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.72	0.19	J			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.72	0.22	J			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	0002	S	MG/KG	18.	18.	U	18.	UJ	I
BENZOIC ACID	0003	S	MG/KG	18.	18.	U	18.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.32	B			I
BERYLLIUM	0002	S	MG/KG	.1	.61				I
BERYLLIUM	0003	S	MG/KG	.1	.43	B			I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U	0.004	UJ	I
BETA-BHC	0002	S	MG/KG	0.004	0.004	U			I
BETA-BHC	0003	S	MG/KG	0.011	0.011	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MND33-0057
Report Date: 03/10/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.72	0.4	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	3.7	2.4	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	3.6	4.2		4.2	J	I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.54	.54	U			I
CADMIUM, TOTAL	0002	S	MG/KG	.57	.57	U			I
CADMIUM, TOTAL	0003	S	MG/KG	.57	.57	U			I
CALCIUM, TOTAL	0001	S	MG/KG	3.	131000.				I
CALCIUM, TOTAL	0002	S	MG/KG	3.	101000.				I
CALCIUM, TOTAL	0003	S	MG/KG	3.	94300.				I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.005	0.005	U			I
CESIUM-137	0001	S	PCI/G	.1	.0647				I
CESIUM-137	0002	S	PCI/G	.1	.0634				I
CESIUM-137	0003	S	PCI/G	.1	.0522				I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
CHLORDANE	0002	S	MG/KG	0.009	0.009	U			I
CHLORDANE	0003	S	MG/KG	0.009	0.009	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	7.9				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	12.7				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	9.8				I
CHRYSENE	0001	S	MG/KG	0.72	0.3	J			I

APPENDIX A
Location: MND33-0057
Report Date: 03/10/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
CHRYSENE	0003	S	MG/KG	3.6	0.64	J			I
COBALT, TOTAL	0001	S	MG/KG	2.	5.9				I
COBALT, TOTAL	0002	S	MG/KG	2.	8.				I
COBALT, TOTAL	0003	S	MG/KG	2.	7.3				I
COPPER, TOTAL	0001	S	MG/KG	1.	11.8				I
COPPER, TOTAL	0002	S	MG/KG	1.	17.4				I
COPPER, TOTAL	0003	S	MG/KG	1.	12.9				I
CYANIDE	0001	S	MG/KG	2.2	2.2	U			I X
CYANIDE	0002	S	MG/KG	2.3	2.3	U			I X
CYANIDE	0003	S	MG/KG	2.3	2.3	U			I X
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DELTA-BHC	0002	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	0003	S	MG/KG	0.006	0.006	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
DIBENZOFURAN	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.019		0.019	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.005	J	0.005	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0003	S	MG/KG	0.0038	0.0038	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.04	0.04	U			I
ENDRIN	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I

APPENDIX A
Location: MND33-0057
Report Date: 03/10/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN	0002	S	MG/KG	0.004	0.004	U			I
ENDRIN	0003	S	MG/KG	0.004	0.004	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U	0.016	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.016	0.016	U			I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U	0.04	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	0003	S	MG/KG	0.04	0.04	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.72	0.55	J			I
FLUORANTHENE	0002	S	MG/KG	3.7	0.75	J			I
FLUORANTHENE	0003	S	MG/KG	3.6	1.3	J			I
FLUORENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
FLUORENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U			I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	0003	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.06	0.06	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.72	0.15	J			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	12900.		12900.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	20000.				I
IRON, TOTAL	0003	S	MG/KG	1.	15900.				I
ISOPHORONE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ISOPHORONE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ISOPHORONE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	11.6				I
LEAD, TOTAL	0002	S	MG/KG	.2	10.9				I
LEAD, TOTAL	0003	S	MG/KG	.2	8.				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	46500.		46500.	J	I

APPENDIX A
Location: MND33-0057
Report Date: 03/10/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MAGNESIUM, TOTAL	0002	S	MG/KG	3.	26300.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	3.	26700.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	373.		373.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	392.				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	338.		338.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02				I
MERCURY, TOTAL	0002	S	MG/KG	.02	.04				I
MERCURY, TOTAL	0003	S	MG/KG	.02	.02	U			I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U	0.12	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	0003	S	MG/KG	0.12	0.12	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
NAPHTHALENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	11.				I
NICKEL, TOTAL	0002	S	MG/KG	2.	16.5				I
NICKEL, TOTAL	0003	S	MG/KG	2.	13.				I
NITROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NITROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
NITROBENZENE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	18.	18.	U	18.	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	18.	18.	U	18.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.72	0.37	J			I
PHENANTHRENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0003	S	MG/KG	3.6	0.96	J			I
PHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	602.				I
POTASSIUM, TOTAL	0002	S	MG/KG	100.	1770.				I
POTASSIUM, TOTAL	0003	S	MG/KG	100.	965.				I
POTASSIUM-40	0001	S	PCI/G	.5	20.				I
POTASSIUM-40	0002	S	PCI/G	.5	15.9				I
POTASSIUM-40	0003	S	PCI/G	.5	14.6				I
PYRENE	0001	S	MG/KG	0.72	0.53	J			I
PYRENE	0002	S	MG/KG	3.7	0.65	J			I
PYRENE	0003	S	MG/KG	3.6	1.3	J			I
RADIUM-224	0001	S	PCI/G	.1	1.11				I
RADIUM-224	0002	S	PCI/G	.1	.878				I
RADIUM-224	0003	S	PCI/G	.1	.886				I
RADIUM-226	0001	S	PCI/G	.1	.756				I
RADIUM-226	0002	S	PCI/G	.1	.651				I
RADIUM-226	0003	S	PCI/G	.1	.595				I

APPENDIX A
Location: MND33-0057
Report Date: 03/10/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
RADIUM-228	0001	S	PCI/G	.2	1.03				I
RADIUM-228	0002	S	PCI/G	.2	.821				I
RADIUM-228	0003	S	PCI/G	.2	.829				I
SELENIUM, TOTAL	0001	S	MG/KG	.22	.22				I X
SELENIUM, TOTAL	0002	S	MG/KG	.23	.23				I X
SELENIUM, TOTAL	0003	S	MG/KG	.23	.23				I X
SILVER, TOTAL	0001	S	MG/KG	.54	.54	U			I
SILVER, TOTAL	0002	S	MG/KG	.57	.57	U			I
SILVER, TOTAL	0003	S	MG/KG	.57	.57	U			I
SODIUM, TOTAL	0001	S	MG/KG	20.	241.				I
SODIUM, TOTAL	0002	S	MG/KG	20.	217.				I
SODIUM, TOTAL	0003	S	MG/KG	20.	190.				I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.23	.23	U	0.23	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.23	.23				I
THORIUM-234	0001	S	PCI/G	.5	.934				I
THORIUM-234	0002	S	PCI/G	.5	1.11				I
THORIUM-234	0003	S	PCI/G	.5	.71		.710		I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.005	0.001	J	0.005	U	I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U	0.16	UJ	I
TOXAPHENE	0002	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	0003	S	MG/KG	0.16	0.16	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	12.1				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	16.6				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	13.2				I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	31.5	*	31.5	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	64.	*			I
ZINC, TOTAL	0003	S	MG/KG	.5	40.1	*			I

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-BUTANONE	0002	S	MG/KG	0.012	0.028		0.028	J	I
2-BUTANONE	0003	S	MG/KG	0.01	0.022		0.022	J	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROANILINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
3-NITROANILINE	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U			I

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,4'-DDD	1001	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0003	S	MG/KG	0.008	0.008	U			I
4,4'-DDE	0001	S	MG/KG	0.008	0.008	U			I
4,4'-DDE	1001	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	0002	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	0003	S	MG/KG	0.002	0.002	U			I
4,4'-DDT	0001	S	MG/KG	0.042	0.042	U			I
4,4'-DDT	1001	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	0002	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	0003	S	MG/KG	0.008	0.008	U			I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROANILINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.77	0.22	J			
ACENAPHTHYLENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACETONE	0002	S	MG/KG	0.012	0.21		0.21	J	I
ACETONE	0003	S	MG/KG	0.01	0.23		0.23	J	I
ALDRIN	0001	S	MG/KG	0.008	0.008	U			I
ALDRIN	1001	S	MG/KG	0.002	0.002	U			I
ALDRIN	0002	S	MG/KG	0.002	0.002	U			I
ALDRIN	0003	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	1001	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0002	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0003	S	MG/KG	0.002	0.002	U			I
ALUMINUM, TOTAL	0001	S	MG/KG	4.	12500.				I
ALUMINUM, TOTAL	1001	S	MG/KG	4.	9700.				I
ALUMINUM, TOTAL	0002	S	MG/KG	4.	1240.				I
ALUMINUM, TOTAL	0003	S	MG/KG	4.	12800.				I
ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ANTHRACENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ANTHRACENE	0002	S	MG/KG	0.77	0.31	J			I
ANTHRACENE	0003	S	MG/KG	0.84	0.11	J			I
ANTIMONY, TOTAL	0001	S	MG/KG	3.5	3.5		3.5	UJ	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.2	3.2		3.2	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.2	3.2		3.2	UJ	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.5	3.5		3.5	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1016	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	1001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0002	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0003	S	MG/KG	0.04	0.04	U			I
AROCLOR-1254	0001	S	MG/KG	0.09	0.56		0.56	J	I
AROCLOR-1254	1001	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	0003	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	1001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0002	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0003	S	MG/KG	0.09	0.09	U			I
ARSENIC, TOTAL	0001	S	MG/KG	.2	6.2		6.2	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	5.4		5.4	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	1.7		1.7	J	I

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ARSENIC, TOTAL	0003	S	MG/KG	.2	6.6		6.6	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	61.3				I
BARIUM, TOTAL	1001	S	MG/KG	.2	48.3				I
BARIUM, TOTAL	0002	S	MG/KG	.2	5.				I
BARIUM, TOTAL	0003	S	MG/KG	.2	78.8				I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.38	0.081	J			I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.39	0.09	J			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.77	1.8		1.8	J	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.84	0.16	J			I
BENZO(A)PYRENE	0001	S	MG/KG	0.38	0.074	J			I
BENZO(A)PYRENE	1001	S	MG/KG	0.39	0.1	J			I
BENZO(A)PYRENE	0002	S	MG/KG	0.77	1.7		1.7	J	I
BENZO(A)PYRENE	0003	S	MG/KG	0.84	0.22	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.38	0.06	J			I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.39	0.11	J			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.77	1.5		1.5	J	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.84	0.14	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.77	0.78		0.78	J	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.84	0.15	J			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.38	0.053	J			
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.39	0.082	J			
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.77	1.3		1.3	J	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.84	0.16	J			I
BENZOIC ACID	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZOIC ACID	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZOIC ACID	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.76				I
BERYLLIUM	1001	S	MG/KG	.1	.57				I
BERYLLIUM	0002	S	MG/KG	.1	.14	B			I
BERYLLIUM	0003	S	MG/KG	.1	.75				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U			I
BETA-BHC	1001	S	MG/KG	0.004	0.004	U			I
BETA-BHC	0002	S	MG/KG	0.004	0.004	U			I
BETA-BHC	0003	S	MG/KG	0.004	0.004	U			I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.38	4.1		4.1	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.39	3.2		3.2	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.77	3.6		3.6	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.84	3.7		3.7	J	I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	D.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.59	.59	U			I
CADMIUM, TOTAL	1001	S	MG/KG	.53	.53	U			I
CADMIUM, TOTAL	0002	S	MG/KG	.53	.53	U			I
CADMIUM, TOTAL	0003	S	MG/KG	.58	.58	U			I
CALCIUM, TOTAL	0001	S	MG/KG	3.	71800.				I
CALCIUM, TOTAL	1001	S	MG/KG	3.	87700.				I
CALCIUM, TOTAL	0002	S	MG/KG	3.	15500.				I
CALCIUM, TOTAL	0003	S	MG/KG	3.	105000.				I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.105		.106		I
CESIUM-137	1001	S	PCI/G	.1	.116				I
CESIUM-137	0002	S	PCI/G	.1	.0283	U	.0283	UJ	I
CESIUM-137	0003	S	PCI/G	.1	.0365	U	.0365	UJ	I
CHLORDANE	0001	S	MG/KG	0.021	0.021	U			I
CHLORDANE	1001	S	MG/KG	0.009	0.009	U			I
CHLORDANE	0002	S	MG/KG	0.009	0.009	U			I
CHLORDANE	0003	S	MG/KG	0.009	0.009	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	14.4				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	11.9				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	2.8				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	14.6				I
CHRYSENE	0001	S	MG/KG	0.38	0.087	J			I

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	1001	S	MG/KG	0.39	0.09	J			I
CHRYSENE	0002	S	MG/KG	0.77	1.7		1.7	J	I
CHRYSENE	0003	S	MG/KG	0.84	0.14	J			I
COBALT, TOTAL	0001	S	MG/KG	2.	11.1				I
COBALT, TOTAL	1001	S	MG/KG	2.	8.5				I
COBALT, TOTAL	0002	S	MG/KG	2.1	2.1	U			I
COBALT, TOTAL	0003	S	MG/KG	2.	9.5				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.4				I
COPPER, TOTAL	1001	S	MG/KG	1.	12.9				I
COPPER, TOTAL	0002	S	MG/KG	1.	4.8				I
COPPER, TOTAL	0003	S	MG/KG	1.	16.5				I
CYANIDE	0001	S	MG/KG	2.4	2.4	U			I X
CYANIDE	1001	S	MG/KG	1.	5.7				I X
CYANIDE	0002	S	MG/KG	1.	16.4				I X
CYANIDE	0003	S	MG/KG	2.3	2.3	U			I X
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	1001	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	0002	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	0003	S	MG/KG	0.006	0.006	U			I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.77	0.19	J			I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.01				I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.009				I
DIELDRIN	0001	S	MG/KG	0.02	0.02	U			I
DIELDRIN	1001	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0002	S	MG/KG	0.0018	0.0018	U			I
DIELDRIN	0003	S	MG/KG	0.0025	0.0025	U			I
DIETHYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U			

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.028	0.028	U			I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.003	0.003	U			I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.04	0.04	U			I
ENDRIN	0001	S	MG/KG	0.045	0.045	U			I
ENDRIN	1001	S	MG/KG	0.004	0.004	U			I
ENDRIN	0002	S	MG/KG	0.007	0.007	U			I
ENDRIN	0003	S	MG/KG	0.006	0.006	U			I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.016	0.016	U			I
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	1001	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	0002	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	0003	S	MG/KG	0.04	0.04	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.38	0.12	J			I
FLUORANTHENE	1001	S	MG/KG	0.39	0.17	J			I
FLUORANTHENE	0002	S	MG/KG	0.77	2.		2.	J	I
FLUORANTHENE	0003	S	MG/KG	0.84	0.34	J			I
FLUORENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
FLUORENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
FLUORENE	0002	S	MG/KG	0.77	0.11	J			I
FLUORENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U			I
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	1001	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	0002	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	0003	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.06	0.06	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.77	0.81		0.81	J	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.84	0.12	J			I
IRON, TOTAL	0001	S	MG/KG	1.	24900.		24900.	J	I
IRON, TOTAL	1001	S	MG/KG	1.	19400.		19400.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	2880.				I
IRON, TOTAL	0003	S	MG/KG	1.	24100.				I
ISOPHORONE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ISOPHORONE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ISOPHORONE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ISOPHORONE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	9.4				I
LEAD, TOTAL	1001	S	MG/KG	.2	11.7				I
LEAD, TOTAL	0002	S	MG/KG	.2	7.6		7.6	J	I
LEAD, TOTAL	0003	S	MG/KG	.2	18.5				I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	11700.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	3.	11100.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	3.	3330.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	3.	13400.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	651.		651.	J	I
MANGANESE, TOTAL	1001	S	MG/KG	.2	583.		583.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	60.9				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	685.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	1001	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0002	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0003	S	MG/KG	.02	.02	U			I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	1001	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	0002	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	0003	S	MG/KG	0.12	0.12	U			I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	21.5				

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	1001	S	MG/KG	2.	15.7				I
NICKEL, TOTAL	0002	S	MG/KG	2.	3.				I
NICKEL, TOTAL	0003	S	MG/KG	2.	17.7				I
NITROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NITROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
NITROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NITROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.38	0.11	J			I
PHENANTHRENE	1001	S	MG/KG	0.39	0.11	J			I
PHENANTHRENE	0002	S	MG/KG	0.77	1.3		1.3	J	I
PHENANTHRENE	0003	S	MG/KG	0.84	0.3	J			I
PHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
PHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
PHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	1220.				I
POTASSIUM, TOTAL	1001	S	MG/KG	100.	1160.				I
POTASSIUM, TOTAL	0002	S	MG/KG	100.	291.				I
POTASSIUM, TOTAL	0003	S	MG/KG	100.	1380.				I
POTASSIUM-40	0001	S	PCI/G	.5	26.2				I
POTASSIUM-40	1001	S	PCI/G	.5	23.6				I
POTASSIUM-40	0002	S	PCI/G	.5	16.5				I
POTASSIUM-40	0003	S	PCI/G	.5	20.				I
PYRENE	0001	S	MG/KG	0.38	0.13	J			I
PYRENE	1001	S	MG/KG	0.39	0.15	J			I
PYRENE	0002	S	MG/KG	0.77	3.		3.	J	I
PYRENE	0003	S	MG/KG	0.84	0.42	J			I
RADIUM-224	0001	S	PCI/G	.1	1.36				I
RADIUM-224	1001	S	PCI/G	.1	1.25				I
RADIUM-224	0002	S	PCI/G	.1	.677				I
RADIUM-224	0003	S	PCI/G	.1	1.01				I
RADIUM-226	0001	S	PCI/G	.1	.722				I
RADIUM-226	1001	S	PCI/G	.1	.733				I
RADIUM-226	0002	S	PCI/G	.1	.499				I
RADIUM-226	0003	S	PCI/G	.1	.74				I
RADIUM-228	0001	S	PCI/G	.2	1.34				I
RADIUM-228	1001	S	PCI/G	.2	1.16				I
RADIUM-228	0002	S	PCI/G	.2	.671				I
RADIUM-228	0003	S	PCI/G	.2	.912				I
SELENIUM, TOTAL	0001	S	MG/KG	.24	.24				I X
SELENIUM, TOTAL	1001	S	MG/KG	.21	.21				I X
SELENIUM, TOTAL	0002	S	MG/KG	.21	.21				I X
SELENIUM, TOTAL	0003	S	MG/KG	.23	.23				I X
SILVER, TOTAL	0001	S	MG/KG	.59	.59	U			I
SILVER, TOTAL	1001	S	MG/KG	.53	.53	U			I
SILVER, TOTAL	0002	S	MG/KG	.53	.53	U			I
SILVER, TOTAL	0003	S	MG/KG	.58	.58	U			I
SODIUM, TOTAL	0001	S	MG/KG	20.	204.				I
SODIUM, TOTAL	1001	S	MG/KG	20.	161.				I

APPENDIX A
Location: MND33-0058
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SODIUM, TOTAL	0002	S	MG/KG	20.	57.3				I
SODIUM, TOTAL	0003	S	MG/KG	20.	203.				I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.24	.24	U			I
THALLIUM, TOTAL	1001	S	MG/KG	.21	.21	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.2	.25		.25	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.23	.23	U			I
THORIUM-234	0001	S	PCI/G	.5	1.32				I
THORIUM-234	1001	S	PCI/G	.5	.925				I
THORIUM-234	0002	S	PCI/G	.5	1.08				I
THORIUM-234	0003	S	PCI/G	.5	.739				I
TOLUENE	0002	S	MG/KG	0.006	0.002	J			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	1001	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	0002	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	0003	S	MG/KG	0.16	0.16	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	17.3				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	15.6				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	1.9				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	16.3				I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	52.4	*			I
ZINC, TOTAL	1001	S	MG/KG	.5	46.1	*			I
ZINC, TOTAL	0002	S	MG/KG	.5	44.2	*			I
ZINC, TOTAL	0003	S	MG/KG	.5	66.2	*			I

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-BUTANONE	0002	S	MG/KG	0.012	0.002	JB	0.012	U	I
2-BUTANONE	0003	S	MG/KG	0.012	0.019	B	0.019	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.012	0.002	JB	0.006	U	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-NITROANILINE	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U			I
4,4'-DDD	0002	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDD	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0269	0.0269	U	0.0269	UJ	D
4,4'-DDE	0001	S	MG/KG	0.002	0.002	U			I
4,4'-DDE	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	D
4,4'-DDT	0001	S	MG/KG	0.008	0.008	U			I
4,4'-DDT	0002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0295	0.0295	U	0.0295	UJ	D
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-NITROANILINE	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
ACENAPHTHENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ACETONE	0002	S	MG/KG	0.006	0.023	B	0.023	U	I
ACETONE	0003	S	MG/KG	0.006	0.14	B	0.14		I
ALDRIN	0001	S	MG/KG	0.002	0.002	U			I
ALDRIN	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALDRIN	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	D
ALPHA CHLORDANE	0002	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0343	0.0343	U	0.0343	UJ	D
ALPHA-BHC	0001	S	MG/KG	0.002	0.002	U			I
ALPHA-BHC	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	D
ALUMINUM, TOTAL	0001	S	MG/KG	4.	8040.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	7170.				I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	6820.				I
ANTHRACENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTHRACENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.3	3.3		3.3	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	14.6		14.6	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	13.8		13.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.04	0.04	U			I

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1016	0002	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.2952	0.2952	U	0.2952	UJ	D
AROCLOR-1221	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1221	0002	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.2952	0.2952	U	0.2952	UJ	D
AROCLOR-1232	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1232	0002	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.2952	0.2952	U	0.2952	UJ	D
AROCLOR-1242	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1242	0002	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.2952	0.2952	U	0.2952	UJ	D
AROCLOR-1248	0001	S	MG/KG	0.04	0.04	U			I
AROCLOR-1248	0002	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.2952	0.2952	U	0.2952	UJ	D
AROCLOR-1254	0001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1254	0002	S	MG/KG	0.191	0.191	U	0.191	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.1968	0.1968	U	0.1968	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.5903	0.5903	U	0.5903	UJ	D
AROCLOR-1260	0001	S	MG/KG	0.09	0.09	U			I
AROCLOR-1260	0002	S	MG/KG	0.191	0.191	U	0.191	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.1968	0.1968	U	0.1968	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.5903	0.5903	U	0.5903	UJ	D
ARSENIC, TOTAL	0001	S	MG/KG	.22	.22				I
ARSENIC, TOTAL	0002	S	MG/KG	.2	2.		2.0	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	1.5		1.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	32.8				I
BARIUM, TOTAL	0002	S	MG/KG	.2	26.2				I
BARIUM, TOTAL	0003	S	MG/KG	.2	43.8				I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZOIC ACID	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BERYLLIUM	0001	S	MG/KG	.1	.51	B			I
BERYLLIUM	0002	S	MG/KG	.2	.67				I
BERYLLIUM	0003	S	MG/KG	.2	.7				I
BETA-BHC	0001	S	MG/KG	0.004	0.004	U			I
BETA-BHC	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
BETA-BHC	0003	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	0003	S	MG/KG	0.0148	0.0148	U	0.0148	UJ	D
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	1.9	1.5	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.78	0.15	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.8	1.3		1.3	J	I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.55	.55	U			I
CADMIUM, TOTAL	0002	S	MG/KG	.2	2.1		2.1	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.2	1.7		1.7	J	I
CALCIUM, TOTAL	0001	S	MG/KG	3.	112000.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	110000.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	113000.				I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.121				I
CESIUM-137	0002	S	PCI/G	.1	.0761				I
CESIUM-137	0003	S	PCI/G	.1	.0302	U	.0302	UJ	I
CHLORDANE	0001	S	MG/KG	0.009	0.009	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	11.7				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	24.1				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	24.6				I
CHRYSENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
CHRYSENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CHRYSENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	7.7				I
COBALT, TOTAL	0002	S	MG/KG	1.	13.7		13.7	J	I
COBALT, TOTAL	0003	S	MG/KG	1.	11.9		11.9	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	14.1				I
COPPER, TOTAL	0002	S	MG/KG	1.	16.3	•			I
COPPER, TOTAL	0003	S	MG/KG	1.	19.3	•			I
CYANIDE	0001	S	MG/KG	2.2	2.2	U			I X
CYANIDE	0002	S	MG/KG	.12	.12	U			I
CYANIDE	0003	S	MG/KG	.12	.12	U			I
DELTA-BHC	0001	S	MG/KG	0.006	0.006	U			I
DELTA-BHC	0002	S	MG/KG	0.0072	0.0072	U	0.0072	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0221	0.0221	U	0.0221	UJ	D
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.78	0.14	J			I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBENZOFURAN	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.006	B	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.004	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U			I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0003	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0003	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	D
DIETHYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIMETHYL PHTHALATE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U			I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0295	0.0295	U	0.0295	UJ	D
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.002	0.002	U			I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	D
ENDOSULFAN SULFATE	0001	S	MG/KG	0.04	0.04	U			I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0197	0.0197	U	0.0197	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.059	0.059	U	0.059	UJ	D
ENDRIN	0001	S	MG/KG	0.004	0.004	U			I
ENDRIN	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ENDRIN	0003	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	0003	S	MG/KG	0.0148	0.0148	U	0.0148	UJ	D
ENDRIN ALDEHYDE	0001	S	MG/KG	0.016	0.016	U			I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0183	0.0183	U	0.0183	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0564	0.0564	U	0.0564	UJ	D
ENDRIN KETONE	0001	S	MG/KG	0.04	0.04	U			I
ENDRIN KETONE	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0197	0.0197	U	0.0197	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.059	0.059	U	0.059	UJ	D
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	1.9	0.26	J			I
FLUORANTHENE	0002	S	MG/KG	0.78	0.14	J			I
FLUORANTHENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
FLUORENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
FLUORENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0343	0.0343	U	0.0343	UJ	D
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U			I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	D
HEPTACHLOR	0001	S	MG/KG	0.002	0.002	U			I
HEPTACHLOR	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	D
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.06	0.06	U			I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0295	0.0295	U	0.0295	UJ	D
HEXACHLOROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBENZENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	16600.		16600.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	15800.				I
IRON, TOTAL	0003	S	MG/KG	1.	18900.				I
ISOPHORONE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ISOPHORONE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ISOPHORONE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	1.7				I
LEAD, TOTAL	0002	S	MG/KG	.2	14.9	*			I
LEAD, TOTAL	0003	S	MG/KG	.2	7.4	*			I
MAGNESIUM, TOTAL	0001	S	MG/KG	3.	27200.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	16800.	*			I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	12200.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	385.		385.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	405.				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	484.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.02	U			I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11	U	0.11	UJ	I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.12	0.12	U			I
METHOXYCHLOR	0002	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.2952	0.2952	U	0.2952	UJ	D
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
NAPHTHALENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	14.6				I
NICKEL, TOTAL	0002	S	MG/KG	2.	22.6				I
NICKEL, TOTAL	0003	S	MG/KG	2.	17.9				I
NITROBENZENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
NITROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NITROBENZENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	0001	S	MG/KG	9.2	9.2	U	9.2	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
PHENANTHRENE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.78	0.13	J			I
PHENANTHRENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
PHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	100.	948.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	922.				I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	748.				I
POTASSIUM-40	0001	S	PCI/G	.5	18.3				I
POTASSIUM-40	0002	S	PCI/G	.5	19.9				I
POTASSIUM-40	0003	S	PCI/G	.5	20.6				I
PYRENE	0001	S	MG/KG	1.9	0.23	J			I
PYRENE	0002	S	MG/KG	0.78	0.12	J			I
PYRENE	0003	S	MG/KG	0.8	0.8	U	0.8	UJ	I
RADIUM-224	0001	S	PCI/G	.1	1.1				I
RADIUM-224	0002	S	PCI/G	.1	1.17				I
RADIUM-224	0003	S	PCI/G	.1	1.25				I
RADIUM-226	0001	S	PCI/G	.1	.766				I
RADIUM-226	0002	S	PCI/G	.1	.656				I
RADIUM-226	0003	S	PCI/G	.1	.548				I
RADIUM-228	0001	S	PCI/G	.2	1.02				I
RADIUM-228	0002	S	PCI/G	.2	1.52				I
RADIUM-228	0003	S	PCI/G	.2	1.26				I
SELENIUM, TOTAL	0001	S	MG/KG	.22	.22				I X
SELENIUM, TOTAL	0002	S	MG/KG	.2	.31				I X
SELENIUM, TOTAL	0003	S	MG/KG	.2	.31				I X
SILVER, TOTAL	0001	S	MG/KG	.55	.55	U			I
SILVER, TOTAL	0002	S	MG/KG	1.	12.6		12.6	J	I
SILVER, TOTAL	0003	S	MG/KG	1.	12.9		12.9	J	I
SODIUM, TOTAL	0001	S	MG/KG	20.	293.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	143.				I
SODIUM, TOTAL	0003	S	MG/KG	10.	162.				I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.22	.22		.22	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.2	.31		0.31	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.2	.31		0.31	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.854				I
THORIUM-234	0002	S	PCI/G	.5	1.48				I
THORIUM-234	0003	S	PCI/G	.5	.837				I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0059
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.16	0.16	U			I
TOXAPHENE	0002	S	MG/KG	0.191	0.191	U	0.191	UJ	I
TOXAPHENE	0003	S	MG/KG	0.1968	0.1968	U	0.1968	UJ	I
TOXAPHENE	0003	S	MG/KG	0.5903	0.5903	U	0.5903	UJ	D
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	13.				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	21.8		21.8	J	I
VANADIUM, TOTAL	0003	S	MG/KG	1.	22.		22.0	J	I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	40.6	*			I
ZINC, TOTAL	0002	S	MG/KG	.5	79.5		79.5	J	I
ZINC, TOTAL	0003	S	MG/KG	.5	754.		754.	J	I

APPENDIX A
Location: MND33-0060
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.008				I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.003	J			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U			I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I

APPENDIX A
Location: MND33-0060
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.013	B	0.013	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	6780.		6780.	J	I
ANTHRACENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	6.9	6.9				I X
AROCLOR-1016	0001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	2.8		2.8	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	82.5				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I

APPENDIX A
Location: MND33-0060
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.6	B			I
BETA-BHC	0001	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.39	0.2	JB	0.39	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.46	.46	U	.46	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	10300.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	13.4				I
CHRYSENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	11.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	11.2	*			I
CYANIDE	0001	S	MG/KG	.12	.12	U			I
DELTA-BHC	0001	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I

APPENDIX A
Location: MND33-0060
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.004	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN	0001	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
FLUORENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U			I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	13100.		13100.	J	I
ISOPHORONE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	14.	*	14.	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	4350.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	982.				I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12	U			I
METHOXYCHLOR	0001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	
NAPHTHALENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	

APPENDIX A
Location: MND33-0060
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	16.5				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U			I
NITROBENZENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
PHENOL	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	546.				I
PYRENE	0001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.47	.47				I X
SILVER, TOTAL	0001	S	MG/KG	1.	3.1		3.1	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	46.6				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.47	.47		.47	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	20.1				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	39.5		39.5	J	I

APPENDIX A
Location: MND33-0061
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	[illegible]
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	[illegible]
2-NITROPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	[illegible]

APPENDIX A
Location: MND33-0061
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.	4.	U			I X
4,4'-DDD	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.005	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0115	0.0115	U	0.0115	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	10100.				I
ANTHRACENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	7.2	7.2		7.2	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.0986	0.0986	U	0.0986	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0986	0.0986	U	0.0986	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0986	0.0986	U	0.0986	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0986	0.0986	U	0.0986	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0986	0.0986	U	0.0986	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1972	0.1972	U	0.1972	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1972	0.1972	U	0.1972	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	5.5	*			I
BARIUM, TOTAL	0001	S	MG/KG	.2	82.8				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I

APPENDIX A
Location: MND33-0061
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.8				I
BETA-BHC	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.48	.48	U			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	7850.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	15.7				I
CHRYSENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	12.4				I
COPPER, TOTAL	0001	S	MG/KG	1.	15.8		15.8	J	I
CYANIDE	0001	S	MG/KG	.1	.15		0.15	J	I
DELTA-BHC	0001	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I

APPENDIX A
Location: MND33-0061
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.021	B	0.021	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0197	0.0197	U	0.0197	UJ	I
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0197	0.0197	U	0.0197	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
FLUORENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0115	0.0115	U	0.0115	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	19000.		19000.	J	I
ISOPHORONE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	13.7	*	13.7	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	3180.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	661.				I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.0986	0.0986	U	0.0986	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I

APPENDIX A
Location: MND33-0061
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	18.5				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	759.				I
PYRENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.49	.49		0.49	UJ	I
SILVER, TOTAL	0001	S	MG/KG	2.4	2.4	U			I
SODIUM, TOTAL	0001	S	MG/KG	10.	44.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.49	.49	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1972	0.1972	U	0.1972	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.2				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	45.7	*			I

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,2,4-TRICHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,2-DICHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,3-DICHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
1,4-DICHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,5-TRICHLOROPHENOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4,6-TRICHLOROPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DICHLOROPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DIMETHYLPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROPHENOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,4-DINITROTOLUENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2,6-DINITROTOLUENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.003	JB	0.012	U	I
2-BUTANONE	0002	S	MG/KG	0.011	0.001	JB	0.012	U	I
2-BUTANONE	0003	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-BUTANONE	1001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	1002	S	MG/KG	0.011	0.003	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-CHLORONAPHTHALENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-CHLOROPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-METHYLNAPHTHALENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-METHYLPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROANILINE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROANILINE	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROANILINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROANILINE	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
2-NITROPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	0.73	0.73	U	0.73	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
3,3'-DICHLOROBENZIDINE	1002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
3-NITROANILINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0081	0.0081	U	0.0081	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDD	1002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDE	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	1002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,4'-DDT	0002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,4'-DDT	1002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,6-DINITRO-O-CRESOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLORO-3-METHYLPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLOROANILINE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
4-METHYLPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROANILINE	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROANILINE	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROANILINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROANILINE	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ACENAPHTHENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ACENAPHTHYLENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.009	JB	0.012	U	I
ACETONE	0002	S	MG/KG	0.011	0.01	JB	0.012	U	I
ACETONE	0003	S	MG/KG	0.011	0.005	JB	0.011	U	I
ACETONE	1001	S	MG/KG	0.012	0.004	JB	0.012	U	I
ACETONE	1002	S	MG/KG	0.011	0.015	B	0.015	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALDRIN	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALDRIN	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	1002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0103	0.0103	U	0.0103	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
ALPHA CHLORDANE	1002	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	1002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	3560.		3560.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	4930.		4930.	J	I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	4590.		4590.	J	I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	2920.		2920.	J	I
ALUMINUM, TOTAL	1002	S	MG/KG	6.	3300.		3300.	J	I
ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ANTHRACENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ANTHRACENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ANTHRACENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ANTHRACENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	32.3		32.3	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	12.6		12.6	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	17.5		17.5	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	38.		38.	J	I
ANTIMONY, TOTAL	1002	S	MG/KG	3.	12.7		12.7	J	I
AROCLOR-1016	0001	S	MG/KG	0.0946	0.0946	U	0.0946	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.0883	0.0883	U	0.0883	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
AROCLOR-1016	1002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0946	0.0946	U	0.0946	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.0883	0.0883	U	0.0883	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
AROCLOR-1221	1002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0946	0.0946	U	0.0946	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.0883	0.0883	U	0.0883	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
AROCLOR-1232	1002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0946	0.0946	U	0.0946	UJ	I

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1242	0002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.0883	0.0883	U	0.0883	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
AROCLOR-1242	1002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0946	0.0946	U	0.0946	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0883	0.0883	U	0.0883	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
AROCLOR-1248	1002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1891	0.1891	U	0.1891	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1918	0.1918	U	0.1918	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.1766	0.1766	U	0.1766	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.1953	0.1953	U	0.1953	UJ	I
AROCLOR-1254	1002	S	MG/KG	0.1918	0.1918	U	0.1918	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1891	0.1891	U	0.1891	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1918	0.1918	U	0.1918	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.1766	0.1766	U	0.1766	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.1953	0.1953	U	0.1953	UJ	I
AROCLOR-1260	1002	S	MG/KG	0.1918	0.1918	U	0.1918	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	1.5		1.5	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	.79		.79	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	.83		.83	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	2.		2.	J	I
ARSENIC, TOTAL	1002	S	MG/KG	.2	.76		.76	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	32.9				I
BARIUM, TOTAL	0002	S	MG/KG	.2	30.5				I
BARIUM, TOTAL	0003	S	MG/KG	.2	19.				I
BARIUM, TOTAL	1001	S	MG/KG	.2	26.9				I
BARIUM, TOTAL	1002	S	MG/KG	.2	18.8				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.005	0.005	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZENE	1002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(A)ANTHRACENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.4	0.089	J			I
BENZO(A)PYRENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.39	0.064	J			I
BENZO(A)PYRENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(B)FLUORANTHENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.4	0.1	J			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.39	0.072	J			I
BENZO(G,H,I)PERYLENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZO(K)FLUORANTHENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZOIC ACID	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZOIC ACID	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZOIC ACID	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZOIC ACID	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BENZYL ALCOHOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.69	B			I
BERYLLIUM	0002	S	MG/KG	.2	.74	B			I
BERYLLIUM	0003	S	MG/KG	.2	.66	B			I
BERYLLIUM	1001	S	MG/KG	.2	.67	B			I
BERYLLIUM	1002	S	MG/KG	.2	.66	B			I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BETA-BHC	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
BETA-BHC	0003	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BETA-BHC	1001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	1002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROETHYL)ETHER	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.4	1.4	B	1.4	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.39	1.7	B	1.7	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.37	0.84	B	0.84	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.39	1.5	B	1.5	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1002	S	MG/KG	0.37	1.6	B	1.6	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.005	0.005	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.4	0.31	J			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.39	0.18	J			I
BUTYL BENZYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	7.2		7.2	J	I
CADMIUM, TOTAL	0002	S	MG/KG	2.3	2.3	U	2.3	UJ	I
CADMIUM, TOTAL	0003	S	MG/KG	.2	2.7		2.7	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.2	18.		18.	J	I
CADMIUM, TOTAL	1002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	175000.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	246000.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	202000.				I
CALCIUM, TOTAL	1001	S	MG/KG	2.	174000.				I
CALCIUM, TOTAL	1002	S	MG/KG	2.	279000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	29.8				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	29.				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	26.9				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	35.8				I
CHROMIUM, TOTAL	1002	S	MG/KG	1.	27.7				I
CHRYSENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
CHRYSENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
CHRYSENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
CHRYSENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	7.		7.	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	7.9		7.9	J	I
COBALT, TOTAL	0003	S	MG/KG	1.	8.2		8.2	J	I
COBALT, TOTAL	1001	S	MG/KG	1.	7.2		7.2	J	I
COBALT, TOTAL	1002	S	MG/KG	1.	5.7		5.7	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	19.6	*			I
COPPER, TOTAL	0002	S	MG/KG	1.	15.3	*	15.3	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	13.9	*	13.9	J	I
COPPER, TOTAL	1001	S	MG/KG	1.	21.9	*			I
COPPER, TOTAL	1002	S	MG/KG	1.	13.7	*	13.7	J	I
CYANIDE	0001	S	MG/KG	.12	.12	U			I
CYANIDE	0002	S	MG/KG	.11	.11	U			I
CYANIDE	0003	S	MG/KG	.11	.11	U			I
CYANIDE	1001	S	MG/KG	.12	.12	U			I
CYANIDE	1002	S	MG/KG	.11	.11	U			I
DELTA-BHC	0001	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0072	0.0072	U	0.0072	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0066	0.0066	U	0.0066	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	I
DELTA-BHC	1002	S	MG/KG	0.0072	0.0072	U	0.0072	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.4	0.054	J			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.39	0.057	J			I
DI-N-BUTYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DI-N-OCTYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.4	0.064	J			I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.39	0.06	J			I
DIBENZO(A,H)ANTHRACENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIBENZOFURAN	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.006	B	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.004	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.004	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.004	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I

APPENDIX A
Location: MWD33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	1001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	1002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIETHYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.4	0.13	J			I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.39	0.24	J			I
DIMETHYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN I(ALPHA)	1002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	1002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0192	0.0192	U	0.0192	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0177	0.0177	U	0.0177	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0195	0.0195	U	0.0195	UJ	I
ENDOSULFAN SULFATE	1002	S	MG/KG	0.0192	0.0192	U	0.0192	UJ	I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ENDRIN	0003	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN	1001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	1002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0183	0.0183	U	0.0183	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0169	0.0169	U	0.0169	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ENDRIN ALDEHYDE	1002	S	MG/KG	0.0183	0.0183	U	0.0183	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0192	0.0192	U	0.0192	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0177	0.0177	U	0.0177	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.0195	0.0195	U	0.0195	UJ	I
ENDRIN KETONE	1002	S	MG/KG	0.0192	0.0192	U	0.0192	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.4	0.2	J			I
FLUORANTHENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.39	0.14	J			I
FLUORANTHENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
FLUORENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
FLUORENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
FLUORENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
FLUORENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
FLUORENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0103	0.0103	U	0.0103	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
GAMMA CHLORDANE	1002	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	1002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	1002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEPTACHLOR EPOXIDE	1002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.4	0.049	J			I
HEXACHLOROBENZENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROBUTADIENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROCYCLOPENTADIENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
HEXACHLOROETHANE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.4	0.067	J			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.39	0.05	J			I
INDENO(1,2,3-CD)PYRENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	9080.		9080.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	13400.		13400.	J	I
IRON, TOTAL	0003	S	MG/KG	1.	13600.		13600.	J	I
IRON, TOTAL	1001	S	MG/KG	1.	7410.		7410.	J	I
IRON, TOTAL	1002	S	MG/KG	1.	8510.		8510.	J	I
ISOPHORONE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ISOPHORONE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ISOPHORONE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ISOPHORONE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
ISOPHORONE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	148.	*	148.	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	6.4	*	6.4	J	I
LEAD, TOTAL	0003	S	MG/KG	.2	5.3	*	5.3	J	I
LEAD, TOTAL	1001	S	MG/KG	.2	48.3	*	48.3	J	I
LEAD, TOTAL	1002	S	MG/KG	.2	6.2	*	6.2	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	50000.	*			I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	5040.	*			I
MAGNESIUM, TOTAL	0003	S	MG/KG	.5	16400.	*			I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	63500.	*			I
MAGNESIUM, TOTAL	1002	S	MG/KG	5.	4600.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	361.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	327.				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	390.				I
MANGANESE, TOTAL	1001	S	MG/KG	.2	310.				I
MANGANESE, TOTAL	1002	S	MG/KG	.2	302.				I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12	U			I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	1001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	1002	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0946	0.0946	U	0.0946	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.0883	0.0883	U	0.0883	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
METHOXYCHLOR	1002	S	MG/KG	0.0959	0.0959	U	0.0959	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.37	0.041	J			I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
N-NITROSODIPHENYLAMINE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
NAPHTHALENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	16.7				I
NICKEL, TOTAL	0002	S	MG/KG	2.	13.3		13.3	J	I
NICKEL, TOTAL	0003	S	MG/KG	2.	14.3		14.3	J	I
NICKEL, TOTAL	1001	S	MG/KG	2.	18.2				I
NICKEL, TOTAL	1002	S	MG/KG	2.	9.6		9.6	J	I
NITROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
NITROBENZENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
NITROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NITROBENZENE	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
NITROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	0002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PENTACHLOROPHENOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.4	0.093	J			I
PHENANTHRENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.39	0.06	J			I
PHENANTHRENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
PHENOL	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
PHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENOL	1001	S	MG/KG	0.39	0.39	U	0.39	UJ	I
PHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	395.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	679.				I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	833.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	284.				I
POTASSIUM, TOTAL	1002	S	MG/KG	10.	582.				I
PYRENE	0001	S	MG/KG	0.4	0.34	J			I
PYRENE	0002	S	MG/KG	0.39	0.39	U	0.39	UJ	I
PYRENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PYRENE	1001	S	MG/KG	0.39	0.27	J			I
PYRENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.46	.46				I X
SELENIUM, TOTAL	0002	S	MG/KG	.46	.46				I X
SELENIUM, TOTAL	0003	S	MG/KG	.43	.43				I X
SELENIUM, TOTAL	1001	S	MG/KG	.47	.47				I X
SELENIUM, TOTAL	1002	S	MG/KG	.44	.44				I X
SILVER, TOTAL	0001	S	MG/KG	1.	18.9		18.9	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	20.6		20.6	J	I
SILVER, TOTAL	0003	S	MG/KG	1.	18.5		18.5	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	19.1		19.1	J	I
SILVER, TOTAL	1002	S	MG/KG	1.	21.1		21.1	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	319.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	264.				I
SODIUM, TOTAL	0003	S	MG/KG	10.	219.				I
SODIUM, TOTAL	1001	S	MG/KG	10.	326.				I
SODIUM, TOTAL	1002	S	MG/KG	10.	210.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.005	0.005	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
STYRENE	1002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.46	.46		.46	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.46	.46		.46	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.43	.43		.43	UJ	I
THALLIUM, TOTAL	1001	S	MG/KG	.47	.47		.47	UJ	I
THALLIUM, TOTAL	1002	S	MG/KG	.44	.44		.44	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0062
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.005	0.005	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1891	0.1891	U	0.1891	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1918	0.1918	U	0.1918	UJ	I
TOXAPHENE	0003	S	MG/KG	0.1766	0.1766	U	0.1766	UJ	I
TOXAPHENE	1001	S	MG/KG	0.1953	0.1953	U	0.1953	UJ	I
TOXAPHENE	1002	S	MG/KG	0.1918	0.1918	U	0.1918	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
TRITIUM	0001	S	PCI/G	50.	50.	U	1.532	U	I
TRITIUM	0002	S	PCI/G	50.	50.	U	1.53	U	I
TRITIUM	0003	S	PCI/G	50.	50.	U	1.518	U	I
TRITIUM	1001	S	PCI/G	50.	50.	U	1.511	U	I
TRITIUM	1002	S	PCI/G	50.	50.	U	1.542	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	22.7		22.7	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	19.4		19.4	J	I
VANADIUM, TOTAL	0003	S	MG/KG	1.	18.5		18.5	J	I
VANADIUM, TOTAL	1001	S	MG/KG	1.	23.3		23.3	J	I
VANADIUM, TOTAL	1002	S	MG/KG	1.	17.2		17.2	J	I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	60.4		60.4	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	26.6		26.6	J	I
ZINC, TOTAL	0003	S	MG/KG	.5	30.7		30.7	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	51.8		51.8	J	I
ZINC, TOTAL	1002	S	MG/KG	.5	18.5		18.5	J	I

APPENDIX A
Location: MND33-0063
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.66	0.048	J			I
3-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0268	0.0268	U	0.0268	UJ	D
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I

APPENDIX A
Location: MND33-0063
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,4'-DDE	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	D
4,4'-DDT	0001	S	MG/KG	0.0098	0.0098	U			I X
4,4'-DDT	0001	S	MG/KG	0.0294	0.0294	U			D X
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.33	0.086	J			I
ACENAPHTHYLENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ACETONE	0001	S	MG/KG	0.01	0.004	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	D
ALPHA CHLORDANE	0001	S	MG/KG	0.0114	0.0114	U			I
ALPHA CHLORDANE	0001	S	MG/KG	0.0341	0.0341	U			D
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	D
ALUMINUM, TOTAL	0001	S	MG/KG	6.	6560.				I
ANTHRACENE	0001	S	MG/KG	0.33	0.11	J			I
ANTIMONY, TOTAL	0001	S	MG/KG	7.3	7.3				I X
AROCLOR-1016	0001	S	MG/KG	0.0979	0.0979	U	0.0979	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.2937	0.2937	U	0.2937	UJ	D
AROCLOR-1221	0001	S	MG/KG	0.0979	0.0979	U	0.0979	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.2937	0.2937	U	0.2937	UJ	D
AROCLOR-1232	0001	S	MG/KG	0.0979	0.0979	U	0.0979	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.2937	0.2937	U	0.2937	UJ	D
AROCLOR-1242	0001	S	MG/KG	0.0979	0.0979	U	0.0979	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.2937	0.2937	U	0.2937	UJ	D
AROCLOR-1248	0001	S	MG/KG	0.0979	0.0979	U	0.0979	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.2937	0.2937	U	0.2937	UJ	D
AROCLOR-1254	0001	S	MG/KG	0.1958	0.1958	U	0.1958	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.5873	0.5873	U	0.5873	UJ	D
AROCLOR-1260	0001	S	MG/KG	0.1958	0.1958	U	0.1958	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.5873	0.5873	U	0.5873	UJ	D
ARSENIC, TOTAL	0001	S	MG/KG	.2	5.5		5.5	J	

APPENDIX A
Location: MND33-0063
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BARIUM, TOTAL	0001	S	MG/KG	.2	67.1	*	67.1	J	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.33	0.51		0.51	J	I
BENZO(A)PYRENE	0001	S	MG/KG	0.33	0.35	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.33	0.75		0.75	J	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.33	0.21	J			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BENZOIC ACID	0001	S	MG/KG	2.	2.	U	2.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.63	B			I
BETA-BHC	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	0001	S	MG/KG	0.0147	0.0147	U	0.0147	UJ	D
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.33	0.51		0.51	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.33	0.19	J			I
CADMIUM, TOTAL	0001	S	MG/KG	.2	1.1				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	9540.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	17.7				I
CHRYSENE	0001	S	MG/KG	0.33	0.73		0.73	J	I
COBALT, TOTAL	0001	S	MG/KG	1.	9.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	22.9				I
CYANIDE	0001	S	MG/KG	.1	.16	B	.16	J	I
DELTA-BHC	0001	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	I

APPENDIX A
Location: MND33-0063
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DELTA-BHC	0001	S	MG/KG	0.022	0.022	U	0.022	UJ	D
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.33	0.11	J			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.33	0.07	J			I
DIBENZOFURAN	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.013	B	0.013	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0001	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	D
DIETHYL PHTHALATE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0294	0.0294	U	0.0294	UJ	D
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	D
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0587	0.0587	U	0.0587	UJ	D
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	0001	S	MG/KG	0.0147	0.0147	U	0.0147	UJ	D
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0562	0.0562	U	0.0562	UJ	D
ENDRIN KETONE	0001	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0587	0.0587	U	0.0587	UJ	D
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.33	1.3		1.3	J	I
FLUORENE	0001	S	MG/KG	0.33	0.068	J			I
GAMMA CHLORDANE	0001	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0341	0.0341	U	0.0341	UJ	D
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	D
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	D
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0294	0.0294	U	0.0294	UJ	D
HEXACHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.33	0.19	J			

APPENDIX A
Location: MND33-0063
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
IRON, TOTAL	0001	S	MG/KG	1.	11900.	*	11900.	J	I
ISOPHORONE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	33.8				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	4660.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	521.	*	521.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.0979	0.0979	U	0.0979	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.2937	0.2937	U	0.2937	UJ	D
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	15.8				I
NITROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.33	0.83		0.83	J	I
PHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1130.				I
PYRENE	0001	S	MG/KG	0.33	1.3		1.3	J	I
SELENIUM, TOTAL	0001	S	MG/KG	.49	.49		.49	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	3.				I
SODIUM, TOTAL	0001	S	MG/KG	10.	39.4				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.49	.49	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1958	0.1958	U	0.1958	UJ	I
TOXAPHENE	0001	S	MG/KG	0.5873	0.5873	U	0.5873	UJ	D
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRITIUM	0001	S	PCI/G	50.	50.	U	2.172	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	20.7				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	104.		104.	J	I

APPENDIX A
Location: MND33-0064
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	91.2				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.002	J			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I

APPENDIX A
Location: MND33-0064
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0081	0.0081	U	0.0081	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.36	0.36	U			I X
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.003	JB	0.01	U	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	2910.	*			I
ANTHRACENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	32.3		32.3	J	I
AROCLOR-1016	0001	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1784	0.1784	U	0.1784	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1784	0.1784	U	0.1784	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	7.1		7.1	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	56.				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0064
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.66	B	.66	J	I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.36	0.89		0.89	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	7.3	•			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	154000.	•			I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CHLORIDE	0001	S	MG/KG	10.	15.4		15.4	J	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	23.9		23.9	J	I
CHRYSENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	7.9		7.9	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	13.7		13.7	J	I
CYANIDE	0001	S	MG/KG	.11	.11				I X
DELTA-BHC	0001	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I

APPENDIX A
Location: MND33-0064
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.004	JB	0.005	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0171	0.0171	U	0.0171	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
FLUORENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	8470.	*			I
ISOPHORONE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	5.6		5.6	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	51000.	*	51000.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	224.		224.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.1	.1	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I

APPENDIX A
Location: MND33-0064
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	18.1		18.1	J	I
NITRATE	0001	S	MG/KG	2.	129.				I
NITRITE AS NITROGEN	0001	S	MG/KG	2.	5.02				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	8.				I
PERCENT MOISTURE	0001	S	% MOIST	-	8.				I
PHENANTHRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
PHENOL	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	506.				I
PYRENE	0001	S	MG/KG	0.36	0.36	U	0.36	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.43	.43		.43	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	16.7		16.7	J	
SODIUM, TOTAL	0001	S	MG/KG	10.	163.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.43	.43		.43	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.1784	0.1784	U	0.1784	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRITIUM	0001	S	PCI/G	50.	50.	U	1.52	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	20.5		20.5	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	23.		23.	J	I

APPENDIX A
Location: MWD33-0065
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
2-BUTANONE	0001	S	MG/KG	0.011	0.001	J			I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0001	S	MG/KG	0.011	0.003	JB	0.011	U	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0067
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.001	J			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
2-BUTANONE	0001	S	MG/KG	0.011	0.005	J			I
2-HEXANONE	0001	S	MG/KG	0.011	0.002	J			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.002	J			I
ACETONE	0001	S	MG/KG	0.011	0.009	JB	0.011	U	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.006	B	0.006	U	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.002	J			I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0068
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	91.8				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.004	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.002	J			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I

APPENDIX A
Location: MND33-0068
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.001	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.006	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0102	0.0102	U	0.0102	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	4040.	*			I
ANTHRACENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	28.2		28.2	J	I
AROCLOR-1016	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1761	0.1761	U	0.1761	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1761	0.1761	U	0.1761	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	2.9		2.9	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	30.4				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0068
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.7				I
BETA-BHC	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.37	0.41		0.41	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	4.6	•			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	128000.	•			I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CHLORIDE	0001	S	MG/KG	10.	15.4		10.65	J	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	25.1				I
CHRYSENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	9.				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.4				I
CYANIDE	0001	S	MG/KG	.11	.11				I
DELTA-BHC	0001	S	MG/KG	0.0066	0.0066	U	0.0066	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.37	0.04	J			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I

APPENDIX A
Location: MND33-0068
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.004	JB	0.005	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ENDRIN	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0168	0.0168	U	0.0168	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
FLUORENE	0001	S	MG/KG	0.33	0.33	U	0.33	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0102	0.0102	U	0.0102	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	12200.	*			I
ISOPHORONE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	4.5		4.5	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	39100.	*	39100.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	262.		262.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U	0.11	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I

APPENDIX A
Location: MND33-0068
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	22.7				I
NITRATE	0001	S	MG/KG	2.	95.7		95.66	J	I
NITRITE AS NITROGEN	0001	S	MG/KG	2.	3.07		3.07	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	8.				I
PERCENT MOISTURE	0001	S	% MOIST	-	8.				I
PHENANTHRENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	644.				I
PYRENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.43	.43		0.43	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	15.5		15.5	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	173.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.43	.43		0.43	UJ	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.1761	0.1761	U	0.1761	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRITIUM	0001	S	PCI/G	-	5.0	U	1.518	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	20.9				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	30.5		30.5	J	I

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.001	J			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.012	0.002	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2-NITROANILINE	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-NITROANILINE	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-NITROANILINE	1001	S	MG/KG	2.	2.	U	2.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	0.71	0.71	U	0.71	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	0.66	0.044	J			I
3-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
3-NITROANILINE	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	1001	S	MG/KG	2.	2.	U	2.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0079	0.0079	U	0.0079	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0079	0.0079	U	0.0079	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.012	0.002	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
4-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-NITROANILINE	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-NITROANILINE	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-NITROANILINE	1001	S	MG/KG	2.	2.	U	2.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-NITROPHENOL	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-NITROPHENOL	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-NITROPHENOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.002	JB	0.012	U	I
ACETONE	0002	S	MG/KG	0.011	0.001	JB	0.011	U	I
ACETONE	0003	S	MG/KG	0.011	0.005	JB	0.011	U	I
ACETONE	1001	S	MG/KG	0.012	0.003	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ALDRIN	0003	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ALDRIN	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0115	0.0115	U	0.0115	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.0113	0.0113	U	0.0113	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	5710.	*			I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	4260.	*			I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	4160.	*			I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	5400.	*			I
ANTHRACENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ANTHRACENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ANTHRACENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
ANTHRACENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	18.3		18.3	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	23.9		23.9	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	31.3		31.3	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	18.		18.0	J	I
AROCLOR-1016	0001	S	MG/KG	0.0985	0.0985	U	0.0985	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0865	0.0865	U	0.0865	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.0868	0.0868	U	0.0868	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.0971	0.0971	U	0.0971	UJ	I

APPENDIX A
Location: MWD33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1221	0001	S	MG/KG	0.0985	0.0985	U	0.0985	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0865	0.0865	U	0.0865	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.0868	0.0868	U	0.0868	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.0971	0.0971	U	0.0971	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0985	0.0985	U	0.0985	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0865	0.0865	U	0.0865	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.0868	0.0868	U	0.0868	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.0971	0.0971	U	0.0971	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0985	0.0985	U	0.0985	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0865	0.0865	U	0.0865	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.0868	0.0868	U	0.0868	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.0971	0.0971	U	0.0971	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0985	0.0985	U	0.0985	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0865	0.0865	U	0.0865	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0868	0.0868	U	0.0868	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.0971	0.0971	U	0.0971	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1971	0.1971	U	0.1971	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.173	0.173	U	0.173	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.1737	0.1737	U	0.1737	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.1943	0.1943	U	0.1943	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1971	0.1971	U	0.1971	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.173	0.173	U	0.173	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.1737	0.1737	U	0.1737	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.1943	0.1943	U	0.1943	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	4.5		4.5	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	3.6		3.6	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	3.9		3.9	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	6.3		6.3	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	50.3				I
BARIUM, TOTAL	0002	S	MG/KG	.2	34.1				I
BARIUM, TOTAL	0003	S	MG/KG	.2	29.4				I
BARIUM, TOTAL	1001	S	MG/KG	.2	46.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	0003	S	MG/KG	0.005	0.005	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.41	0.053	J			I
BENZO(A)PYRENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.41	0.12	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.41	0.16	J			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.41	0.32	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.41	0.065	J			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.41	0.13	J			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BENZOIC ACID	0001	S	MG/KG	2.	2.	U	2.	UJ	I
BENZOIC ACID	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BENZOIC ACID	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BENZOIC ACID	1001	S	MG/KG	1.6	0.042	J			I
BENZYL ALCOHOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.79				I
BERYLLIUM	0002	S	MG/KG	.2	.71				I
BERYLLIUM	0003	S	MG/KG	.2	.69				I
BERYLLIUM	1001	S	MG/KG	.2	.73				I
BETA-BHC	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	0002	S	MG/KG	0.0043	0.0043	U	0.0043	UJ	I
BETA-BHC	0003	S	MG/KG	0.0043	0.0043	U	0.0043	UJ	I
BETA-BHC	1001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.41	0.82		0.82	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.36	0.14	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.35	0.56		0.56	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.41	1.1		1.1	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0003	S	MG/KG	0.005	0.005	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.3	*			I
CADMIUM, TOTAL	0002	S	MG/KG	.2	3.9	*			I

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CADMIUM, TOTAL	0003	S	MG/KG	.2	5.3	●			I
CADMIUM, TOTAL	1001	S	MG/KG	.2	2.8	●			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	132000.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	2.	84600.	*			I
CALCIUM, TOTAL	0003	S	MG/KG	2.	103000.	*			I
CALCIUM, TOTAL	1001	S	MG/KG	2.	101000.	●			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0003	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	26.1				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	22.6				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	23.3				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	24.3				I
CHRYSENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
CHRYSENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
CHRYSENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
CHRYSENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	6.9				I
COBALT, TOTAL	0002	S	MG/KG	1.	8.8				I
COBALT, TOTAL	0003	S	MG/KG	1.	9.				I
COBALT, TOTAL	1001	S	MG/KG	1.	7.4				I
COPPER, TOTAL	0001	S	MG/KG	1.	15.6				I
COPPER, TOTAL	0002	S	MG/KG	1.	16.4				I
COPPER, TOTAL	0003	S	MG/KG	1.	16.9				I
COPPER, TOTAL	1001	S	MG/KG	1.	16.5				I
CYANIDE	0001	S	MG/KG	.12	.12				I
CYANIDE	0002	S	MG/KG	.11	.11				I
CYANIDE	0003	S	MG/KG	.11	.11				I
CYANIDE	1001	S	MG/KG	.1	.12		0.12	J	I
DELTA-BHC	0001	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0065	0.0065	U	0.0065	UJ	
DELTA-BHC	0003	S	MG/KG	0.0065	0.0065	U	0.0065	UJ	

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DELTA-BHC	1001	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.36	0.19	J			I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.35	0.12	J			I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.004	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.004	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.005	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.004	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	1001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0197	0.0197	U	0.0197	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0194	0.0194	U	0.0194	UJ	I
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	0002	S	MG/KG	0.0043	0.0043	U	0.0043	UJ	I
ENDRIN	0003	S	MG/KG	0.0043	0.0043	U	0.0043	UJ	I
ENDRIN	1001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0165	0.0165	U	0.0165	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0166	0.0166	U	0.0166	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0186	0.0186	U	0.0186	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0197	0.0197	U	0.0197	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.0194	0.0194	U	0.0194	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0003	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.41	0.18	J			I
FLUORANTHENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.41	0.34	J			I
FLUORENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
FLUORENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
FLUORENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
FLUORENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0115	0.0115	U	0.0115	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.0113	0.0113	U	0.0113	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.41	0.05	J			

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.41	0.11	J			I
IRON, TOTAL	0001	S	MG/KG	1.	8870.	*			I
IRON, TOTAL	0002	S	MG/KG	1.	13300.	*			I
IRON, TOTAL	0003	S	MG/KG	1.	12000.	*			I
IRON, TOTAL	1001	S	MG/KG	1.	10000.	*			I
ISOPHORONE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
ISOPHORONE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
ISOPHORONE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
ISOPHORONE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	12.6		12.6	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	6.9		6.9	J	I
LEAD, TOTAL	0003	S	MG/KG	.2	6.5		6.5	J	I
LEAD, TOTAL	1001	S	MG/KG	.2	13.2		13.2	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	24600.	*	24600.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	32600.	*	32600.	J	I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	46000.	*	46000.	J	I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	23400.	*	23400.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	356.		356.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	304.		304.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.2	254.		254.	J	I
MANGANESE, TOTAL	1001	S	MG/KG	.2	336.		336.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12	U	0.12	UJ	I
MERCURY, TOTAL	0002	S	MG/KG	.1	.1	U	0.10	UJ	I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11	U	0.11	UJ	I
MERCURY, TOTAL	1001	S	MG/KG	.12	.12	U	0.12	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.0985	0.0985	U	0.0985	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0865	0.0865	U	0.0865	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.0868	0.0868	U	0.0868	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.0971	0.0971	U	0.0971	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	15.8				I
NICKEL, TOTAL	0002	S	MG/KG	2.	20.2				I
NICKEL, TOTAL	0003	S	MG/KG	2.	22.5				I
NICKEL, TOTAL	1001	S	MG/KG	2.	17.3				I
NITROBENZENE	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
NITROBENZENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
NITROBENZENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
NITROBENZENE	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	2.	2.	U	2.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.41	0.058	J			I
PHENANTHRENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.41	0.12	J			I
PHENOL	0001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
PHENOL	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
PHENOL	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
PHENOL	1001	S	MG/KG	0.41	0.41	U	0.41	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	619.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	487.				I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	587.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	703.				I
PYRENE	0001	S	MG/KG	0.41	0.2	J			I
PYRENE	0002	S	MG/KG	0.36	0.36	U	0.36	UJ	I
PYRENE	0003	S	MG/KG	0.35	0.35	U	0.35	UJ	I
PYRENE	1001	S	MG/KG	0.41	0.39	J			I
SELENIUM, TOTAL	0001	S	MG/KG	.44	.44		0.44	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.42	.42		0.42	UJ	I
SELENIUM, TOTAL	0003	S	MG/KG	.42	.42		0.42	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.48	.48		0.48	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	16.2		16.2	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	13.		13.0	J	I
SILVER, TOTAL	0003	S	MG/KG	1.	14.3		14.3	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	14.6		14.6	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	255.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	212.				I
SODIUM, TOTAL	0003	S	MG/KG	10.	222.				I
SODIUM, TOTAL	1001	S	MG/KG	10.	272.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	0003	S	MG/KG	0.005	0.005	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		0.44	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.42	.42		0.42	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.42	.42		0.42	UJ	I
THALLIUM, TOTAL	1001	S	MG/KG	.48	.48		0.48	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	0003	S	MG/KG	0.005	0.005	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0003	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1971	0.1971	U	0.1971	UJ	I
TOXAPHENE	0002	S	MG/KG	0.173	0.173	U	0.173	UJ	I
TOXAPHENE	0003	S	MG/KG	0.1737	0.1737	U	0.1737	UJ	I

APPENDIX A
Location: MND33-0069
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOXAPHENE	1001	S	MG/KG	0.1943	0.1943	U	0.1943	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	21.9				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	22.5				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	22.3				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	21.				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	35.2		35.2	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	34.4		34.4	J	I
ZINC, TOTAL	0003	S	MG/KG	.5	36.1		36.1	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	40.1		40.1	J	I

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U	0.01	J	I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U	0.002	J	I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2,4-TRICHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,3-DICHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,4-DICHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,5-TRICHLOROPHENOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4,6-TRICHLOROPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DICHLOROPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DIMETHYLPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROPHENOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DINITROTOLUENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,6-DINITROTOLUENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1002	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLORONAPHTHALENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLOROPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLNAPHTHALENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROANILINE	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROANILINE	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROANILINE	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-NITROPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.66	0.081	J			I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	0.75	0.75	U	0.75	UJ	I
3,3'-DICHLOROBENZIDINE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
3-NITROANILINE	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
3-NITROANILINE	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0424	0.0424	U	0.0424	UJ	D
4,4'-DDD	0002	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDD	1002	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0157	0.0157	U	0.0157	UJ	D
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0464	0.0464	U	0.0464	UJ	D
4,4'-DDT	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDT	1002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,6-DINITRO-O-CRESOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLORO-3-METHYLPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROANILINE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.001	J			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.002	J			I

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.011	0.001	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-METHYLPHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROANILINE	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROANILINE	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROANILINE	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.38	0.37	J			I
ACENAPHTHENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHYLENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.011	U			I
ACETONE	0002	S	MG/KG	0.011	0.002	JB	0.011	U	I
ACETONE	0003	S	MG/KG	0.011	0.004	JB	0.011	U	I
ACETONE	1002	S	MG/KG	0.011	0.005	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0157	0.0157	U	0.0157	UJ	D
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.054	0.054	U	0.054	UJ	D
ALPHA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA CHLORDANE	1002	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0116	0.0116	U	0.0116	UJ	D
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	1002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	4430.	*			I
ALUMINUM, TOTAL	0002	S	MG/KG	.06	3880.	*			I
ALUMINUM, TOTAL	0003	S	MG/KG	.06	3220.	*			I
ALUMINUM, TOTAL	1002	S	MG/KG	.06	4730.	*			I
ANTHRACENE	0001	S	MG/KG	0.38	0.46		0.46	J	I
ANTHRACENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ANTHRACENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ANTHRACENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	21.6		21.6	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	.03	30.7		30.7	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	.03	27.3		27.3	J	I
ANTIMONY, TOTAL	1002	S	MG/KG	.03	26.3		26.3	J	I
AROCLOR-1016	0001	S	MG/KG	0.4643	0.4643	U	0.4643	UJ	D
AROCLOR-1016	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
AROCLOR-1016	1002	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I

APPENDIX A
Location: MWD33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1221	0001	S	MG/KG	0.4643	0.4643	U	0.4643	UJ	D
AROCLOR-1221	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
AROCLOR-1221	1002	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.4643	0.4643	U	0.4643	UJ	D
AROCLOR-1232	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
AROCLOR-1232	1002	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.4643	0.4643	U	0.4643	UJ	D
AROCLOR-1242	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
AROCLOR-1242	1002	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.4643	0.4643	U	0.4643	UJ	D
AROCLOR-1248	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
AROCLOR-1248	1002	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.9287	0.9287	U	0.9287	UJ	D
AROCLOR-1254	0002	S	MG/KG	0.1814	0.1814	U	0.1814	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.1792	0.1792	U	0.1792	UJ	I
AROCLOR-1254	1002	S	MG/KG	0.1793	0.1793	U	0.1793	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.9287	0.9287	U	0.9287	UJ	D
AROCLOR-1260	0002	S	MG/KG	0.1814	0.1814	U	0.1814	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.1792	0.1792	U	0.1792	UJ	I
AROCLOR-1260	1002	S	MG/KG	0.1793	0.1793	U	0.1793	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	3.1		3.1	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	5.8		5.8	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.002	4.6		4.6	J	I
ARSENIC, TOTAL	1002	S	MG/KG	.002	4.2		4.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	66.6				I
BARIUM, TOTAL	0002	S	MG/KG	.002	29.7				I
BARIUM, TOTAL	0003	S	MG/KG	.002	41.4				I
BARIUM, TOTAL	1002	S	MG/KG	.002	31.6				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	1002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.38	1.5		1.5	J	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)ANTHRACENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.38	1.2		1.2	J	I
BENZO(A)PYRENE	0002	S	MG/KG	0.37	0.039	J			I
BENZO(A)PYRENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)PYRENE	1002	S	MG/KG	0.37	0.049	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.38	2.		2.	J	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(B)FLUORANTHENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.38	1.1		1.1	J	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(G,H,I)PERYLENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(K)FLUORANTHENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZOIC ACID	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZOIC ACID	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZOIC ACID	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZYL ALCOHOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.61	B			I
BERYLLIUM	0002	S	MG/KG	.002	.63	B			I
BERYLLIUM	0003	S	MG/KG	.002	.56	B			I
BERYLLIUM	1002	S	MG/KG	.002	.69	B			I
BETA-BHC	0001	S	MG/KG	0.0232	0.0232	U	0.0232	UJ	D
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	1002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHYL)ETHER	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.38	0.28	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.37	0.27	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.37	0.21	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1002	S	MG/KG	0.37	0.1	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BUTYL BENZYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.002	3.7	*			I
CADMIUM, TOTAL	0002	S	MG/KG	.002	5.8	*			I

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CADMIUM, TOTAL	0003	S	MG/KG	.002	4.8	*			I
CADMIUM, TOTAL	1002	S	MG/KG	.002	5.2	*			I
CALCIUM, TOTAL	0001	S	MG/KG	.02	109000.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	.02	107000.	*			I
CALCIUM, TOTAL	0003	S	MG/KG	.02	106000.	*			I
CALCIUM, TOTAL	1002	S	MG/KG	.02	139000.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	23.6				I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	24.5				I
CHROMIUM, TOTAL	0003	S	MG/KG	.01	22.7				I
CHROMIUM, TOTAL	1002	S	MG/KG	.01	26.2				I
CHRYSENE	0001	S	MG/KG	0.38	1.9		1.9	J	I
CHRYSENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
CHRYSENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
CHRYSENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	7.5				I
COBALT, TOTAL	0002	S	MG/KG	.01	10.4				I
COBALT, TOTAL	0003	S	MG/KG	.01	8.				I
COBALT, TOTAL	1002	S	MG/KG	.01	10.5				I
COPPER, TOTAL	0001	S	MG/KG	.01	16.				I
COPPER, TOTAL	0002	S	MG/KG	.01	20.8				I
COPPER, TOTAL	0003	S	MG/KG	.01	16.4				I
COPPER, TOTAL	1002	S	MG/KG	.01	20.6				I
CYANIDE	0001	S	MG/KG	.1	.14		0.14	J	I
CYANIDE	0002	S	MG/KG	.1	.12		.12	J	I
CYANIDE	0003	S	MG/KG	.11	.11				I
CYANIDE	1002	S	MG/KG	.1	.11		0.11	J	I
DELTA-BHC	0001	S	MG/KG	0.0348	0.0348	U	0.0348	UJ	D
DELTA-BHC	0002	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	[illegible]
DELTA-BHC	0003	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	[illegible]

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DELTA-BHC	1002	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.38	0.097	J			I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-BUTYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-OCTYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.38	0.36	J			I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZO(A,H)ANTHRACENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.38	0.089	J			I
DIBENZOFURAN	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZOFURAN	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.006	B	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.007	B	0.007	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.006	0.006	B	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0075	0.0075	U	0.0075	UJ	D
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0003	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	1002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIETHYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIMETHYL PHTHALATE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0464	0.0464	U	0.0464	UJ	D
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	1002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0157	0.0157	U	0.0157	UJ	D
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	D
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0179	0.0179	U	0.0179	UJ	I
ENDOSULFAN SULFATE	1002	S	MG/KG	0.0179	0.0179	U	0.0179	UJ	I
ENDRIN	0001	S	MG/KG	0.0232	0.0232	U	0.0232	UJ	D
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	1002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0888	0.0888	U	0.0888	UJ	D
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0171	0.0171	U	0.0171	UJ	I
ENDRIN ALDEHYDE	1002	S	MG/KG	0.0171	0.0171	U	0.0171	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	D
ENDRIN KETONE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0179	0.0179	U	0.0179	UJ	I
ENDRIN KETONE	1002	S	MG/KG	0.0179	0.0179	U	0.0179	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.38	3.4		3.4	J	I
FLUORANTHENE	0002	S	MG/KG	0.37	0.13	J			I
FLUORANTHENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
FLUORANTHENE	1002	S	MG/KG	0.37	0.18	J			I
FLUORENE	0001	S	MG/KG	0.38	0.2	J			I
FLUORENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
FLUORENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
FLUORENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.054	0.054	U	0.054	UJ	D
GAMMA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA CHLORDANE	1002	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0157	0.0157	U	0.0157	UJ	D
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0116	0.0116	U	0.0116	UJ	D
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	1002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0464	0.0464	U	0.0464	UJ	D
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLOR EPOXIDE	1002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBUTADIENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROCYCLOPENTADIENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROETHANE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.38	0.9		0.9	J	

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
INDENO(1,2,3-CD)PYRENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	10400.	•			I
IRON, TOTAL	0002	S	MG/KG	.01	10700.	•			I
IRON, TOTAL	0003	S	MG/KG	.01	9270.	•			I
IRON, TOTAL	1002	S	MG/KG	.01	12300.	•			I
ISOPHORONE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ISOPHORONE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ISOPHORONE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ISOPHORONE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	12.8		12.8	J	I
LEAD, TOTAL	0002	S	MG/KG	.002	6.		6.0	J	I
LEAD, TOTAL	0003	S	MG/KG	.002	5.9		5.9	J	I
LEAD, TOTAL	1002	S	MG/KG	.002	6.9		6.9	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	28300.	•	28300.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	44100.	•	44100.	J	I
MAGNESIUM, TOTAL	0003	S	MG/KG	.05	36900.	*	36900.	J	I
MAGNESIUM, TOTAL	1002	S	MG/KG	.05	33000.	*	33000.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	259.		259.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.002	290.		290.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.002	224.		224.	J	I
MANGANESE, TOTAL	1002	S	MG/KG	.002	359.		359.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U	0.11	UJ	I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11	U	0.11	UJ	I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11	U	0.11	UJ	I
MERCURY, TOTAL	1002	S	MG/KG	.11	.11	U	0.11	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.4643	0.4643	U	0.4643	UJ	D
METHOXYCHLOR	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
METHOXYCHLOR	1002	S	MG/KG	0.0896	0.0896	U	0.0896	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSODIPHENYLAMINE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.37	0.33	U	0.33	UJ	I
NAPHTHALENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	17.8				I
NICKEL, TOTAL	0002	S	MG/KG	.02	23.9				I
NICKEL, TOTAL	0003	S	MG/KG	.02	19.4				I
NICKEL, TOTAL	1002	S	MG/KG	.02	24.6				I
NITROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NITROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NITROBENZENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NITROBENZENE	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	0003	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PENTACHLOROPHENOL	1002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.38	2.5		2.5	J	I
PHENANTHRENE	0002	S	MG/KG	0.37	0.084	J			I
PHENANTHRENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENANTHRENE	1002	S	MG/KG	0.37	0.097	J			I
PHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
PHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENOL	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENOL	1002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	836.				I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	562.				I
POTASSIUM, TOTAL	0003	S	MG/KG	.1	556.				I
POTASSIUM, TOTAL	1002	S	MG/KG	.1	800.				I
PYRENE	0001	S	MG/KG	0.38	3.1		3.1	J	I
PYRENE	0002	S	MG/KG	0.37	0.13	J			I
PYRENE	0003	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PYRENE	1002	S	MG/KG	0.37	0.17	J			I
SELENIUM, TOTAL	0001	S	MG/KG	.45	.45		0.45	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.44	.44		0.44	UJ	I
SELENIUM, TOTAL	0003	S	MG/KG	.002	.41		0.41	UJ	I
SELENIUM, TOTAL	1002	S	MG/KG	.44	.44		0.44	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.01	15.2		15.2	J	I
SILVER, TOTAL	0002	S	MG/KG	.01	16.		16.0	J	I
SILVER, TOTAL	0003	S	MG/KG	.01	15.3		15.3	J	I
SILVER, TOTAL	1002	S	MG/KG	.01	17.		17.0	J	I
SODIUM, TOTAL	0001	S	MG/KG	.1	205.				I
SODIUM, TOTAL	0002	S	MG/KG	.1	219.				I
SODIUM, TOTAL	0003	S	MG/KG	.1	160.				I
SODIUM, TOTAL	1002	S	MG/KG	.1	215.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	1002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.45	.45		0.45	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.44	.44		0.44	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.002	.41		0.41	UJ	I
THALLIUM, TOTAL	1002	S	MG/KG	.44	.44		0.44	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOLUENE	1002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.9287	0.9287	U	0.9287	UJ	D
TOXAPHENE	0002	S	MG/KG	0.1814	0.1814	U	0.1814	UJ	
TOXAPHENE	0003	S	MG/KG	0.1792	0.1792	U	0.1792	UJ	

APPENDIX A
Location: MND33-0070
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOXAPHENE	1002	S	MG/KG	0.1793	0.1793	U	0.1793	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.01		0.01	J	I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.009				I
TRICHLOROETHENE	1002	S	MG/KG	0.006	0.002	J			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	19.				I
VANADIUM, TOTAL	0002	S	MG/KG	.01	22.1				I
VANADIUM, TOTAL	0003	S	MG/KG	.01	19.5				I
VANADIUM, TOTAL	1002	S	MG/KG	.01	23.4				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	62.5		62.5	J	I
ZINC, TOTAL	0002	S	MG/KG	.005	32.9		32.9	J	I
ZINC, TOTAL	0003	S	MG/KG	.005	29.		29.0	J	I
ZINC, TOTAL	1002	S	MG/KG	.005	33.6		33.6	J	I

APPENDIX A
Location: MND33-0071
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MND33-0071
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0081	0.0081	U	0.0081	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACETONE	0002	S	MG/KG	0.011	0.003	JB			I
ALDRIN	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	5730.	•			I

APPENDIX A
Location: MND33-0071
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALUMINUM, TOTAL	0002	S	MG/KG	6.	4210.	*			I
ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	20.3		20.3	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	13.1		13.1	J	I
AROCLOR-1016	0001	S	MG/KG	0.0903	0.0903	U	0.0903	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0891	0.0891	U	0.0891	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0903	0.0903	U	0.0903	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0891	0.0891	U	0.0891	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0903	0.0903	U	0.0903	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0891	0.0891	U	0.0891	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0903	0.0903	U	0.0903	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0891	0.0891	U	0.0891	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0903	0.0903	U	0.0903	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0891	0.0891	U	0.0891	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1807	0.1807	U	0.1807	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1782	0.1782	U	0.1782	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1807	0.1807	U	0.1807	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1782	0.1782	U	0.1782	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	2.3		2.3	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	1.5		1.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	48.5				I
BARIUM, TOTAL	0002	S	MG/KG	.2	26.4				I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.66	B			I
BERYLLIUM	0002	S	MG/KG	.2	.65	B			I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MND33-0071
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.74	0.7	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.72	1.8		1.8	J	I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	4.2	•			I
CADMIUM, TOTAL	0002	S	MG/KG	2.2	2.2				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	88900.	•			I
CALCIUM, TOTAL	0002	S	MG/KG	2.	217000.	•			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.0833				I
CESIUM-137	0002	S	PCI/G	.1	.0232	U	.0232	UJ	I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	23.2		23.2	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	26.		26.0	J	I
CHRYSENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	8.8		8.8	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	6.2		6.2	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	15.8				I
COPPER, TOTAL	0002	S	MG/KG	1.	13.3				I
CYANIDE	0001	S	MG/KG	.2	.22		0.22	U	I
CYANIDE	0002	S	MG/KG	.2	.56		0.56	U	I
DELTA-BHC	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MND33-0071
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZOFURAN	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.011	B			I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.017	0.017	U	0.017	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.74	0.092	J			I
FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	

APPENDIX A
Location: MND33-0071
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	11400.				I
IRON, TOTAL	0002	S	MG/KG	1.	9770.				I
ISOPHORONE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	7.5	•			I
LEAD, TOTAL	0002	S	MG/KG	.2	4.2				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.5	30300.	•	30300	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.5	10500.	*	10500.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	289.	•	289	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	284.	•	284.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11				I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11				I
METHOXYCHLOR	0001	S	MG/KG	0.0903	0.0903	U	0.0903	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0891	0.0891	U	0.0891	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	17.8		17.8	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	13.6		13.6	J	I
NITROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	443.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	653.				I
POTASSIUM-40	0001	S	PCI/G	.5	10.5				I
POTASSIUM-40	0002	S	PCI/G	.5	15.8				I
PYRENE	0001	S	MG/KG	0.74	0.09	J			I
PYRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
RADIUM-224	0001	S	PCI/G	.1	.657				I
RADIUM-224	0002	S	PCI/G	.1	.629				I
RADIUM-226	0001	S	PCI/G	.1	.506				I
RADIUM-226	0002	S	PCI/G	.1	.42				I
RADIUM-228	0001	S	PCI/G	.2	.565		.110		I
RADIUM-228	0002	S	PCI/G	.2	.631				I
SELENIUM, TOTAL	0001	S	MG/KG	.45	.45		0.45	UJ	I

APPENDIX A
Location: MWD33-0071
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	0002	S	MG/KG	.43	.43		0.43	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	14.				I
SILVER, TOTAL	0002	S	MG/KG	1.	18.6				I
SODIUM, TOTAL	0001	S	MG/KG	10.	168.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	188.				I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.45	.45		0.45	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.43	.43		0.43	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.4				I
THORIUM-234	0002	S	PCI/G	.5	.444				I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1807	0.1807	U	0.1807	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1782	0.1782	U	0.1782	UJ	I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	24.5				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	17.8				I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	29.		29.0	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	32.7		32.7	J	I

APPENDIX A
Location: MND33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.002	J			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2,4-TRICHLOROBENZENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROBENZENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,3-DICHLOROBENZENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,4-DICHLOROBENZENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	1002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,6-TRICHLOROPHENOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DICHLOROPHENOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DIMETHYLPHENOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	1002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DINITROTOLUENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,6-DINITROTOLUENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-BUTANONE	0002	S	MG/KG	0.012	0.002	JB	0.012	U	I
2-BUTANONE	1002	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLORONAPHTHALENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLOROPHENOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLNAPHTHALENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLPHENOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROANILINE	1002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-NITROPHENOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	1002	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	1002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
4,4'-DDD	1002	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	1002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDT	1002	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	1002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	

APPENDIX A
Location: MND33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLORO-3-METHYLPHENOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROANILINE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-METHYLPHENOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	1002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	1002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHYLENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACETONE	0002	S	MG/KG	0.012	0.003	JB	0.012	U	I
ACETONE	1002	S	MG/KG	0.012	0.003	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	1002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0112	0.0112	U	0.0112	UJ	I
ALPHA CHLORDANE	1002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	1002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	7530.	*			I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	8850.	*			I
ALUMINUM, TOTAL	1002	S	MG/KG	6.	7200.	*			I
ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTHRACENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ANTHRACENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	14.4		14.4	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	15.		15.0	J	I
ANTIMONY, TOTAL	1002	S	MG/KG	3.	14.		14.0	J	I
AROCLOR-1016	0001	S	MG/KG	0.0913	0.0913	U	0.0913	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0967	0.0967	U	0.0967	UJ	I
AROCLOR-1016	1002	S	MG/KG	0.0948	0.0948	U	0.0948	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0913	0.0913	U	0.0913	UJ	I

APPENDIX A
Location: MND33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1221	0002	S	MG/KG	0.0967	0.0967	U	0.0967	UJ	I
AROCLOR-1221	1002	S	MG/KG	0.0948	0.0948	U	0.0948	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0913	0.0913	U	0.0913	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0967	0.0967	U	0.0967	UJ	I
AROCLOR-1232	1002	S	MG/KG	0.0948	0.0948	U	0.0948	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0913	0.0913	U	0.0913	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0967	0.0967	U	0.0967	UJ	I
AROCLOR-1242	1002	S	MG/KG	0.0948	0.0948	U	0.0948	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0913	0.0913	U	0.0913	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0967	0.0967	U	0.0967	UJ	I
AROCLOR-1248	1002	S	MG/KG	0.0948	0.0948	U	0.0948	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1826	0.1826	U	0.1826	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1935	0.1935	U	0.1935	UJ	I
AROCLOR-1254	1002	S	MG/KG	0.1896	0.1896	U	0.1896	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1826	0.1826	U	0.1826	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1935	0.1935	U	0.1935	UJ	I
AROCLOR-1260	1002	S	MG/KG	0.1896	0.1896	U	0.1896	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.8		3.8	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	2.1		2.1	J	I
ARSENIC, TOTAL	1002	S	MG/KG	.2	2.1		2.1	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	38.6				I
BARIUM, TOTAL	0002	S	MG/KG	.2	48.5				I
BARIUM, TOTAL	1002	S	MG/KG	.2	45.2				I
BENZENE	0002	S	MG/KG	0.006	0.006	U			
BENZENE	1002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)ANTHRACENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)PYRENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(B)FLUORANTHENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(G,H,I)PERYLENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(K)FLUORANTHENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	1002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZYL ALCOHOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.66	B			I
BERYLLIUM	0002	S	MG/KG	.2	.79	B			I
BERYLLIUM	1002	S	MG/KG	.2	.77				I
BETA-BHC	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	

APPENDIX A
Location: MND33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BETA-BHC	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
BETA-BHC	1002	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1002	S	MG/KG	D.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHYL)ETHER	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.75	0.087	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.79	0.43	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1002	S	MG/KG	0.78	0.23	J			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BUTYL BENZYL PHTHALATE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.1	*			I
CADMIUM, TOTAL	0002	S	MG/KG	.2	4.1	*			I
CADMIUM, TOTAL	1002	S	MG/KG	.2	3.				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	64600.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	2.	110000.	*			I
CALCIUM, TOTAL	1002	S	MG/KG	2.	152000.	*			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.0196				I
CESIUM-137	0002	S	PCI/G	.1	.0348	U	.0348	UJ	I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	23.2		23.2	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	28.9		28.9	J	I
CHROMIUM, TOTAL	1002	S	MG/KG	1.	28.		28.0	J	I
CHRYSENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
CHRYSENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	11.2		11.2	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	12.6		12.6	J	I
COBALT, TOTAL	1002	S	MG/KG	1.	10.4		10.4	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	19.1				I
COPPER, TOTAL	0002	S	MG/KG	1.	23.9				I
COPPER, TOTAL	1002	S	MG/KG	1.	18.5				I
CYANIDE	0001	S	MG/KG	.2	.63		0.63	U	I
CYANIDE	0002	S	MG/KG	.1	.16		0.16	U	I
CYANIDE	1002	S	MG/KG	.2	.2		0.20	U	I
DELTA-BHC	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	I
DELTA-BHC	1002	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-BUTYL PHTHALATE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-OCTYL PHTHALATE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZO(A,H)ANTHRACENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZOFURAN	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.015	B	0.015	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.006	0.013	B	0.013	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	1002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIETHYL PHTHALATE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIMETHYL PHTHALATE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
ENDOSULFAN I(ALPHA)	1002	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	1002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0183	0.0183	U	0.0183	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0193	0.0193	U	0.0193	UJ	I
ENDOSULFAN SULFATE	1002	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I

APPENDIX A
Location: MND33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ENDRIN	1002	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0185	0.0185	U	0.0185	UJ	I
ENDRIN ALDEHYDE	1002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0183	0.0183	U	0.0183	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0193	0.0193	U	0.0193	UJ	I
ENDRIN KETONE	1002	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORANTHENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0112	0.0112	U	0.0112	UJ	I
GAMMA CHLORDANE	1002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	1002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	1002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
HEPTACHLOR EPOXIDE	1002	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBENZENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBUTADIENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROCYCLOPENTADIENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROETHANE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
INDENO(1,2,3-CD)PYRENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	16300.				I
IRON, TOTAL	0002	S	MG/KG	1.	18300.				I
IRON, TOTAL	1002	S	MG/KG	1.	15400.				I
ISOPHORONE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ISOPHORONE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ISOPHORONE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	6.5				I

APPENDIX A
Location: MND33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
LEAD, TOTAL	0002	S	MG/KG	.2	5.4				I
LEAD, TOTAL	1002	S	MG/KG	.2	5.4				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.5	21900.	*	21900.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.5	20100.	*	20100.	J	I
MAGNESIUM, TOTAL	1002	S	MG/KG	.5	18000.	*	18000.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	358.	*	358.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	461.	*	461.	J	I
MANGANESE, TOTAL	1002	S	MG/KG	.2	438.	*	438	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11				I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12				I
MERCURY, TOTAL	1002	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.0913	0.0913	U	0.0913	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0967	0.0967	U	0.0967	UJ	I
METHOXYCHLOR	1002	S	MG/KG	0.0948	0.0948	U	0.0948	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSODIPHENYLAMINE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NAPHTHALENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	24.1		24.1	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	25.6		25.6	J	I
NICKEL, TOTAL	1002	S	MG/KG	2.	20.2		20.2	J	I
NITROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NITROBENZENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NITROBENZENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	1002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENANTHRENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENOL	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	980.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	1270.				I
POTASSIUM, TOTAL	1002	S	MG/KG	10.	987.				I
POTASSIUM-40	0001	S	PCI/G	.5	19.		19.0		I
POTASSIUM-40	0002	S	PCI/G	.5	22.4				I
PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PYRENE	0002	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PYRENE	1002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
RADIUM-224	0001	S	PCI/G	.1	.916				I
RADIUM-224	0002	S	PCI/G	.1	.95				I
RADIUM-226	0001	S	PCI/G	.1	.755				I

APPENDIX A
Location: MND33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
RADIUM-226	0002	S	PCI/G	.1	.552				I
RADIUM-228	0001	S	PCI/G	.2	.861				I
RADIUM-228	0002	S	PCI/G	.2	.848				I
SELENIUM, TOTAL	0001	S	MG/KG	.44	.44		0.44	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.47	.47		0.47	UJ	I
SELENIUM, TOTAL	1002	S	MG/KG	.46	.46		0.46	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	11.6				I
SILVER, TOTAL	0002	S	MG/KG	1.	15.5				I
SILVER, TOTAL	1002	S	MG/KG	1.	17.1				I
SODIUM, TOTAL	0001	S	MG/KG	10.	151.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	191.				I
SODIUM, TOTAL	1002	S	MG/KG	10.	199.				I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	1002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		0.44	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.47	.47		0.47	UJ	I
THALLIUM, TOTAL	1002	S	MG/KG	.46	.46		0.46	UJ	I
THORIUM-234	0001	S	PCI/G	.5	1.17				I
THORIUM-234	0002	S	PCI/G	.5	.523				I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	1002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1826	0.1826	U	0.1826	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1935	0.1935	U	0.1935	UJ	I
TOXAPHENE	1002	S	MG/KG	0.1896	0.1896	U	0.1896	UJ	I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	22.5				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	25.2				I
VANADIUM, TOTAL	1002	S	MG/KG	1.	22.6				I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	43.2		43.2	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	41.1		41.1	J	I
ZINC, TOTAL	1002	S	MG/KG	.5	37.8		37.8	J	I

APPENDIX A
Location: MWD33-0072
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALUMINUM, TOTAL	4002	W	UG/L	60.	78.	B			I
ANTIMONY, TOTAL	4002	W	UG/L	30.	30.	U	30.	UJ	I
ARSENIC, TOTAL	4002	W	UG/L	2.	2.	U	2.0	UJ	I
BARIUM, TOTAL	4002	W	UG/L	2.	2.	U			I
BERYLLIUM	4002	W	UG/L	2.	2.	U			I
CADMIUM, TOTAL	4002	W	UG/L	2.	2.	U			I
CALCIUM, TOTAL	4002	W	UG/L	20.	305.	B			I
CHROMIUM, TOTAL	4002	W	UG/L	10.	10.	U	10.	UJ	I
COBALT, TOTAL	4002	W	UG/L	10.	10.	U	10.	UJ	I
COPPER, TOTAL	4002	W	UG/L	10.	10.	U			I
CYANIDE	4002	W	UG/L	2.	2.	U			I
IRON, TOTAL	4002	W	UG/L	10.	116.				I
LEAD, TOTAL	4002	W	UG/L	2.	2.	U			I
MAGNESIUM, TOTAL	4002	W	UG/L	50.	50.	U	50.0	UJ	I
MANGANESE, TOTAL	4002	W	UG/L	2.	2.7	B	2.7	J	I
MERCURY, TOTAL	4002	W	UG/L	.2	.2	U			I
NICKEL, TOTAL	4002	W	UG/L	20.	20.	U	20.	UJ	I
POTASSIUM, TOTAL	4002	W	UG/L	100.	100.	U			I
SELENIUM, TOTAL	4002	W	UG/L	2.	2.	U	2.0	UJ	I
SILVER, TOTAL	4002	W	UG/L	10.	10.	U			I
SODIUM, TOTAL	4002	W	UG/L	100.	100.	U			I
THALLIUM, TOTAL	4002	W	UG/L	2.	2.	U	2.0	UJ	I
VANADIUM, TOTAL	4002	W	UG/L	10.	10.	U			I
ZINC, TOTAL	4002	W	UG/L	5.	5.	U	5.0	UJ	I

APPENDIX A
Location: MND33-0073
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
ALDRIN	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I

APPENDIX A
Location: MND33-0073
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	2920.	•			I
ANTHRACENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	37.6		37.6	J	I
AROCLOR-1016	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1744	0.1744	U	0.1744	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1744	0.1744	U	0.1744	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	2.1		2.1	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	27.		27.0	J	I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.33	0.1	J			I
BENZO(A)PYRENE	0001	S	MG/KG	0.33	0.084	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.63	B	0.63	J	I
BETA-BHC	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.33	0.43		0.43	J	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.002	9.4	•			I
CALCIUM, TOTAL	0001	S	MG/KG	.02	156000.	*			I
CESIUM-137	0001	S	PCI/G	.1	.033	U	.033	UJ	I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	23.4		23.4	J	I
CHRYSENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	7.4		7.4	J	I
COPPER, TOTAL	0001	S	MG/KG	.01	12.5		12.5	J	I

APPENDIX A
Location: MND33-0073
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CYANIDE	0001	S	MG/KG	.002	.57		0.57	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0065	0.0065	U	0.0065	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDRIN	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0167	0.0167	U	0.0167	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
FLUORANTHENE	0001	S	MG/KG	0.33	0.11	J			I
FLUORENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	6900.				I
ISOPHORONE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	5.4				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	63700.	*	63700.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.05	229.	*	229.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.1	.1				I
METHOXYCHLOR	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I

APPENDIX A
Location: MND33-0073
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	16.8		16.8	J	I
NITROBENZENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
PHENOL	0001	S	MG/KG	0.35	0.35	U	0.35	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	310.				I
POTASSIUM-40	0001	S	PCI/G	.5	9.15				I
PYRENE	0001	S	MG/KG	0.33	0.14	J			I
RADIUM-224	0001	S	PCI/G	.1	.551				I
RADIUM-226	0001	S	PCI/G	.1	.369				I
RADIUM-228	0001	S	PCI/G	.2	.408				I
SELENIUM, TOTAL	0001	S	MG/KG	.43	.43		0.43	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.01	17.6		17.6	J	I
SODIUM, TOTAL	0001	S	MG/KG	.1	265.				I
THALLIUM, TOTAL	0001	S	MG/KG	.43	.43		0.43	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.81				I
TOXAPHENE	0001	S	MG/KG	0.1744	0.1744	U	0.1744	UJ	I
VANADIUM, TOTAL	0001	S	MG/KG	.01	22.1		22.1	J	I
ZINC, TOTAL	0001	S	MG/KG	.005	18.9		18.9	J	I

APPENDIX A
Location: MND33-0074
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0085	0.0085	U	0.0085	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I

APPENDIX A
Location: MND33-0074
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	6620.	*			I
ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	16.4		16.4	J	I
AROCLOR-1016	0001	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1858	0.1858	U	0.1858	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1858	0.1858	U	0.1858	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	3.		3.0	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	33.6				I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.65	B			I
BETA-BHC	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.002	3.1	*			I
CALCIUM, TOTAL	0001	S	MG/KG	.02	72600.	*			I
CESIUM-137	0001	S	PCI/G	.1	.0834				I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	24.4		24.4	J	I
CHRYSENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	11.4		11.4	J	I
COPPER, TOTAL	0001	S	MG/KG	.01	19.8				I

APPENDIX A
Location: MND33-0074
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CYANIDE	0001	S	MG/KG	.002	.21		0.21	UJ	I
DELTA-BHC	0001	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0186	0.0186	U	0.0186	UJ	I
ENDRIN	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0186	0.0186	U	0.0186	UJ	I
FLUORANTHENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
FLUORENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	17600.		17600.	J	I
ISOPHORONE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	9.5	•			I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	21200.	•	21200.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	395.	•	395.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11				I
METHOXYCHLOR	0001	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I

APPENDIX A
Location: MND33-0074
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	24.7		24.7	J	I
NITROBENZENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
PHENOL	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	869.				I
POTASSIUM-40	0001	S	PCI/G	.5	24.4				I
PYRENE	0001	S	MG/KG	0.38	0.38	U	0.38	UJ	I
RADIUM-224	0001	S	PCI/G	.1	12.2				I
RADIUM-226	0001	S	PCI/G	.1	.748				I
RADIUM-228	0001	S	PCI/G	.2	1.22				I
SELENIUM, TOTAL	0001	S	MG/KG	.46	.46		0.46	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.01	12.9				I
SODIUM, TOTAL	0001	S	MG/KG	.1	167.				I
THALLIUM, TOTAL	0001	S	MG/KG	.46	.46		0.46	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.826				I
TOXAPHENE	0001	S	MG/KG	0.1858	0.1858	U	0.1858	UJ	I
VANADIUM, TOTAL	0001	S	MG/KG	.01	23.1				I
ZINC, TOTAL	0001	S	MG/KG	.005	37.4		37.4	J	I

APPENDIX A
Location: MND33-0075
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0249	0.0249	U	0.0249	UJ	D
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
4,4'-DDT	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0272	0.0272	U	0.0272	UJ	D
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0075
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
ALPHA CHLORDANE	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0317	0.0317	U	0.0317	UJ	D
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	D
ALUMINUM, TOTAL	0001	S	MG/KG	6.	7780.	•			I
ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	21.5		21.5	J	I
AROCLOR-1016	0001	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.2723	0.2723	U	0.2723	UJ	D
AROCLOR-1221	0001	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.2723	0.2723	U	0.2723	UJ	D
AROCLOR-1232	0001	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.2723	0.2723	U	0.2723	UJ	D
AROCLOR-1242	0001	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.2723	0.2723	U	0.2723	UJ	D
AROCLOR-1248	0001	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.2723	0.2723	U	0.2723	UJ	D
AROCLOR-1254	0001	S	MG/KG	0.1816	0.1816	U	0.1816	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.5447	0.5447	U	0.5447	UJ	D
AROCLOR-1260	0001	S	MG/KG	0.1816	0.1816	U	0.1816	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.5447	0.5447	U	0.5447	UJ	D
ARSENIC, TOTAL	0001	S	MG/KG	.2	2.4		2.4	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	70.5				I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	0.75	J			I
BENZYL ALCOHOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.76	B			I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0001	S	MG/KG	0.0136	0.0136	U	0.0136	UJ	D
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.75	0.29	J			I

APPENDIX A
Location: MND33-0075
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	4.7	*			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	74100.	*			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	24.4		24.4	J	I
CHRYSENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	10.4		10.4	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	15.4				I
CYANIDE	0001	S	MG/KG	.56	.56				I
DELTA-BHC	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0204	0.0204	U	0.0204	UJ	D
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	D
DIETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0272	0.0272	U	0.0272	UJ	D
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0545	0.0545	U	0.0545	UJ	D
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0001	S	MG/KG	0.0136	0.0136	U	0.0136	UJ	D
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0521	0.0521	U	0.0521	UJ	D
ENDRIN KETONE	0001	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0545	0.0545	U	0.0545	UJ	D
FLUORANTHENE	0001	S	MG/KG	0.75	0.088	J			I
FLUORENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0317	0.0317	U	0.0317	UJ	D
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	D
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I

APPENDIX A
Location: MND33-0075
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0272	0.0272	U	0.0272	UJ	D
HEXACHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	16100.				I
ISOPHORONE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	7.	*			I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	31700.	*	31700.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	504.	*	504.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11				I
METHOXYCHLOR	0001	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.2723	0.2723	U	0.2723	UJ	D
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	24.5		24.5	J	I
NITROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	598.	B			I
PYRENE	0001	S	MG/KG	0.75	0.087	J			I
SELENIUM, TOTAL	0001	S	MG/KG	.44	.44		.44	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	13.6		13.6	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	519.	B			I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		.44	UJ	I
TOXAPHENE	0001	S	MG/KG	0.1816	0.1816	U	0.1816	UJ	I
TOXAPHENE	0001	S	MG/KG	0.5447	0.5447	U	0.5447	UJ	D
VANADIUM, TOTAL	0001	S	MG/KG	1.	26.2				I
ZINC, TOTAL	0001	S	MG/KG	.5	39.6		39.6	J	I

APPENDIX A
Location: MND33-0076
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-BUTANONE	0002	S	MG/KG	0.012	0.002	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.71	0.1	J			I
2-CHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.71	1.4		1.4	J	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I

APPENDIX A
Location: MND33-0076
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.002	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0002	S	MG/KG	0.012	0.009	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ALDRIN	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	4450.	•			I

APPENDIX A
Location: MND33-0076
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALUMINUM, TOTAL	0002	S	MG/KG	6.	5060.	•			I
ANTHRACENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	30.9		30.9	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	21.8		21.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0944	0.0944	U	0.0944	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0944	0.0944	U	0.0944	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0944	0.0944	U	0.0944	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0944	0.0944	U	0.0944	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0944	0.0944	U	0.0944	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1746	0.1746	U	0.1746	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1889	0.1889	U	0.1889	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1746	0.1746	U	0.1746	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1889	0.1889	U	0.1889	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	2.2		2.2	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	3.1		3.1	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	35.6	B			I
BARIUM, TOTAL	0002	S	MG/KG	.2	45.9	B			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.71	0.11	J			I
BENZO(A)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.71	0.094	J			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.66	B			I
BERYLLIUM	0002	S	MG/KG	.2	.68	B			I
BETA-BHC	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BETA-BHC	0002	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MND33-0076
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.71	0.48	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.77	0.57	J			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	8.1	*			I
CADMIUM, TOTAL	0002	S	MG/KG	.2	4.				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	140000.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	2.	142000.	*			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.0283				I
CESIUM-137	0002	S	PCI/G	.1	.0419				I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	23.8		23.8	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	25.6		25.6	J	I
CHRYSENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
CHRYSENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	8.3		8.3	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	8.9		8.9	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	13.7				I
COPPER, TOTAL	0002	S	MG/KG	1.	15.7				I
CYANIDE	0001	S	MG/KG	.2	.57		.57	J	I
CYANIDE	0002	S	MG/KG	.2	.62		.62	J	I
DELTA-BHC	0001	S	MG/KG	0.0065	0.0065	U	0.0065	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I

APPENDIX A
Location: MND33-0076
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZOFURAN	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.017	B	0.017	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ENDRIN	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN	0002	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0167	0.0167	U	0.0167	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.003	J			I
FLUORANTHENE	0001	S	MG/KG	0.71	0.23	J			I
FLUORANTHENE	0002	S	MG/KG	0.77	0.083	J			I
FLUORENE	0001	S	MG/KG	0.71	0.076	J			I
FLUORENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I

APPENDIX A
Location: MWD33-0076
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	9610.				I
IRON, TOTAL	0002	S	MG/KG	1.	11100.				I
ISOPHORONE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
ISOPHORONE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	5.7	*			I
LEAD, TOTAL	0002	S	MG/KG	.2	9.6	*			I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	47700.	*	47700.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	27900.	*	27900.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	258.	*	258.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	409.	*	409.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.1	.1				I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11				I
METHOXYCHLOR	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0944	0.0944	U	0.0944	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.71	0.23	J			I
NAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	19.3		19.3	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	20.4		20.4	J	I
NITROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
NITROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	0.12	J			I
PENTACHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.71	0.16	J			I
PHENANTHRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.71	0.12	J			I
PHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	621.	B			I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	525.	B			I
POTASSIUM-40	0001	S	PCI/G	.5	13.9				I
POTASSIUM-40	0002	S	PCI/G	.5	20.4				I
PYRENE	0001	S	MG/KG	0.71	0.36	J			I
PYRENE	0002	S	MG/KG	0.77	0.083	J			I
RADIUM-224	0001	S	PCI/G	.1	.73				I
RADIUM-224	0002	S	PCI/G	.1	1.17				I
RADIUM-226	0001	S	PCI/G	.1	.482				I
RADIUM-226	0002	S	PCI/G	.1	.648				I
RADIUM-228	0001	S	PCI/G	.2	.668				I
RADIUM-228	0002	S	PCI/G	.2	.98				I
SELENIUM, TOTAL	0001	S	MG/KG	.42	.42		.42	UJ	I

APPENDIX A
Location: MND33-0076
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	0002	S	MG/KG	.2	.45		.45	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	16.8		16.8	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	17.7		17.7	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	386.	B			I
SODIUM, TOTAL	0002	S	MG/KG	10.	233.	B			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.42	.42		.42	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.45	.45		.45	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.859				I
THORIUM-234	0002	S	PCI/G	.5	.801				I
TOLUENE	0002	S	MG/KG	0.006	0.016				I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.019				I
TOXAPHENE	0001	S	MG/KG	0.1746	0.1746	U	0.1746	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1889	0.1889	U	0.1889	UJ	I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	21.9				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	21.3				I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	21.4		21.4	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	27.7		27.7	J	I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2,4-TRICHLOROBENZENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2-DICHLOROBENZENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,3-DICHLOROBENZENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,4-DICHLOROBENZENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,5-TRICHLOROPHENOL	1002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4,6-TRICHLOROPHENOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DICHLOROPHENOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DIMETHYLPHENOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROPHENOL	1002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DINITROTOLUENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,6-DINITROTOLUENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-BUTANONE	0002	S	MG/KG	0.011	0.003	JB	0.011	U	I
2-BUTANONE	0003	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	1002	S	MG/KG	0.011	0.001	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-CHLORONAPHTHALENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-CHLOROPHENOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-METHYLNAPHTHALENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-METHYLPHENOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0003	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROANILINE	1002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-NITROPHENOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	1002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	0003	S	MG/KG	4.	4.	U	4.	UJ	I
3-NITROANILINE	1002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDD	1002	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDE	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	1002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDT	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,4'-DDT	1002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	4.	4.	U	4.	UJ	I
4,6-DINITRO-O-CRESOL	1002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLORO-3-METHYLPHENOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROANILINE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-METHYLPHENOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0003	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROANILINE	1002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-NITROPHENOL	0003	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	1002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ACENAPHTHENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ACENAPHTHYLENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACETONE	0002	S	MG/KG	0.011	0.028	B	0.028	U	I
ACETONE	0003	S	MG/KG	0.012	0.006	JB	0.012	U	I
ACETONE	1002	S	MG/KG	0.011	0.011	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ALDRIN	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	1002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
ALPHA CHLORDANE	1002	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	1002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	2680.	*			I
ALUMINUM, TOTAL	0002	S	MG/KG	.06	5450.	*			I
ALUMINUM, TOTAL	0003	S	MG/KG	.06	10700.	*			I
ALUMINUM, TOTAL	1002	S	MG/KG	.06	6620.	*			I
ANTHRACENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ANTHRACENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	39.2		39.2	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	.03	24.1		24.1	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	.03	15.		15.	J	I
ANTIMONY, TOTAL	1002	S	MG/KG	.03	18.8		18.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1016	1002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1221	1002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1232	1002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1242	1002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1248	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1248	1002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1743	0.1743	U	0.1743	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1797	0.1797	U	0.1797	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.196	0.196	U	0.196	UJ	I
AROCLOR-1254	1002	S	MG/KG	0.1835	0.1835	U	0.1835	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1743	0.1743	U	0.1743	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1797	0.1797	U	0.1797	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.196	0.196	U	0.196	UJ	I
AROCLOR-1260	1002	S	MG/KG	0.1835	0.1835	U	0.1835	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	1.8		1.8	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	3.6		3.6	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.002	3.6		3.6	J	I
ARSENIC, TOTAL	1002	S	MG/KG	.002	2.		2.	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	35.7				I
BARIUM, TOTAL	0002	S	MG/KG	.002	35.8				I
BARIUM, TOTAL	0003	S	MG/KG	.002	90.4				I
BARIUM, TOTAL	1002	S	MG/KG	.002	37.7				I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	1002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.74	0.18	J			I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(A)ANTHRACENE	1002	S	MG/KG	0.76	0.16	J			I
BENZO(A)PYRENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.74	0.11	J			I
BENZO(A)PYRENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(A)PYRENE	1002	S	MG/KG	0.76	0.13	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.74	0.23	J			I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(B)FLUORANTHENE	1002	S	MG/KG	0.76	0.24	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(G,H,I)PERYLENE	1002	S	MG/KG	0.76	0.079	J			I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.74	0.2	J			I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(K)FLUORANTHENE	1002	S	MG/KG	0.76	0.2	J			I
BENZOIC ACID	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	0003	S	MG/KG	4.	4.	U	4.	UJ	I
BENZOIC ACID	1002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZYL ALCOHOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.78	B			I
BERYLLIUM	0002	S	MG/KG	.002	.77	B			I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BERYLLIUM	0003	S	MG/KG	.002	.98	B			I
BERYLLIUM	1002	S	MG/KG	.002	.78	B			I
BETA-BHC	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0003	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	1002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROETHYL)ETHER	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.71	0.35	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.74	0.093	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BUTYL BENZYL PHTHALATE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.002	10.2	*			I
CADMIUM, TOTAL	0002	S	MG/KG	.002	4.	*			I
CADMIUM, TOTAL	0003	S	MG/KG	.002	2.2	*			I
CADMIUM, TOTAL	1002	S	MG/KG	.002	2.9	*			I
CALCIUM, TOTAL	0001	S	MG/KG	.02	169000.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	.02	114000.	*			I
CALCIUM, TOTAL	0003	S	MG/KG	.02	46000.	*			I
CALCIUM, TOTAL	1002	S	MG/KG	.02	100000.	*			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.0152				I
CESIUM-137	0002	S	PCI/G	.1	.03	U	.03	UJ	I
CESIUM-137	0003	S	PCI/G	.1	.0369	U	.0369	UJ	I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	24.6		24.6	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	24.7		24.7	J	I
CHROMIUM, TOTAL	0003	S	MG/KG	.01	24.3		24.3	J	I
CHROMIUM, TOTAL	1002	S	MG/KG	.01	24.9		24.9	J	I
CHRYSENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
CHRYSENE	0002	S	MG/KG	0.74	0.2	J			I
CHRYSENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
CHRYSENE	1002	S	MG/KG	0.76	0.22	J			I
COBALT, TOTAL	0001	S	MG/KG	.01	7.1		7.1	J	I
COBALT, TOTAL	0002	S	MG/KG	.01	9.4		9.4	J	I
COBALT, TOTAL	0003	S	MG/KG	.01	14.2		14.2	J	I
COBALT, TOTAL	1002	S	MG/KG	.01	10.4		10.4	J	I
COPPER, TOTAL	0001	S	MG/KG	.01	12.3				I
COPPER, TOTAL	0002	S	MG/KG	.01	15.6				I
COPPER, TOTAL	0003	S	MG/KG	.01	17.6				I
COPPER, TOTAL	1002	S	MG/KG	.01	25.2				I
CYANIDE	0001	S	MG/KG	.002	.14		.14	J	I
CYANIDE	0002	S	MG/KG	.11	.11				I
CYANIDE	0003	S	MG/KG	.002	.16		.16	J	I
CYANIDE	1002	S	MG/KG	.11	.11				I
DELTA-BHC	0001	S	MG/KG	0.0065	0.0065	U	0.0065	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DELTA-BHC	1002	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DI-N-BUTYL PHTHALATE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DI-N-OCTYL PHTHALATE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBENZO(A,H)ANTHRACENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBENZOFURAN	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.068	B	0.068	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.006	0.051	B	0.051	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0003	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	1002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIETHYL PHTHALATE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIMETHYL PHTHALATE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN I(ALPHA)	1002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	1002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDOSULFAN SULFATE	1002	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ENDRIN	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0003	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	1002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0167	0.0167	U	0.0167	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0172	0.0172	U	0.0172	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ENDRIN ALDEHYDE	1002	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDRIN KETONE	1002	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.71	0.085	J			I
FLUORANTHENE	0002	S	MG/KG	0.74	0.22	J			I
FLUORANTHENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
FLUORANTHENE	1002	S	MG/KG	0.76	0.22	J			I
FLUORENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
FLUORENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
FLUORENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
GAMMA CHLORDANE	0002	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
GAMMA CHLORDANE	1002	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	1002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	1002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEPTACHLOR EPOXIDE	1002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROBENZENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROBUTADIENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROCYCLOPENTADIENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROETHANE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
INDENO(1,2,3-CD)PYRENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	6010.				I
IRON, TOTAL	0002	S	MG/KG	.01	13000.				I
IRON, TOTAL	0003	S	MG/KG	.01	23800.				I
IRON, TOTAL	1002	S	MG/KG	.01	15600.				I
ISOPHORONE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
ISOPHORONE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ISOPHORONE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	4.9				I
LEAD, TOTAL	0002	S	MG/KG	.002	8.6	*			I
LEAD, TOTAL	0003	S	MG/KG	.002	9.8	*			I
LEAD, TOTAL	1002	S	MG/KG	.002	7.3	*			I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	64500.	*	64500.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	30100.	*	30100.	J	I
MAGNESIUM, TOTAL	0003	S	MG/KG	.05	16400.	*	16400.	J	I
MAGNESIUM, TOTAL	1002	S	MG/KG	.05	21400.	*	21400.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	253.	*	253.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.002	354.	*	354.	J	I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MANGANESE, TOTAL	0003	S	MG/KG	.002	698.	*	698.	J	I
MANGANESE, TOTAL	1002	S	MG/KG	.002	373.	*	373.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.1	.1		.10	UJ	I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11		.11	UJ	I
MERCURY, TOTAL	0003	S	MG/KG	.12	.12		.12	UJ	I
MERCURY, TOTAL	1002	S	MG/KG	.11	.11		.11	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.0872	0.0872	U	0.0872	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.098	0.098	U	0.098	UJ	I
METHOXYCHLOR	1002	S	MG/KG	0.0918	0.0918	U	0.0918	UJ	I
MOLYBDENUM	0003	S	MG/KG	.01	14.5				I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
N-NITROSODIPHENYLAMINE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
NAPHTHALENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	17.8		17.8	J	I
NICKEL, TOTAL	0002	S	MG/KG	.02	20.6		20.6	J	I
NICKEL, TOTAL	0003	S	MG/KG	.02	25.5		25.5	J	I
NICKEL, TOTAL	1002	S	MG/KG	.02	22.6		22.6	J	I
NITROBENZENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
NITROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
NITROBENZENE	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.4	3.4	U	3.4	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	4.	4.	U	4.	UJ	I
PENTACHLOROPHENOL	1002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PHENANTHRENE	1002	S	MG/KG	0.76	0.095	J			I
PHENOL	0001	S	MG/KG	0.71	0.71	U	0.71	UJ	I
PHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PHENOL	1002	S	MG/KG	0.76	0.76	U	0.76	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	571.				I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	703.				I
POTASSIUM, TOTAL	0003	S	MG/KG	.1	1080.				I
POTASSIUM, TOTAL	1002	S	MG/KG	.1	955.				I
POTASSIUM-40	0001	S	PCI/G	.5	7.13				I
POTASSIUM-40	0002	S	PCI/G	.5	19.4				I
POTASSIUM-40	0003	S	PCI/G	.5	24.8				I
PYRENE	0001	S	MG/KG	0.71	0.079	J			I
PYRENE	0002	S	MG/KG	0.74	0.24	J			I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PYRENE	0003	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PYRENE	1002	S	MG/KG	0.76	0.22	J			I
RADIUM-224	0001	S	PCI/G	.1	.369				I
RADIUM-224	0002	S	PCI/G	.1	.862				I
RADIUM-224	0003	S	PCI/G	.1	1.21				I
RADIUM-226	0001	S	PCI/G	.1	.409				I
RADIUM-226	0002	S	PCI/G	.1	.63				I
RADIUM-226	0003	S	PCI/G	.1	.83				I
RADIUM-228	0001	S	PCI/G	.2	.333				I
RADIUM-228	0002	S	PCI/G	.2	.892				I
RADIUM-228	0003	S	PCI/G	.2	1.11				I
SELENIUM, TOTAL	0001	S	MG/KG	.42	.42		.42	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.45	.45		.45	UJ	I
SELENIUM, TOTAL	0003	S	MG/KG	.48	.48		.48	UJ	I
SELENIUM, TOTAL	1002	S	MG/KG	.45	.45		.45	UJ	I
SILICON, TOTAL	0003	S	MG/KG	.01	1100.				I
SILVER, TOTAL	0001	S	MG/KG	.01	16.5				I
SILVER, TOTAL	0002	S	MG/KG	.01	14.6				I
SILVER, TOTAL	0003	S	MG/KG	.01	9.3				I
SILVER, TOTAL	1002	S	MG/KG	.01	13.8				I
SODIUM, TOTAL	0001	S	MG/KG	.1	625.				I
SODIUM, TOTAL	0002	S	MG/KG	.1	234.				I
SODIUM, TOTAL	0003	S	MG/KG	.1	199.				I
SODIUM, TOTAL	1002	S	MG/KG	.1	279.				I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	1002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.42	.42		.42	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.45	.45		.45	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.48	.48		.48	UJ	I
THALLIUM, TOTAL	1002	S	MG/KG	.45	.45		.45	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.778				I
THORIUM-234	0002	S	PCI/G	.5	.627				I
THORIUM-234	0003	S	PCI/G	.5	1.34				I
TOLUENE	0002	S	MG/KG	0.006	0.002	J			I
TOLUENE	0003	S	MG/KG	0.006	0.002	J			I
TOLUENE	1002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1743	0.1743	U	0.1743	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1797	0.1797	U	0.1797	UJ	I
TOXAPHENE	0003	S	MG/KG	0.196	0.196	U	0.196	UJ	I
TOXAPHENE	1002	S	MG/KG	0.1835	0.1835	U	0.1835	UJ	I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	21.8				I

APPENDIX A
Location: MND33-0077
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VANADIUM, TOTAL	0002	S	MG/KG	.01	22.3				I
VANADIUM, TOTAL	0003	S	MG/KG	.01	27.				I
VANADIUM, TOTAL	1002	S	MG/KG	.01	21.8				I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	14.3		14.3	J	I
ZINC, TOTAL	0002	S	MG/KG	.005	30.3		30.3	J	I
ZINC, TOTAL	0003	S	MG/KG	.005	44.8		44.8	J	I
ZINC, TOTAL	1002	S	MG/KG	.005	33.5		33.5	J	I

APPENDIX A
Location: MND33-0078
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0078
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0064	0.0064	U	0.0064	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0185	0.0185	U	0.0185	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0002	S	MG/KG	0.011	0.004	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0185	0.0185	U	0.0185	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	.06	3260.	•			I

APPENDIX A
Location: MND33-0078
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALUMINUM, TOTAL	0002	S	MG/KG	.06	5480.	•			I
ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	.03	34.6		34.6	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	.03	11.3		11.3	J	I
AROCLOR-1016	0001	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.1851	0.1851	U	0.1851	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0926	0.0926	U	0.0926	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0926	0.0926	U	0.0926	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0926	0.0926	U	0.0926	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.08	0.059	J			I
AROCLOR-1248	0002	S	MG/KG	0.0926	0.0926	U	0.0926	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1813	0.1813	U	0.1813	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1851	0.1851	U	0.1851	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1813	0.1813	U	0.1813	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1851	0.1851	U	0.1851	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.002	2.5		2.5	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.002	1.3		1.3	J	I
BARIUM, TOTAL	0001	S	MG/KG	.002	33.8				I
BARIUM, TOTAL	0002	S	MG/KG	.002	44.1				I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.002	.78	B			I
BERYLLIUM	0002	S	MG/KG	.002	.81	B			I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MND33-0078
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.75	0.14	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.002	6.6	*			I
CADMIUM, TOTAL	0002	S	MG/KG	2.3	2.3				I
CALCIUM, TOTAL	0001	S	MG/KG	.02	147000.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	.02	178000.	*			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.0675				I
CESIUM-137	0002	S	PCI/G	.1	.0232	U	.0232	UJ	I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	.01	24.1		24.1	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	.01	25.9		25.9	J	I
CHRYSENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
CHRYSENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
COBALT, TOTAL	0001	S	MG/KG	.01	7.6		7.6	J	I
COBALT, TOTAL	0002	S	MG/KG	.01	7.5		7.5	J	I
COPPER, TOTAL	0001	S	MG/KG	.01	13.6				I
COPPER, TOTAL	0002	S	MG/KG	.01	12.8				I
CYANIDE	0001	S	MG/KG	.11	.11				I
CYANIDE	0002	S	MG/KG	.11	.11				I
DELTA-BHC	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0078
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZOFURAN	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.046	B	0.046	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0926	0.0926	U	0.0926	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0177	0.0177	U	0.0177	UJ	I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0078
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	.01	7400.				I
IRON, TOTAL	0002	S	MG/KG	.01	12200.				I
ISOPHORONE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ISOPHORONE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.002	6.5	•			I
LEAD, TOTAL	0002	S	MG/KG	.002	5.6				I
MAGNESIUM, TOTAL	0001	S	MG/KG	.05	53900.	•	53900.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	.05	8220.	•	8220.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.002	342.	*	342.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.002	296.	*	296.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11		.11	UJ	I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11		.11	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.0901	0.0901	U	0.0901	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	.02	19.7		19.7	J	I
NICKEL, TOTAL	0002	S	MG/KG	.02	15.		15.	J	I
NITROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NITROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	.1	398.				I
POTASSIUM, TOTAL	0002	S	MG/KG	.1	552.				I
POTASSIUM-40	0001	S	PCI/G	.5	11.7				I
POTASSIUM-40	0002	S	PCI/G	.5	15.8				I
PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
RADIUM-224	0001	S	PCI/G	.1	.718				I
RADIUM-224	0002	S	PCI/G	.1	.705				I
RADIUM-226	0001	S	PCI/G	.1	.662				I
RADIUM-226	0002	S	PCI/G	.1	.387				I
RADIUM-228	0001	S	PCI/G	.2	.574				I
RADIUM-228	0002	S	PCI/G	.2	.694				I
SELENIUM, TOTAL	0001	S	MG/KG	.44	.44		.44	UJ	I

APPENDIX A
Location: MND33-0078
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	0002	S	MG/KG	.44	.44		.44	UJ	I
SILVER, TOTAL	0001	S	MG/KG	.01	16.5				I
SILVER, TOTAL	0002	S	MG/KG	.01	16.6				I
SODIUM, TOTAL	0001	S	MG/KG	.1	302.				I
SODIUM, TOTAL	0002	S	MG/KG	.1	176.				I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		.44	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.44	.44		.44	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.559				I
THORIUM-234	0002	S	PCI/G	.5	.845				I
TOLUENE	0002	S	MG/KG	0.006	0.002	J			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.001	J			I
TOXAPHENE	0001	S	MG/KG	0.1813	0.1813	U	0.1813	UJ	I
TOXAPHENE	0002	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	.01	22.2				I
VANADIUM, TOTAL	0002	S	MG/KG	.01	18.6				I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.005	22.9		22.9	J	I
ZINC, TOTAL	0002	S	MG/KG	.005	25.7		25.7	J	I

APPENDIX A
Location: MND33-0079
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	18.	18.	U	18.	UJ	D
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2,4-DINITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	18.	18.	U	18.	UJ	D
2,4-DINITROTOLUENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2,6-DINITROTOLUENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2-BUTANONE	0002	S	MG/KG	0.011	0.001	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I

APPENDIX A
Location: MWD33-0079
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2-CHLOROPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.37	0.77		0.77	J	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2-METHYLPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
2-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROANILINE	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
2-NITROANILINE	0002	S	MG/KG	18.	18.	U	18.	UJ	D
2-NITROPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
2-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	7.4	7.4	U	7.4	UJ	D
3-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
3-NITROANILINE	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
3-NITROANILINE	0002	S	MG/KG	18.	18.	U	18.	UJ	D
4,4'-DDD	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0083	0.0083	U			I X
4,4'-DDD	0002	S	MG/KG	0.0661	0.0661	U	0.0661	UJ	D
4,4'-DDE	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U			I X
4,4'-DDE	0002	S	MG/KG	0.0244	0.0244	U	0.0244	UJ	D
4,4'-DDT	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0091	0.0091	U			I X
4,4'-DDT	0002	S	MG/KG	0.0724	0.0724	U	0.0724	UJ	D
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	18.	18.	U	18.	UJ	D
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
4-CHLOROANILINE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0079
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYLPHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
4-NITROANILINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROANILINE	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROANILINE	0002	S	MG/KG	18.	18.	U	18.	UJ	D
4-NITROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
4-NITROPHENOL	0002	S	MG/KG	18.	18.	U	18.	UJ	D
ACENAPHTHENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.37	6.		6.	J	I
ACENAPHTHENE	0002	S	MG/KG	3.7	6.8		6.8	J	D
ACENAPHTHYLENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.37	0.13	J			I
ACENAPHTHYLENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
ACETONE	0002	S	MG/KG	0.011	0.003	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U			I X
ALDRIN	0002	S	MG/KG	0.0244	0.0244	U	0.0244	UJ	D
ALPHA CHLORDANE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U			I X
ALPHA CHLORDANE	0002	S	MG/KG	0.0842	0.0842	U	0.0842	UJ	D
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U			I X
ALPHA-BHC	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	D
ALUMINUM, TOTAL	0001	S	MG/KG	6.	6310.	•			I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	6110.	•			I
ANTHRACENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ANTHRACENE	0002	S	MG/KG	0.37	8.3		8.3	J	I
ANTHRACENE	0002	S	MG/KG	3.7	15.		15.	J	D
ANTIMONY, TOTAL	0001	S	MG/KG	3.	27.4		27.4	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	12.5		12.5	J	I
AROCLOR-1016	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0906	0.0906	U			I X
AROCLOR-1016	0002	S	MG/KG	0.7244	0.7244	U	0.7244	UJ	D
AROCLOR-1221	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0906	0.0906	U			I X
AROCLOR-1221	0002	S	MG/KG	0.7244	0.7244	U	0.7244	UJ	D
AROCLOR-1232	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0906	0.0906	U			I X
AROCLOR-1232	0002	S	MG/KG	0.7244	0.7244	U	0.7244	UJ	D
AROCLOR-1242	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0906	0.0906	U			I X
AROCLOR-1242	0002	S	MG/KG	0.7244	0.7244	U	0.7244	UJ	D
AROCLOR-1248	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0906	0.0906	U			I X
AROCLOR-1248	0002	S	MG/KG	0.7244	0.7244	U	0.7244	UJ	D
AROCLOR-1254	0001	S	MG/KG	0.1746	0.1746	U	0.1746	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1811	0.1811	U			I X

APPENDIX A
Location: MND33-0079
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1254	0002	S	MG/KG	1.4489	1.4489	U	1.4489	UJ	D
AROCLOR-1260	0001	S	MG/KG	0.1746	0.1746	U	0.1746	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1811	0.1811	U			I X
AROCLOR-1260	0002	S	MG/KG	1.4489	1.4489	U	1.4489	UJ	D
ARSENIC, TOTAL	0001	S	MG/KG	.2	2.7		2.7	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	4.2		4.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	29.6	B			I
BARIUM, TOTAL	0002	S	MG/KG	.2	45.1				I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.37	40.		40.	J	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	3.7	43.		43.	J	D
BENZO(A)PYRENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.37	32.		32.	J	I
BENZO(A)PYRENE	0002	S	MG/KG	3.7	35.		35.	J	D
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.37	47.		47.	J	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	3.7	59.		59.	J	D
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	3.7	19.		19.	J	D
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
BENZOIC ACID	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
BENZOIC ACID	0002	S	MG/KG	1.8	0.076	J			I
BENZOIC ACID	0002	S	MG/KG	18.	18.	U	18.	UJ	D
BENZYL ALCOHOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
BERYLLIUM	0001	S	MG/KG	.2	.73	B			I
BERYLLIUM	0002	S	MG/KG	.2	.68	B			I
BETA-BHC	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U			I X
BETA-BHC	0002	S	MG/KG	0.0362	0.0362	U	0.0362	UJ	D
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.37	0.082	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.37	0.62		0.62	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0079
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
CADMIUM, TOTAL	0001	S	MG/KG	.2	5.3	*			I
CADMIUM, TOTAL	0002	S	MG/KG	.2	2.6	*			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	114000.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	2.	62000.	*			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.0328	U	.0328	UJ	I
CESIUM-137	0002	S	PCI/G	.1	.0488				I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	26.7		26.7	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	22.5		22.5	J	I
CHRYSENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
CHRYSENE	0002	S	MG/KG	0.37	48.		48.	J	I
CHRYSENE	0002	S	MG/KG	3.7	55.		55.	J	D
COBALT, TOTAL	0001	S	MG/KG	1.	9.4		9.4	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	9.1		9.1	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	16.				I
COPPER, TOTAL	0002	S	MG/KG	1.	19.9				I
CYANIDE	0001	S	MG/KG	.11	.11				I
CYANIDE	0002	S	MG/KG	.2	.32		0.32	J	I
DELTA-BHC	0001	S	MG/KG	0.0065	0.0065	U	0.0065	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0068	0.0068	U			I X
DELTA-BHC	0002	S	MG/KG	0.0543	0.0543	U	0.0543	UJ	D
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	3.7	5.3		5.3	J	D
DIBENZOFURAN	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.37	4.		4.	J	I
DIBENZOFURAN	0002	S	MG/KG	3.7	3.6	J			D
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0079
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.049	B	0.049	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U			I X
DIELDRIN	0002	S	MG/KG	0.0118	0.0118	U	0.0118	UJ	D
DIETHYL PHTHALATE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
DIMETHYL PHTHALATE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0091	0.0091	U			I X
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0724	0.0724	U	0.0724	UJ	D
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U			I X
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0244	0.0244	U	0.0244	UJ	D
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0181	0.0181	U			I X
ENDOSULFAN SULFATE	0002	S	MG/KG	0.1449	0.1449	U	0.1449	UJ	D
ENDRIN	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U			I X
ENDRIN	0002	S	MG/KG	0.0362	0.0362	U	0.0362	UJ	D
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0167	0.0167	U	0.0167	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0173	0.0173	U			I X
ENDRIN ALDEHYDE	0002	S	MG/KG	0.1385	0.1385	U	0.1385	UJ	D
ENDRIN KETONE	0001	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0181	0.0181	U			I X
ENDRIN KETONE	0002	S	MG/KG	0.1449	0.1449	U	0.1449	UJ	D
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.37	32.		32.	J	I
FLUORANTHENE	0002	S	MG/KG	3.7	98.		98.	J	D
FLUORENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
FLUORENE	0002	S	MG/KG	0.37	6.1		6.1	J	I
FLUORENE	0002	S	MG/KG	3.7	6.5		6.5	J	D
GAMMA CHLORDANE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U			I X
GAMMA CHLORDANE	0002	S	MG/KG	0.0842	0.0842	U	0.0842	UJ	D
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0029	0.0029	U	0.0029	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U			I X
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0244	0.0244	U	0.0244	UJ	D
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U			I X
HEPTACHLOR	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	D
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0091	0.0091	U			I X
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0724	0.0724	U	0.0724	UJ	D
HEXACHLOROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I

APPENDIX A
Location: MND33-0079
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
HEXACHLOROETHANE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.37	23.		23.	J	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	3.7	18.		18.	J	D
IRON, TOTAL	0001	S	MG/KG	1.	13200.				I
IRON, TOTAL	0002	S	MG/KG	1.	13800.				I
ISOPHORONE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ISOPHORONE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
ISOPHORONE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
LEAD, TOTAL	0001	S	MG/KG	.2	5.6				I
LEAD, TOTAL	0002	S	MG/KG	.2	31.3	*			I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	42900.	*	42900.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	18000.	*	18000.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	330.	*	330.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	474.	*	474.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.1	.1				I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11				I
METHOXYCHLOR	0001	S	MG/KG	0.0873	0.0873	U	0.0873	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0906	0.0906	U			I X
METHOXYCHLOR	0002	S	MG/KG	0.7244	0.7244	U	0.7244	UJ	D
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.37	0.083	J			I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
NAPHTHALENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.37	1.8		1.8	J	I
NAPHTHALENE	0002	S	MG/KG	3.7	1.5	J			D
NICKEL, TOTAL	0001	S	MG/KG	2.	23.4		23.4	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	19.4		19.4	J	I
NITROBENZENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NITROBENZENE	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
NITROBENZENE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
PENTACHLOROPHENOL	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	1.8	1.8	U	1.8	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	18.	18.	U	18.	UJ	D
PHENANTHRENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.37	26.		26.	J	I

APPENDIX A
Location: MND33-0079
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PHENANTHRENE	0002	S	MG/KG	3.7	73.		73.	J	D
PHENOL	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENOL	0002	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	D
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1270.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	696.	B			I
POTASSIUM-40	0001	S	PCI/G	.5	18.4				I
POTASSIUM-40	0002	S	PCI/G	.5	15.7				I
PYRENE	0001	S	MG/KG	0.37	0.37	U	0.37	UJ	I
PYRENE	0002	S	MG/KG	0.37	41.		41.	J	I
PYRENE	0002	S	MG/KG	3.7	83.		83.	J	D
RADIUM-224	0001	S	PCI/G	.1	.883				I
RADIUM-224	0002	S	PCI/G	.1	1.04				I
RADIUM-226	0001	S	PCI/G	.1	.603				I
RADIUM-226	0002	S	PCI/G	.1	.6		.600		I
RADIUM-228	0001	S	PCI/G	.2	.8		.80		I
RADIUM-228	0002	S	PCI/G	.2	1.05				I
SELENIUM, TOTAL	0001	S	MG/KG	.44	.44		0.44	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.44	.44		0.44	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	15.3				I
SILVER, TOTAL	0002	S	MG/KG	1.	12.7				I
SODIUM, TOTAL	0001	S	MG/KG	10.	420.	B			I
SODIUM, TOTAL	0002	S	MG/KG	10.	162.	B			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		0.44	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.44	.44		0.44	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.787				I
THORIUM-234	0002	S	PCI/G	.5	.961				I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1746	0.1746	U	0.1746	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1811	0.1811	U			I X
TOXAPHENE	0002	S	MG/KG	1.4489	1.4489	U	1.4489	UJ	D
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	23.8				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	22.5				I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	32.5		32.5	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	60.6		60.6	J	I

APPENDIX A
Location: MND33-0080
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	84.8				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I

APPENDIX A
Location: MWD33-0080
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.006	JB	0.006	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0109	0.0109	U	0.0109	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	10300.				I
ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	8.5		8.5	J	I
AROCLOR-1016	0001	S	MG/KG	0.0941	0.0941	U	0.0941	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0941	0.0941	U	0.0941	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0941	0.0941	U	0.0941	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0941	0.0941	U	0.0941	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0941	0.0941	U	0.0941	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1882	0.1882	U	0.1882	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1882	0.1882	U	0.1882	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.7		3.7	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	42.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0080
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.82				I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.79	0.16	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	1.5		1.5	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	72900.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	S	MG/KG	10.	29.5		29.5	J	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	27.		27.	J	I
CHRYSENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	12.7		12.7	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	20.5		20.5	J	I
CYANIDE	0001	S	MG/KG	.12	.12	U			I
DELTA-BHC	0001	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MND33-0080
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.009	B	0.012	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.79	0.094	J			I
FLUORENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0109	0.0109	U	0.0109	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	20300.				I
ISOPHORONE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	8.8		8.8	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	10900.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	608.				I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0941	0.0941	U	0.0941	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MND33-0080
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	23.7				I
NITRATE	0001	S	MG/KG	2.	20.7				I
NITRITE AS NITROGEN	0001	S	MG/KG	2.	3.89				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	15.				I
PERCENT MOISTURE	0001	S	% MOIST	-	15.				I
PHENANTHRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1320.				I
PYRENE	0001	S	MG/KG	0.79	0.099	J			I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.47	.47	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	12.4		12.4	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	259.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.2	.56				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1882	0.1882	U	0.1882	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.6				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	43.		43.	J	I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	83.4				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.81	0.14	JB	0.14	UJ	I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.11	J			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.002	J			I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	1001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.81	0.23	JB	0.23	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROANILINE	1001	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.9	3.9	U			I X
3-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
3-NITROANILINE	1001	S	MG/KG	4.	4.	U	4.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0273	0.0273	U	0.0273	UJ	D
4,4'-DDD	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	D
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDT	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0299	0.0299	U	0.0299	UJ	D
4,4'-DDT	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,4'-DDT	1001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.81	0.085	J			I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROANILINE	1001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.81	0.13	J			I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.006	JB	0.006	U	I
ACETONE	0001	S	MG/KG	0.012	0.005	JB	0.012	U	I
ACETONE	1001	S	MG/KG	0.012	0.006	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALDRIN	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	D
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0116	0.0116	U	0.0116	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0348	0.0348	U	0.0348	UJ	D
ALPHA CHLORDANE	0001	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.0116	0.0116	U	0.0116	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0075	0.0075	U	0.0075	UJ	D
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	10100.				I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	9320.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	7790.				I
ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ANTHRACENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ANTHRACENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	13.8		13.8	J	I
ANTIMONY, TOTAL	0001	S	MG/KG	7.4	7.4		7.4	UJ	I
ANTIMONY, TOTAL	1001	S	MG/KG	7.3	7.3		7.3	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.0997	0.0997	U	0.0997	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.2991	0.2991	U	0.2991	UJ	D
AROCLOR-1016	0001	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.0996	0.0996	U	0.0996	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0997	0.0997	U	0.0997	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.2991	0.2991	U	0.2991	UJ	D
AROCLOR-1221	0001	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.0996	0.0996	U	0.0996	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0997	0.0997	U	0.0997	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.2991	0.2991	U	0.2991	UJ	D
AROCLOR-1232	0001	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.0996	0.0996	U	0.0996	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0997	0.0997	U	0.0997	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.2991	0.2991	U	0.2991	UJ	D
AROCLOR-1242	0001	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.0996	0.0996	U	0.0996	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0997	0.0997	U	0.0997	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.2991	0.2991	U	0.2991	UJ	D
AROCLOR-1248	0001	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.0996	0.0996	U	0.0996	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1994	0.1994	U	0.1994	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.5983	0.5983	U	0.5983	UJ	D
AROCLOR-1254	0001	S	MG/KG	0.1968	0.1968	U	0.1968	UJ	I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1254	1001	S	MG/KG	0.1991	0.1991	U	0.1991	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1994	0.1994	U	0.1994	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.5983	0.5983	U	0.5983	UJ	D
AROCLOR-1260	0001	S	MG/KG	0.1968	0.1968	U	0.1968	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.1991	0.1991	U	0.1991	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	.84		.84	J	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	5.8				I
ARSENIC, TOTAL	1001	S	MG/KG	.2	1.4				I
BARIUM, TOTAL	0001	S	MG/KG	.2	19.7				I
BARIUM, TOTAL	0001	S	MG/KG	.2	78.2				I
BARIUM, TOTAL	1001	S	MG/KG	.2	77.5				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZOIC ACID	1001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.76	B			I
BERYLLIUM	0001	S	MG/KG	.2	.85				I
BERYLLIUM	1001	S	MG/KG	.2	.75				I
BETA-BHC	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
BETA-BHC	0001	S	MG/KG	0.015	0.015	U	0.015	UJ	D
BETA-BHC	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	1001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.81	1.5	B	1.5	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	2.4		2.4	J	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	.55				I
CADMIUM, TOTAL	1001	S	MG/KG	.2	.74				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	71100.				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	12400.				I
CALCIUM, TOTAL	1001	S	MG/KG	2.	15400.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.003	J			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	S	MG/KG	10.	123.		122.7	J	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	28.9		28.9	J	I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	18.3				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	15.4				I
CHRYSENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
CHRYSENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
CHRYSENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	14.7		14.7	J	I
COBALT, TOTAL	0001	S	MG/KG	1.	13.				I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
COBALT, TOTAL	1001	S	MG/KG	1.	11.3				I
COPPER, TOTAL	0001	S	MG/KG	1.	22.4		22.4	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	18.2		18.2	J	I
COPPER, TOTAL	1001	S	MG/KG	1.	15.8		15.8	J	I
CYANIDE	0001	S	MG/KG	.12	.12	U			I
CYANIDE	0001	S	MG/KG	.1	.15		0.15	J	I
CYANIDE	1001	S	MG/KG	.2	.21		0.21	J	I
DELTA-BHC	0001	S	MG/KG	0.0075	0.0075	U	0.0075	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0224	0.0224	U	0.0224	UJ	D
DELTA-BHC	0001	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0075	0.0075	U	0.0075	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.01	B	0.012	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.013		0.013	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.01	B	0.01	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	D
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	1001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0299	0.0299	U	0.0299	UJ	D
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	D
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0199	0.0199	U	0.0199	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0598	0.0598	U	0.0598	UJ	D
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0197	0.0197	U	0.0197	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0199	0.0199	U	0.0199	UJ	I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
ENDRIN	0001	S	MG/KG	0.015	0.015	U	0.015	UJ	D
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	1001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0572	0.0572	U	0.0572	UJ	D
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0199	0.0199	U	0.0199	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0598	0.0598	U	0.0598	UJ	D
ENDRIN KETONE	0001	S	MG/KG	0.0197	0.0197	U	0.0197	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.0199	0.0199	U	0.0199	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORANTHENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
FLUORENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
FLUORENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0116	0.0116	U	0.0116	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0348	0.0348	U	0.0348	UJ	D
GAMMA CHLORDANE	0001	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.0116	0.0116	U	0.0116	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	D
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0075	0.0075	U	0.0075	UJ	D
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0299	0.0299	U	0.0299	UJ	D
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	21800.				I
IRON, TOTAL	0001	S	MG/KG	1.	20600.		20600.	J	I
IRON, TOTAL	1001	S	MG/KG	1.	16400.		16400.	J	I
ISOPHORONE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ISOPHORONE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
ISOPHORONE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	2.9		2.9	J	I
LEAD, TOTAL	0001	S	MG/KG	.2	13.7	*	13.7	J	I
LEAD, TOTAL	1001	S	MG/KG	.2	12.6	*	12.6	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	18100.				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	5800.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	5960.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	529.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	567.				I
MANGANESE, TOTAL	1001	S	MG/KG	.2	592.				I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12	U			I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
MERCURY, TOTAL	1001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.0997	0.0997	U	0.0997	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.2991	0.2991	U	0.2991	UJ	D
METHOXYCHLOR	0001	S	MG/KG	0.0984	0.0984	U	0.0984	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.0996	0.0996	U	0.0996	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	28.9				I
NICKEL, TOTAL	0001	S	MG/KG	2.	22.5				I
NICKEL, TOTAL	1001	S	MG/KG	2.	22.4				I
NITRATE	0001	S	MG/KG	2.	2.54				I
NITRITE AS NITROGEN	0001	S	MG/KG	2.	2.39				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NITROBENZENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
NITROBENZENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.9	0.17	JB	0.17	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	16.				I
PERCENT MOISTURE	0001	S	% MOIST	-	16.				I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PHENANTHRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PHENOL	0001	S	MG/KG	0.81	0.11	J			I
PHENOL	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PHENOL	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1750.				I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	763.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	588.				I
PYRENE	0001	S	MG/KG	0.81	0.22	JB	0.22	UJ	I
PYRENE	0001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
PYRENE	1001	S	MG/KG	0.82	0.82	U	0.82	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.32	.32	U			I
SELENIUM, TOTAL	0001	S	MG/KG	.49	.49		0.49	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.49	.49		0.49	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	12.6		12.6	J	I
SILVER, TOTAL	0001	S	MG/KG	1.	3.1				I
SILVER, TOTAL	1001	S	MG/KG	1.	3.5				I
SODIUM, TOTAL	0001	S	MG/KG	10.	443.				I
SODIUM, TOTAL	0001	S	MG/KG	10.	67.5				I
SODIUM, TOTAL	1001	S	MG/KG	10.	59.1				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.32	.32	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.49	.49	U			I
THALLIUM, TOTAL	1001	S	MG/KG	.49	.49	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1994	0.1994	U	0.1994	UJ	I
TOXAPHENE	0001	S	MG/KG	0.5983	0.5983	U	0.5983	UJ	D
TOXAPHENE	0001	S	MG/KG	0.1968	0.1968	U	0.1968	UJ	I
TOXAPHENE	1001	S	MG/KG	0.1991	0.1991	U	0.1991	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	24.3				I

APPENDIX A
Location: MND33-0081
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VANADIUM, TOTAL	0001	S	MG/KG	1.	27.5				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	24.1				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	46.6		46.6	J	I
ZINC, TOTAL	0001	S	MG/KG	.5	51.4	*			I
ZINC, TOTAL	1001	S	MG/KG	.5	41.7	•			I

APPENDIX A
Location: MND33-0082
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.013	0.013	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-HEXANONE	0001	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0082
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACETONE	0001	S	MG/KG	0.013	0.003	JB	0.013	U	I
ALDRIN	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0121	0.0121	U	0.0121	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	8560.				I
ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	8.5		8.5	J	I
AROCLOR-1016	0001	S	MG/KG	0.1037	0.1037	U	0.1037	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1037	0.1037	U	0.1037	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1037	0.1037	U	0.1037	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1037	0.1037	U	0.1037	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1037	0.1037	U	0.1037	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2075	0.2075	U	0.2075	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2075	0.2075	U	0.2075	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	1.8				I
BARIUM, TOTAL	0001	S	MG/KG	.2	89.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0082
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.95		0.95	J	I
BETA-BHC	0001	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.84	0.087	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	.89		0.89	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	116000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	27.8		27.8	J	I
CHRYSENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	10.1		10.1	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	18.9		18.9	J	I
CYANIDE	0001	S	MG/KG	.1	.18		0.18	J	I
DELTA-BHC	0001	S	MG/KG	0.0078	0.0078	U	0.0078	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0082
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.011	B	0.011	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0207	0.0207	U	0.0207	UJ	I
ENDRIN	0001	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0198	0.0198	U	0.0198	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0207	0.0207	U	0.0207	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0121	0.0121	U	0.0121	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	17200.		17200.	J	I
ISOPHORONE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	9.4	*	9.4	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	4920.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	331.				I
MERCURY, TOTAL	0001	S	MG/KG	.13	.13				I
METHOXYCHLOR	0001	S	MG/KG	0.1037	0.1037	U	0.1037	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0082
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	20.1		20.1	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	897.				I
PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.51	.51		0.51	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	15.1		15.1	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	118.		118.	J	I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.51	.51	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2075	0.2075	U	0.2075	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	22.5		22.5	J	I
VINYL ACETATE	0001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	57.8	*			I

APPENDIX A
Location: MND33-0083
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	86.5				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0083
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U			I X
4,4'-DDD	0001	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.01	JB	0.011	U	I
ACETONE	0002	S	MG/KG	0.011	0.01	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	5590.				I
ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	11.8		11.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.0945	0.0945	U	0.0945	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0945	0.0945	U	0.0945	UJ	I

APPENDIX A
Location: MND33-0083
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1232	0001	S	MG/KG	0.0945	0.0945	U	0.0945	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0945	0.0945	U	0.0945	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0945	0.0945	U	0.0945	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1891	0.1891	U	0.1891	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1891	0.1891	U	0.1891	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	1.4				I
BARIUM, TOTAL	0001	S	MG/KG	.2	59.				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.83		0.83	J	I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	2.3	2.3	U			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	196000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.002	J			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	S	MG/KG	10.	11.49		11.5	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0083
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	26.4		26.4	J	I
CHRYSENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	8.		8.0	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	14.4		14.4	J	I
CYANIDE	0001	S	MG/KG	.1	.15		0.15	J	I
DELTA-BHC	0001	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.01	B	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.009	B	0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I

APPENDIX A
Location: MND33-0083
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	12400.		12400.	J	I
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	5.1		5.1	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	8750.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	292.				I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.0945	0.0945	U	0.0945	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	16.1		16.1	J	I
NITRATE	0001	S	MG/KG	2.	54.8		54.8	J	I
NITRITE AS NITROGEN	0001	S	MG/KG	.1	.1	U	10.	UJ	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	13.				I
PERCENT MOISTURE	0001	S	% MOIST	-	13.				I
PHENANTHRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	479.				I
PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.46	.46		0.46	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	17.3		17.3	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	120.		120.	J	I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0083
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.46	.46	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1891	0.1891	U	0.1891	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	18.9		18.9	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	26.9	*	26.9	J	I

APPENDIX A
Location: MND33-0084
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	R
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
2,4-DINITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	R
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.013	0.013	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
2-CHLOROPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
2-HEXANONE	0001	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.85	0.099	J			R
2-METHYLPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
2-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	R
2-NITROPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R

APPENDIX A
Location: MND33-0084
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	R
3-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	R
4,4'-DDD	0001	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	R
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
4-CHLOROANILINE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
4-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	R
4-NITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	R
ACENAPHTHENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
ACENAPHTHYLENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
ACETONE	0001	S	MG/KG	0.013	0.004	JB	0.013	U	I
ALDRIN	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0122	0.0122	U	0.0122	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	5990.				I
ANTHRACENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
ANTIMONY, TOTAL	0001	S	MG/KG	3.	16.3		16.3	J	I
AROCLOR-1016	0001	S	MG/KG	0.1048	0.1048	U	0.1048	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1048	0.1048	U	0.1048	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1048	0.1048	U	0.1048	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1048	0.1048	U	0.1048	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1048	0.1048	U	0.1048	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2095	0.2095	U	0.2095	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2095	0.2095	U	0.2095	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	11.4				I
BARIUM, TOTAL	0001	S	MG/KG	.2	65.3				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R

APPENDIX A
Location: MND33-0084
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
BENZOIC ACID	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	R
BENZYL ALCOHOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
BERYLLIUM	0001	S	MG/KG	.2	2.3				I
BETA-BHC	0001	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.85	0.17	J			R
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.3				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	49400.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	18.8				I
CHRYSENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
COBALT, TOTAL	0001	S	MG/KG	1.	6.7				I
COPPER, TOTAL	0001	S	MG/KG	1.	45.3		45.3	J	I
CYANIDE	0001	S	MG/KG	.1	.18		0.18	J	I
DELTA-BHC	0001	S	MG/KG	0.0079	0.0079	U	0.0079	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
DIBENZOFURAN	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R

APPENDIX A
Location: MND33-0084
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.009	B	0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
DIMETHYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDRIN	0001	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
FLUORENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
GAMMA CHLORDANE	0001	S	MG/KG	0.0122	0.0122	U	0.0122	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
HEXACHLOROETHANE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
IRON, TOTAL	0001	S	MG/KG	1.	13400.		13400.	J	I
ISOPHORONE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
LEAD, TOTAL	0001	S	MG/KG	.2	220.	*	220.	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	24400.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	144.				I
MERCURY, TOTAL	0001	S	MG/KG	.13	.13				I
METHOXYCHLOR	0001	S	MG/KG	0.1048	0.1048	U	0.1048	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
NAPHTHALENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R

APPENDIX A
Location: MND33-0084
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	16.4				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
PENTACHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	R
PHENANTHRENE	0001	S	MG/KG	0.85	0.086	J			R
PHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
POTASSIUM, TOTAL	0001	S	MG/KG	10.	570.				I
PYRENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	R
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.2	1.7				I
SILVER, TOTAL	0001	S	MG/KG	1.	10.1				I
SODIUM, TOTAL	0001	S	MG/KG	10.	134.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.52	.52	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2095	0.2095	U	0.2095	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	29.				I
VINYL ACETATE	0001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	53.9				I

APPENDIX A
Location: MND33-0085
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.002	J			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.005	0.21				I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.005	0.005	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I

APPENDIX A
Location: MWD33-0085
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.013	0.002	J			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0001	S	MG/KG	0.013	0.013	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0085
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.013	0.004	J			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0001	S	MG/KG	0.013	0.008	JB	0.013	U	I
ACETONE	0002	S	MG/KG	0.012	0.011	JB	0.012	U	I
ACETONE	0003	S	MG/KG	0.011	0.008	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ALDRIN	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0123	0.0123	U	0.0123	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	6940.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	3540.				I
ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	29.7		29.7	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	19.8		19.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.1062	0.1062	U	0.1062	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0957	0.0957	U	0.0957	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1062	0.1062	U	0.1062	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0957	0.0957	U	0.0957	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1062	0.1062	U	0.1062	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0957	0.0957	U	0.0957	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1062	0.1062	U	0.1062	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0957	0.0957	U	0.0957	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1062	0.1062	U	0.1062	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0957	0.0957	U	0.0957	UJ	I

APPENDIX A
Location: MWD33-0085
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1254	0001	S	MG/KG	0.2124	0.2124	U	0.2124	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1915	0.1915	U	0.1915	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2124	0.2124	U	0.2124	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1915	0.1915	U	0.1915	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	6.1				I
ARSENIC, TOTAL	0002	S	MG/KG	.2	3.5				I
BARIUM, TOTAL	0001	S	MG/KG	.2	58.2				I
BARIUM, TOTAL	0002	S	MG/KG	.2	30.2				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.005	0.005	J			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	1.3		1.3	J	I
BERYLLIUM	0002	S	MG/KG	.2	1.		1.0	J	I
BETA-BHC	0001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
BETA-BHC	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.84	0.093	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.77	0.14	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.013	0.013	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0085
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	5.7		5.7	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	2.6				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	155000.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	198000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	29.2		29.2	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	26.3		26.3	J	I
CHRYSENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CHRYSENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	9.5		9.5	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	6.7		6.7	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	25.9		25.9	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	127.		127.	J	I
CYANIDE	0001	S	MG/KG	.1	.17		0.17	J	I
CYANIDE	0002	S	MG/KG	.1	.15		0.15	J	I
DELTA-BHC	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0072	0.0072	U	0.0072	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0085
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.016	B	0.016	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.007	B	0.007	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.008	B	0.008	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0212	0.0212	U	0.0212	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ENDRIN	0001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
ENDRIN	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0203	0.0203	U	0.0203	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0183	0.0183	U	0.0183	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0212	0.0212	U	0.0212	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.005	0.011				I
FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0123	0.0123	U	0.0123	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I

APPENDIX A
Location: MWD33-0085
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	14800.		14800.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	10200.				I
ISOPHORONE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ISOPHORONE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	49.5	•	49.5	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	10.	•	10.0	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	43200.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	19000.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	328.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	256.				I
MERCURY, TOTAL	0001	S	MG/KG	.13	.13				I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.1062	0.1062	U	0.1062	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0957	0.0957	U	0.0957	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	23.8		23.8	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	30.		30.0	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NITROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	741.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	662.				I
PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.5	.5		0.50	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.46	.46		0.46	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	17.7		17.7	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	17.6		17.6	J	I

APPENDIX A
Location: MWD33-0085
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SODIUM, TOTAL	0001	S	MG/KG	10.	227.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	151.		151.	J	I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.005	0.041				I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.5	.5	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.46	.46	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.005	0.008				I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.005	0.003	JB			I
TOXAPHENE	0001	S	MG/KG	0.2124	0.2124	U	0.2124	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1915	0.1915	U	0.1915	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.018				I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	J			I
TRICHLOROETHENE	0003	S	MG/KG	0.005	0.074				I
VANADIUM, TOTAL	0001	S	MG/KG	1.	29.1		29.1	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	19.4		19.4	J	I
VINYL ACETATE	0001	S	MG/KG	0.013	0.013	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	51.	*			I
ZINC, TOTAL	0002	S	MG/KG	.5	30.5	*	30.5	J	I

APPENDIX A
Location: MWD33-0086
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.013	0.013	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-HEXANONE	0001	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
2-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I

APPENDIX A
Location: MWD33-0086
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
3-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0096	0.0096	U	0.0096	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
4-NITROANILINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ACETONE	0001	S	MG/KG	0.013	0.003	JB	0.013	U	I
ALDRIN	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0123	0.0123	U	0.0123	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	8900.				I
ANTHRACENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	5.7		5.7	J	I
AROCLOR-1016	0001	S	MG/KG	0.1057	0.1057	U	0.1057	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1057	0.1057	U	0.1057	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1057	0.1057	U	0.1057	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1057	0.1057	U	0.1057	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1057	0.1057	U	0.1057	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2115	0.2115	U	0.2115	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2115	0.2115	U	0.2115	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	9.1	*			I
BARIUM, TOTAL	0001	S	MG/KG	.2	82.7				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I

APPENDIX A
Location: MND33-0086
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BENZOIC ACID	0001	S	MG/KG	2.	2.	U	2.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	2.				I
BETA-BHC	0001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	.72				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	4230.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	15.3				I
CHRYSENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	11.4				I
COPPER, TOTAL	0001	S	MG/KG	1.	1100.		1100.	J	I
CYANIDE	0001	S	MG/KG	.2	.22	B	0.22	J	I
DELTA-BHC	0001	S	MG/KG	0.0079	0.0079	U	0.0079	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I

APPENDIX A
Location: MWD33-0086
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0211	0.0211	U	0.0211	UJ	I
ENDRIN	0001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0211	0.0211	U	0.0211	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
FLUORENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0123	0.0123	U	0.0123	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	18500.		18500.	J	I
ISOPHORONE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	15.4	•	15.4	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	2290.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	290.				I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.1057	0.1057	U	0.1057	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I

APPENDIX A
Location: MWD33-0086
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	14.8				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	2.	2.	U	2.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
PHENOL	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	517.				I
PYRENE	0001	S	MG/KG	0.42	0.42	U	0.42	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.2	1.2		1.2	J	I
SILVER, TOTAL	0001	S	MG/KG	1.	2.8				I
SODIUM, TOTAL	0001	S	MG/KG	10.	71.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.2	.6		0.60	U	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2115	0.2115	U	0.2115	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	31.9				I
VINYL ACETATE	0001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	463.	•			I

APPENDIX A
Location: MND33-0087
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MWD33-0087
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.007	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0118	0.0118	U	0.0118	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	5970.				I
ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	7.3	7.3				I X
AROCLOR-1016	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2023	0.2023	U	0.2023	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2023	0.2023	U	0.2023	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	19.5		19.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	54.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0087
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	2.2				I
BETA-BHC	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	.68	B			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	7650.	•			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	13.7		13.7	J	I
CHRYSENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	9.7	B			I
COPPER, TOTAL	0001	S	MG/KG	1.	21.2				I
CYANIDE	0001	S	MG/KG	.1	.21		0.21	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0076	0.0076	U	0.0076	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0087
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I
ENDRIN	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0193	0.0193	U	0.0193	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
FLUORENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0118	0.0118	U	0.0118	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	15600.				I
ISOPHORONE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	11.8				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	3500.	•	3500.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	235.		235	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0087
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	10.7				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	466.	B			I
PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.2	.9	B			I
SILVER, TOTAL	0001	S	MG/KG	1.	2.5		2.5	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	78.1	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.49	.49	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2023	0.2023	U	0.2023	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	28.6				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	291.		291.	J	I

APPENDIX A
Location: MND33-0088
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MND33-0088
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.004	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	3290.				I
ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	7.1	7.1				I X
AROCLOR-1016	0001	S	MG/KG	0.0947	0.0947	U	0.0947	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0947	0.0947	U	0.0947	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0947	0.0947	U	0.0947	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0947	0.0947	U	0.0947	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0947	0.0947	U	0.0947	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1894	0.1894	U	0.1894	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1894	0.1894	U	0.1894	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	15.5		15.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	66.2				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MWD33-0088
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	2.				I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.77	0.13	J	0.77	U	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	1.1	B			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	14700.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	9.6		9.6	J	I
CHRYSENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	4.8	B			I
COPPER, TOTAL	0001	S	MG/KG	1.	20.3				I
CYANIDE	0001	S	MG/KG	.1	.2		0.20	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MWD33-0088
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	6930.				I
ISOPHORONE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	8.4				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	6760.	*	6760.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	65.2		65.2	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12		0.12		I
METHOXYCHLOR	0001	S	MG/KG	0.0947	0.0947	U	0.0947	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I

APPENDIX A
Location: MND33-0088
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	11.7				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	310.	B			I
PYRENE	0001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.2	2.3				I
SILVER, TOTAL	0001	S	MG/KG	1.	3.7		3.7	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	71.3	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.47	.47	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1894	0.1894	U	0.1894	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	20.9				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	26.2		26.2	J	I

APPENDIX A
Location: MWD33-0089
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MND33-0089
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.002	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	5400.				I
ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	6.9	6.9				I X
AROCLOR-1016	0001	S	MG/KG	0.0953	0.0953	U	0.0953	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0953	0.0953	U	0.0953	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0953	0.0953	U	0.0953	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0953	0.0953	U	0.0953	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0953	0.0953	U	0.0953	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1905	0.1905	U	0.1905	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1905	0.1905	U	0.1905	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	13.6		13.6	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	43.9	B			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MWD33-0089
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	1.2				I
BETA-BHC	0001	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	1.1	B			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	11500.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	11.9		11.9	J	I
CHRYSENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	7.7	B			I
COPPER, TOTAL	0001	S	MG/KG	1.	11.5				I
CYANIDE	0001	S	MG/KG	.1	.19		0.19	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MWD33-0089
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ENDRIN	0001	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	9560.				I
ISOPHORONE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	10.4				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	6050.	*	6050.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	238.		238.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11				I
METHOXYCHLOR	0001	S	MG/KG	0.0953	0.0953	U	0.0953	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MWD33-0089
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	10.7				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	439.	B			I
PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.2	.94	B			I
SILVER, TOTAL	0001	S	MG/KG	1.	3.3		3.3	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	48.3	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.46	.46	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1905	0.1905	U	0.1905	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	21.6				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	23.5		23.5	J	I

APPENDIX A
Location: MWD33-0090
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I

APPENDIX A
Location: MND33-0090
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0090
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.007	JB	0.011	U	I
ACETONE	1001	S	MG/KG	0.012	0.008	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	5330.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	6790.				I
ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	17.7		17.7	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	29.		29.0	J	I
AROCLOR-1016	0001	S	MG/KG	0.0909	0.0909	U	0.0909	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0909	0.0909	U	0.0909	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0909	0.0909	U	0.0909	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0909	0.0909	U	0.0909	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0909	0.0909	U	0.0909	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1817	0.1817	U	0.1817	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.1959	0.1959	U	0.1959	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1817	0.1817	U	0.1817	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.1959	0.1959	U	0.1959	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	6.4		6.4	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	9.1		9.1	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	52.3				I
BARIUM, TOTAL	1001	S	MG/KG	.2	73.5				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0090
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	1.1	B	1.1	J	I
BERYLLIUM	1001	S	MG/KG	.2	1.2	B	1.2	J	I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	1001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.74	0.13	J	0.74	U	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	2.7	B	2.7	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.2	5.2		5.2	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	168000.	*	168000	J	I
CALCIUM, TOTAL	1001	S	MG/KG	2.	114000.	*	114000.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.003	J			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0090
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	29.2		29.2	J	I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	31.3		31.3	J	I
CHRYSENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	7.9	B	7.9	J	I
COBALT, TOTAL	1001	S	MG/KG	1.	9.7	B	9.7	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	27.2		27.2	J	I
COPPER, TOTAL	1001	S	MG/KG	1.	38.7		38.7	J	I
CYANIDE	0001	S	MG/KG	.1	.25		0.25	UJ	I
CYANIDE	1001	S	MG/KG	.1	.25		0.25	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	1001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I

APPENDIX A
Location: MWD33-0090
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN	1001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	12600.		12600.	J	I
IRON, TOTAL	1001	S	MG/KG	1.	14600.		14600.	J	I
ISOPHORONE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	23.7				I
LEAD, TOTAL	1001	S	MG/KG	.2	19.6				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	13800.	*	13800.	J	I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	32900.	*	32900.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	306.		306.	J	I
MANGANESE, TOTAL	1001	S	MG/KG	.2	321.		321.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.02	1.1	*			I
MERCURY, TOTAL	1001	S	MG/KG	.02	1.4	*			I
METHOXYCHLOR	0001	S	MG/KG	0.0909	0.0909	U	0.0909	UJ	I

APPENDIX A
Location: MND33-0090
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
METHOXYCHLOR	1001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	39.1		39.1	J	I
NICKEL, TOTAL	1001	S	MG/KG	2.	44.1		44.1	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	689.	B			I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	711.	B			I
PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	1001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.45	.45	U			I
SELENIUM, TOTAL	1001	S	MG/KG	.48	.48	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	18.7		18.7	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	18.3		18.3	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	132.	B	132.	J	I
SODIUM, TOTAL	1001	S	MG/KG	10.	142.	B	142.	J	I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.45	.45	U			I
THALLIUM, TOTAL	1001	S	MG/KG	.48	.48	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1817	0.1817	U	0.1817	UJ	I
TOXAPHENE	1001	S	MG/KG	0.1959	0.1959	U	0.1959	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0090
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VANADIUM, TOTAL	0001	S	MG/KG	1.	23.		23.0	J	I
VANADIUM, TOTAL	1001	S	MG/KG	1.	28.2		28.2	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	48.6		48.6	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	58.9		58.9	J	I

APPENDIX A
Location: MWD33-0091
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I

APPENDIX A
Location: MND33-0091
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.002	J			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.76	0.086	J			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0085	0.0085	U	0.0085	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0085	0.0085	U	0.0085	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.005	J			I

APPENDIX A
Location: MWD33-0091
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.02	B	0.02	U	I
ACETONE	0002	S	MG/KG	0.012	0.006	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	4010.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	3770.				I
ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	13.9		13.9	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	13.9		13.9	J	I
AROCLOR-1016	0001	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1865	0.1865	U	0.1865	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1865	0.1865	U	0.1865	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1865	0.1865	U	0.1865	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1865	0.1865	U	0.1865	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	7.6		7.6	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	.8		0.80	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	55.7				I
BARIUM, TOTAL	0002	S	MG/KG	.2	28.9	B			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0091
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	1.8		1.8	J	I
BERYLLIUM	0002	S	MG/KG	.2	.81	B	0.81	J	I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BETA-BHC	0002	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.76	0.15	J	0.76	U	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	1.8		1.8	J	I
CADMIUM, TOTAL	0002	S	MG/KG	2.3	2.3	U			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	108000.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	2.	233000.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.001	J			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0091
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	23.1		23.1	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	28.7		28.7	J	I
CHRYSENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
CHRYSENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	5.7	B	5.7	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	6.6	B	6.6	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	24.		24.0	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	12.9		12.9	J	I
CYANIDE	0001	S	MG/KG	.1	.33		0.33	UJ	I
CYANIDE	0002	S	MG/KG	.1	.24		0.24	UJ	I
DELTA-BHC	0001	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DELTA-BHC	0002	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.03	B	0.03	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I

APPENDIX A
Location: MWD33-0091
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN	0002	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	9180.				I
IRON, TOTAL	0002	S	MG/KG	1.	8730.				I
ISOPHORONE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ISOPHORONE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	13.				I
LEAD, TOTAL	0002	S	MG/KG	.2	4.9				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	9870.	*	9870.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	3530.	*	3530.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	195.		195.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	274.		274.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.02	.65	*			I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I

APPENDIX A
Location: MND33-0091
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
METHOXYCHLOR	0002	S	MG/KG	0.0933	0.0933	U	0.0933	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	14.9		14.9	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	12.2		12.2	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NITROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.76	0.12	J			I
PHENANTHRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	466.	B			I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	639.	B			I
PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.2	.8		0.80	J	I
SELENIUM, TOTAL	0002	S	MG/KG	.46	.46		0.46	J	I
SILVER, TOTAL	0001	S	MG/KG	1.	15.3		15.3	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	20.4		20.4	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	110.	B	110.	J	I
SODIUM, TOTAL	0002	S	MG/KG	10.	112.	B	112.	J	I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.46	.46	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.46	.46	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1865	0.1865	U	0.1865	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1865	0.1865	U	0.1865	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0091
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VANADIUM, TOTAL	0001	S	MG/KG	1.	24.3		24.3	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	17.8		17.8	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	27.5		27.5	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	27.		27.0	J	I

APPENDIX A
Location: MWD33-0092
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.002	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MWD33-0092
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.005	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.018	B	0.018	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	9070.				I
ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	25.1		25.1	J	I
AROCLOR-1016	0001	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.22	0.22		0.22	J	I
AROCLOR-1260	0001	S	MG/KG	0.1898	0.1898	U	0.1898	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	8.6		8.6	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	84.2				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0092
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	1.7		1.7	J	I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	4.		4.0	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	168000.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	37.		37.0	J	I
CHRYSENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	10.7	B	10.7	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	27.5		27.5	J	I
CYANIDE	0001	S	MG/KG	.1	1.7	*	1.7	J	I
DELTA-BHC	0001	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MWD33-0092
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
FLUORENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HMX	0001	S	MG/KG	2.9	4.2		4.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	17100.		17100.	J	I
ISOPHORONE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	15.				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	25900.	•	25900.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	377.		377	J	I
MERCURY, TOTAL	0001	S	MG/KG	.02	.32	•			I
METHOXYCHLOR	0001	S	MG/KG	0.0949	0.0949	U	0.0949	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0092
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	27.9		27.9	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	706.	B			I
PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.51	.51	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	20.8		20.8	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	175.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.51	.51	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1898	0.1898	U	0.1898	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	33.1		33.1	J	I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	53.1		53.1	J	I

APPENDIX A
Location: MWD33-0093
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0093
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.008	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0118	0.0118	U	0.0118	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	8880.				I
ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	17.8		17.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.1015	0.1015	U	0.1015	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1015	0.1015	U	0.1015	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1015	0.1015	U	0.1015	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1015	0.1015	U	0.1015	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1015	0.1015	U	0.1015	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2029	0.2029	U	0.2029	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2029	0.2029	U	0.2029	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	5.9		5.9	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	89.1				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0093
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	1.2	B	1.2	J	I
BETA-BHC	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.84	0.15	J	0.84	U	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	2.1		2.1	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	135000.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	32.3		32.3	J	I
CHRYSENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	11.6	B	11.6	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	19.3		19.3	J	I
CYANIDE	0001	S	MG/KG	.12	.12		0.12	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0076	0.0076	U	0.0076	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0093
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.004	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0203	0.0203	U	0.0203	UJ	I
ENDRIN	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0194	0.0194	U	0.0194	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0203	0.0203	U	0.0203	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0118	0.0118	U	0.0118	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	18600.		18600.	J	I
ISOPHORONE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	11.3				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	11700.	•	11700.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	538.		538.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.1015	0.1015	U	0.1015	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0093
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	25.5		25.5	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	581.	B			I
PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.5	.5	U	0.50	J	I
SILVER, TOTAL	0001	S	MG/KG	1.	17.6		17.6	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	141.	B	141.	J	I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.5	.5	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2029	0.2029	U	0.2029	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	29.9		29.9	J	I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	72.1		72.1	J	I

APPENDIX A
Location: MWD33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.007	0.007	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.007	0.007	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.007	0.007	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.007	0.007	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.007	0.007	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.007	0.007	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I

APPENDIX A
Location: MWD33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	4.6	4.6	U	4.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	4.6	4.6	U	4.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.004	J			I
2-BUTANONE	1001	S	MG/KG	0.013	0.013	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1001	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I

APPENDIX A
Location: MWD33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	1001	S	MG/KG	4.6	4.6	U	4.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	1001	S	MG/KG	4.6	4.6	U	4.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	4.6	4.6	U	4.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.006	J			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	1001	S	MG/KG	4.6	4.6	U	4.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	1001	S	MG/KG	4.6	4.6	U	4.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.007	JB	0.012	U	I
ACETONE	0002	S	MG/KG	0.012	0.024	B	0.024	U	I
ACETONE	1001	S	MG/KG	0.013	0.009	JB	0.013	U	I
ALDRIN	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALDRIN	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	1001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0118	0.0118	U	0.0118	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0112	0.0112	U	0.0112	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.0124	0.0124	U	0.0124	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	2760.		2760.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	8080.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	14900.		14900.	J	I
ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTHRACENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	44.5		44.5	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	13.9		13.9	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	12.1		12.1	J	I
AROCLOR-1016	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0965	0.0965	U	0.0965	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.1067	0.1067	U	0.1067	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0965	0.0965	U	0.0965	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.1067	0.1067	U	0.1067	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0965	0.0965	U	0.0965	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.1067	0.1067	U	0.1067	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0965	0.0965	U	0.0965	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.1067	0.1067	U	0.1067	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0965	0.0965	U	0.0965	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.1067	0.1067	U	0.1067	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2023	0.2023	U	0.2023	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1931	0.1931	U	0.1931	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.2134	0.2134	U	0.2134	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2023	0.2023	U	0.2023	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1931	0.1931	U	0.1931	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.2134	0.2134	U	0.2134	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	1.5		1.5	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	2.3		2.3	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	4.8		4.8	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	47.9	B			I
BARIUM, TOTAL	0002	S	MG/KG	.2	58.9				I
BARIUM, TOTAL	1001	S	MG/KG	.2	139.				I

APPENDIX A
Location: MWD33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.007	0.007	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	1001	S	MG/KG	4.6	4.6	U	4.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.85	B	0.85	J	I
BERYLLIUM	0002	S	MG/KG	.2	.88	B			I
BERYLLIUM	1001	S	MG/KG	.2	1.4		1.4	J	I
BETA-BHC	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BETA-BHC	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
BETA-BHC	1001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.007	0.007	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.007	0.007	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MWD33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	1001	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	11.7		11.7	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	.86	B			I
CADMIUM, TOTAL	1001	S	MG/KG	.2	1.3	B	1.3	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	191000.	•	191000.	J	I
CALCIUM, TOTAL	0002	S	MG/KG	2.	114000.	•			I
CALCIUM, TOTAL	1001	S	MG/KG	2.	39300.	•	39300.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.003	J			I
CARBON DISULFIDE	1001	S	MG/KG	0.007	0.007	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.007	0.007	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.007	0.007	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1001	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.007	0.007	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1001	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	29.7		29.7	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	29.1		29.1	J	I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	30.2		30.2	J	I
CHRYSENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
CHRYSENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CHRYSENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	7.6	B	7.6	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	11.	B			I
COBALT, TOTAL	1001	S	MG/KG	1.	15.2		15.2	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	14.5		14.5	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	16.				I
COPPER, TOTAL	1001	S	MG/KG	1.	23.2		23.2	J	I
CYANIDE	0001	S	MG/KG	.1	.24		0.24	UJ	I
CYANIDE	0002	S	MG/KG	.1	.19		0.19	UJ	I
CYANIDE	1001	S	MG/KG	.1	.22		0.22	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0076	0.0076	U	0.0076	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0072	0.0072	U	0.0072	UJ	I
DELTA-BHC	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.007	0.007	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.026	B	0.026	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.007	0.005	JB	0.007	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	1001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0193	0.0193	U	0.0193	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0213	0.0213	U	0.0213	UJ	I
ENDRIN	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ENDRIN	1001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0193	0.0193	U	0.0193	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0185	0.0185	U	0.0185	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0204	0.0204	U	0.0204	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0193	0.0193	U	0.0193	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.0213	0.0213	U	0.0213	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.003	J			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.007	0.002	J			I
FLUORANTHENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
FLUORENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
FLUORENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I

APPENDIX A
Location: MWD33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
GAMMA CHLORDANE	0001	S	MG/KG	0.0118	0.0118	U	0.0118	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0112	0.0112	U	0.0112	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.0124	0.0124	U	0.0124	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	5500.		5500.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	19600.		19600.	J	I
IRON, TOTAL	1001	S	MG/KG	1.	28500.		28500.	J	I
ISOPHORONE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ISOPHORONE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ISOPHORONE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	4.4		4.4	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	7.9				I
LEAD, TOTAL	1001	S	MG/KG	.2	11.7		11.7	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	64500.	*	64500.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	5100.	*	5100.	J	I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	8720.	*	8720.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	295.		295.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	373.		373.	J	I
MANGANESE, TOTAL	1001	S	MG/KG	.2	784.		784.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11				I
MERCURY, TOTAL	1001	S	MG/KG	.13	.13				I
METHOXYCHLOR	0001	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0965	0.0965	U	0.0965	UJ	I

APPENDIX A
Location: MND33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
METHOXYCHLOR	1001	S	MG/KG	0.1067	0.1067	U	0.1067	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	20.2		20.2	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	21.2				I
NICKEL, TOTAL	1001	S	MG/KG	2.	33.3		33.3	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NITROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NITROBENZENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	4.6	4.6	U	4.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
PHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	305.	B			I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	888.	B			I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	875.	B			I
PYRENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PYRENE	1001	S	MG/KG	0.95	0.95	U	0.95	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.49	.49		0.49	J	I
SELENIUM, TOTAL	0002	S	MG/KG	.47	.47	U			I
SELENIUM, TOTAL	1001	S	MG/KG	.52	.52	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	20.2		20.2	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	15.5		15.5	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	9.2		9.2	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	180.	B			I
SODIUM, TOTAL	0002	S	MG/KG	10.	110.	B			I
SODIUM, TOTAL	1001	S	MG/KG	10.	98.6	B	98.6	J	I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.007	0.007	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0094
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.007	0.007	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.49	.49	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.47	.47	U			I
THALLIUM, TOTAL	1001	S	MG/KG	.52	.52	U			I
TOLUENE	0001	S	MG/KG	0.006	0.051				I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.007	0.027		0.027	J	I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.039	B	0.039	J	I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.007	0.023	B	0.023	J	I
TOXAPHENE	0001	S	MG/KG	0.2023	0.2023	U	0.2023	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1931	0.1931	U	0.1931	UJ	I
TOXAPHENE	1001	S	MG/KG	0.2134	0.2134	U	0.2134	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.007	0.007	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	24.2		24.2	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	23.		23.0	J	I
VANADIUM, TOTAL	1001	S	MG/KG	1.	35.7		35.7	J	I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	20.1		20.1	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	37.4		37.4	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	91.2		91.2	J	I

APPENDIX A
Location: MWD33-0095
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0095
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0103	0.0103	U	0.0103	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.01	J	0.01	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.033		0.033	U	I
ALDRIN	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	10000.				I
ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	13.7		13.7	J	I
AROCLOR-1016	0001	S	MG/KG	0.1031	0.1031	U	0.1031	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1031	0.1031	U	0.1031	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1031	0.1031	U	0.1031	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1031	0.1031	U	0.1031	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1031	0.1031	U	0.1031	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2062	0.2062	U	0.2062	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2062	0.2062	U	0.2062	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	4.3		4.3	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	81.3				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0095
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	1.1				I
BETA-BHC	0001	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	2.6				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	86500.	•			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	30.5		30.5	J	I
CHRYSENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	9.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	21.2				I
CYANIDE	0001	S	MG/KG	.1	.13	B	0.13	J	I
DELTA-BHC	0001	S	MG/KG	0.0077	0.0077	U	0.0077	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0095
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.015		0.015	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0103	0.0103	U	0.0103	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0206	0.0206	U	0.0206	UJ	I
ENDRIN	0001	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0197	0.0197	U	0.0197	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0206	0.0206	U	0.0206	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0103	0.0103	U	0.0103	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	18800.		18800.	J	I
ISOPHORONE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	9.5				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	19300.	*	19300.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	367.		367.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.1031	0.1031	U	0.1031	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0095
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	24.1				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	740.				I
PYRENE	0001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.5	.5	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	14.7		14.7	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	102.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.5	.5	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2062	0.2062	U	0.2062	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	32.2				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	46.4		46.4	J	I

APPENDIX A
Location: MWD33-0096
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.001	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
2-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MWD33-0096
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
3-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.001	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
4-NITROANILINE	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
4-NITROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.01	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	8050.				I
ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	6.9	6.9				I X
AROCLOR-1016	0001	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1909	0.1909	U	0.1909	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1909	0.1909	U	0.1909	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	4.1		4.1	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	60.2				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MND33-0096
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)PYRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BENZOIC ACID	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.84				I
BETA-BHC	0001	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	.69				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	103000.	•			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	27.		27.0	J	I
CHRYSENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	9.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	19.7				I
CYANIDE	0001	S	MG/KG	.2	.2		0.20	J	I
DELTA-BHC	0001	S	MG/KG	0.0072	0.0072	U	0.0072	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MND33-0096
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ENDRIN	0001	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0183	0.0183	U	0.0183	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
FLUORENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	16000.		16000.	J	I
ISOPHORONE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	10.7				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	3990.	*	3990.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	462.		462.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.0955	0.0955	U	0.0955	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I

APPENDIX A
Location: MND33-0096
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NICKEL, TOTAL	0001	S	MG/KG	2.	18.				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	1.9	1.9	U	1.9	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
PHENOL	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	689.				I
PYRENE	0001	S	MG/KG	0.4	0.4	U	0.4	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.48	.48	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	15.		15.0	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	97.8				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.48	.48	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1909	0.1909	U	0.1909	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.7				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	67.8		67.8	J	I

APPENDIX A
Location: MND33-0097
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I

APPENDIX A
Location: MWD33-0097
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	1001	S	MG/KG	0.012	0.002	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
2-HEXANONE	1001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2-NITROANILINE	1001	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
3-NITROANILINE	1001	S	MG/KG	4.	4.	U	4.	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDT	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I

APPENDIX A
Location: MWD33-0097
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROANILINE	1001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.005	JB	0.012	U	I
ACETONE	1001	S	MG/KG	0.012	0.004	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALDRIN	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0116	0.0116	U	0.0116	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.0118	0.0118	U	0.0118	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	9350.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	8500.				I
ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ANTHRACENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	7.2	7.2				I X
ANTIMONY, TOTAL	1001	S	MG/KG	7.4	7.4				I X
AROCLOR-1016	0001	S	MG/KG	0.0999	0.0999	U	0.0999	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.1012	0.1012	U	0.1012	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0999	0.0999	U	0.0999	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.1012	0.1012	U	0.1012	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0999	0.0999	U	0.0999	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.1012	0.1012	U	0.1012	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0999	0.0999	U	0.0999	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.1012	0.1012	U	0.1012	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0999	0.0999	U	0.0999	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.1012	0.1012	U	0.1012	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1998	0.1998	U	0.1998	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.2024	0.2024	U	0.2024	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1998	0.1998	U	0.1998	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.2024	0.2024	U	0.2024	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	4.		4.0	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	5.		5.0	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	81.9				I
BARIUM, TOTAL	1001	S	MG/KG	.2	72.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0097
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
BENZOIC ACID	1001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.84				I
BERYLLIUM	1001	S	MG/KG	.2	.89				I
BETA-BHC	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
BETA-BHC	1001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.81	0.096	J	0.81	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	1001	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.48	.48	U			I
CADMIUM, TOTAL	1001	S	MG/KG	.2	.6				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	61400.	*	61400.	J	I
CALCIUM, TOTAL	1001	S	MG/KG	2.	105000.	*	105000.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0097
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	24.4		24.4	J	I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	27.6		27.6	J	I
CHRYSENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
CHRYSENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	10.4				I
COBALT, TOTAL	1001	S	MG/KG	1.	9.5				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.7				I
COPPER, TOTAL	1001	S	MG/KG	1.	17.9				I
CYANIDE	0001	S	MG/KG	.1	.16	B	0.16	J	I
CYANIDE	1001	S	MG/KG	.2	.32	B	0.32	J	I
DELTA-BHC	0001	S	MG/KG	0.0075	0.0075	U	0.0075	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0076	0.0076	U	0.0076	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.011		0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.006	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	1001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I
ENDRIN	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I

APPENDIX A
Location: MWD33-0097
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN	1001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0194	0.0194	U	0.0194	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0116	0.0116	U	0.0116	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.0118	0.0118	U	0.0118	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	19300.		19300.	J	I
IRON, TOTAL	1001	S	MG/KG	1.	16800.		16800.	J	I
ISOPHORONE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ISOPHORONE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	11.9				I
LEAD, TOTAL	1001	S	MG/KG	.2	13.5				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	2820.	*	2820.	J	I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	2800.	*	2800.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	635.		635.	J	I
MANGANESE, TOTAL	1001	S	MG/KG	.2	592.		592.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12				I
MERCURY, TOTAL	1001	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.0999	0.0999	U	0.0999	UJ	I

APPENDIX A
Location: MWD33-0097
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
METHOXYCHLOR	1001	S	MG/KG	0.1012	0.1012	U	0.1012	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	16.8				I
NICKEL, TOTAL	1001	S	MG/KG	2.	15.9				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NITROBENZENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	4.	4.	U	4.	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENOL	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1100.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	1090.				I
PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PYRENE	1001	S	MG/KG	0.84	0.84	U	0.84	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.48	.48	U			I
SELENIUM, TOTAL	1001	S	MG/KG	.5	.5	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	11.4		11.4	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	15.4		15.4	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	87.9				I
SODIUM, TOTAL	1001	S	MG/KG	10.	100.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.48	.48	U			I
THALLIUM, TOTAL	1001	S	MG/KG	.5	.5	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1998	0.1998	U	0.1998	UJ	I
TOXAPHENE	1001	S	MG/KG	0.2024	0.2024	U	0.2024	UJ	I

APPENDIX A
Location: MWD33-0097
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.3				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	25.2				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	54.8		54.8	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	60.8		60.8	J	I

APPENDIX A
Location: MWD33-0098
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.007	0.006	J			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.012				I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.007	0.007	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.007	0.007	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.7	4.7	U	4.7	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.7	4.7	U	4.7	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I

APPENDIX A
Location: MWD33-0098
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.015	0.015	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-HEXANONE	0001	S	MG/KG	0.015	0.015	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.7	4.7	U	4.7	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	2.	2.	U	2.	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.7	4.7	U	4.7	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0111	0.0111	U	0.0111	UJ	I
4,4'-DDD	0002	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0041	0.0041	U	0.0041	UJ	I
4,4'-DDE	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0121	0.0121	U	0.0121	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.7	4.7	U	4.7	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.015	0.006	J			I

APPENDIX A
Location: MWD33-0098
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.7	4.7	U	4.7	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.7	4.7	U	4.7	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACETONE	0001	S	MG/KG	0.015	0.015		0.015	U	I
ACETONE	0002	S	MG/KG	0.011	0.005	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0041	0.0041	U	0.0041	UJ	I
ALDRIN	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0141	0.0141	U	0.0141	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0102	0.0102	U	0.0102	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	14400.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	7440.				I
ANTHRACENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	14.3		14.3	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	9.1		9.1	J	I
AROCLOR-1016	0001	S	MG/KG	0.1214	0.1214	U	0.1214	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0879	0.0879	U	0.0879	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1214	0.1214	U	0.1214	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0879	0.0879	U	0.0879	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1214	0.1214	U	0.1214	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0879	0.0879	U	0.0879	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1214	0.1214	U	0.1214	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0879	0.0879	U	0.0879	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1214	0.1214	U	0.1214	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0879	0.0879	U	0.0879	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2427	0.2427	U	0.2427	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1757	0.1757	U	0.1757	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2427	0.2427	U	0.2427	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1757	0.1757	U	0.1757	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	9.5		9.5	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	3.6		3.6	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	117.				I
BARIUM, TOTAL	0002	S	MG/KG	.2	43.5				I
BENZENE	0001	S	MG/KG	0.007	0.007	U			I

APPENDIX A
Location: MWD33-0098
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.7	4.7	U	4.7	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	1.7				I
BERYLLIUM	0002	S	MG/KG	.2	.91		0.91	J	I
BETA-BHC	0001	S	MG/KG	0.0061	0.0061	U	0.0061	UJ	I
BETA-BHC	0002	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.72	0.075	J	0.72	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.007	0.007	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.007	0.007	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.015	0.015	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.2				I
CADMIUM, TOTAL	0002	S	MG/KG	1.2	1.2	U			I
CALCIUM, TOTAL	0001	S	MG/KG	2.	47100.	*			I
CALCIUM, TOTAL	0002	S	MG/KG	2.	145000.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.007	0.007	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.007	0.007	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.007	0.007	U			I

APPENDIX A
Location: MWD33-0098
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.015	0.015	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.007	0.007	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.015	0.015	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	32.2		32.2	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	27.5		27.5	J	I
CHRYSENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
CHRYSENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	14.				I
COBALT, TOTAL	0002	S	MG/KG	1.	8.2		8.2	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	240.				I
COPPER, TOTAL	0002	S	MG/KG	1.	55.5				I
CYANIDE	0001	S	MG/KG	.2	.45		0.45	J	I
CYANIDE	0002	S	MG/KG	.2	.23	B	0.23	J	I
DELTA-BHC	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0066	0.0066	U	0.0066	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.007	0.007	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.007	0.007	JB	0.007	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.012		0.012	U	I
DIELDRIN	0001	S	MG/KG	0.002	0.002	U	0.002	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0121	0.0121	U	0.0121	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0041	0.0041	U	0.0041	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0243	0.0243	U	0.0243	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ENDRIN	0001	S	MG/KG	0.0061	0.0061	U	0.0061	UJ	I

APPENDIX A
Location: MWD33-0098
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN	0002	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0232	0.0232	U	0.0232	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0168	0.0168	U	0.0168	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0243	0.0243	U	0.0243	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.007	0.007	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.01				I
FLUORANTHENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
FLUORENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0141	0.0141	U	0.0141	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0102	0.0102	U	0.0102	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0041	0.0041	U	0.0041	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0121	0.0121	U	0.0121	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	26500.		26500.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	14200.		14200.	J	I
ISOPHORONE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
ISOPHORONE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	98.1				I
LEAD, TOTAL	0002	S	MG/KG	.2	21.9				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	21300.	*	21300.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	8190.	*	8190.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	339.		339.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	306.		8190.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.02	.31	*			I
MERCURY, TOTAL	0002	S	MG/KG	.02	.14	*			I
METHOXYCHLOR	0001	S	MG/KG	0.1214	0.1214	U	0.1214	UJ	I

APPENDIX A
Location: MWD33-0098
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
METHOXYCHLOR	0002	S	MG/KG	0.0879	0.0879	U	0.0879	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	154.				I
NICKEL, TOTAL	0002	S	MG/KG	2.	16.		16.0	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
NITROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.7	4.7	U	4.7	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
PHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1080.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	1120.				I
PYRENE	0001	S	MG/KG	0.98	0.98	U	0.98	UJ	I
PYRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.2	.59				I
SELENIUM, TOTAL	0002	S	MG/KG	.42	.42	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	11.2		11.2	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	16.2		16.2	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	128.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	121.		121.	J	I
STYRENE	0001	S	MG/KG	0.007	0.007	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.007	0.006	J			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	J			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.2	.65				I
THALLIUM, TOTAL	0002	S	MG/KG	.42	.42	U			I
TOLUENE	0001	S	MG/KG	0.007	0.002	J			I
TOLUENE	0002	S	MG/KG	0.005	0.04				I
TOTAL XYLENES	0001	S	MG/KG	0.007	0.007	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.033				I
TOXAPHENE	0001	S	MG/KG	0.2427	0.2427	U	0.2427	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1757	0.1757	U	0.1757	UJ	I

APPENDIX A
Location: MND33-0098
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TRICHLOROETHENE	0001	S	MG/KG	0.007	0.02				I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.026				I
VANADIUM, TOTAL	0001	S	MG/KG	1.	40.				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	21.5		21.5	J	I
VINYL ACETATE	0001	S	MG/KG	0.015	0.015	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.015	0.015	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	80.9		80.9	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	57.2		57.2	J	I

APPENDIX A
Location: MW033-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.007	0.007	U			I
1,1,1-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.007	0.007	U			I
1,1,2,2-TETRACHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.007	0.007	U			I
1,1,2-TRICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.84	0.12	JB	0.84	UJ	I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.87	0.13	JB	0.13	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.84	0.13	JB	0.13	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROETHANE	0004	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROETHENE	0004	S	MG/KG	0.006	0.036				I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROPROPANE	0004	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.007	0.007	U			I
1,3-CIS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.007	0.007	U			I
1,3-TRANS-DICHLOROPROPENE	0004	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.84	0.1	J	0.1	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.87	0.1	J	0.1	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.84	0.097	J	0.097	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.84	0.84	U			I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.84	0.84	U			I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0003	S	MG/KG	0.014	0.034				I
2-BUTANONE	0004	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.84	0.19	JB	0.84	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.87	0.19	JB	0.19	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.84	0.15	JB	0.15	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.014	0.014	U			I

APPENDIX A
Location: MWD33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-HEXANONE	0004	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.87	0.17	J			I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROANILINE	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2-NITROANILINE	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.2	4.2	U			I X
3-NITROANILINE	0003	S	MG/KG	4.1	4.1	U			I X
4,4'-DDD	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDD	0001	S	MG/KG	0.047	0.047	U	0.047	UJ	D
4,4'-DDD	0003	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	D
4,4'-DDE	0002	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDE	0001	S	MG/KG	0.017	0.017	U	0.017	UJ	D
4,4'-DDE	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	D
4,4'-DDT	0002	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
4,4'-DDT	0001	S	MG/KG	0.052	0.052	U	0.052	UJ	D
4,4'-DDT	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	D
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.014	0.002	J	0.01	U	I
4-METHYL-2-PENTANONE	0004	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYLPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-NITROANILINE	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4-NITROANILINE	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4-NITROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.84	0.2	J	0.2	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.87	1.3		1.3	J	I
ACENAPHTHENE	0003	S	MG/KG	0.84	0.11	J			I
ACENAPHTHYLENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.002	J	0.01	U	I
ACETONE	0002	S	MG/KG	0.012	0.003	JB	0.01	U	I
ACETONE	0003	S	MG/KG	0.014	0.23		0.23	J	I
ACETONE	0004	S	MG/KG	0.01	0.008	JB	0.01	U	I
ALDRIN	0002	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALDRIN	0001	S	MG/KG	0.017	0.017	U	0.017	UJ	D
ALDRIN	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	D
ALPHA CHLORDANE	0002	S	MG/KG	0.0117	0.0117	U	0.0117	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.06	0.06	U	0.06	UJ	D
ALPHA CHLORDANE	0003	S	MG/KG	0.012	0.012	U	0.012	UJ	D
ALPHA-BHC	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.013	0.013	U	0.013	UJ	D
ALPHA-BHC	0003	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	D
ALUMINUM, TOTAL	0002	S	MG/KG	6.	9170.				I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	2830.				I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	6850.				I
ANTHRACENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTHRACENE	0001	S	MG/KG	0.87	2.2		2.2	UJ	I
ANTHRACENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	13.5		13.5	J	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	42.8		42.8	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	12.		12.0	J	I
AROCLOR-1016	0002	S	MG/KG	0.101	0.101	U	0.101	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.52	0.52	U	0.52	UJ	D
AROCLOR-1016	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	D
AROCLOR-1221	0002	S	MG/KG	0.101	0.101	U	0.101	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.52	0.52	U	0.52	UJ	D
AROCLOR-1221	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	D
AROCLOR-1232	0002	S	MG/KG	0.101	0.101	U	0.101	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.52	0.52	U	0.52	UJ	D
AROCLOR-1232	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	D
AROCLOR-1242	0002	S	MG/KG	0.101	0.101	U	0.101	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.52	0.52	U	0.52	UJ	D
AROCLOR-1242	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	D
AROCLOR-1248	0002	S	MG/KG	0.101	0.101	U	0.101	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.52	0.52	U	0.52	UJ	D
AROCLOR-1248	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	D
AROCLOR-1254	0002	S	MG/KG	0.202	0.202	U	0.202	UJ	I

APPENDIX A
Location: MWD33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1254	0001	S	MG/KG	1.	1.	U	1.	UJ	D
AROCLOR-1254	0003	S	MG/KG	0.21	0.21	U	0.21	UJ	D
AROCLOR-1260	0002	S	MG/KG	0.202	0.202	U	0.202	UJ	I
AROCLOR-1260	0001	S	MG/KG	1.	1.	U	1.	UJ	D
AROCLOR-1260	0003	S	MG/KG	0.21	0.21	U	0.21	UJ	D
ARSENIC, TOTAL	0002	S	MG/KG	.2	1.7		1.7	J	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	1.6		1.6	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	2.4		2.4	J	I
BARIUM, TOTAL	0002	S	MG/KG	.2	18.7				I
BARIUM, TOTAL	0001	S	MG/KG	.2	20.5	B			I
BARIUM, TOTAL	0003	S	MG/KG	.2	54.6				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.007	0.007	U			I
BENZENE	0004	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.87	4.8		4.8	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.84	0.32	J	0.32	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.87	4.1		4.1	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.84	0.79	J	0.79	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.87	6.3		6.3	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.87	2.1		2.1	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZOIC ACID	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
BENZOIC ACID	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BERYLLIUM	0002	S	MG/KG	.2	.75		.75	J	I
BERYLLIUM	0001	S	MG/KG	.2	.71	B	0.71	J	I
BERYLLIUM	0003	S	MG/KG	.2	.75	B			I
BETA-BHC	0002	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BETA-BHC	0001	S	MG/KG	0.026	0.026	U	0.026	UJ	D
BETA-BHC	0003	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	D
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I

APPENDIX A
Location: MWD33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.84	0.16	JB	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.87	1.3	B	1.3	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.84	0.83	JB	0.83	U	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.007	0.007	U			I
BROMODICHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.007	0.007	U			I
BROMOFORM	0004	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.014	0.014	U			I
BROMOMETHANE	0004	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	1.9		1.9	J	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	8.3		8.3	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.2	1.5		1.5	J	I
CALCIUM, TOTAL	0002	S	MG/KG	2.	91900.				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	153000.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	76800.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.007	0.007	U			I
CARBON DISULFIDE	0004	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.007	0.007	U			I
CARBON TETRACHLORIDE	0004	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.007	0.007	U			I
CHLOROBENZENE	0004	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.014	0.014	U			I
CHLOROETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.007	0.007	U			I
CHLOROFORM	0004	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.014	0.014	U			I
CHLOROMETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	30.7		30.7	J	I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	32.2		32.2	J	I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	26.3				I

APPENDIX A
Location: MND33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0002	S	MG/KG	0.84	0.99		0.99	J	I
CHRYSENE	0001	S	MG/KG	0.87	7.6		7.6	UJ	I
CHRYSENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
COBALT, TOTAL	0002	S	MG/KG	1.	12.6		12.6	J	I
COBALT, TOTAL	0001	S	MG/KG	1.	7.7	B	7.7	J	I
COBALT, TOTAL	0003	S	MG/KG	1.	10.6	B			I
COPPER, TOTAL	0002	S	MG/KG	1.	31.3		31.3	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	31.		31.0	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	18.8				I
CYANIDE	0002	S	MG/KG	.1	.19		.19	J	I
CYANIDE	0001	S	MG/KG	.2	.31	B	0.31	J	I
CYANIDE	0003	S	MG/KG	.2	.28	B	0.28	J	I
DELTA-BHC	0002	S	MG/KG	0.0076	0.0076	U	0.0076	UJ	I
DELTA-BHC	0001	S	MG/KG	0.039	0.039	U	0.039	UJ	D
DELTA-BHC	0003	S	MG/KG	0.0077	0.0077	U	0.0077	UJ	D
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.87	2.		2.	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.87	0.63	J	0.63	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.007	0.007	U			I
DIBROMOCHLOROMETHANE	0004	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.006	B	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.008	B	0.008	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.007	0.003	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0004	S	MG/KG	0.005	0.01	B	0.01	U	I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0001	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	D
DIELDRIN	0003	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	D
DIETHYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.052	0.052	U	0.052	UJ	D
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	D
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.017	0.017	U	0.017	UJ	D
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	D
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I

APPENDIX A
Location: MWD33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN SULFATE	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	D
ENDOSULFAN SULFATE	0003	S	MG/KG	0.021	0.021	U	0.021	UJ	D
ENDRIN	0002	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN	0001	S	MG/KG	0.026	0.026	U	0.026	UJ	D
ENDRIN	0003	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	D
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0193	0.0193	U	0.0193	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0994	0.0994	U	0.0994	UJ	D
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0593	0.0593	U	0.0593	UJ	D
ENDRIN KETONE	0002	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	D
ENDRIN KETONE	0003	S	MG/KG	0.021	0.021	U	0.021	UJ	D
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.007	0.007	U			I
ETHYLBENZENE	0004	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORANTHENE	0001	S	MG/KG	0.87	8.9		8.9	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORENE	0002	S	MG/KG	0.84	0.094	J	0.094	UJ	I
FLUORENE	0001	S	MG/KG	0.87	0.98		0.98	UJ	I
FLUORENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0117	0.0117	U	0.0117	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.06	0.027	J	0.027	UJ	D
GAMMA CHLORDANE	0003	S	MG/KG	0.012	0.012	U	0.012	UJ	D
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.017	0.017	U	0.017	UJ	D
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	D
HEPTACHLOR	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.013	0.013	U	0.013	UJ	D
HEPTACHLOR	0003	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	D
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0101	0.0101	U	0.0101	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.052	0.052	U	0.052	UJ	D
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	D
HEXACHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.87	2.7		2.7	UJ	I

APPENDIX A
Location: MWD33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
IRON, TOTAL	0002	S	MG/KG	1.	19300.		19300.	J	I
IRON, TOTAL	0001	S	MG/KG	1.	8400.				I
IRON, TOTAL	0003	S	MG/KG	1.	16200.		16200.	J	I
ISOPHORONE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ISOPHORONE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
ISOPHORONE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
LEAD, TOTAL	0002	S	MG/KG	.2	4.5		4.5	J	I
LEAD, TOTAL	0001	S	MG/KG	.2	18.5		18.5	J	I
LEAD, TOTAL	0003	S	MG/KG	.2	17.2		17.2	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	12800.				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	62900.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	10500.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	443.		443.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	276.		276.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.2	776.		776.	J	I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12	U			I
MERCURY, TOTAL	0001	S	MG/KG	.02	1.2				I
MERCURY, TOTAL	0003	S	MG/KG	.12	.12	U			I
METHOXYCHLOR	0002	S	MG/KG	0.1011	0.1011	U	0.1011	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.52	0.52	U	0.52	UJ	D
METHOXYCHLOR	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	D
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.87	0.36	J	0.36	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NICKEL, TOTAL	0002	S	MG/KG	2.	24.4		24.4	J	I
NICKEL, TOTAL	0001	S	MG/KG	2.	22.		22.0	J	I
NICKEL, TOTAL	0003	S	MG/KG	2.	19.				I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	0.84	0.84	U			I
NITROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
NITROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PERCENT MOISTURE	0002	S	% MOIST	-	20.				I
PHENANTHRENE	0002	S	MG/KG	0.84	1.2		1.2	J	I
PHENANTHRENE	0001	S	MG/KG	0.87	8.8		8.8	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
PHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
POTASSIUM, TOTAL	0002	S	MG/KG	10.	1650.				I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	523.	B			I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	850.	B			I
PYRENE	0002	S	MG/KG	0.84	1.5	B	1.5	J	I
PYRENE	0001	S	MG/KG	0.87	6.1	B	6.1	J	I
PYRENE	0003	S	MG/KG	0.84	0.14	JB	0.14	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.75	.75		.75	J	I
SELENIUM, TOTAL	0001	S	MG/KG	.51	.51	U			I
SELENIUM, TOTAL	0003	S	MG/KG	.51	.51	U			I
SILVER, TOTAL	0002	S	MG/KG	1.	16.		16.	J	I
SILVER, TOTAL	0001	S	MG/KG	1.	21.5		21.5	J	I
SILVER, TOTAL	0003	S	MG/KG	1.	14.8				I
SODIUM, TOTAL	0002	S	MG/KG	10.	707.				I
SODIUM, TOTAL	0001	S	MG/KG	10.	877.	B			I
SODIUM, TOTAL	0003	S	MG/KG	10.	282.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.007	0.007	U			I
STYRENE	0004	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.007	0.007	U			I
TETRACHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.5	.5		.5	J	I
THALLIUM, TOTAL	0001	S	MG/KG	.34	.34		0.34	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.34	.34		0.34	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.007	0.007	U			I
TOLUENE	0004	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.007	0.007	U			I
TOTAL XYLENES	0004	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0002	S	MG/KG	0.202	0.202	U	0.202	UJ	I
TOXAPHENE	0001	S	MG/KG	1.	1.	U	1.	UJ	D
TOXAPHENE	0003	S	MG/KG	0.21	0.21	U	0.21	UJ	D
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.007	0.007	U			I
TRICHLOROETHENE	0004	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0002	S	MG/KG	1.	23.4		23.4	J	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.1		25.1	J	I
VANADIUM, TOTAL	0003	S	MG/KG	1.	24.2				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MWD33-0101
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.014	0.014	U			I
VINYL ACETATE	0004	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.014	0.014	U			I
VINYL CHLORIDE	0004	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0002	S	MG/KG	.5	58.3		58.3	J	I
ZINC, TOTAL	0001	S	MG/KG	.5	150.		150.	J	I
ZINC, TOTAL	0003	S	MG/KG	.5	38.7		38.7	J	I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I X
3-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.5	3.5	U			I X
4,4'-DDD	0001	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0081	0.0081	U	0.0081	UJ	I
4,4'-DDD	1001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,4'-DDT	0002	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.006	JB	0.006	UJ	I
ACETONE	0002	S	MG/KG	0.011	0.009	JB	0.009	UJ	I
ACETONE	1001	S	MG/KG	0.011	0.003	JB	0.005	UJ	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.0102	0.0102	U	0.0102	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	3330.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	2680.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	3180.				I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTHRACENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	35.		35.0	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	27.1		27.1	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	30.8		30.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.0895	0.0895	U	0.0895	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0895	0.0895	U	0.0895	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0895	0.0895	U	0.0895	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0895	0.0895	U	0.0895	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0895	0.0895	U	0.0895	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1789	0.1789	U	0.1789	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1781	0.1781	U	0.1781	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.1759	0.1759	U	0.1759	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1789	0.1789	U	0.1789	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1781	0.1781	U	0.1781	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.1759	0.1759	U	0.1759	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	5.9		5.9	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	4.2		4.2	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	4.8		4.8	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	22.4				I
BARIUM, TOTAL	0002	S	MG/KG	.2	20.9				I
BARIUM, TOTAL	1001	S	MG/KG	.2	23.4				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.69				I
BERYLLIUM	0002	S	MG/KG	.2	.59				I
BERYLLIUM	1001	S	MG/KG	.2	.69				I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	1001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	6.		6.	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	4.8		4.8	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.2	5.5		5.5	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	116000.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	104000.				I
CALCIUM, TOTAL	1001	S	MG/KG	2.	105000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	25.				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	22.9				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	23.9				I
CHRYSENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
CHRYSENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	8.5				I
COBALT, TOTAL	0002	S	MG/KG	1.	6.4				I
COBALT, TOTAL	1001	S	MG/KG	1.	7.8				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.1				I
COPPER, TOTAL	0002	S	MG/KG	1.	14.5				I
COPPER, TOTAL	1001	S	MG/KG	1.	16.3				I
CYANIDE	0001	S	MG/KG	.1	.12				I
CYANIDE	0002	S	MG/KG	.2	.35				I
CYANIDE	1001	S	MG/KG	.2	.36				I
DELTA-BHC	0001	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0066	0.0066	U	0.0066	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.016	B	0.016	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.015	B	0.015	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.005	0.008	B	0.011	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	1001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0179	0.0179	U	0.0179	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	1001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0171	0.0171	U	0.0171	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.017	0.017	U	0.017	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0168	0.0168	U	0.0168	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0179	0.0179	U	0.0179	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.0102	0.0102	U	0.0102	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	11100.				I
IRON, TOTAL	0002	S	MG/KG	1.	7870.				I
IRON, TOTAL	1001	S	MG/KG	1.	9100.				I
ISOPHORONE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ISOPHORONE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	10.1		10.1	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	6.8		6.8	J	I
LEAD, TOTAL	1001	S	MG/KG	.2	7.4		7.4	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	49500.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	37100.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	45000.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	254.		254.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	256.		256.	J	I
MANGANESE, TOTAL	1001	S	MG/KG	.2	279.		279.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	1001	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0895	0.0895	U	0.0895	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.089	0.089	U	0.089	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.088	0.088	U	0.088	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	24.5				I
NICKEL, TOTAL	0002	S	MG/KG	2.	21.1				I
NICKEL, TOTAL	1001	S	MG/KG	2.	24.3				I
NITROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NITROBENZENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PHENANTHRENE	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0002	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	461.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	512.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	454.				I
PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	0002	S	MG/KG	0.75	0.077	J			I
PYRENE	1001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.65	.65	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.67	.67	U			I
SELENIUM, TOTAL	1001	S	MG/KG	.65	.65	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	15.7				I
SILVER, TOTAL	0002	S	MG/KG	1.	14.7				I
SILVER, TOTAL	1001	S	MG/KG	1.	14.8				I
SODIUM, TOTAL	0001	S	MG/KG	10.	149.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	123.				I
SODIUM, TOTAL	1001	S	MG/KG	10.	136.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		.44	J	I
THALLIUM, TOTAL	0002	S	MG/KG	.44	.44		.44	J	I
THALLIUM, TOTAL	1001	S	MG/KG	.43	.43		.43	J	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.005	0.002	J			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.1789	0.1789	U	0.1789	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1781	0.1781	U	0.1781	UJ	I
TOXAPHENE	1001	S	MG/KG	0.1759	0.1759	U	0.1759	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	22.8				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	18.9				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	21.3				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0102
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ZINC, TOTAL	0001	S	MG/KG	.5	33.9		33.9	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	25.6		25.6	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	30.		30.	J	I

APPENDIX A
Location: MND33-0103
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U	0.005	UJ	I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0103
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U			I X
3-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0103
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.005	JB	0.005	UJ	I
ACETONE	0002	S	MG/KG	0.011	0.008	JB	0.008	UJ	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	4820.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	2030.				I
ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	28.2		28.2	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	42.2		42.2	J	I
AROCLOR-1016	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1809	0.1809	U	0.1809	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1814	0.1814	U	0.1814	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1809	0.1809	U	0.1809	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1814	0.1814	U	0.1814	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	4.9		4.9	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	4.3		4.3	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	32.4				I
BARIUM, TOTAL	0002	S	MG/KG	.2	16.6				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0103
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.71				I
BERYLLIUM	0002	S	MG/KG	.2	.67				I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	5.		5.0	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	7.7		7.7	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	97900.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	150000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	25.				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	30.5				I
CHRYSENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0103
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	8.4				I
COBALT, TOTAL	0002	S	MG/KG	1.	6.4				I
COPPER, TOTAL	0001	S	MG/KG	1.	18.				I
COPPER, TOTAL	0002	S	MG/KG	1.	13.7				I
CYANIDE	0001	S	MG/KG	.2	.38				I
CYANIDE	0002	S	MG/KG	.2	.35				I
DELTA-BHC	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U	0.005	UJ	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.015	B	0.015	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.013	B	0.013	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
FLUORANTHENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MND33-0103
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
FLUORENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	12500.				I
IRON, TOTAL	0002	S	MG/KG	1.	6470.				I
ISOPHORONE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	7.5		7.5	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	7.		7.	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	38200.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	68800.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	306.		306.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	276.		276.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0002	S	MG/KG	.1	.1	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	24.9				I
NICKEL, TOTAL	0002	S	MG/KG	2.	22.1				I
NITROBENZENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I

APPENDIX A
Location: MWD33-0103
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	527.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	389.				I
PYRENE	0001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	0002	S	MG/KG	0.73	0.12	J			I
SELENIUM, TOTAL	0001	S	MG/KG	.66	.66	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.66	.66	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	14.1				I
SILVER, TOTAL	0002	S	MG/KG	1.	17.				I
SODIUM, TOTAL	0001	S	MG/KG	10.	121.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	170.				I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		.44	J	I
THALLIUM, TOTAL	0002	S	MG/KG	.44	.44		.44	J	I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.1809	0.1809	U	0.1809	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1814	0.1814	U	0.1814	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	24.2				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	23.6				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	38.3		38.3	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	22.7		22.7	J	I

APPENDIX A
Location: MWD33-0104
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.74	0.033	J			I
1,2,4-TRICHLOROBENZENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	1002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	1002	S	MG/KG	3.6	3.6	U	3.6	UJ	I

APPENDIX A
Location: MWD33-0104
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1002	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.74	0.038	J			I
2-CHLOROPHENOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	1002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	1002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U			I X
3-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	1002	S	MG/KG	3.6	3.6	U			I X
4,4'-DDD	0001	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	1002	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	1002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	1002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I

APPENDIX A
Location: MWD33-0104
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.74	0.007	J			I
4-CHLORO-3-METHYLPHENOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	1002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	1002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.74	0.025	J	0.025	UJ	I
ACENAPHTHENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.004	JB	0.006	UJ	I
ACETONE	0002	S	MG/KG	0.011	0.003	JB	0.006	UJ	I
ACETONE	1002	S	MG/KG	0.011	0.005	JB	0.006	UJ	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA CHLORDANE	1002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	1002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	3890.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	3590.				I
ALUMINUM, TOTAL	1002	S	MG/KG	6.	3780.				I
ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	26.1		26.1	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	34.		34.	J	I
ANTIMONY, TOTAL	1002	S	MG/KG	3.	30.3		30.3	J	I
AROCLOR-1016	0001	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1016	1002	S	MG/KG	0.0902	0.0902	U	0.0902	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I

APPENDIX A
Location: MWD33-0104
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1221	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1221	1002	S	MG/KG	0.0902	0.0902	U	0.0902	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1232	1002	S	MG/KG	0.0902	0.0902	U	0.0902	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1242	1002	S	MG/KG	0.0902	0.0902	U	0.0902	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
AROCLOR-1248	1002	S	MG/KG	0.0902	0.0902	U	0.0902	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1813	0.1813	U	0.1813	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1814	0.1814	U	0.1814	UJ	I
AROCLOR-1254	1002	S	MG/KG	0.1804	0.1804	U	0.1804	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1813	0.1813	U	0.1813	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1814	0.1814	U	0.1814	UJ	I
AROCLOR-1260	1002	S	MG/KG	0.1804	0.1804	U	0.1804	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.9		3.9	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	4.		4.	J	I
ARSENIC, TOTAL	1002	S	MG/KG	.2	3.9		3.9	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	26.9				I
BARIUM, TOTAL	0002	S	MG/KG	.2	23.				I
BARIUM, TOTAL	1002	S	MG/KG	.2	31.4				I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	1002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.6	0.012	J			I
BENZOIC ACID	1002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.59				I
BERYLLIUM	0002	S	MG/KG	.2	.68				I
BERYLLIUM	1002	S	MG/KG	.2	.7				I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I

APPENDIX A
Location: MWD33-0104
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	1002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.74	0.074	J	0.074	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	5.2		5.2	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	6.		6.0	J	I
CADMIUM, TOTAL	1002	S	MG/KG	.2	5.4		5.4	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	109000.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	113000.				I
CALCIUM, TOTAL	1002	S	MG/KG	2.	112000.				I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	21.				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	25.				I
CHROMIUM, TOTAL	1002	S	MG/KG	1.	25.1				I
CHRYSENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
CHRYSENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	8.1				I

APPENDIX A
Location: MWD33-0104
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
COBALT, TOTAL	0002	S	MG/KG	1.	8.1				I
COBALT, TOTAL	1002	S	MG/KG	1.	8.4				I
COPPER, TOTAL	0001	S	MG/KG	1.	16.2				I
COPPER, TOTAL	0002	S	MG/KG	1.	16.8				I
COPPER, TOTAL	1002	S	MG/KG	1.	17.				I
CYANIDE	0001	S	MG/KG	.2	.3				I
CYANIDE	0002	S	MG/KG	.2	.31				I
CYANIDE	1002	S	MG/KG	.2	.34				I
DELTA-BHC	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	1002	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.74	0.025	J			I
DI-N-BUTYL PHTHALATE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.007	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.013	B	0.013	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.006	0.013	B	0.013	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	1002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	1002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDOSULFAN SULFATE	1002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	1002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I

APPENDIX A
Location: MWD33-0104
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN ALDEHYDE	1002	S	MG/KG	0.0172	0.0172	U	0.0172	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	1002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA CHLORDANE	1002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	1002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLOR EPOXIDE	1002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	10700.				I
IRON, TOTAL	0002	S	MG/KG	1.	11400.				I
IRON, TOTAL	1002	S	MG/KG	1.	10600.				I
ISOPHORONE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ISOPHORONE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	5.4		5.4	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	5.7		5.7	J	I
LEAD, TOTAL	1002	S	MG/KG	.2	5.7		5.7	J	I

APPENDIX A
Location: MWD33-0104
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	37800.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	48000.				I
MAGNESIUM, TOTAL	1002	S	MG/KG	5.	41900.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	232.		232.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	283.		283.	J	I
MANGANESE, TOTAL	1002	S	MG/KG	.2	245.		245.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0002	S	MG/KG	.1	.1	U			I
MERCURY, TOTAL	1002	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0907	0.0907	U	0.0907	UJ	I
METHOXYCHLOR	1002	S	MG/KG	0.0902	0.0902	U	0.0902	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	21.8				I
NICKEL, TOTAL	0002	S	MG/KG	2.	24.5				I
NICKEL, TOTAL	1002	S	MG/KG	2.	25.8				I
NITROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NITROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	1002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENOL	0002	S	MG/KG	0.74	0.023	J			I
PHENOL	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	584.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	508.				I
POTASSIUM, TOTAL	1002	S	MG/KG	10.	671.				I
PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PYRENE	0002	S	MG/KG	0.74	0.025	J			I
PYRENE	1002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.67	.67	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.66	.66	U			I
SELENIUM, TOTAL	1002	S	MG/KG	.67	.67	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	12.				I
SILVER, TOTAL	0002	S	MG/KG	1.	15.3				I
SILVER, TOTAL	1002	S	MG/KG	1.	15.2				I
SODIUM, TOTAL	0001	S	MG/KG	10.	116.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	143.				I

APPENDIX A
Location: MWD33-0104
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SODIUM, TOTAL	1002	S	MG/KG	10.	221.				I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	1002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		.44	J	I
THALLIUM, TOTAL	0002	S	MG/KG	.44	.44		.44	J	I
THALLIUM, TOTAL	1002	S	MG/KG	.44	.44		.44	J	I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	1002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1813	0.1813	U	0.1813	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1814	0.1814	U	0.1814	UJ	I
TOXAPHENE	1002	S	MG/KG	0.1804	0.1804	U	0.1804	UJ	I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	20.2				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	22.7				I
VANADIUM, TOTAL	1002	S	MG/KG	1.	22.6				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL ACETATE	1002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	30.2		30.2	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	40.4		40.4	J	I
ZINC, TOTAL	1002	S	MG/KG	.5	34.7		34.7	J	I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	1003	S	MG/KG	0.011	0.011	U			D
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1003	S	MG/KG	0.011	0.011	U			D
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1003	S	MG/KG	0.011	0.011	U			D
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1003	S	MG/KG	0.011	0.011	U			D
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1003	S	MG/KG	0.011	0.011	U			D
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	1003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2,4-TRICHLOROBENZENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2-DICHLOROBENZENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
1,2-DICHLOROETHANE	1003	S	MG/KG	0.011	0.011	U			D
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	1003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1003	S	MG/KG	0.011	0.011	U			D
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	1003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1003	S	MG/KG	0.011	0.011	U			D

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0004	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0005	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	1003	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	1003	S	MG/KG	0.011	0.011	U			D
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0004	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0005	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	1003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,3-DICHLOROBENZENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	1003	S	MG/KG	0.011	0.011	U			D
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0004	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0005	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	1003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,4-DICHLOROBENZENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4,5-TRICHLOROPHENOL	1003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4,6-TRICHLOROPHENOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DICHLOROPHENOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DIMETHYLPHENOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROPHENOL	1003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DINITROTOLUENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,6-DINITROTOLUENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	1003	S	MG/KG	0.011	0.04				D
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0003	S	MG/KG	0.012	0.046				I
2-BUTANONE	0004	S	MG/KG	0.011	0.003	J			I
2-BUTANONE	0005	S	MG/KG	0.011	0.007	J			I
2-BUTANONE	1003	S	MG/KG	0.011	0.079				I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLORONAPHTHALENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLOROPHENOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-HEXANONE	1003	S	MG/KG	0.021	0.021	U			D
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.012	0.002	J			I
2-HEXANONE	0004	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0005	S	MG/KG	0.011	0.01	J			I
2-HEXANONE	1003	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLNAPHTHALENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLPHENOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2-NITROANILINE	1003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-NITROPHENOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	1003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U			I X
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U			I X
3-NITROANILINE	0003	S	MG/KG	3.9	3.9	U			I X
3-NITROANILINE	1003	S	MG/KG	4.1	4.1	U			I X
4,4'-DDD	0001	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0085	0.0085	U	0.0085	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDD	1003	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	1003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,4'-DDT	1003	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4,6-DINITRO-O-CRESOL	1003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLORO-3-METHYLPHENOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROANILINE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-METHYL-2-PENTANONE	1003	S	MG/KG	0.021	0.003	J			D
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.012	0.006	J			I
4-METHYL-2-PENTANONE	0004	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0005	S	MG/KG	0.011	0.004	J			I
4-METHYL-2-PENTANONE	1003	S	MG/KG	0.011	0.006	J			I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-METHYLPHENOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROANILINE	1003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	1003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.78	0.49	J			I
ACENAPHTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHYLENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
ACETONE	1003	S	MG/KG	0.021	0.14				D
ACETONE	0001	S	MG/KG	0.011	0.004	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.012	0.004	JB	0.01	U	I
ACETONE	0003	S	MG/KG	0.012	0.22	B	0.22		I
ACETONE	0004	S	MG/KG	0.011	0.016	B	0.016	U	I
ACETONE	0005	S	MG/KG	0.011	0.033	B	0.033	U	I
ACETONE	1003	S	MG/KG	0.021	0.27				I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	1003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0109	0.0109	U	0.0109	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
ALPHA CHLORDANE	1003	S	MG/KG	0.0121	0.0121	U	0.0121	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	1003	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	12.	4730.				I
ALUMINUM, TOTAL	0002	S	MG/KG	12.	9600.				I
ALUMINUM, TOTAL	0003	S	MG/KG	12.	7060.				I
ALUMINUM, TOTAL	1003	S	MG/KG	12.	7820.				I
ANTHRACENE	0001	S	MG/KG	0.78	0.8		0.8	J	I
ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ANTHRACENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ANTHRACENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	6.	21.		21.0	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	6.	10.7		10.7	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	6.	10.7		10.7	J	I
ANTIMONY, TOTAL	1003	S	MG/KG	6.	15.4		15.4	J	I
AROCLOR-1016	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1016	1003	S	MG/KG	0.104	0.104	U	0.104	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
AROCLOR-1221	1003	S	MG/KG	0.104	0.104	U	0.104	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
AROCLOR-1232	1003	S	MG/KG	0.104	0.104	U	0.104	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
AROCLOR-1242	1003	S	MG/KG	0.104	0.104	U	0.104	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
AROCLOR-1248	1003	S	MG/KG	0.104	0.104	U	0.104	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1879	0.1879	U	0.1879	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1858	0.1858	U	0.1858	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.1954	0.1954	U	0.1954	UJ	I
AROCLOR-1254	1003	S	MG/KG	0.2081	0.2081	U	0.2081	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1879	0.1879	U	0.1879	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1858	0.1858	U	0.1858	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.1954	0.1954	U	0.1954	UJ	I
AROCLOR-1260	1003	S	MG/KG	0.2081	0.2081	U	0.2081	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.4	2.2		2.2	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.4	1.8		1.8	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.4	3.6		3.6	J	I
ARSENIC, TOTAL	1003	S	MG/KG	.4	2.6		2.6	J	I
BARIUM, TOTAL	0001	S	MG/KG	.4	23.1		23.1	J	I
BARIUM, TOTAL	0002	S	MG/KG	.4	21.6		21.6	J	I
BARIUM, TOTAL	0003	S	MG/KG	.4	103.		103.	J	I
BARIUM, TOTAL	1003	S	MG/KG	.4	79.4		79.4	J	I
BENZENE	1003	S	MG/KG	0.011	0.011	U			D
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	0004	S	MG/KG	0.005	0.005	U			I
BENZENE	0005	S	MG/KG	0.005	0.005	U			I
BENZENE	1003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.78	2.3		2.3	J	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.77	0.087	J			I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)ANTHRACENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.78	2.3		2.3	J	I
BENZO(A)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)PYRENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.78	3.9		3.9	J	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(B)FLUORANTHENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.78	1.1		1.1	J	I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(G,H,I)PERYLENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(K)FLUORANTHENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
BENZOIC ACID	1003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZYL ALCOHOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BERYLLIUM	0001	S	MG/KG	.4	.67		0.67	J	I
BERYLLIUM	0002	S	MG/KG	.4	.66		0.66	J	I
BERYLLIUM	0003	S	MG/KG	.4	.71		0.71	J	I
BERYLLIUM	1003	S	MG/KG	.4	1.		1.	J	I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BETA-BHC	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BETA-BHC	0003	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	1003	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHYL)ETHER	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.78	1.5		1.5	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.77	0.53	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.81	0.87		0.87	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1003	S	MG/KG	0.85	3.		3.	J	I
BROMODICHLOROMETHANE	1003	S	MG/KG	0.011	0.011	U			D
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0004	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0005	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	1003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1003	S	MG/KG	0.011	0.011	U			D
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0004	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0005	S	MG/KG	0.005	0.005	U			I
BROMOFORM	1003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	1003	S	MG/KG	0.021	0.021	U			D

APPENDIX A
Location: MND33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0004	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0005	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1003	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BUTYL BENZYL PHTHALATE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.4	4.9		4.9	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.4	3.1				I
CADMIUM, TOTAL	0003	S	MG/KG	.4	3.2				I
CADMIUM, TOTAL	1003	S	MG/KG	.4	3.3				I
CALCIUM, TOTAL	0001	S	MG/KG	4.	127000.				I
CALCIUM, TOTAL	0002	S	MG/KG	4.	54900.				I
CALCIUM, TOTAL	0003	S	MG/KG	4.	44000.				I
CALCIUM, TOTAL	1003	S	MG/KG	4.	33900.				I
CARBON DISULFIDE	1003	S	MG/KG	0.011	0.011	U			D
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0004	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0005	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	1003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1003	S	MG/KG	0.011	0.011	U			D
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0004	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0005	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	1003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1003	S	MG/KG	0.011	0.011	U			D
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0004	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0005	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	1003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	1003	S	MG/KG	0.021	0.021	U			D
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0005	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1003	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	1003	S	MG/KG	0.011	0.011	U			D
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0004	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0005	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	1003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	1003	S	MG/KG	0.021	0.021	U			D
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.012	0.012	U			I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROMETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0005	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1003	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	2.	33.4		33.4	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	2.	27.6				I
CHROMIUM, TOTAL	0003	S	MG/KG	2.	21.3				I
CHROMIUM, TOTAL	1003	S	MG/KG	2.	25.3				I
CHRYSENE	0001	S	MG/KG	0.78	4.		4.	J	I
CHRYSENE	0002	S	MG/KG	0.77	0.18	J			I
CHRYSENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
CHRYSENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	8.9	B	8.9	J	I
COBALT, TOTAL	0002	S	MG/KG	2.	14.2				I
COBALT, TOTAL	0003	S	MG/KG	2.	11.7	B			I
COBALT, TOTAL	1003	S	MG/KG	2.	16.7				I
COPPER, TOTAL	0001	S	MG/KG	2.	41.4		41.4	J	I
COPPER, TOTAL	0002	S	MG/KG	2.	22.9				I
COPPER, TOTAL	0003	S	MG/KG	2.	17.4				I
COPPER, TOTAL	1003	S	MG/KG	2.	24.2				I
CYANIDE	0001	S	MG/KG	.4	.22	B	0.22	J	I
CYANIDE	0002	S	MG/KG	.12	.12	U	0.12	UJ	I
CYANIDE	0003	S	MG/KG	.4	.16	B	0.16	J	I
CYANIDE	1003	S	MG/KG	.4	.19	B	0.19	J	I
DELTA-BHC	0001	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DELTA-BHC	0002	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	I
DELTA-BHC	1003	S	MG/KG	0.0078	0.0078	U	0.0078	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-BUTYL PHTHALATE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-OCTYL PHTHALATE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.78	1.		1.	J	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZO(A,H)ANTHRACENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.78	0.24	J			I
DIBENZOFURAN	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZOFURAN	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DIBROMOCHLOROMETHANE	1003	S	MG/KG	0.011	0.011	U			D
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0004	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0005	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	1003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	1003	S	MG/KG	0.013	0.02		0.02	U	D
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.01	B	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.014	B	0.014	U	I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DICHLOROMETHANE-METHYLENE CHLORIDE	0004	S	MG/KG	0.005	0.003	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0005	S	MG/KG	0.005	0.021	B	0.021	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1003	S	MG/KG	0.013	0.015	B	0.015	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0003	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	1003	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIETHYL PHTHALATE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIMETHYL PHTHALATE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN I(ALPHA)	1003	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	1003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0186	0.0186	U	0.0186	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0195	0.0195	U	0.0195	UJ	I
ENDOSULFAN SULFATE	1003	S	MG/KG	0.0208	0.0208	U	0.0208	UJ	I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN	0003	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	1003	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0187	0.0187	U	0.0187	UJ	I
ENDRIN ALDEHYDE	1003	S	MG/KG	0.0199	0.0199	U	0.0199	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0186	0.0186	U	0.0186	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0195	0.0195	U	0.0195	UJ	I
ENDRIN KETONE	1003	S	MG/KG	0.0208	0.0208	U	0.0208	UJ	I
ETHYLBENZENE	1003	S	MG/KG	0.011	0.011	U			D
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0004	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0005	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	1003	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.78	5.6		5.6	J	I
FLUORANTHENE	0002	S	MG/KG	0.77	0.24	J			I
FLUORANTHENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORANTHENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
FLUORENE	0001	S	MG/KG	0.78	0.39	J			I
FLUORENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
FLUORENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I

APPENDIX A
Location: MND33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
GAMMA CHLORDANE	0001	S	MG/KG	0.0109	0.0109	U	0.0109	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
GAMMA CHLORDANE	1003	S	MG/KG	0.0121	0.0121	U	0.0121	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	1003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	1003	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEPTACHLOR EPOXIDE	1003	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBENZENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBUTADIENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROCYCLOPENTADIENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROETHANE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.78	1.3		1.3	J	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
INDENO(1,2,3-CD)PYRENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
IRON, TOTAL	0001	S	MG/KG	2.	11500.				I
IRON, TOTAL	0002	S	MG/KG	2.	22600.		22600.	J	I
IRON, TOTAL	0003	S	MG/KG	2.	16100.		16100.	J	I
IRON, TOTAL	1003	S	MG/KG	2.	29700.		29700.	J	I
ISOPHORONE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ISOPHORONE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ISOPHORONE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ISOPHORONE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.4	14.5				I
LEAD, TOTAL	0002	S	MG/KG	.4	7.3				I
LEAD, TOTAL	0003	S	MG/KG	.4	8.2				I
LEAD, TOTAL	1003	S	MG/KG	.4	11.4				I
MAGNESIUM, TOTAL	0001	S	MG/KG	10.	27800.				I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MAGNESIUM, TOTAL	0002	S	MG/KG	10.	12700.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	10.	14100.				I
MAGNESIUM, TOTAL	1003	S	MG/KG	10.	10600.				I
MANGANESE, TOTAL	0001	S	MG/KG	.4	323.		323.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.4	412.		412.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.4	718.		718.	J	I
MANGANESE, TOTAL	1003	S	MG/KG	.4	862.		862.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.04	.49				I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12				I
MERCURY, TOTAL	0003	S	MG/KG	.12	.12				I
MERCURY, TOTAL	1003	S	MG/KG	.13	.13				I
METHOXYCHLOR	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0929	0.0929	U	0.0929	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.0977	0.0977	U	0.0977	UJ	I
METHOXYCHLOR	1003	S	MG/KG	0.104	0.104	U	0.104	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSODIPHENYLAMINE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.78	0.13	J			I
NAPHTHALENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NAPHTHALENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	4.	21.7		21.7	J	I
NICKEL, TOTAL	0002	S	MG/KG	4.	27.1				I
NICKEL, TOTAL	0003	S	MG/KG	4.	22.9				I
NICKEL, TOTAL	1003	S	MG/KG	4.	25.6				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NITROBENZENE	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NITROBENZENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NITROBENZENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.9	3.9	U	3.9	UJ	I
PENTACHLOROPHENOL	1003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.78	3.9		3.9	J	I
PHENANTHRENE	0002	S	MG/KG	0.77	0.17	J			I
PHENANTHRENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENANTHRENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
PHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	0002	S	MG/KG	0.77	0.77	U	0.77	UJ	I
PHENOL	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENOL	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	20.	749.	B			I
POTASSIUM, TOTAL	0002	S	MG/KG	20.	1350.				I
POTASSIUM, TOTAL	0003	S	MG/KG	20.	831.	B			I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
POTASSIUM, TOTAL	1003	S	MG/KG	20.	865.	B			I
PYRENE	0001	S	MG/KG	0.78	3.3		3.3	J	I
PYRENE	0002	S	MG/KG	0.77	0.17	J			I
PYRENE	0003	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PYRENE	1003	S	MG/KG	0.85	0.85	U	0.85	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.69	.69		0.69	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.69	.69		0.69	UJ	I
SELENIUM, TOTAL	0003	S	MG/KG	.71	.71		0.71	UJ	I
SELENIUM, TOTAL	1003	S	MG/KG	.74	.74		0.74	UJ	I
SILVER, TOTAL	0001	S	MG/KG	2.	17.4		17.4	J	I
SILVER, TOTAL	0002	S	MG/KG	2.	11.4				I
SILVER, TOTAL	0003	S	MG/KG	2.	10.				I
SILVER, TOTAL	1003	S	MG/KG	2.	8.6				I
SODIUM, TOTAL	0001	S	MG/KG	20.	276.	B			I
SODIUM, TOTAL	0002	S	MG/KG	20.	218.	B			I
SODIUM, TOTAL	0003	S	MG/KG	20.	269.	B			I
SODIUM, TOTAL	1003	S	MG/KG	20.	282.	B			I
STYRENE	1003	S	MG/KG	0.011	0.011	U			D
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	0004	S	MG/KG	0.005	0.005	U			I
STYRENE	0005	S	MG/KG	0.005	0.005	U			I
STYRENE	1003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1003	S	MG/KG	0.011	0.011	U			D
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	1003	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.46	.46		0.46	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.46	.46		0.46	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.47	.47		0.47	UJ	I
THALLIUM, TOTAL	1003	S	MG/KG	.49	.49		0.49	UJ	I
TOLUENE	1003	S	MG/KG	0.011	0.011	U			D
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOLUENE	0004	S	MG/KG	0.005	0.005	U			I
TOLUENE	0005	S	MG/KG	0.005	0.002	J			I
TOLUENE	1003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1003	S	MG/KG	0.011	0.011	U			D
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0004	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MWD33-0105
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0005	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	1003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1879	0.1879	U	0.1879	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1858	0.1858	U	0.1858	UJ	I
TOXAPHENE	0003	S	MG/KG	0.1954	0.1954	U	0.1954	UJ	I
TOXAPHENE	1003	S	MG/KG	0.2081	0.2081	U	0.2081	UJ	I
TRICHLOROETHENE	1003	S	MG/KG	0.011	0.011	U			D
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	1003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	2.	22.4		22.4	J	I
VANADIUM, TOTAL	0002	S	MG/KG	2.	22.				I
VANADIUM, TOTAL	0003	S	MG/KG	2.	23.7				I
VANADIUM, TOTAL	1003	S	MG/KG	2.	35.2		24.8	J	I
VANADIUM, TOTAL	1003	S	MG/KG	2.	35.2				I
VINYL ACETATE	1003	S	MG/KG	0.021	0.021	U			D
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U	0.012	UJ	I
VINYL ACETATE	0003	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0004	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0005	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1003	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	1003	S	MG/KG	0.021	0.021	U			D
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0004	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0005	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1003	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	1.	110.		110.	J	I
ZINC, TOTAL	0002	S	MG/KG	1.	49.9		49.9	J	I
ZINC, TOTAL	0003	S	MG/KG	1.	36.5		36.5	J	I
ZINC, TOTAL	1003	S	MG/KG	1.	54.5		54.5	J	I

APPENDIX A
Location: MWD33-0106
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.75	0.1	JB	0.1	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.74	0.11	JB	0.76	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.079	J			I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.076	J			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I

APPENDIX A
Location: MND33-0106
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.75	0.11	JB	0.11	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.74	0.14	JB	0.76	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U			I X
3-NITROANILINE	1001	S	MG/KG	3.6	3.6	U			I X
4,4'-DDD	0001	S	MG/KG	0.0085	0.0085	U	0.0085	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0106
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.75	0.081	J			I
ACENAPHTHENE	1001	S	MG/KG	0.74	0.078	J			I
ACENAPHTHYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.004	JB	0.005	U	I
ACETONE	0002	S	MG/KG	0.011	0.003	JB	0.005	U	I
ACETONE	1001	S	MG/KG	0.011	0.007	JB	0.007	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	4640.	•			I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	4420.	•			I
ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	33.		33.	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	32.4		32.4	J	I
AROCLOR-1016	0001	S	MG/KG	0.0932	0.0932	U	0.0932	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.0916	0.0916	U	0.0916	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0932	0.0932	U	0.0932	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.0916	0.0916	U	0.0916	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0932	0.0932	U	0.0932	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.0916	0.0916	U	0.0916	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0932	0.0932	U	0.0932	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.0916	0.0916	U	0.0916	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0932	0.0932	U	0.0932	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.0916	0.0916	U	0.0916	UJ	I

APPENDIX A
Location: MWD33-0106
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1254	0001	S	MG/KG	0.1864	0.1864	U	0.1864	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.1833	0.1833	U	0.1833	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1864	0.1864	U	0.1864	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.1833	0.1833	U	0.1833	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.8		3.8	UJ	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	3.7		3.7	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	22.6	B			I
BARIUM, TOTAL	1001	S	MG/KG	.2	24.3	B			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.67	B	.67	J	I
BERYLLIUM	1001	S	MG/KG	.2	.65	B	.65	J	I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BETA-BHC	1001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0106
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	6.1		6.1	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.2	5.9		5.9	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	108000.	*			I
CALCIUM, TOTAL	1001	S	MG/KG	2.	106000.	*			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	S	MG/KG	.5	15.6				I
CHLORIDE	1001	S	MG/KG	.5	15.1				I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	26.1		26.1	J	I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	25.4		25.4	J	I
CHRYSENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
CHRYSENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	8.6	B	8.6	J	I
COBALT, TOTAL	1001	S	MG/KG	1.	9.5	B	9.5	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	15.5		15.5	J	I
COPPER, TOTAL	1001	S	MG/KG	1.	16.5		16.5	J	I
CYANIDE	0001	S	MG/KG	.2	.31		.31	J	I
CYANIDE	1001	S	MG/KG	.2	.29		.29	J	I
DELTA-BHC	0001	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0106
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.01	B	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.008	B	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.014	B	0.014	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	1001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0186	0.0186	U	0.0186	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0183	0.0183	U	0.0183	UJ	I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN	1001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0186	0.0186	U	0.0186	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.0183	0.0183	U	0.0183	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0108	0.0108	U	0.0108	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MWD33-0106
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROETHANE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	10400.	*			I
IRON, TOTAL	1001	S	MG/KG	1.	10600.	*			I
ISOPHORONE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ISOPHORONE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	6.		6.	J	I
LEAD, TOTAL	1001	S	MG/KG	.2	5.2		5.2	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	47000.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	45000.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	195.				I
MANGANESE, TOTAL	1001	S	MG/KG	.2	227.				I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	1001	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0932	0.0932	U	0.0932	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.0916	0.0916	U	0.0916	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	23.8		23.8	J	I
NICKEL, TOTAL	1001	S	MG/KG	2.	24.6		24.6	J	I
NITRATE	0001	S	MG/KG	.1	1.07				I
NITRATE	1001	S	MG/KG	1.	1.	U			I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NITROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	765.	B			I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	755.	B			I
PYRENE	0001	S	MG/KG	0.75	0.12	JB	0.12	UJ	I
PYRENE	1001	S	MG/KG	0.74	0.099	JB	0.099	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I

APPENDIX A
Location: MWD33-0106
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	0001	S	MG/KG	.67	.67	U			I
SELENIUM, TOTAL	1001	S	MG/KG	.67	.67	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	16.6		16.6	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	16.2		16.2	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	187.	B	187.	J	I
SODIUM, TOTAL	1001	S	MG/KG	10.	198.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44	U			I
THALLIUM, TOTAL	1001	S	MG/KG	.45	.45	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.1864	0.1864	U	0.1864	UJ	I
TOXAPHENE	1001	S	MG/KG	0.1833	0.1833	U	0.1833	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TRITIUM	0001	S	PCI/G	50.	50.	U	1.917	U	I
TRITIUM	1001	S	PCI/G	50.	50.	U	1.907	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.2		25.2	J	I
VANADIUM, TOTAL	1001	S	MG/KG	1.	24.4		24.4	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	37.9	*			I
ZINC, TOTAL	1001	S	MG/KG	.5	34.	*	34.	J	I

APPENDIX A
Location: MWD33-0107
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I

APPENDIX A
Location: MWD33-0107
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U			I X
4,4'-DDD	0001	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0252	0.0252	U	0.0252	UJ	D
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	D
4,4'-DDT	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0276	0.0276	U	0.0276	UJ	D
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.012	B	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	D
ALPHA CHLORDANE	0001	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0321	0.0321	U	0.0321	UJ	D
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	D
ALUMINUM, TOTAL	0001	S	MG/KG	6.	6540.	*			I
ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	19.1		19.1	J	I
AROCLOR-1016	0001	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1016	0001	S	MG/KG	0.2764	0.2764	U	0.2764	UJ	D
AROCLOR-1221	0001	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.2764	0.2764	U	0.2764	UJ	D
AROCLOR-1232	0001	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.2764	0.2764	U	0.2764	UJ	D
AROCLOR-1242	0001	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.2764	0.2764	U	0.2764	UJ	D
AROCLOR-1248	0001	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.2764	0.2764	U	0.2764	UJ	D

APPENDIX A
Location: MWD33-0107
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1254	0001	S	MG/KG	0.1843	0.1843	U	0.1843	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.5528	0.5528	U	0.5528	UJ	D
AROCLOR-1260	0001	S	MG/KG	0.1843	0.1843	U	0.1843	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.5528	0.5528	U	0.5528	UJ	D
ARSENIC, TOTAL	0001	S	MG/KG	.2	1.		1.	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	31.9	B			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.7	B			I
BETA-BHC	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BETA-BHC	0001	S	MG/KG	0.0138	0.0138	U	0.0138	UJ	D
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	2.6		2.6	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	78900.	•			I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	S	MG/KG	.5	7.9				I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	26.2				I

APPENDIX A
Location: MND33-0107
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	11.2				I
COPPER, TOTAL	0001	S	MG/KG	1.	17.3				I
CYANIDE	0001	S	MG/KG	0.	0.		0.	J	I
DELTA-BHC	0001	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0207	0.0207	U	0.0207	UJ	D
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.009	B	0.01	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	D
DIETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0276	0.0276	U	0.0276	UJ	D
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	D
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0553	0.0553	U	0.0553	UJ	D
ENDRIN	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN	0001	S	MG/KG	0.0138	0.0138	U	0.0138	UJ	D
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0529	0.0529	U	0.0529	UJ	D
ENDRIN KETONE	0001	S	MG/KG	0.0184	0.0184	U	0.0184	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0553	0.0553	U	0.0553	UJ	D
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0107	0.0107	U	0.0107	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0321	0.0321	U	0.0321	UJ	D
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	D
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	D
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0276	0.0276	U	0.0276	UJ	D
HEXACHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I

APPENDIX A
Location: MND33-0107
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	16100.	*	16100.	J	I
ISOPHORONE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	6.		6.	J	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	19500.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	377.				I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.0921	0.0921	U	0.0921	UJ	I
METHOXYCHLOR	0001	S	MG/KG	0.2764	0.2764	U	0.2764	UJ	D
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	25.1				I
NITRATE	0001	S	MG/KG	1.	1.	U			I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	691.	B			I
PYRENE	0001	S	MG/KG	0.76	0.76	U	0.076	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.68	.68	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	13.9				I
SODIUM, TOTAL	0001	S	MG/KG	10.	123.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.2	.93		.93	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0107
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOXAPHENE	0001	S	MG/KG	0.1843	0.1843	U	0.1843	UJ	I
TOXAPHENE	0001	S	MG/KG	0.5528	0.5528	U	0.5528	UJ	D
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRITIUM	0001	S	PCI/G	50.	50.	U	1.911	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	24.2				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	40.4	*			I

APPENDIX A
Location: MWD33-0109
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-BUTANONE	0002	S	MG/KG	0.012	0.003	J			I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROANILINE	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0002	S	MG/KG	4.1	4.1	U			I X
4,4'-DDD	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0271	0.0271	U	0.0271	UJ	D
4,4'-DDE	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I

APPENDIX A
Location: MWD33-0109
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,4'-DDE	0002	S	MG/KG	0.01	0.01	U	0.01	UJ	D
4,4'-DDT	0002	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0297	0.0297	U	0.0297	UJ	D
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-NITROANILINE	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACETONE	0002	S	MG/KG	0.012	0.017	B	0.005	U	I
ALDRIN	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	0002	S	MG/KG	0.01	0.01	U	0.01	UJ	D
ALPHA CHLORDANE	0002	S	MG/KG	0.0115	0.0115	U	0.0115	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0346	0.0346	U	0.0346	UJ	D
ALPHA-BHC	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	D
ALUMINUM, TOTAL	0002	S	MG/KG	12.	8780.				I
ANTHRACENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTIMONY, TOTAL	0002	S	MG/KG	6.	13.		13.0	J	I
AROCLOR-1016	0002	S	MG/KG	0.0991	0.0991	U	0.0991	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.2973	0.2973	U	0.2973	UJ	D
AROCLOR-1221	0002	S	MG/KG	0.0991	0.0991	U	0.0991	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.2973	0.2973	U	0.2973	UJ	D
AROCLOR-1232	0002	S	MG/KG	0.0991	0.0991	U	0.0991	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.2973	0.2973	U	0.2973	UJ	D
AROCLOR-1242	0002	S	MG/KG	0.0991	0.0991	U	0.0991	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.2973	0.2973	U	0.2973	UJ	D
AROCLOR-1248	0002	S	MG/KG	0.0991	0.0991	U	0.0991	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.2973	0.2973	U	0.2973	UJ	D
AROCLOR-1254	0002	S	MG/KG	0.1982	0.1982	U	0.1982	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.5946	0.5946	U	0.5946	UJ	D
AROCLOR-1260	0002	S	MG/KG	0.1982	0.1982	U	0.1982	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.5946	0.5946	U	0.5946	UJ	D
ARSENIC, TOTAL	0002	S	MG/KG	.4	1.9		1.9	J	I

APPENDIX A
Location: MWD33-0109
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BARIUM, TOTAL	0002	S	MG/KG	.4	24.9		24.9	J	I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZOIC ACID	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BERYLLIUM	0002	S	MG/KG	.4	.8		0.80	J	I
BETA-BHC	0002	S	MG/KG	0.005	0.005	U	0.005	UJ	I
BETA-BHC	0002	S	MG/KG	0.0149	0.0149	U	0.0149	UJ	D
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.84	0.11	J			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CADMIUM, TOTAL	0002	S	MG/KG	.4	3.7		3.7	J	I
CALCIUM, TOTAL	0002	S	MG/KG	4.	116000.				I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0002	S	MG/KG	2.	33.5		33.5	J	I
CHRYSENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
COBALT, TOTAL	0002	S	MG/KG	2.	13.2				I
COPPER, TOTAL	0002	S	MG/KG	2.	19.2		19.2	J	I
CYANIDE	0002	S	MG/KG	.4	.21	B	0.21	J	I
DELTA-BHC	0002	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I

APPENDIX A
Location: MWD33-0109
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DELTA-BHC	0002	S	MG/KG	0.0223	0.0223	U	0.0223	UJ	D
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.003	JB	0.006	U	I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0002	S	MG/KG	0.0048	0.0048	U	0.0048	UJ	D
DIETHYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0297	0.0297	U	0.0297	UJ	D
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.01	0.01	U	0.01	UJ	D
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0198	0.0198	U	0.0198	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0595	0.0595	U	0.0595	UJ	D
ENDRIN	0002	S	MG/KG	0.005	0.005	U	0.005	UJ	I
ENDRIN	0002	S	MG/KG	0.0149	0.0149	U	0.0149	UJ	D
ENDRIN ALDEHYDE	0002	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0569	0.0569	U	0.0569	UJ	D
ENDRIN KETONE	0002	S	MG/KG	0.0198	0.0198	U	0.0198	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0595	0.0595	U	0.0595	UJ	D
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0115	0.0115	U	0.0115	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0346	0.0346	U	0.0346	UJ	D
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.01	0.01	U	0.01	UJ	D
HEPTACHLOR	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	D
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0297	0.0297	U	0.0297	UJ	D
HEXACHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0109
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
IRON, TOTAL	0002	S	MG/KG	2.	18900.		18900.	J	I
ISOPHORONE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
LEAD, TOTAL	0002	S	MG/KG	.4	6.9				I
MAGNESIUM, TOTAL	0002	S	MG/KG	10.	16300.				I
MANGANESE, TOTAL	0002	S	MG/KG	.4	454.		454.	J	I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12				I
METHOXYCHLOR	0002	S	MG/KG	0.0991	0.0991	U	0.0991	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.2973	0.2973	U	0.2973	UJ	D
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NICKEL, TOTAL	0002	S	MG/KG	4.	24.3		24.3	J	I
NITROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
POTASSIUM, TOTAL	0002	S	MG/KG	20.	1440.				I
PYRENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.73	.73		0.73	UJ	I
SILVER, TOTAL	0002	S	MG/KG	2.	17.2		17.2	J	I
SODIUM, TOTAL	0002	S	MG/KG	20.	278.	B			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.48	.48		0.48	UJ	I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0002	S	MG/KG	0.1982	0.1982	U	0.1982	UJ	I
TOXAPHENE	0002	S	MG/KG	0.5946	0.5946	U	0.5946	UJ	D
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0002	S	MG/KG	2.	24.8		24.8	J	I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0002	S	MG/KG	1.	42.		42.0	J	I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	84.				I
% SOLIDS	0002	S	% SOLIDS	-	90.9				I
% SOLIDS	0003	S	% SOLIDS	-	89.4				I
% SOLIDS	1002	S	% SOLIDS	-	89.7				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.14	.14	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.22	.22	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0003	S	NG/G	.13	.13	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	1002	S	NG/G	.2	.2	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0004	S	NG/G	.48	.48	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0005	S	NG/G	.34	.34	U			I
1,2,3,4,6,7,8-HpCDD	0001	S	NG/G	.16	.16	U			I
1,2,3,4,6,7,8-HpCDD	0002	S	NG/G	.13	.13	U			I
1,2,3,4,6,7,8-HpCDD	0003	S	NG/G	.16	.16	U			I
1,2,3,4,6,7,8-HpCDD	1002	S	NG/G	.21	.21	U			I
1,2,3,4,6,7,8-HpCDD	0004	S	NG/G	.21	.21	U			I
1,2,3,4,6,7,8-HpCDD	0005	S	NG/G	.36	.36	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.2	.2	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.31	.31	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0003	S	NG/G	.18	.18	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	1002	S	NG/G	.28	.28	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0004	S	NG/G	.67	.67	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0005	S	NG/G	.47	.47	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.23	.23	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.26	.26	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.13	.13	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	1002	S	NG/G	.23	.23	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0004	S	NG/G	.35	.35	U			I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0005	S	NG/G	.42	.42	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.13	.13	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.22	.22	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.065	.065	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	1002	S	NG/G	.25	.25	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0004	S	NG/G	.38	.38	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0005	S	NG/G	.35	.35	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.11	.11	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.19	.19	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.057	.057	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	1002	S	NG/G	.22	.22	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0004	S	NG/G	.33	.33	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0005	S	NG/G	.31	.31	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.18	.18	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.21	.21	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.11	.11	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	1002	S	NG/G	.18	.18	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0004	S	NG/G	.28	.28	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0005	S	NG/G	.33	.33	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.19	.19	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.22	.22	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.11	.11	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	1002	S	NG/G	.19	.19	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0004	S	NG/G	.51	.51	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0005	S	NG/G	.35	.35	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.15	.15	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.25	.25	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.075	.075	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	1002	S	NG/G	.28	.28	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0004	S	NG/G	.44	.44	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0005	S	NG/G	.4	.4	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	S	NG/G	.21	.21	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0002	S	NG/G	.24	.24	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0003	S	NG/G	.23	.23	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	1002	S	NG/G	.2	.2	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0004	S	NG/G	.73	.73	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0005	S	NG/G	.4	.4	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.12	.12	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.32	.32	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0003	S	NG/G	.082	.082	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	1002	S	NG/G	.27	.27	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0004	S	NG/G	.27	.27	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0005	S	NG/G	.28	.28	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2-DICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0004	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0005	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0004	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0005	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0004	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0005	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.14	.14	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.23	.23	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.068	.068	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	1002	S	NG/G	.25	.25	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0004	S	NG/G	.4	.4	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0005	S	NG/G	.36	.36	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.13	.13	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.35	.35	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0003	S	NG/G	.081	.081	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	1002	S	NG/G	.29	.29	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0004	S	NG/G	.29	.29	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0005	S	NG/G	.31	.31	U			I
2,3,7,8-TCDD	0001	S	NG/G	.041	.041	U			I
2,3,7,8-TCDD	0002	S	NG/G	.099	.099	U			I
2,3,7,8-TCDD	0003	S	NG/G	.031	.031	U			I
2,3,7,8-TCDD	1002	S	NG/G	.2	.2	U			I
2,3,7,8-TCDD	0004	S	NG/G	.24	.24	U			I
2,3,7,8-TCDD	0005	S	NG/G	.18	.18	U			I
2,3,7,8-TCDF	0001	S	NG/G	.12	.12	U			I
2,3,7,8-TCDF	0002	S	NG/G	.18	.18	U			I
2,3,7,8-TCDF	0003	S	NG/G	.062	.062	U			I
2,3,7,8-TCDF	1002	S	NG/G	.023	.023	U			I
2,3,7,8-TCDF	0004	S	NG/G	.25	.25	U			I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,3,7,8-TCDF	0005	S	NG/G	.38	.38	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	1002	S	MG/KG	4.6	4.6	U	4.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	1002	S	MG/KG	4.6	4.6	U	4.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.001	J			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0004	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0005	S	MG/KG	0.011	0.001	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0004	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0005	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	1002	S	MG/KG	4.6	4.6	U	4.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	1002	S	MG/KG	1.9	1.9	U	1.9	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	1002	S	MG/KG	4.6	4.6	U	4.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	1002	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	1002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	1002	S	MG/KG	4.6	4.6	U	4.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.002	J	0.01	U	I
4-METHYL-2-PENTANONE	1002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0004	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0005	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	1002	S	MG/KG	4.6	4.6	U	4.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	1002	S	MG/KG	4.6	4.6	U	4.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.006	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.011	0.007	JB	0.01	U	I
ACETONE	0003	S	MG/KG	0.011	0.008	JB	0.01	U	I
ACETONE	1002	S	MG/KG	0.011	0.01	JB	0.01	U	I
ACETONE	0004	S	MG/KG	0.011	0.006	JB	0.01	U	I
ACETONE	0005	S	MG/KG	0.011	0.011	B	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
ALPHA CHLORDANE	1002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	1002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	8790.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	3950.				I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	4410.				I
ALUMINUM, TOTAL	1002	S	MG/KG	6.	4020.				I
ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	16.3		16.3	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	26.3		26.3	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	28.4		28.4	J	I
ANTIMONY, TOTAL	1002	S	MG/KG	3.	29.3		29.3	J	I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1016	0001	S	MG/KG	0.0982	0.0982	U	0.0982	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1016	1002	S	MG/KG	0.0901	0.0901	U	0.0901	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0982	0.0982	U	0.0982	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1221	1002	S	MG/KG	0.0901	0.0901	U	0.0901	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0982	0.0982	U	0.0982	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1232	1002	S	MG/KG	0.0901	0.0901	U	0.0901	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0982	0.0982	U	0.0982	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1242	1002	S	MG/KG	0.0901	0.0901	U	0.0901	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0982	0.0982	U	0.0982	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1248	1002	S	MG/KG	0.0901	0.0901	U	0.0901	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1964	0.1964	U	0.1964	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1813	0.1813	U	0.1813	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.1816	0.1816	U	0.1816	UJ	I
AROCLOR-1254	1002	S	MG/KG	0.1802	0.1802	U	0.1802	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1964	0.1964	U	0.1964	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1813	0.1813	U	0.1813	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.1816	0.1816	U	0.1816	UJ	I
AROCLOR-1260	1002	S	MG/KG	0.1802	0.1802	U	0.1802	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	10.		10.0	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	4.1		4.1	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	3.7		3.7	J	I
ARSENIC, TOTAL	1002	S	MG/KG	.2	5.		5.0	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	74.8		74.8	J	I
BARIUM, TOTAL	0002	S	MG/KG	.2	33.5		33.5	J	I
BARIUM, TOTAL	0003	S	MG/KG	.2	26.1		26.1	J	I
BARIUM, TOTAL	1002	S	MG/KG	.2	31.3		31.3	J	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	1002	S	MG/KG	0.006	0.006	U			I
BENZENE	0004	S	MG/KG	0.005	0.005	U			I
BENZENE	0005	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	1002	S	MG/KG	4.6	4.6	U	4.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.77		0.77	J	I
BERYLLIUM	0002	S	MG/KG	.2	.6		0.60	J	I
BERYLLIUM	0003	S	MG/KG	.2	.61		0.61	J	I
BERYLLIUM	1002	S	MG/KG	.2	.62		0.62	J	I
BETA-BHC	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	1002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.79	0.14	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.74	0.078	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.74	0.25	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1002	S	MG/KG	0.96	0.5	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0004	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0005	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0004	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0005	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MND33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0004	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0005	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	4.2				I
CADMIUM, TOTAL	0002	S	MG/KG	.2	5.7		5.7	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.2	6.1		6.1	J	I
CADMIUM, TOTAL	1002	S	MG/KG	.2	6.1		6.1	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	52500.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	118000.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	105000.				I
CALCIUM, TOTAL	1002	S	MG/KG	2.	104000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U	0.005	UJ	I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1002	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CARBON DISULFIDE	0004	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0005	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0004	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0005	S	MG/KG	0.005	0.005	U			I
CESIUM-137	0001	S	PCI/G	.1	.0297	U	.0297	UJ	I
CESIUM-137	0002	S	PCI/G	.1	.0335	U	.0335	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0004	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0005	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0005	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0004	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0005	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0005	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	26.5				I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHROMIUM, TOTAL	0002	S	MG/KG	1.	25.3		25.3	J	I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	25.2		25.2	J	I
CHROMIUM, TOTAL	1002	S	MG/KG	1.	24.6		24.6	J	I
CHRYSENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
CHRYSENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	12.3				I
COBALT, TOTAL	0002	S	MG/KG	1.	8.9	B	8.9	J	I
COBALT, TOTAL	0003	S	MG/KG	1.	7.8	B	7.8	J	I
COBALT, TOTAL	1002	S	MG/KG	1.	9.4	B	9.4	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	20.9				I
COPPER, TOTAL	0002	S	MG/KG	1.	17.7		17.7	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	17.2		17.2	J	I
COPPER, TOTAL	1002	S	MG/KG	1.	17.8		17.8	J	I
CYANIDE	0001	S	MG/KG	.4	.2	B	0.20	J	I
CYANIDE	0002	S	MG/KG	.4	.12	B	0.12	J	I
CYANIDE	0003	S	MG/KG	.11	.11	U	0.11	UJ	I
CYANIDE	1002	S	MG/KG	.11	.11	U	0.11	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	1002	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0004	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0005	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.003	JB	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.003	JB	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1002	S	MG/KG	0.006	0.003	JB	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0004	S	MG/KG	0.005	0.005	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0005	S	MG/KG	0.005	0.01	B	0.01	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0003	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIELDRIN	1002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	1002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDOSULFAN SULFATE	1002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	1002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDRIN ALDEHYDE	1002	S	MG/KG	0.0172	0.0172	U	0.0172	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDRIN KETONE	1002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0004	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0005	S	MG/KG	0.005	0.005	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.	32.		34.8	U	I
EXTRACTABLE HYD AS DIESEL FUEL	0002	S	MG/KG	5.	5.	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0003	S	MG/KG	5.	5.	U			I
EXTRACTABLE HYD AS DIESEL FUEL	1002	S	MG/KG	5.	5.	U			I
FLUORANTHENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
FLUORENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
FLUORENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0114	0.0114	U	0.0114	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
GAMMA CHLORDANE	0003	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
GAMMA CHLORDANE	1002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	1002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	1002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLOR EPOXIDE	1002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.16	.16	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.18	.18	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.16	.16	U			I
HEPTACHLORODIBENZO-P-DIOXIN	1002	S	NG/G	.21	.21	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	.51	.51	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.36	.36	U			I
HEPTACHLORODIBENZOFURAN	0001	S	NG/G	.17	.17	U			I
HEPTACHLORODIBENZOFURAN	0002	S	NG/G	.26	.26	U			I
HEPTACHLORODIBENZOFURAN	0003	S	NG/G	.15	.15	U			I
HEPTACHLORODIBENZOFURAN	1002	S	NG/G	.23	.23	U			I
HEPTACHLORODIBENZOFURAN	0004	S	NG/G	.56	.56	U			I
HEPTACHLORODIBENZOFURAN	0005	S	NG/G	.39	.39	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.72	.72	U			I
HEXACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.23	.23	U			I
HEXACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.12	.12	U			I
HEXACHLORODIBENZO-P-DIOXIN	1002	S	NG/G	.2	.2	U			I
HEXACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	.53	.53	U			I
HEXACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.36	.36	U			I
HEXACHLORODIBENZOFURAN	0001	S	NG/G	.18	.18	U			I
HEXACHLORODIBENZOFURAN	0002	S	NG/G	.22	.22	U			I
HEXACHLORODIBENZOFURAN	0003	S	NG/G	.18	.18	U			I
HEXACHLORODIBENZOFURAN	1002	S	NG/G	.25	.25	U			I
HEXACHLORODIBENZOFURAN	0004	S	NG/G	.38	.38	U			I
HEXACHLORODIBENZOFURAN	0005	S	NG/G	.35	.35	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	19800.		19800.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	9800.				I
IRON, TOTAL	0003	S	MG/KG	1.	9910.				I
IRON, TOTAL	1002	S	MG/KG	1.	11600.		11600.	J	I
ISOPHORONE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
ISOPHORONE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	12.8				I
LEAD, TOTAL	0002	S	MG/KG	.2	5.4				I
LEAD, TOTAL	0003	S	MG/KG	.2	4.9				I
LEAD, TOTAL	1002	S	MG/KG	.2	5.1				I
LITHIUM, TOTAL	0001	S	MG/KG	5.	7.	*			I
LITHIUM, TOTAL	0002	S	MG/KG	5.	6.	*			I
LITHIUM, TOTAL	0003	S	MG/KG	5.	6.6	*			I
LITHIUM, TOTAL	1002	S	MG/KG	5.	6.6	*			I
LITHIUM, TOTAL	0004	S	MG/KG	5.	21.4	*			I
LITHIUM, TOTAL	0005	S	MG/KG	5.	23.7	*			I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	21800.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	39000.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	43400.				I
MAGNESIUM, TOTAL	1002	S	MG/KG	5.	43600.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	481.		481.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	278.		278.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.2	182.		182.	J	I
MANGANESE, TOTAL	1002	S	MG/KG	.2	236.		236.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11				I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11				I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11				I
MERCURY, TOTAL	1002	S	MG/KG	.11	.11				I
METHOXYCHLOR	0001	S	MG/KG	0.0982	0.0982	U	0.0982	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0906	0.0906	U	0.0906	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
METHOXYCHLOR	1002	S	MG/KG	0.0901	0.0901	U	0.0901	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	29.5				I
NICKEL, TOTAL	0002	S	MG/KG	2.	25.3		25.3	J	I
NICKEL, TOTAL	0003	S	MG/KG	2.	23.4		23.4	J	I
NICKEL, TOTAL	1002	S	MG/KG	2.	25.		25.0	J	I
NITRATE	0001	S	MG/KG	.1	.1	U			I

APPENDIX A
Location: MWD33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NITRITE AS NITROGEN	0001	S	MG/KG	.1	.1	U			I
NITROBENZENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
NITROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.14	.14	U			I
OCTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.21	.21	U			I
OCTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.2	.2	U			I
OCTACHLORODIBENZO-P-DIOXIN	1002	S	NG/G	.22	.22	U			I
OCTACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	1.3	1.3	U			I
OCTACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.51	.51	U			I
OCTACHLORODIBENZOFURAN	0001	S	NG/G	.13	.13	U			I
OCTACHLORODIBENZOFURAN	0002	S	NG/G	.24	.24	U			I
OCTACHLORODIBENZOFURAN	0003	S	NG/G	.14	.14	U			I
OCTACHLORODIBENZOFURAN	1002	S	NG/G	.22	.22	U			I
OCTACHLORODIBENZOFURAN	0004	S	NG/G	1.5	1.5	U			I
OCTACHLORODIBENZOFURAN	0005	S	NG/G	.37	.37	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.21	.21	U			I
PENTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.24	.24	U			I
PENTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.23	.23	U			I
PENTACHLORODIBENZO-P-DIOXIN	1002	S	NG/G	.2	.2	U			I
PENTACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	.73	.73	U			I
PENTACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.4	.4	U			I
PENTACHLORODIBENZOFURAN	0001	S	NG/G	.35	.35	U			I
PENTACHLORODIBENZOFURAN	0002	S	NG/G	.33	.33	U			I
PENTACHLORODIBENZOFURAN	0003	S	NG/G	.19	.19	U			I
PENTACHLORODIBENZOFURAN	1002	S	NG/G	.28	.28	U			I
PENTACHLORODIBENZOFURAN	0004	S	NG/G	.28	.28	U			I
PENTACHLORODIBENZOFURAN	0005	S	NG/G	.29	.29	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	1002	S	MG/KG	4.6	4.6	U	4.6	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	16.				I
PERCENT MOISTURE	0002	S	% MOIST	-	9.				I
PERCENT MOISTURE	0003	S	% MOIST	-	10.				I
PERCENT MOISTURE	1002	S	% MOIST	-	10.				I
PERCENT MOISTURE	0001	S	% MOIST	-	16.				I
PERCENT MOISTURE	0002	S	% MOIST	-	9.				I
PERCENT MOISTURE	0003	S	% MOIST	-	10.				I
PERCENT MOISTURE	1002	S	% MOIST	-	29.				I
PHENANTHRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
PHENOL	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1170.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	774.	B			I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	867.	B			I
POTASSIUM, TOTAL	1002	S	MG/KG	10.	773.	B			I
POTASSIUM-40	0001	S	PCI/G	.5	15.7				I
POTASSIUM-40	0002	S	PCI/G	.5	10.9				I

APPENDIX A
Location: MND33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PYRENE	0001	S	MG/KG	0.79	0.79	U	0.79	UJ	I
PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	1002	S	MG/KG	0.96	0.96	U	0.96	UJ	I
RADIUM-224	0001	S	PCI/G	.1	.849				I
RADIUM-224	0002	S	PCI/G	.1	.529				I
RADIUM-226	0001	S	PCI/G	.1	.901				I
RADIUM-226	0002	S	PCI/G	.1	.663				I
RADIUM-228	0001	S	PCI/G	.2	.685				I
RADIUM-228	0002	S	PCI/G	.2	.513				I
SELENIUM, TOTAL	0001	S	MG/KG	.71	.71		0.71	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.65	.65		0.65	UJ	I
SELENIUM, TOTAL	0003	S	MG/KG	.65	.65		0.65	UJ	I
SELENIUM, TOTAL	1002	S	MG/KG	.65	.65		0.65	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	11.5				I
SILVER, TOTAL	0002	S	MG/KG	1.	16.5		16.5	J	I
SILVER, TOTAL	0003	S	MG/KG	1.	16.		16.0	J	I
SILVER, TOTAL	1002	S	MG/KG	1.	15.9		15.9	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	143.	B			I
SODIUM, TOTAL	0002	S	MG/KG	10.	146.	B	146.	J	I
SODIUM, TOTAL	0003	S	MG/KG	10.	149.	B	149.	J	I
SODIUM, TOTAL	1002	S	MG/KG	10.	151.	B	151.	J	I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	1002	S	MG/KG	0.006	0.006	U			I
STYRENE	0004	S	MG/KG	0.005	0.005	U			I
STYRENE	0005	S	MG/KG	0.005	0.005	U			I
TETRACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.13	.13	U			I
TETRACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.14	.14	U			I
TETRACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.089	.089	U			I
TETRACHLORODIBENZO-P-DIOXIN	1002	S	NG/G	.14	.14	U			I
TETRACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	.25	.25	U			I
TETRACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.15	.15	U			I
TETRACHLORODIBENZOFURAN	0001	S	NG/G	.14	.14	U			I
TETRACHLORODIBENZOFURAN	0002	S	NG/G	.15	.15	U			I
TETRACHLORODIBENZOFURAN	0003	S	NG/G	.1	.1	U			I
TETRACHLORODIBENZOFURAN	1002	S	NG/G	.14	.14	U			I
TETRACHLORODIBENZOFURAN	0004	S	NG/G	.23	.23	U			I
TETRACHLORODIBENZOFURAN	0005	S	NG/G	.1	.1	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.2	.48		0.48	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.42	.42		0.42	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.44	.44		0.44	UJ	I
THALLIUM, TOTAL	1002	S	MG/KG	.43	.43		0.43	UJ	I
THORIUM-234	0001	S	PCI/G	.5	1.23				I
THORIUM-234	0002	S	PCI/G	.5	.739				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0110
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOLUENE	1002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0004	S	MG/KG	0.005	0.005	U			I
TOLUENE	0005	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0004	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0005	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.1964	0.1964	U	0.1964	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1813	0.1813	U	0.1813	UJ	I
TOXAPHENE	0003	S	MG/KG	0.1816	0.1816	U	0.1816	UJ	I
TOXAPHENE	1002	S	MG/KG	0.1802	0.1802	U	0.1802	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.012				I
TRICHLOROETHENE	1002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	30.8				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	22.3		22.3	J	I
VANADIUM, TOTAL	0003	S	MG/KG	1.	23.5		23.5	J	I
VANADIUM, TOTAL	1002	S	MG/KG	1.	22.7		22.7	J	I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0004	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0005	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0004	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0005	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	56.9		56.9	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	33.3		33.3	J	I
ZINC, TOTAL	0003	S	MG/KG	.5	34.3		34.3	J	I
ZINC, TOTAL	1002	S	MG/KG	.5	36.6		36.6	J	I

APPENDIX A
Location: MWD33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.083	.083	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.14	.14	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0003	S	NG/G	.33	.33	U			I
1,2,3,4,6,7,8-HpCDD	0001	S	NG/G	.16	.16	U			I
1,2,3,4,6,7,8-HpCDD	0002	S	NG/G	.18	.18	U			I
1,2,3,4,6,7,8-HpCDD	0003	S	NG/G	.18	.18	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.2	.2	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.19	.19	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0003	S	NG/G	.47	.47	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.28	.28	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.16	.16	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.22	.22	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.062	.062	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.21	.21	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.17	.17	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.06	.06	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.18	.18	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.15	.15	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.22	.22	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.13	.13	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.18	.18	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.23	.23	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.3	.3	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.18	.18	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.16	.16	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.24	.24	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.19	.19	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	S	NG/G	.08	.08	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0002	S	NG/G	.22	.22	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0003	S	NG/G	.47	.47	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.054	.054	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.1	.1	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0003	S	NG/G	.15	.15	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MWD33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.085	.085	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.22	.22	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.18	.18	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.058	.058	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.11	.11	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0003	S	NG/G	.16	.16	U			I
2,3,7,8-TCDD	0001	S	NG/G	.3	.3	U			I
2,3,7,8-TCDD	0002	S	NG/G	.19	.19	U			I
2,3,7,8-TCDD	0003	S	NG/G	.18	.18	U			I
2,3,7,8-TCDF	0001	S	NG/G	.13	.13	U			I
2,3,7,8-TCDF	0002	S	NG/G	.091	.091	U			I
2,3,7,8-TCDF	0003	S	NG/G	.24	.24	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I

APPENDIX A
Location: MWD33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0081	0.0081	U	0.0081	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I

APPENDIX A
Location: MND33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.003	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.011	0.011	U			I
ACETONE	0003	S	MG/KG	0.011	0.005	JB	0.01	U	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	0002	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ALDRIN	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0103	0.0103	U	0.0103	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	2260.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	3680.				I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	3650.				I
ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTHRACENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	36.2		36.2	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	26.8		26.8	J	I

APPENDIX A
Location: MWD33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTIMONY, TOTAL	0003	S	MG/KG	3.	28.4		28.4	J	I
AROCLOR-1016	0001	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.0884	0.0884	U	0.0884	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.0884	0.0884	U	0.0884	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.0884	0.0884	U	0.0884	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.0884	0.0884	U	0.0884	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.0884	0.0884	U	0.0884	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.1797	0.1797	U	0.1797	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.1769	0.1769	U	0.1769	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.1817	0.1817	U	0.1817	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.1797	0.1797	U	0.1797	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.1769	0.1769	U	0.1769	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.1817	0.1817	U	0.1817	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	4.8		4.8	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	3.9		3.9	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	3.5		3.5	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	24.5				I
BARIUM, TOTAL	0002	S	MG/KG	.2	29.8				I
BARIUM, TOTAL	0003	S	MG/KG	.2	39.2				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MND33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZYL ALCOHOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.6		.60	J	I
BERYLLIUM	0002	S	MG/KG	.2	.62		.62	J	I
BERYLLIUM	0003	S	MG/KG	.2	.6		.6	J	I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0002	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BETA-BHC	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.73	0.13	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.73	0.089	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.74	0.13	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	7.5		7.5	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	5.9		5.9	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.2	6.		6.0	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	131000.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	101000.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	104000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.005	0.005	U			I
CESIUM-137	0001	S	PCI/G	.1	.0208	U	.0208	UJ	I
CESIUM-137	0002	S	PCI/G	.1	.0389	U	.0389	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	24.9		24.9	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	24.3		24.3	J	I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	24.5		24.5	J	I
CHRYSENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CHRYSENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CHRYSENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	7.1		7.1	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	7.6		7.6	J	I
COBALT, TOTAL	0003	S	MG/KG	1.	8.4		8.4	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	16.8		16.8	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	15.7		15.7	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	16.6		16.6	J	I
CYANIDE	0001	S	MG/KG	.11	.11	U			I X
CYANIDE	0002	S	MG/KG	.1	.23				I X
CYANIDE	0003	S	MG/KG	.1	.24				I X
DELTA-BHC	0001	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0066	0.0066	U	0.0066	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.01	B	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.009	B	0.009	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.009	B	0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0003	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIMETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.0177	0.0177	U	0.0177	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0002	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0172	0.0172	U	0.0172	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0169	0.0169	U	0.0169	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.0177	0.0177	U	0.0177	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.005	0.005	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.	35.		38.1		I
EXTRACTABLE HYD AS DIESEL FUEL	0002	S	MG/KG	5.	5.	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0003	S	MG/KG	5.	7.		9.2		I
FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.0103	0.0103	U	0.0103	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0106	0.0106	U	0.0106	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0088	0.0088	U	0.0088	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.33	.33	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.18	.18	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.18	.18	U			I
HEPTACHLORODIBENZOFURAN	0001	S	NG/G	.16	.16	U			I
HEPTACHLORODIBENZOFURAN	0002	S	NG/G	.16	.16	U			I

APPENDIX A
Location: MWD33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLORODIBENZOFURAN	0003	S	NG/G	.39	.39	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.32	.32	U			I
HEXACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.31	.31	U			I
HEXACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.19	.19	U			I
HEXACHLORODIBENZOFURAN	0001	S	NG/G	.14	.14	U			I
HEXACHLORODIBENZOFURAN	0002	S	NG/G	.21	.21	U			I
HEXACHLORODIBENZOFURAN	0003	S	NG/G	.17	.17	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	6290.				I
IRON, TOTAL	0002	S	MG/KG	1.	9480.				I
IRON, TOTAL	0003	S	MG/KG	1.	9390.				I
ISOPHORONE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ISOPHORONE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ISOPHORONE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	5.6		5.6	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	5.8		5.8	J	I
LEAD, TOTAL	0003	S	MG/KG	.2	5.9		5.9	J	I
LITHIUM, TOTAL	0001	S	MG/KG	5.	12.2	*			I
LITHIUM, TOTAL	0002	S	MG/KG	5.	16.8	*			I
LITHIUM, TOTAL	0003	S	MG/KG	5.	14.6	*			I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	59300.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	43000.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	42500.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	208.		208.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	206.		206.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.2	204.		204.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11				I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11				I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11				I
METHOXYCHLOR	0001	S	MG/KG	0.0898	0.0898	U	0.0898	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.0884	0.0884	U	0.0884	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.0908	0.0908	U	0.0908	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MWD33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	20.5		20.5	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	22.1		22.1	J	I
NICKEL, TOTAL	0003	S	MG/KG	2.	21.8		21.8	J	I
NITROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NITROBENZENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NITROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	0.	.31				I
OCTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.3	.3	U			I
OCTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.27	.27	U			I
OCTACHLORODIBENZOFURAN	0001	S	NG/G	.17	.17	U			I
OCTACHLORODIBENZOFURAN	0002	S	NG/G	.39	.39	U			I
OCTACHLORODIBENZOFURAN	0003	S	NG/G	.4	.4	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.13	.13	U			I
PENTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.22	.22	U			I
PENTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.47	.47	U			I
PENTACHLORODIBENZOFURAN	0001	S	NG/G	.056	.056	U			I
PENTACHLORODIBENZOFURAN	0002	S	NG/G	.11	.11	U			I
PENTACHLORODIBENZOFURAN	0003	S	NG/G	.16	.16	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	359.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	651.				I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	740.				I
POTASSIUM-40	0001	S	PCI/G	.5	8.25				I
POTASSIUM-40	0002	S	PCI/G	.5	10.2				I
PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PYRENE	0002	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
RADIUM-224	0001	S	PCI/G	.1	.421				I
RADIUM-224	0002	S	PCI/G	.1	.596				I
RADIUM-226	0001	S	PCI/G	.1	.613				I
RADIUM-226	0002	S	PCI/G	.1	.715				I
RADIUM-228	0001	S	PCI/G	.2	.405				I
RADIUM-228	0002	S	PCI/G	.2	.522				I
SELENIUM, TOTAL	0001	S	MG/KG	.65	.65		.65	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.65	.65	U			I
SELENIUM, TOTAL	0003	S	MG/KG	.65	.65		.65	UJ	I

APPENDIX A
Location: MWD33-0111
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SILVER, TOTAL	0001	S	MG/KG	1.	17.5		17.5	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	15.4		15.4	J	I
SILVER, TOTAL	0003	S	MG/KG	1.	15.8		15.8	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	194.				I
SODIUM, TOTAL	0002	S	MG/KG	10.	142.		142.	J	I
SODIUM, TOTAL	0003	S	MG/KG	10.	137.		137.	J	I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.005	0.005	U			I
TETRACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.046	.046	U			I
TETRACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.1	.1	U			I
TETRACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.063	.063	U			I
TETRACHLORODIBENZOFURAN	0001	S	NG/G	.062	.062	U			I
TETRACHLORODIBENZOFURAN	0002	S	NG/G	.15	.15	U			I
TETRACHLORODIBENZOFURAN	0003	S	NG/G	.078	.078	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		.44	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.44	.44		.44	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.43	.43		0.43	UJ	I
THORIUM-234	0001	S	PCI/G	.5	1.03				I
THORIUM-234	0002	S	PCI/G	.5	.827				I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.1797	0.1797	U	0.1797	UJ	I
TOXAPHENE	0002	S	MG/KG	0.1769	0.1769	U	0.1769	UJ	I
TOXAPHENE	0003	S	MG/KG	0.1817	0.1817	U	0.1817	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.002	J			I
TRICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	21.2		21.2	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	21.7		21.7	J	I
VANADIUM, TOTAL	0003	S	MG/KG	1.	22.3		22.3	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	47.4	*			I
ZINC, TOTAL	0002	S	MG/KG	.5	34.1	*			I
ZINC, TOTAL	0003	S	MG/KG	.5	30.2	*	30.2	J	I

APPENDIX A
Location: MWD33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.62	.62	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.22	.22	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0003	S	NG/G	.21	.21	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	1001	S	NG/G	.62	.62	U			I
1,2,3,4,6,7,8-HpCDD	0001	S	NG/G	.48	.48	U			I
1,2,3,4,6,7,8-HpCDD	0002	S	NG/G	.17	.17	U			I
1,2,3,4,6,7,8-HpCDD	0003	S	NG/G	.31	.31	U			I
1,2,3,4,6,7,8-HpCDD	1001	S	NG/G	.29	.29	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.87	.87	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.46	.46	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0003	S	NG/G	.28	.28	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	1001	S	NG/G	.87	.87	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.19	.19	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.13	.13	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.16	.16	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	1001	S	NG/G	.2	.2	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.38	.38	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.16	.16	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.3	.3	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	1001	S	NG/G	.31	.31	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.33	.33	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.14	.14	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.27	.27	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	1001	S	NG/G	.28	.28	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.15	.15	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.11	.11	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.12	.12	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	1001	S	NG/G	.16	.16	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.16	.16	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.11	.11	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.13	.13	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	1001	S	NG/G	.17	.17	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.43	.43	U			I

APPENDIX A
Location: MWD33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.18	.18	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.4	.4	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	1001	S	NG/G	.81	.81	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	S	NG/G	.51	.51	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0002	S	NG/G	.2	.2	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0003	S	NG/G	.12	.12	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	1001	S	NG/G	.22	.22	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.33	.33	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.097	.097	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0003	S	NG/G	.12	.12	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	1001	S	NG/G	.11	.11	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.72	0.087	J			I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.39	.39	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.17	.17	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.36	.36	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	1001	S	NG/G	.33	.33	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.36	.36	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.11	.11	U			I

APPENDIX A
Location: MND33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0003	S	NG/G	.11	.11	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	1001	S	NG/G	.21	.21	U			I
2,3,7,8-TCDD	0001	S	NG/G	.13	.13	U			I
2,3,7,8-TCDD	0002	S	NG/G	.089	.089	U			I
2,3,7,8-TCDD	0003	S	NG/G	.052	.052	U			I
2,3,7,8-TCDD	1001	S	NG/G	.15	.15	U			I
2,3,7,8-TCDF	0001	S	NG/G	.31	.31	U			I
2,3,7,8-TCDF	0002	S	NG/G	.094	.094	U			I
2,3,7,8-TCDF	0003	S	NG/G	.27	.27	U			I
2,3,7,8-TCDF	1001	S	NG/G	.1	.1	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.002	J			I
2-BUTANONE	1001	S	MG/KG	0.011	0.001	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.72	0.23	J			I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.74	0.26	J			I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.74	0.09	J			I
2-METHYLPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	0.11	J			I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0081	0.0081	U	0.0081	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0248	0.0248	U	0.0248	UJ	D
4,4'-DDD	1001	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
4,4'-DDE	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDT	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDT	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0272	0.0272	U	0.0272	UJ	D
4,4'-DDT	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.72	0.18	J			I
4-CHLOROANILINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MND33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLOROANILINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.002	J	0.01	U	I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.74	0.19	J			I
4-METHYLPHENOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.5	0.13	J			I
ACENAPHTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.72	0.13	J			I
ACENAPHTHYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.006	JB	0.01	U	I
ACETONE	0002	S	MG/KG	0.011	0.003	JB	0.01	U	I
ACETONE	0003	S	MG/KG	0.011	0.012	B	0.012	U	I
ACETONE	1001	S	MG/KG	0.011	0.007	JB	0.01	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
ALDRIN	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.0316	0.0316	U	0.0316	UJ	D
ALPHA CHLORDANE	1001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	D
ALPHA-BHC	1001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	1430.		1430.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	3690.				I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	3730.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	2160.		2160.	J	I

APPENDIX A
Location: MND33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	36.6		36.6	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	26.5		26.5	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	27.8		27.8	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	28.4		28.4	J	I
AROCLOR-1016	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.2721	0.2721	U	0.2721	UJ	D
AROCLOR-1016	1001	S	MG/KG	0.0897	0.0897	U	0.0897	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.2721	0.2721	U	0.2721	UJ	D
AROCLOR-1221	1001	S	MG/KG	0.0897	0.0897	U	0.0897	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.2721	0.2721	U	0.2721	UJ	D
AROCLOR-1232	1001	S	MG/KG	0.0897	0.0897	U	0.0897	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.2721	0.2721	U	0.2721	UJ	D
AROCLOR-1242	1001	S	MG/KG	0.0897	0.0897	U	0.0897	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1248	0003	S	G/KG	0.0892	0.0892	U	0.0892	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.0897	0.0897	U	0.0897	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.181	0.181	U	0.181	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.1784	0.1784	U	0.1784	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.5442	0.5442	U	0.5442	UJ	D
AROCLOR-1254	1001	S	MG/KG	0.1794	0.1794	U	0.1794	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.181	0.181	U	0.181	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.1784	0.1784	U	0.1784	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.5442	0.5442	U	0.5442	UJ	D
AROCLOR-1260	1001	S	MG/KG	0.1794	0.1794	U	0.1794	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.8		3.8	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	4.7		4.7	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	3.3		3.3	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	3.8		3.8	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	16.6				I
BARIUM, TOTAL	0002	S	MG/KG	.2	27.				I
BARIUM, TOTAL	0003	S	MG/KG	.2	18.9				I
BARIUM, TOTAL	1001	S	MG/KG	.2	19.7				I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	0003	S	MG/KG	0.006	0.008				I
BENZENE	1001	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I

APPENDIX A
Location: MWD33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZOIC ACID	0003	S	MG/KG	3.6	0.29	J			I
BENZOIC ACID	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.54		0.54	J	I
BERYLLIUM	0002	S	MG/KG	.2	.59		0.59	J	I
BERYLLIUM	0003	S	MG/KG	.2	.63		0.63	J	I
BERYLLIUM	1001	S	MG/KG	.2	.53		0.53	J	I
BETA-BHC	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0003	S	MG/KG	0.0136	0.0136	U	0.0136	UJ	D
BETA-BHC	1001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.73	0.29	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.72	0.33	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.74	0.14	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.72	0.12	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MWD33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	7.5		7.5	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	6.		6.0	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.2	6.		6.0	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.2	6.5		6.5	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	141000.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	102000.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	112000.				I
CALCIUM, TOTAL	1001	S	MG/KG	2.	117000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.005	0.005	U			I
CESIUM-137	0001	S	PCI/G	.1	.0203	U	.0203	UJ	I
CESIUM-137	0002	S	PCI/G	.1	.023	U	.023	UJ	I
CESIUM-137	1001	S	PCI/G	.1	.0276	U	.0276	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	24.4		24.4	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	24.7		24.7	J	I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	25.		25.0	J	I

APPENDIX A
Location: MWD33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHROMIUM, TOTAL	1001	S	MG/KG	1.	24.7		24.7	J	I
CHRYSENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
CHRYSENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
CHRYSENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	5.9		5.9	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	8.2		8.2	J	I
COBALT, TOTAL	0003	S	MG/KG	1.	7.6		7.6	J	I
COBALT, TOTAL	1001	S	MG/KG	1.	6.		6.0	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	23.4		23.4	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	15.7		15.7	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	15.8		15.8	J	I
COPPER, TOTAL	1001	S	MG/KG	1.	14.3		14.3	J	I
CYANIDE	0001	S	MG/KG	.1	.15				I X
CYANIDE	0002	S	MG/KG	.1	.23				I X
CYANIDE	0003	S	MG/KG	.11	.11	U			I X
CYANIDE	1001	S	MG/KG	.11	.11	U			I X
DELTA-BHC	0001	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0204	0.0204	U	0.0204	UJ	D
DELTA-BHC	1001	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.01	B	0.01	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.007	B	0.007	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.005	JB	0.005	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.005	0.007	B	0.007	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0003	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0003	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	D
DIELDRIN	1001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MND33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0272	0.0272	U	0.0272	UJ	D
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.0544	0.0544	U	0.0544	UJ	D
ENDOSULFAN SULFATE	1001	S	MG/KG	0.0179	0.0179	U	0.0179	UJ	I
ENDRIN	0001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0003	S	MG/KG	0.0136	0.0136	U	0.0136	UJ	D
ENDRIN	1001	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0172	0.0172	U	0.0172	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0171	0.0171	U	0.0171	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.052	0.052	U	0.052	UJ	D
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0172	0.0172	U	0.0172	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0178	0.0178	U	0.0178	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.0544	0.0544	U	0.0544	UJ	D
ENDRIN KETONE	1001	S	MG/KG	0.0179	0.0179	U	0.0179	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.018				I
ETHYLBENZENE	1001	S	MG/KG	0.005	0.005	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.	470.		498.		I
EXTRACTABLE HYD AS DIESEL FUEL	0002	S	MG/KG	5.	12.		8.7		I
EXTRACTABLE HYD AS DIESEL FUEL	0003	S	MG/KG	5.	61.		66.5		I
EXTRACTABLE HYD AS DIESEL FUEL	1001	S	MG/KG	5.	200.		208.		I
EXTRACTABLE LB HYD AS GASOLINE	0003	S	MG/KG	5.	5.	U			I
FLUORANTHENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
FLUORENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	0003	S	MG/KG	0.74	0.092	J			I
FLUORENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I

APPENDIX A
Location: MWD33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
GAMMA CHLORDANE	0002	S	MG/KG	0.0105	0.0105	U	0.0105	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.0316	0.0316	U	0.0316	UJ	D
GAMMA CHLORDANE	1001	S	MG/KG	0.0104	0.0104	U	0.0104	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	D
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	D
HEPTACHLOR	1001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0272	0.0272	U	0.0272	UJ	D
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.48	.48	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.17	.17	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.31	.31	U			I
HEPTACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.66	.66	U			I
HEPTACHLORODIBENZOFURAN	0001	S	NG/G	.72	.72	U			I
HEPTACHLORODIBENZOFURAN	0002	S	NG/G	.38	.38	U			I
HEPTACHLORODIBENZOFURAN	0003	S	NG/G	.45	.45	U			I
HEPTACHLORODIBENZOFURAN	1001	S	NG/G	.72	.72	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.17	.17	U			I
HEXACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.12	.12	U			I
HEXACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.17	.17	U			I
HEXACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.18	.18	U			I
HEXACHLORODIBENZOFURAN	0001	S	NG/G	.38	.38	U			I
HEXACHLORODIBENZOFURAN	0002	S	NG/G	.16	.16	U			I
HEXACHLORODIBENZOFURAN	0003	S	NG/G	.35	.35	U			I
HEXACHLORODIBENZOFURAN	1001	S	NG/G	.71	.71	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	5070.				I
IRON, TOTAL	0002	S	MG/KG	1.	9790.				I
IRON, TOTAL	0003	S	MG/KG	1.	8320.				I
IRON, TOTAL	1001	S	MG/KG	1.	6310.				I
ISOPHORONE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
ISOPHORONE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ISOPHORONE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	5.6		5.6	J	I
LEAD, TOTAL	0002	S	MG/KG	.2	6.		6.0	J	I
LEAD, TOTAL	0003	S	MG/KG	.2	6.1		6.1	J	I
LEAD, TOTAL	1001	S	MG/KG	.2	5.2		5.2	J	I
LITHIUM, TOTAL	0001	S	MG/KG	5.	10.8				I
LITHIUM, TOTAL	0002	S	MG/KG	5.	15.3	*			I
LITHIUM, TOTAL	0003	S	MG/KG	5.	20.2				I
LITHIUM, TOTAL	1001	S	MG/KG	5.	10.7	*			I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	61100.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	41400.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	43100.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	45200.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	210.		210.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	206.		206.	J	I
MANGANESE, TOTAL	0003	S	MG/KG	.2	203.		203.	J	I
MANGANESE, TOTAL	1001	S	MG/KG	.2	187.		187.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11				I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11				I
MERCURY, TOTAL	0003	S	MG/KG	.11	.11				I
MERCURY, TOTAL	1001	S	MG/KG	.1	.1				I
METHOXYCHLOR	0001	S	MG/KG	0.0905	0.0905	U	0.0905	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.0892	0.0892	U	0.0892	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.2721	0.2721	U	0.2721	UJ	D
METHOXYCHLOR	1001	S	MG/KG	0.0897	0.0897	U	0.0897	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.72	0.15	J	0.19	J	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	20.2		20.2	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	21.4		21.4	J	I
NICKEL, TOTAL	0003	S	MG/KG	2.	22.		22.0	J	I
NICKEL, TOTAL	1001	S	MG/KG	2.	17.6		17.6	J	I
NITROBENZENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
NITROBENZENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NITROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NITROBENZENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.34	.34	U			I
OCTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.18	.18	U			I
OCTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.52	.52	U			I
OCTACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.77	.77	U			I
OCTACHLORODIBENZOFURAN	0001	S	NG/G	.73	.73	U			I
OCTACHLORODIBENZOFURAN	0002	S	NG/G	.3	.3	U			I
OCTACHLORODIBENZOFURAN	0003	S	NG/G	.9	.9	U			I
OCTACHLORODIBENZOFURAN	1001	S	NG/G	1.8	1.8	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.51	.51	U			I
PENTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.2	.2	U			I
PENTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.2	.2	U			I
PENTACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.46	.46	U			I
PENTACHLORODIBENZOFURAN	0001	S	NG/G	.34	.34	U			I
PENTACHLORODIBENZOFURAN	0002	S	NG/G	.1	.1	U			I
PENTACHLORODIBENZOFURAN	0003	S	NG/G	.12	.12	U			I
PENTACHLORODIBENZOFURAN	1001	S	NG/G	.2	.2	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.74	0.33	J			I
PHENANTHRENE	1001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PHENOL	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0003	S	MG/KG	0.74	0.24	J			I
PHENOL	1001	S	MG/KG	0.72	0.21	J			I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	311.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	709.				I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	839.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	429.				I
POTASSIUM-40	0001	S	PCI/G	.5	6.7		6.07		I
POTASSIUM-40	0002	S	PCI/G	.5	9.23				I
POTASSIUM-40	1001	S	PCI/G	.5	7.51				I
PYRENE	0001	S	MG/KG	0.73	0.73	U	0.73	UJ	I
PYRENE	0002	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	1001	S	MG/KG	0.72	0.23	J			I
RADIUM-224	0001	S	PCI/G	.1	.313				I
RADIUM-224	0002	S	PCI/G	.1	.439				I
RADIUM-224	1001	S	PCI/G	.1	.375				I
RADIUM-226	0001	S	PCI/G	.1	.449				I
RADIUM-226	0002	S	PCI/G	.1	.63		.630		I
RADIUM-226	1001	S	PCI/G	.1	.456				I
RADIUM-228	0001	S	PCI/G	.2	.299				I
RADIUM-228	0002	S	PCI/G	.2	.424				I
RADIUM-228	1001	S	PCI/G	.2	.391				I
SELENIUM, TOTAL	0001	S	MG/KG	.63	.63	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.65	.65	U			I
SELENIUM, TOTAL	0003	S	MG/KG	.66	.66	U			I

APPENDIX A
Location: MND33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	1001	S	MG/KG	.63	.63	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	17.7		17.7	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	15.4		15.4	J	I
SILVER, TOTAL	0003	S	MG/KG	1.	16.3		16.3	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	16.1		16.1	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	180.		180.	J	I
SODIUM, TOTAL	0002	S	MG/KG	10.	189.				I
SODIUM, TOTAL	0003	S	MG/KG	10.	197.				I
SODIUM, TOTAL	1001	S	MG/KG	10.	155.		155.	J	I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.005	0.005	U			I
TETRACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.097	.097	U			I
TETRACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.049	.049	U			I
TETRACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.044	.044	U			I
TETRACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.056	.056	U			I
TETRACHLORODIBENZOFURAN	0001	S	NG/G	.31	.31	U			I
TETRACHLORODIBENZOFURAN	0002	S	NG/G	.098	.098	U			I
TETRACHLORODIBENZOFURAN	0003	S	NG/G	.063	.063	U			I
TETRACHLORODIBENZOFURAN	1001	S	NG/G	.11	.11	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.42	.42		0.42	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.43	.43		0.43	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.44	.44		0.44	UJ	I
THALLIUM, TOTAL	1001	S	MG/KG	.42	.42		0.42	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.626				I
THORIUM-234	0002	S	PCI/G	.5	.853				I
THORIUM-234	1001	S	PCI/G	.5	.535				I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	0003	S	MG/KG	0.006	0.02				I
TOLUENE	1001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.12				I
TOTAL XYLENES	1001	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.181	0.181	U	0.181	UJ	I
TOXAPHENE	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TOXAPHENE	0003	S	MG/KG	0.1784	0.1784	U	0.1784	UJ	I
TOXAPHENE	0003	S	MG/KG	0.5442	0.5442	U	0.5442	UJ	D
TOXAPHENE	1001	S	MG/KG	0.1794	0.1794	U	0.1794	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	19.8		19.8	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	21.7		21.7	J	I
VANADIUM, TOTAL	0003	S	MG/KG	1.	22.5		22.5	J	I
VANADIUM, TOTAL	1001	S	MG/KG	1.	20.1		20.1	J	I

APPENDIX A
Location: MND33-0112
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	32.	*			I
ZINC, TOTAL	0002	S	MG/KG	.5	31.4	*	31.4	J	I
ZINC, TOTAL	0003	S	MG/KG	.5	27.	*	27.0	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	35.6	*			I

APPENDIX A
Location: MND33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1,1-TRICHLOROETHANE	0006	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1,2,2-TETRACHLOROETHANE	0006	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1,2-TRICHLOROETHANE	0006	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHANE	0006	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
1,1-DICHLOROETHENE	0006	S	MG/KG	0.005	0.005	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.17	.17	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.11	.11	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0003	S	NG/G	.19	.19	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0004	S	NG/G	.24	.24	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0005	S	NG/G	.26	.26	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0006	S	NG/G	.3	.3	U			I
1,2,3,4,6,7,8-HpCDD	0001	S	NG/G	.2	.2	U			I
1,2,3,4,6,7,8-HpCDD	0002	S	NG/G	.15	.15	U			I
1,2,3,4,6,7,8-HpCDD	0003	S	NG/G	.13	.13	U			I
1,2,3,4,6,7,8-HpCDD	0004	S	NG/G	.15	.15	U			I
1,2,3,4,6,7,8-HpCDD	0005	S	NG/G	.12	.12	U			I
1,2,3,4,6,7,8-HpCDD	0006	S	NG/G	.32	.32	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.24	.24	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.16	.16	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0003	S	NG/G	.45	.45	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0004	S	NG/G	.34	.34	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0005	S	NG/G	.29	.29	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0006	S	NG/G	.43	.43	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.21	.21	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.18	.18	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.14	.14	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0004	S	NG/G	.11	.11	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0005	S	NG/G	.098	.098	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0006	S	NG/G	.19	.19	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.16	.16	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.18	.18	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.21	.21	U			I

APPENDIX A
Location: MWD33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0004	S	NG/G	.095	.095	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0005	S	NG/G	.082	.082	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0006	S	NG/G	.25	.25	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.14	.14	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.16	.16	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.18	.18	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0004	S	NG/G	.085	.085	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0005	S	NG/G	.073	.073	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0006	S	NG/G	.22	.22	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.17	.17	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.14	.14	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.11	.11	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0004	S	NG/G	.089	.089	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0005	S	NG/G	.078	.078	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0006	S	NG/G	.15	.15	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.18	.18	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.15	.15	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0003	S	NG/G	.12	.12	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0004	S	NG/G	.094	.094	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0005	S	NG/G	.08	.08	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0006	S	NG/G	.16	.16	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.18	.18	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.21	.21	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.24	.24	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0004	S	NG/G	.21	.21	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0005	S	NG/G	.095	.095	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0006	S	NG/G	.29	.29	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	S	NG/G	.11	.11	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0002	S	NG/G	.19	.19	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0003	S	NG/G	.45	.45	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0004	S	NG/G	.62	.62	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0005	S	NG/G	.15	.15	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0006	S	NG/G	.76	.76	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.07	.07	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.084	.084	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0003	S	NG/G	.1	.1	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0004	S	NG/G	.13	.13	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0005	S	NG/G	.089	.089	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0006	S	NG/G	.26	.26	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0004	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0005	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHANE	0006	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2-DICHLOROETHENE	0006	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0004	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0005	S	MG/KG	0.005	0.005	U			I
1,2-DICHLOROPROPANE	0006	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0004	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0005	S	MG/KG	0.005	0.005	U			I
1,3-CIS-DICHLOROPROPENE	0006	S	MG/KG	0.005	0.005	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0004	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0005	S	MG/KG	0.005	0.005	U			I
1,3-TRANS-DICHLOROPROPENE	0006	S	MG/KG	0.005	0.005	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.16	.16	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.19	.19	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0003	S	NG/G	.22	.22	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0004	S	NG/G	.1	.1	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0005	S	NG/G	.086	.086	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0006	S	NG/G	.26	.26	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.076	.076	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.091	.091	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0003	S	NG/G	.11	.11	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0004	S	NG/G	.14	.14	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0005	S	NG/G	.16	.16	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0006	S	NG/G	.28	.28	U			I
2,3,7,8-TCDD	0001	S	NG/G	.11	.11	U			I
2,3,7,8-TCDD	0002	S	NG/G	.1	.1	U			I
2,3,7,8-TCDD	0003	S	NG/G	.31	.31	U			I
2,3,7,8-TCDD	0004	S	NG/G	.25	.25	U			I
2,3,7,8-TCDD	0005	S	NG/G	.13	.13	U			I
2,3,7,8-TCDD	0006	S	NG/G	.47	.47	U			I
2,3,7,8-TCDF	0001	S	NG/G	.13	.13	U			I
2,3,7,8-TCDF	0002	S	NG/G	.082	.082	U			I
2,3,7,8-TCDF	0003	S	NG/G	.032	.032	U			I
2,3,7,8-TCDF	0004	S	NG/G	.12	.12	U			I
2,3,7,8-TCDF	0005	S	NG/G	.048	.048	U			I
2,3,7,8-TCDF	0006	S	NG/G	.41	.41	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0003	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0004	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0005	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	0006	S	MG/KG	0.011	0.004	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.001	JB	0.005	U	I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0003	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0004	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0005	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0006	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.4	1.4	U	1.4	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0081	0.0081	U	0.0081	UJ	I

APPENDIX A
Location: MND33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,4'-DDD	0002	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDE	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDT	0003	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.5	3.5	U	0.72	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.6	3.6	U	0.74	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	3.6	3.6	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.002	J			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.002	J			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.011	0.005	J			I
4-METHYL-2-PENTANONE	0004	S	MG/KG	0.011	0.003	J			I
4-METHYL-2-PENTANONE	0005	S	MG/KG	0.011	0.007	J			I
4-METHYL-2-PENTANONE	0006	S	MG/KG	0.011	0.001	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.013	B	0.013	U	I
ACETONE	0002	S	MG/KG	0.011	0.01	JB	0.011	U	I
ACETONE	0003	S	MG/KG	0.011	0.015	B	0.015	U	I
ACETONE	0004	S	MG/KG	0.011	0.014	B	0.014	U	I
ACETONE	0005	S	MG/KG	0.011	0.019	B	0.019	U	I
ACETONE	0006	S	MG/KG	0.011	0.04	B	0.04	U	I
ALDRIN	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I

APPENDIX A
Location: MWD33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	4300.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	3680.				I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	2670.				I
ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	26.8		26.8	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	25.5		25.5	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	26.8		26.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.089	0.089	U	0.089	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.18	0.18	U	0.18	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	5.		5.0	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	6.3		6.3	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	2.7		2.7	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	28.2		28.2	J	I
BARIUM, TOTAL	0002	S	MG/KG	.2	25.3		25.3	J	I
BARIUM, TOTAL	0003	S	MG/KG	.2	30.7		30.7	J	I
BENZENE	0001	S	MG/KG	0.005	0.005	U			I
BENZENE	0002	S	MG/KG	0.005	0.005	U			I
BENZENE	0003	S	MG/KG	0.005	0.005	U			I
BENZENE	0004	S	MG/KG	0.005	0.005	U			I
BENZENE	0005	S	MG/KG	0.005	0.005	U			I
BENZENE	0006	S	MG/KG	0.005	0.005	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I

APPENDIX A
Location: MWD33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.5	3.4	JB			I X
BENZOIC ACID	0002	S	MG/KG	3.6	2.4	JB			I X
BENZOIC ACID	0003	S	MG/KG	3.6	5.8		5.8	J	I
BENZYL ALCOHOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.66		.66	J	I
BERYLLIUM	0002	S	MG/KG	.2	.66		.66	J	I
BERYLLIUM	0003	S	MG/KG	.2	.64		0.64	J	I
BETA-BHC	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.72	0.22	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.74	0.26	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0004	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0005	S	MG/KG	0.005	0.005	U			I
BROMODICHLOROMETHANE	0006	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0001	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0002	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0003	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0004	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0005	S	MG/KG	0.005	0.005	U			I
BROMOFORM	0006	S	MG/KG	0.005	0.005	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0003	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0004	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0005	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0006	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	5.9		5.9	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	6.8		6.8	J	I
CADMIUM, TOTAL	0003	S	MG/KG	.2	6.1		6.1	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	120000.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	156000.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	117000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0004	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0005	S	MG/KG	0.005	0.005	U			I
CARBON DISULFIDE	0006	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0004	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0005	S	MG/KG	0.005	0.005	U			I
CARBON TETRACHLORIDE	0006	S	MG/KG	0.005	0.005	U			I
CESIUM-137	0001	S	PCI/G	.1	.0256	U	.0256	UJ	I
CESIUM-137	0002	S	PCI/G	.1	.0331	U	.031	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0002	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0003	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0004	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0005	S	MG/KG	0.005	0.005	U			I
CHLOROBENZENE	0006	S	MG/KG	0.005	0.005	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0005	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	0006	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0002	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0003	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0004	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0005	S	MG/KG	0.005	0.005	U			I
CHLOROFORM	0006	S	MG/KG	0.005	0.005	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0003	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0004	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0005	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0006	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	24.5		24.5	J	I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	26.8		26.8	J	I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	24.8		24.8	J	I

APPENDIX A
Location: MND33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHRYSENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
CHRYSENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	8.1		8.1	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	7.9		7.9	J	I
COBALT, TOTAL	0003	S	MG/KG	1.	7.7		7.7	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	19.		19.	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	16.6		16.6	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	16.6		16.6	J	I
CYANIDE	0001	S	MG/KG	.11	.11	U			I X
CYANIDE	0002	S	MG/KG	.09	.09	U			I X
CYANIDE	0003	S	MG/KG	.11	.11	U			I X
DELTA-BHC	0001	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	D.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0004	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0005	S	MG/KG	0.005	0.005	U			I
DIBROMOCHLOROMETHANE	0006	S	MG/KG	0.005	0.005	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.005	0.013	B	0.013	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.005	0.019	B	0.019	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.005	0.022	B	0.022	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0004	S	MG/KG	0.005	0.015	B	0.015	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0005	S	MG/KG	0.005	0.022	B	0.022	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0006	S	MG/KG	0.005	0.016	B	0.016	U	I
DIELDRIN	0001	S	MG/KG	0.0014	0.0014	U	0.0014	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0003	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I

APPENDIX A
Location: MND33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN	0001	S	MG/KG	0.0044	0.0044	U	0.0044	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	0003	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.017	0.017	U	0.017	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0174	0.0174	U	0.0174	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0002	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0003	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0004	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0005	S	MG/KG	0.005	0.005	U			I
ETHYLBENZENE	0006	S	MG/KG	0.005	0.005	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.	5.	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0002	S	MG/KG	5.	5.	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0003	S	MG/KG	5.	9.		9.7		I
FLUORANTHENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
FLUORENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.2	.2	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.15	.15	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.13	.13	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	.15	.15	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.12	.12	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0006	S	NG/G	.32	.32	U			I
HEPTACHLORODIBENZOFURAN	0001	S	NG/G	.21	.21	U			I
HEPTACHLORODIBENZOFURAN	0002	S	NG/G	.29	.29	U			I
HEPTACHLORODIBENZOFURAN	0003	S	NG/G	.38	.38	U			I
HEPTACHLORODIBENZOFURAN	0004	S	NG/G	.28	.28	U			I
HEPTACHLORODIBENZOFURAN	0005	S	NG/G	.31	.31	U			I

APPENDIX A
Location: MWD33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLORODIBENZOFURAN	0006	S	NG/G	.4	.4	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.18	.18	U			I
HEXACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.15	.15	U			I
HEXACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.12	.12	U			I
HEXACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	.097	.097	U			I
HEXACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.085	.085	U			I
HEXACHLORODIBENZO-P-DIOXIN	0006	S	NG/G	.17	.17	U			I
HEXACHLORODIBENZOFURAN	0001	S	NG/G	.16	.16	U			I
HEXACHLORODIBENZOFURAN	0002	S	NG/G	.19	.19	U			I
HEXACHLORODIBENZOFURAN	0003	S	NG/G	.21	.21	U			I
HEXACHLORODIBENZOFURAN	0004	S	NG/G	.18	.18	U			I
HEXACHLORODIBENZOFURAN	0005	S	NG/G	.083	.083	U			I
HEXACHLORODIBENZOFURAN	0006	S	NG/G	.25	.25	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	9730.				I
IRON, TOTAL	0002	S	MG/KG	1.	9550.				I
IRON, TOTAL	0003	S	MG/KG	1.	8820.				I
ISOPHORONE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
ISOPHORONE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	5.5				I
LEAD, TOTAL	0002	S	MG/KG	.2	6.2				I
LEAD, TOTAL	0003	S	MG/KG	.2	5.6				I
LITHIUM, TOTAL	0001	S	MG/KG	5.	17.5				I
LITHIUM, TOTAL	0002	S	MG/KG	5.	17.8				I
LITHIUM, TOTAL	0003	S	MG/KG	5.	21.				I
LITHIUM, TOTAL	0004	S	MG/KG	5.	21.8				I
LITHIUM, TOTAL	0005	S	MG/KG	5.	22.2				I
LITHIUM, TOTAL	0006	S	MG/KG	5.	25.1				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	41800.	*			I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	37800.	*			I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	43600.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	216.	*			I
MANGANESE, TOTAL	0002	S	MG/KG	.2	247.	*			I
MANGANESE, TOTAL	0003	S	MG/KG	.2	218.	*			I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	0002	S	MG/KG	.21	.21	U			I X
MERCURY, TOTAL	0003	S	MG/KG	.21	.21	U			I X

APPENDIX A
Location: MWD33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
METHOXYCHLOR	0001	S	MG/KG	0.089	0.089	U	0.089	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.091	0.091	U	0.091	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	26.		26.	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	19.8		19.8	J	I
NICKEL, TOTAL	0003	S	MG/KG	2.	22.4		22.4	J	I
NITROBENZENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
NITROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.45	.45	U			I
OCTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.36	.36	U			I
OCTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.37	.37	U			I
OCTACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	.23	.23	U			I
OCTACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.12	.12	U			I
OCTACHLORODIBENZO-P-DIOXIN	0006	S	NG/G	.29	.29	U			I
OCTACHLORODIBENZOFURAN	0001	S	NG/G	.41	.41	U			I
OCTACHLORODIBENZOFURAN	0002	S	NG/G	.31	.31	U			I
OCTACHLORODIBENZOFURAN	0003	S	NG/G	.56	.56	U			I
OCTACHLORODIBENZOFURAN	0004	S	NG/G	.17	.17	U			I
OCTACHLORODIBENZOFURAN	0005	S	NG/G	.17	.17	U			I
OCTACHLORODIBENZOFURAN	0006	S	NG/G	.44	.44	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.11	.11	U			I
PENTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.19	.19	U			I
PENTACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.45	.45	U			I
PENTACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	.62	.62	U			I
PENTACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.15	.15	U			I
PENTACHLORODIBENZO-P-DIOXIN	0006	S	NG/G	.76	.76	U			I
PENTACHLORODIBENZOFURAN	0001	S	NG/G	.073	.073	U			I
PENTACHLORODIBENZOFURAN	0002	S	NG/G	.087	.087	U			I
PENTACHLORODIBENZOFURAN	0003	S	NG/G	.1	.1	U			I
PENTACHLORODIBENZOFURAN	0004	S	NG/G	.13	.13	U			I
PENTACHLORODIBENZOFURAN	0005	S	NG/G	.16	.16	U			I
PENTACHLORODIBENZOFURAN	0006	S	NG/G	.27	.27	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.5	3.5	U	3.5	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	767.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	703.				I

APPENDIX A
Location: MWD33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
POTASSIUM, TOTAL	0003	S	MG/KG	10.	856.				I
POTASSIUM-40	0001	S	PCI/G	.5	8.61				I
POTASSIUM-40	0002	S	PCI/G	.5	10.5				I
PYRENE	0001	S	MG/KG	0.72	0.72	U	0.72	UJ	I
PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	0003	S	MG/KG	0.74	0.74	U	0.74	UJ	I
RADIUM-224	0001	S	PCI/G	.1	.445				I
RADIUM-224	0002	S	PCI/G	.1	.616				I
RADIUM-226	0001	S	PCI/G	.1	.53		.530		I
RADIUM-226	0002	S	PCI/G	.1	.657				I
RADIUM-228	0001	S	PCI/G	.2	.376				I
RADIUM-228	0002	S	PCI/G	.2	.433				I
SELENIUM, TOTAL	0001	S	MG/KG	.64	.64		.64	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.65	.65		.65	UJ	I
SELENIUM, TOTAL	0003	S	MG/KG	.66	.66		0.66	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	16.3		16.3	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	18.		18.	J	I
SILVER, TOTAL	0003	S	MG/KG	1.	16.3		16.3	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	173.		173.	J	I
SODIUM, TOTAL	0002	S	MG/KG	10.	168.		168.	J	I
SODIUM, TOTAL	0003	S	MG/KG	10.	158.		158.	J	I
STYRENE	0001	S	MG/KG	0.005	0.005	U			I
STYRENE	0002	S	MG/KG	0.005	0.005	U			I
STYRENE	0003	S	MG/KG	0.005	0.005	U			I
STYRENE	0004	S	MG/KG	0.005	0.005	U			I
STYRENE	0005	S	MG/KG	0.005	0.005	U			I
STYRENE	0006	S	MG/KG	0.005	0.005	U			I
TETRACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.048	.048	U			I
TETRACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.039	.039	U			I
TETRACHLORODIBENZO-P-DIOXIN	0003	S	NG/G	.078	.078	U			I
TETRACHLORODIBENZO-P-DIOXIN	0004	S	NG/G	.077	.077	U			I
TETRACHLORODIBENZO-P-DIOXIN	0005	S	NG/G	.067	.067	U			I
TETRACHLORODIBENZO-P-DIOXIN	0006	S	NG/G	.086	.086	U			I
TETRACHLORODIBENZOFURAN	0001	S	NG/G	.051	.051	U			I
TETRACHLORODIBENZOFURAN	0002	S	NG/G	.057	.057	U			I
TETRACHLORODIBENZOFURAN	0003	S	NG/G	.067	.067	U			I
TETRACHLORODIBENZOFURAN	0004	S	NG/G	.07	.07	U			I
TETRACHLORODIBENZOFURAN	0005	S	NG/G	.036	.036	U			I
TETRACHLORODIBENZOFURAN	0006	S	NG/G	.083	.083	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
TETRACHLOROETHENE	0006	S	MG/KG	0.005	0.005	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.42	.42		.42	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.43	.43		.43	UJ	I
THALLIUM, TOTAL	0003	S	MG/KG	.44	.44		.44	UJ	I
THORIUM-234	0001	S	PCI/G	.5	.738				I
THORIUM-234	0002	S	PCI/G	.5	.617				I
TOLUENE	0001	S	MG/KG	0.005	0.005	U			I

APPENDIX A
Location: MND33-0113
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOLUENE	0002	S	MG/KG	0.005	0.005	U			I
TOLUENE	0003	S	MG/KG	0.005	0.005	U			I
TOLUENE	0004	S	MG/KG	0.005	0.002	J			I
TOLUENE	0005	S	MG/KG	0.005	0.002	J			I
TOLUENE	0006	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0001	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0002	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0003	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0004	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0005	S	MG/KG	0.005	0.005	U			I
TOTAL XYLENES	0006	S	MG/KG	0.005	0.005	U			I
TOXAPHENE	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TOXAPHENE	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TOXAPHENE	0003	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0004	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0005	S	MG/KG	0.005	0.005	U			I
TRICHLOROETHENE	0006	S	MG/KG	0.005	0.005	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	22.5		22.5	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	23.9		23.9	J	I
VANADIUM, TOTAL	0003	S	MG/KG	1.	22.4		22.4	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0003	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0004	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0005	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0006	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0004	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0005	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0006	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	31.2		31.2	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	29.4		29.4	J	I
ZINC, TOTAL	0003	S	MG/KG	.5	29.2		29.2	J	I

APPENDIX A
Location: MWD33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.33	.33	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.25	.25	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	1001	S	NG/G	.09	.09	U			I
1,2,3,4,6,7,8-HpCDD	0001	S	NG/G	.24	.24	U			I
1,2,3,4,6,7,8-HpCDD	0002	S	NG/G	.066	.066	U			I
1,2,3,4,6,7,8-HpCDD	1001	S	NG/G	.069	.069	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.46	.46	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.35	.35	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	1001	S	NG/G	.13	.13	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.21	.21	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.07	.07	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	1001	S	NG/G	.098	.098	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.22	.22	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.11	.11	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	1001	S	NG/G	.12	.12	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.19	.19	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.096	.096	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	1001	S	NG/G	.11	.11	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.17	.17	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.055	.055	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	1001	S	NG/G	.078	.078	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.18	.18	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.36	.36	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	1001	S	NG/G	.082	.082	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.25	.25	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.32	.32	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	1001	S	NG/G	.14	.14	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	S	NG/G	.24	.24	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0002	S	NG/G	.16	.16	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	1001	S	NG/G	.13	.13	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.16	.16	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.061	.061	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	1001	S	NG/G	.086	.086	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I

APPENDIX A
Location: MWD33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.77	0.005	J			I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.77	0.005	J			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.23	.23	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.11	.11	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	1001	S	NG/G	.13	.13	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.14	.14	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.074	.074	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	1001	S	NG/G	.093	.093	U			I
2,3,7,8-TCDD	0001	S	NG/G	.05	.05	U			I
2,3,7,8-TCDD	0002	S	NG/G	.057	.057	U			I
2,3,7,8-TCDD	1001	S	NG/G	.12	.12	U			I
2,3,7,8-TCDF	0001	S	NG/G	.4	.4	U			I
2,3,7,8-TCDF	0002	S	NG/G	.041	.041	U			I
2,3,7,8-TCDF	1001	S	NG/G	.022	.022	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I

APPENDIX A
Location: MWD33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.003	J			I
2-BUTANONE	0002	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.011	0.002	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.77	0.013	J			I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.77	0.002	J			I
2-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0082	0.0082	U	0.0082	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0087	0.0087	U	0.0087	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDT	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	0.76	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.7	3.7	U	3.7	UJ	I

APPENDIX A
Location: MWD33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.77	0.008	J			I
4-CHLOROANILINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.007	J			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.004	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.77	0.0007	J			I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.7	0.004	J			I
ACENAPHTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.77	0.004	J			I
ACENAPHTHYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.016	B	0.016	U	I
ACETONE	0002	S	MG/KG	0.011	0.003	JB	0.011	U	I
ACETONE	1001	S	MG/KG	0.011	0.013	B	0.013	UJ	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ALDRIN	1001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	7900.		7900.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	3370.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	4210.		4210.	J	I
ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTHRACENE	1001	S	MG/KG	0.77	0.026	J			I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	12.6		12.6	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	31.9		31.9	J	I

APPENDIX A
Location: MWD33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTIMONY, TOTAL	1001	S	MG/KG	3.	31.2		31.2	J	I
AROCLOR-1016	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	9.0		9.0	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	4.3		4.3	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	7.3		7.3	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	55.6		55.6	J	I
BARIUM, TOTAL	0002	S	MG/KG	.2	29.1		29.1	J	I
BARIUM, TOTAL	1001	S	MG/KG	.2	29.1		29.1	J	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.77	0.024	J			I
BENZO(A)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.77	0.012	J			I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.77	0.012	J			I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	2.6	JB			I X
BENZOIC ACID	0002	S	MG/KG	3.6	2.3	JB			I X
BENZOIC ACID	1001	S	MG/KG	3.7	0.024	JB	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I

APPENDIX A
Location: MWD33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZYL ALCOHOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.69				I
BERYLLIUM	0002	S	MG/KG	.2	.65		0.65	J	I
BERYLLIUM	1001	S	MG/KG	.2	.73		0.73	J	I
BETA-BHC	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BETA-BHC	1001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.77	0.036	J			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.77	0.001	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.76	0.17	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.74	1.9		1.9	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.77	1.1		1.1	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.77	0.016	J			I
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.6		3.6	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	6.7		6.7	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.2	7.1		7.1	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	41900.		41900.	J	I
CALCIUM, TOTAL	0002	S	MG/KG	2.	118000.				I
CALCIUM, TOTAL	1001	S	MG/KG	2.	128000.		128000.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CESIUM-137	0001	S	PCI/G	.1	.0358	U	.0358	UJ	I
CESIUM-137	0002	S	PCI/G	.1	.0283	U	.0283	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I

APPENDIX A
Location: MWD33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	22.3				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	24.3		24.3	J	I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	27.3		27.3	J	I
CHRYSENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
CHRYSENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CHRYSENE	1001	S	MG/KG	0.77	0.026	J			I
COBALT, TOTAL	0001	S	MG/KG	1.	11.3				I
COBALT, TOTAL	0002	S	MG/KG	1.	8.6		8.6	J	I
COBALT, TOTAL	1001	S	MG/KG	1.	8.9		8.9	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	20.3				I
COPPER, TOTAL	0002	S	MG/KG	1.	16.9		16.9	J	I
COPPER, TOTAL	1001	S	MG/KG	1.	17.4		17.4	J	I
CYANIDE	0001	S	MG/KG	.12	.12	U	0.12	UJ	I
CYANIDE	0002	S	MG/KG	.11	.11	U			I X
CYANIDE	1001	S	MG/KG	.12	.12	U			I X
DELTA-BHC	0001	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0067	0.0067	U	0.0067	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.77	0.026	J			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.019	B	0.019	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.019	B	0.019	UJ	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	1001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.77	0.007	J			I

APPENDIX A
Location: MND33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIMETHYL PHTHALATE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN	1001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0172	0.0172	U	0.0172	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.017	0.017	U	0.017	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.	5.	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0002	S	MG/KG	5.	5.	U			I
EXTRACTABLE HYD AS DIESEL FUEL	1001	S	MG/KG	5.	5.	U			I
FLUORANTHENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.77	0.062	J			I
FLUORENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
FLUORENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	1001	S	MG/KG	0.77	0.001	J			I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.01	0.01	U	0.01	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.003	0.003	U	0.003	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0022	0.0022	U	0.0022	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
HEPTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.24	.24	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.066	.066	U			I
HEPTACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.069	.069	U			I
HEPTACHLORODIBENZOFURAN	0001	S	NG/G	.38	.38	U			I
HEPTACHLORODIBENZOFURAN	0002	S	NG/G	.29	.29	U			I

APPENDIX A
Location: MWD33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLORODIBENZOFURAN	1001	S	NG/G	.1	.1	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.18	.18	U			I
HEXACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.38	.38	U			I
HEXACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.085	.085	U			I
HEXACHLORODIBENZOFURAN	0001	S	NG/G	.22	.22	U			I
HEXACHLORODIBENZOFURAN	0002	S	NG/G	.28	.28	U			I
HEXACHLORODIBENZOFURAN	1001	S	NG/G	.13	.13	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	18000.		18000.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	8590.				I
IRON, TOTAL	1001	S	MG/KG	1.	10000.		10000.	J	I
ISOPHORONE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
ISOPHORONE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ISOPHORONE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	9.8				I
LEAD, TOTAL	0002	S	MG/KG	.2	5.6				I
LEAD, TOTAL	1001	S	MG/KG	.2	7.5				I
LITHIUM, TOTAL	0001	S	MG/KG	5.	29.				I
LITHIUM, TOTAL	0002	S	MG/KG	5.	18.5				I
LITHIUM, TOTAL	1001	S	MG/KG	5.	23.5				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	16900.	•	16900.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	50500.	•			I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	52600.	•	52600.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	458.	•	458.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	204.	•			I
MANGANESE, TOTAL	1001	S	MG/KG	.2	214.	•	214.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12	U			I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	1001	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.09	0.09	U	0.09	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.095	0.095	U	0.095	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.77	0.007	J			I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I

APPENDIX A
Location: MWD33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.77	0.004	J			I
NICKEL, TOTAL	0001	S	MG/KG	2.	28.5				I
NICKEL, TOTAL	0002	S	MG/KG	2.	21.8		21.8	J	I
NICKEL, TOTAL	1001	S	MG/KG	2.	23.4		23.4	J	I
NITROBENZENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
NITROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NITROBENZENE	1001	S	MG/KG	0.77	0.77	U	0.77	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.37	.37	U			I
OCTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.11	.11	U			I
OCTACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.12	.12	U			I
OCTACHLORODIBENZOFURAN	0001	S	NG/G	.31	.31	U			I
OCTACHLORODIBENZOFURAN	0002	S	NG/G	.088	.088	U			I
OCTACHLORODIBENZOFURAN	1001	S	NG/G	.14	.14	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.24	.24	U			I
PENTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.16	.16	U			I
PENTACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.13	.13	U			I
PENTACHLORODIBENZOFURAN	0001	S	NG/G	.14	.14	U			I
PENTACHLORODIBENZOFURAN	0002	S	NG/G	.071	.071	U			I
PENTACHLORODIBENZOFURAN	1001	S	NG/G	.089	.089	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PERCENT MOISTURE	1001	S	% MOIST	-	13.				I
PHENANTHRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.77	0.026	J			I
PHENOL	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	1001	S	MG/KG	0.77	0.022	J			I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	907.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	633.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	775.				I
POTASSIUM-40	0001	S	PCI/G	.5	16.9				I
POTASSIUM-40	0002	S	PCI/G	.5	11.3				I
PYRENE	0001	S	MG/KG	0.76	0.76	U	0.76	UJ	I
PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PYRENE	1001	S	MG/KG	0.77	0.063	J			I
RADIUM-224	0001	S	PCI/G	.1	.742				I
RADIUM-224	0002	S	PCI/G	.1	.543				I
RADIUM-226	0001	S	PCI/G	.1	.845				I
RADIUM-226	0002	S	PCI/G	.1	.738				I
RADIUM-228	0001	S	PCI/G	.2	.801				I
RADIUM-228	0002	S	PCI/G	.2	.476				I
SELENIUM, TOTAL	0001	S	MG/KG	.69	.69		0.69	UJ	I

APPENDIX A
Location: MND33-0114
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	0002	S	MG/KG	.67	.67		0.67	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.69	.69		0.69	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	9.5		9.5	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	16.8		16.8	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	17.7		17.7	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	98.4				I
SODIUM, TOTAL	0002	S	MG/KG	10.	175.		175.	J	I
SODIUM, TOTAL	1001	S	MG/KG	10.	177.		177.	J	I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TETRACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.09	.09	U			I
TETRACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.069	.069	U			I
TETRACHLORODIBENZO-P-DIOXIN	1001	S	NG/G	.057	.057	U			I
TETRACHLORODIBENZOFURAN	0001	S	NG/G	.1	.1	U			I
TETRACHLORODIBENZOFURAN	0002	S	NG/G	.059	.059	U			I
TETRACHLORODIBENZOFURAN	1001	S	NG/G	.06	.06	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.2	.53		0.53	J	I
THALLIUM, TOTAL	0002	S	MG/KG	.2	.52		0.52	J	I
THALLIUM, TOTAL	1001	S	MG/KG	.46	.46		0.46	UJ	I
THORIUM-234	0001	S	PCI/G	.5	1.38				I
THORIUM-234	0002	S	PCI/G	.5	1.07				I
TOLUENE	0001	S	MG/KG	0.006	0.001	J			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
TOXAPHENE	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TOXAPHENE	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TOXAPHENE	1001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U	0.006	UJ	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	26.1				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	22.3		22.3	J	I
VANADIUM, TOTAL	1001	S	MG/KG	1.	25.3		25.3	J	I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ZINC, TOTAL	0001	S	MG/KG	.5	50.7		50.7	J	I
ZINC, TOTAL	0002	S	MG/KG	.5	31.		31.	J	I
ZINC, TOTAL	1001	S	MG/KG	.5	31.4		31.4	J	I

APPENDIX A
Location: MWD33-0115
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	75.5				I
% SOLIDS	0002	S	% SOLIDS	-	89.5				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.007	0.007	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.13	.13	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.2	.2	U			I
1,2,3,4,6,7,8-HpCDD	0001	S	NG/G	.17	.17	U			I
1,2,3,4,6,7,8-HpCDD	0002	S	NG/G	.08	.08	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.18	.18	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.28	.28	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.099	.099	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.14	.14	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.11	.11	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.13	.13	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.096	.096	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.12	.12	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.079	.079	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.11	.11	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.23	.23	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.11	.11	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.13	.13	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.15	.15	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	S	NG/G	.22	.22	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0002	S	NG/G	.21	.21	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.063	.063	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.12	.12	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.007	0.007	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.007	0.007	U			I

APPENDIX A
Location: MND33-0115
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.007	0.007	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.11	.11	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.14	.14	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.068	.068	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.13	.13	U			I
2,3,7,8-TCDD	0001	S	NG/G	.12	.12	U			I
2,3,7,8-TCDD	0002	S	NG/G	.21	.21	U			I
2,3,7,8-TCDF	0001	S	NG/G	.085	.085	U			I
2,3,7,8-TCDF	0002	S	NG/G	.057	.057	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-BUTANONE	0001	S	MG/KG	0.013	0.002	J			I
2-BUTANONE	0002	S	MG/KG	0.011	0.002	J			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-HEXANONE	0001	S	MG/KG	0.013	0.013	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I

APPENDIX A
Location: MWD33-0115
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0083	0.0083	U	0.0083	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.013	0.006	J			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.013				I
4-METHYLPHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.013	0.018	B	0.018	U	I
ACETONE	0002	S	MG/KG	0.011	0.054	B	0.054		I
ALDRIN	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	12600.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	4540.				I
ANTHRACENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I

APPENDIX A
Location: MWD33-0115
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	7.9	7.9				I X
ANTIMONY, TOTAL	0002	S	MG/KG	3.	25.6		25.6	J	I
AROCLOR-1016	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	7.3		7.3	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	8.2		8.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	131.		131.	J	I
BARIUM, TOTAL	0002	S	MG/KG	.2	36.4		36.4	J	I
BENZENE	0001	S	MG/KG	0.007	0.007	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.2	2.8	JB			I X
BENZOIC ACID	0002	S	MG/KG	3.6	2.5	JB			I X
BENZYL ALCOHOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.96				I
BERYLLIUM	0002	S	MG/KG	.2	.66		.66	J	I
BETA-BHC	0001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
BETA-BHC	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I

APPENDIX A
Location: MWD33-0115
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.87	0.16	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.74	0.38	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.007	0.007	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.007	0.007	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.013	0.013	U			I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	2.2		2.2	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	6.1		6.1	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	4300.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	100000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.007	0.007	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.007				I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.007	0.007	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.0274	U	.0274	UJ	I
CESIUM-137	0002	S	PCI/G	.1	.0267	U	.0267	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.007	0.007	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.007	0.007	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	18.				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	24.6		24.6	J	I
CHRYSENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
CHRYSENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	16.				I
COBALT, TOTAL	0002	S	MG/KG	1.	9.2		9.2	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	18.3				I
COPPER, TOTAL	0002	S	MG/KG	1.	18.4		18.4	J	I
CYANIDE	0001	S	MG/KG	.13	.13	U	0.13	UJ	I
CYANIDE	0002	S	MG/KG	.11	.11	U			I X
DELTA-BHC	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0068	0.0068	U	0.0068	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I

APPENDIX A
Location: MND33-0115
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.007	0.007	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.007	0.02	B	0.02	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.034	B	0.034	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN	0001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
ENDRIN	0002	S	MG/KG	0.0045	0.0045	U	0.0045	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0182	0.0182	U	0.0182	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0173	0.0173	U	0.0173	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.007	0.007	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	5.	5.	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0002	S	MG/KG	5.	5.	U			I
FLUORANTHENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
FLUORENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I

APPENDIX A
Location: MWD33-0115
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
HEPTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.17	.17	U			I
HEPTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.08	.08	U			I
HEPTACHLORODIBENZOFURAN	0001	S	NG/G	.15	.15	U			I
HEPTACHLORODIBENZOFURAN	0002	S	NG/G	.23	.23	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.24	.24	U			I
HEXACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.12	.12	U			I
HEXACHLORODIBENZOFURAN	0001	S	NG/G	.11	.11	U			I
HEXACHLORODIBENZOFURAN	0002	S	NG/G	.13	.13	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	21700.		21700.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	11800.		11800.	J	I
ISOPHORONE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
ISOPHORONE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	13.5				I
LEAD, TOTAL	0002	S	MG/KG	.2	6.5				I
LITHIUM, TOTAL	0001	S	MG/KG	5.	29.1				I
LITHIUM, TOTAL	0002	S	MG/KG	5.	15.1				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	2950.	•			I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	42600.	•			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	709.	•			I
MANGANESE, TOTAL	0002	S	MG/KG	.2	237.	•			I
MERCURY, TOTAL	0001	S	MG/KG	.13	.13	U			I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.091	0.091	U	0.091	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	24.7				I
NICKEL, TOTAL	0002	S	MG/KG	2.	24.		24.0	J	I
NITRATE	0002	S	MG/KG	1.	1.	U			I

APPENDIX A
Location: MND33-0115
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NITRITE AS NITROGEN	0002	S	MG/KG	1.	1.	U			I
NITROBENZENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
NITROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.21	.21	U			I
OCTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.2	.2	U			I
OCTACHLORODIBENZOFURAN	0001	S	NG/G	.14	.14	U			I
OCTACHLORODIBENZOFURAN	0002	S	NG/G	.2	.2	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.22	.22	U			I
PENTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.21	.21	U			I
PENTACHLORODIBENZOFURAN	0001	S	NG/G	.065	.065	U			I
PENTACHLORODIBENZOFURAN	0002	S	NG/G	.13	.13	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	4.2	4.2	U	4.2	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	24.				I
PERCENT MOISTURE	0002	S	% MOIST	-	10.				I
PERCENT MOISTURE	0001	S	% MOIST	-	24.				I
PERCENT MOISTURE	0002	S	% MOIST	-	10.				I
PHENANTHRENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
PHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1460.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	892.				I
POTASSIUM-40	0001	S	PCI/G	.5	19.3				I
POTASSIUM-40	0002	S	PCI/G	.5	11.5				I
PYRENE	0001	S	MG/KG	0.87	0.87	U	0.87	UJ	I
PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
RADIUM-224	0001	S	PCI/G	.1	1.		1.0		I
RADIUM-224	0002	S	PCI/G	.1	.575				I
RADIUM-226	0001	S	PCI/G	.1	.879				I
RADIUM-226	0002	S	PCI/G	.1	.686				I
RADIUM-228	0001	S	PCI/G	.2	1.13				I
RADIUM-228	0002	S	PCI/G	.2	.483				I
SELENIUM, TOTAL	0001	S	MG/KG	.79	.79		0.79	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.66	.66		0.66	UJ	I
SILVER, TOTAL	0001	S	MG/KG	2.6	2.6	U			I
SILVER, TOTAL	0002	S	MG/KG	1.	15.4		15.4	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	79.4				I
SODIUM, TOTAL	0002	S	MG/KG	10.	151.		151.	J	I
STYRENE	0001	S	MG/KG	0.007	0.007	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.12	.12	U			I
TETRACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.079	.079	U			I
TETRACHLORODIBENZOFURAN	0001	S	NG/G	.072	.072	U			I
TETRACHLORODIBENZOFURAN	0002	S	NG/G	.07	.07	U			I

APPENDIX A
Location: MWD33-0115
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRACHLOROETHENE	0001	S	MG/KG	0.007	0.007	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.53	.53		0.53	UJ	I
THALLIUM, TOTAL	0002	S	MG/KG	.2	.5		0.50	J	I
THORIUM-234	0001	S	PCI/G	.5	.973				I
THORIUM-234	0002	S	PCI/G	.5	.548				I
TOLUENE	0001	S	MG/KG	0.007	0.007	U			I
TOLUENE	0002	S	MG/KG	0.006	0.002	J			I
TOTAL XYLENES	0001	S	MG/KG	0.007	0.007	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
TOXAPHENE	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.007	0.007	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	27.7				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	23.6		23.6	J	I
VINYL ACETATE	0001	S	MG/KG	0.013	0.013	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	59.				I
ZINC, TOTAL	0002	S	MG/KG	.5	38.7				I

APPENDIX A
Location: MWD33-0116
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	87.4				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.003	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I

APPENDIX A
Location: MWD33-0116
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.002	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.02	B	0.02	U	I
ALDRIN	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	9820.				I
ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	12.8		12.8	J	I
AROCLOR-1016	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.2		3.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	15.7		15.7	J	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0116
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.86				I
BETA-BHC	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.		3.	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	130000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	S	MG/KG	.5	12.53				I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	32.1				I
CHRYSENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	14.				I
COPPER, TOTAL	0001	S	MG/KG	1.	23.6				I
CYANIDE	0001	S	MG/KG	.11	.11	U			I
DELTA-BHC	0001	S	MG/KG	0.007	0.007	U	0.007	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0116
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.018	B	0.018	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN	0001	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	22100.				I
ISOPHORONE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	4.				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	10900.	•			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	864.	•			I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.094	0.094	U	0.094	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MWD33-0116
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
NAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	26.4				I
NITRATE	0001	S	MG/KG	.1	3.87		3.86	J	I
NITRITE AS NITROGEN	0001	S	MG/KG	1.	1.	U	1.0	UJ	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.7	3.7	U	3.7	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	12.				I
PERCENT MOISTURE	0001	S	% MOIST	-	12.				I
PHENANTHRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1720.				I
PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.69	.69		.69	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	17.1				I
SODIUM, TOTAL	0001	S	MG/KG	10.	184.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44		.44	UJ	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRITIUM	0001	S	PCI/G	50.	50.	U	2.341	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	25.9				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	43.3				I

APPENDIX A
Location: MWD33-0117
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	84.2				I
% SOLIDS	1001	S	% SOLIDS	-	82.1				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I

APPENDIX A
Location: MWD33-0117
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROPHENOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.021	B	0.021		I
2-BUTANONE	1001	S	MG/KG	0.012	0.013	B	0.013	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	1001	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDD	1001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MWD33-0117
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.013				I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.012	0.002	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.1	B	0.1	U	I
ACETONE	1001	S	MG/KG	0.012	0.053		0.053	U	I
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	8730.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	7360.				I
ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTHRACENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	14.7		14.7	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	21.		21.	J	I
AROCLOR-1016	0001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	6.		6.	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	6.2		6.2	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	64.		64.	J	I

APPENDIX A
Location: MND33-0117
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BARIUM, TOTAL	1001	S	MG/KG	.2	55.4		55.4	J	I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.77				I
BERYLLIUM	1001	S	MG/KG	.2	.77				I
BETA-BHC	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	1001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.78	0.37	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.8	0.19	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BROMOMETHANE	1001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.7		3.7	J	I
CADMIUM, TOTAL	1001	S	MG/KG	.2	5.6		5.6	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	40000.				I
CALCIUM, TOTAL	1001	S	MG/KG	2.	69300.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0117
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	S	MG/KG	.5	109.7				I
CHLORIDE	1001	S	MG/KG	.5	106.09				I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	1001	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	22.7				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	24.7				I
CHRYSENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CHRYSENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	12.1				I
COBALT, TOTAL	1001	S	MG/KG	1.	9.7				I
COPPER, TOTAL	0001	S	MG/KG	1.	20.8				I
COPPER, TOTAL	1001	S	MG/KG	1.	19.1				I
CYANIDE	0001	S	MG/KG	.12	.12	U			I
CYANIDE	1001	S	MG/KG	.12	.12	U			I
DELTA-BHC	0001	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.8	0.09	J			I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.009	B	0.009	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.008	B	0.008	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	1001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I

APPENDIX A
Location: MWD33-0117
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	1001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
FLUORENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	18200.				I
IRON, TOTAL	1001	S	MG/KG	1.	14000.				I
ISOPHORONE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ISOPHORONE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	11.4				I
LEAD, TOTAL	1001	S	MG/KG	.2	12.3				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	19100.	*			I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	35400.	*			I
MANGANESE, TOTAL	0001	S	MG/KG	.2	441.	*			I
MANGANESE, TOTAL	1001	S	MG/KG	.2	358.	*			I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I

APPENDIX A
Location: MND33-0117
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MERCURY, TOTAL	1001	S	MG/KG	.12	.12	U			I
METHOXYCHLOR	0001	S	MG/KG	0.098	0.098	U	0.098	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	26.9				I
NICKEL, TOTAL	1001	S	MG/KG	2.	25.2				I
NITRATE	0001	S	MG/KG	.1	4.2		4.20	J	I
NITRATE	1001	S	MG/KG	.1	3.35		3.35	J	I
NITRITE AS NITROGEN	0001	S	MG/KG	1.	1.	U	1.0	UJ	I
NITRITE AS NITROGEN	1001	S	MG/KG	1.	1.	U	1.0	UJ	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NITROBENZENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	15.				I
PERCENT MOISTURE	0001	S	% MOIST	-	15.				I
PERCENT MOISTURE	1001	S	% MOIST	-	17.				I
PHENANTHRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
PHENOL	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	892.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	837.				I
PYRENE	0001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PYRENE	1001	S	MG/KG	0.8	0.8	U	0.8	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.71	.71		.71	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.2	.71		.71	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	9.6				I
SILVER, TOTAL	1001	S	MG/KG	1.	13.3				I
SODIUM, TOTAL	0001	S	MG/KG	10.	345.				I
SODIUM, TOTAL	1001	S	MG/KG	10.	333.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I

APPENDIX A
Location: MND33-0117
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
THALLIUM, TOTAL	0001	S	MG/KG	.2	.55		.55	J	I
THALLIUM, TOTAL	1001	S	MG/KG	.2	.6		.6	J	I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TOXAPHENE	1001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TRITIUM	0001	S	PCI/G	50.	50.	U	2.403	U	I
TRITIUM	1001	S	PCI/G	50.	50.	U	2.326	U	I
VANADIUM, TOTAL	0001	S	MG/KG	1.	27.9				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	27.5				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	1001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	50.				I
ZINC, TOTAL	1001	S	MG/KG	.5	40.5				I

APPENDIX A
Location: MND33-0130
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	SE	% SOLIDS	-	78.3				I
% SOLIDS	1001	SE	% SOLIDS	-	80.5				I
1,1,1-TRICHLOROETHANE	0001	SE	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	SE	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	SE	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	SE	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	SE	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	SE	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	SE	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	SE	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	SE	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	SE	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2,4-TRICHLOROBENZENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2-DICHLOROBENZENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
1,2-DICHLOROETHANE	0001	SE	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	SE	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	SE	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	SE	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	SE	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	SE	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	SE	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	SE	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DICHLOROBENZENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
1,3-DNB	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	SE	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	SE	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
1,4-DICHLOROBENZENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4,5-TRICHLOROPHENOL	0001	SE	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,5-TRICHLOROPHENOL	1001	SE	MG/KG	4.	4.	U	4.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRICHLOROPHENOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4,6-TRINITROTOLUENE	0001	SE	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	SE	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DICHLOROPHENOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DIMETHYLPHENOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2,4-DINITROPHENOL	0001	SE	MG/KG	4.1	4.1	U	4.1	UJ	I

APPENDIX A
Location: MWD33-0130
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROPHENOL	1001	SE	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROTOLUENE	0001	SE	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1001	SE	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROTOLUENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2,6-DINITROTOLUENE	0001	SE	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	SE	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	SE	MG/KG	0.013	0.013	U			I
2-BUTANONE	1001	SE	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLORONAPHTHALENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2-CHLOROPHENOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2-HEXANONE	0001	SE	MG/KG	0.013	0.013	U			I
2-HEXANONE	1001	SE	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLNAPHTHALENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2-METHYLPHENOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
2-NITROANILINE	0001	SE	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROANILINE	1001	SE	MG/KG	4.	4.	U	4.	UJ	I
2-NITROPHENOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROPHENOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
3,3'-DICHLOROBENZIDINE	0001	SE	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	1001	SE	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	SE	MG/KG	4.1	4.1	U	4.1	UJ	I
3-NITROANILINE	1001	SE	MG/KG	4.	4.	U	4.	UJ	I
4,4'-DDD	0001	SE	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,4'-DDD	1001	SE	MG/KG	0.0091	0.0091	U	0.0091	UJ	I
4,4'-DDE	0001	SE	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDE	1001	SE	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDT	0001	SE	MG/KG	0.01	0.01	U	0.01	UJ	I
4,4'-DDT	1001	SE	MG/KG	0.01	0.01	U	0.01	UJ	I
4,6-DINITRO-O-CRESOL	0001	SE	MG/KG	4.1	4.1	U	4.1	UJ	I
4,6-DINITRO-O-CRESOL	1001	SE	MG/KG	4.	4.	U	4.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROANILINE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0130
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLOROPHENYL-PHENYLETHER	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
4-METHYL-2-PENTANONE	0001	SE	MG/KG	0.013	0.013	U			I
4-METHYL-2-PENTANONE	1001	SE	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYLPHENOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
4-NITROANILINE	0001	SE	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROANILINE	1001	SE	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0001	SE	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	1001	SE	MG/KG	4.	4.	U	4.	UJ	I
ACENAPHTHENE	0001	SE	MG/KG	0.84	0.15	J			I
ACENAPHTHENE	1001	SE	MG/KG	0.82	0.11	J			I
ACENAPHTHYLENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
ACETONE	0001	SE	MG/KG	0.013	0.002	JB	0.012	UJ	I
ACETONE	1001	SE	MG/KG	0.012	0.003	JB	0.012	UJ	I
ALDRIN	0001	SE	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALDRIN	1001	SE	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALPHA CHLORDANE	0001	SE	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA CHLORDANE	1001	SE	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA-BHC	0001	SE	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALPHA-BHC	1001	SE	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	SE	MG/KG	6.	5260.				I
ALUMINUM, TOTAL	1001	SE	MG/KG	6.	4540.				I
ANTHRACENE	0001	SE	MG/KG	0.84	0.74	J			I
ANTHRACENE	1001	SE	MG/KG	0.82	0.26	J	0.82	J	I
ANTIMONY, TOTAL	0001	SE	MG/KG	3.	26.1		26.1	J	I
ANTIMONY, TOTAL	1001	SE	MG/KG	3.	18.6		18.6	J	I
AROCLOR-1016	0001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1016	1001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	0001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	1001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	0001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	1001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	0001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	1001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	0001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	1001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1254	0001	SE	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1254	1001	SE	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0001	SE	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1260	1001	SE	MG/KG	0.2	0.2	U	0.2	UJ	I
ARSENIC, TOTAL	0001	SE	MG/KG	.2	1.3		1.3	UJ	I
ARSENIC, TOTAL	1001	SE	MG/KG	.2	2.1		2.1	UJ	I
BARIUM, TOTAL	0001	SE	MG/KG	.2	47.		47.0	J	I

APPENDIX A
Location: MND33-0130
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BARIUM, TOTAL	1001	SE	MG/KG	.2	58.8		58.8	J	I
BENZENE	0001	SE	MG/KG	0.006	0.006	U			I
BENZENE	1001	SE	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	SE	MG/KG	0.84	1.9		1.9	J	I
BENZO(A)ANTHRACENE	1001	SE	MG/KG	0.82	0.93		0.93	J	I
BENZO(A)PYRENE	0001	SE	MG/KG	0.84	1.7		1.7	J	I
BENZO(A)PYRENE	1001	SE	MG/KG	0.82	0.91		0.91	J	I
BENZO(B)FLUORANTHENE	0001	SE	MG/KG	0.84	1.4		1.4	J	I
BENZO(B)FLUORANTHENE	1001	SE	MG/KG	0.82	1.1		1.1	J	I
BENZO(G,H,I)PERYLENE	0001	SE	MG/KG	0.84	1.3		1.3	J	I
BENZO(G,H,I)PERYLENE	1001	SE	MG/KG	0.82	0.6	J			I
BENZO(K)FLUORANTHENE	0001	SE	MG/KG	0.84	1.5		1.5	J	I
BENZO(K)FLUORANTHENE	1001	SE	MG/KG	0.82	0.77	J			I
BENZOIC ACID	0001	SE	MG/KG	4.1	0.19	J			I
BENZOIC ACID	1001	SE	MG/KG	4.	0.18	J			I
BENZYL ALCOHOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZYL ALCOHOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
BERYLLIUM	0001	SE	MG/KG	.2	1.4				I
BERYLLIUM	1001	SE	MG/KG	.2	1.3				I
BETA-BHC	0001	SE	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BETA-BHC	1001	SE	MG/KG	0.005	0.005	U	0.005	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	SE	MG/KG	0.84	0.74	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	SE	MG/KG	0.82	0.66	J			I
BROMODICHLOROMETHANE	0001	SE	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	SE	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	SE	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	SE	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	SE	MG/KG	0.013	0.013	U	0.012	UJ	I
BROMOMETHANE	1001	SE	MG/KG	0.012	0.012	U	0.012	UJ	I
BUTYL BENZYL PHTHALATE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
BUTYL BENZYL PHTHALATE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
CADMIUM, TOTAL	0001	SE	MG/KG	.2	7.9		7.9	J	I
CADMIUM, TOTAL	1001	SE	MG/KG	.2	6.4		6.4	J	I
CALCIUM, TOTAL	0001	SE	MG/KG	2.	128000.				I
CALCIUM, TOTAL	1001	SE	MG/KG	2.	122000.				I
CARBON DISULFIDE	0001	SE	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	SE	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	SE	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0130
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON TETRACHLORIDE	1001	SE	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	SE	MG/KG	.5	121.28				I
CHLORIDE	1001	SE	MG/KG	.5	104.41				I
CHLOROBENZENE	0001	SE	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	SE	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	SE	MG/KG	0.013	0.013	U			I
CHLOROETHANE	1001	SE	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	SE	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	SE	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	SE	MG/KG	0.013	0.013	U			I
CHLOROMETHANE	1001	SE	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	SE	MG/KG	1.	23.3				I
CHROMIUM, TOTAL	1001	SE	MG/KG	1.	22.8				I
CHRYSENE	0001	SE	MG/KG	0.84	2.2		2.2	J	I
CHRYSENE	1001	SE	MG/KG	0.82	1.2		1.2	J	I
COBALT, TOTAL	0001	SE	MG/KG	1.	6.2				I
COBALT, TOTAL	1001	SE	MG/KG	1.	4.5				I
COPPER, TOTAL	0001	SE	MG/KG	1.	63.2		63.2	J	I
COPPER, TOTAL	1001	SE	MG/KG	1.	35.8		35.8	J	I
CYANIDE	0001	SE	MG/KG	.13	.13	U			I
CYANIDE	1001	SE	MG/KG	.12	.12	U			I
DELTA-BHC	0001	SE	MG/KG	0.0077	0.0077	U	0.0077	UJ	I
DELTA-BHC	1001	SE	MG/KG	0.0075	0.0075	U	0.0075	UJ	I
DI-N-BUTYL PHTHALATE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-BUTYL PHTHALATE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
DI-N-OCTYL PHTHALATE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	SE	MG/KG	0.84	0.45	J			I
DIBENZO(A,H)ANTHRACENE	1001	SE	MG/KG	0.82	0.21	J			I
DIBENZOFURAN	0001	SE	MG/KG	0.84	0.12	J			I
DIBENZOFURAN	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
DIBROMOCHLOROMETHANE	0001	SE	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	SE	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	SE	MG/KG	0.006	0.012	B	0.012	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	SE	MG/KG	0.006	0.014	B	0.014	U	I
DIELDRIN	0001	SE	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIELDRIN	1001	SE	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
DIETHYL PHTHALATE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
DIMETHYL PHTHALATE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
ENDOSULFAN I(ALPHA)	0001	SE	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN I(ALPHA)	1001	SE	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN II(BETA)	0001	SE	MG/KG	0.0035	0.0035	U	0.0035	UJ	I

APPENDIX A
Location: MWD33-0130
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN II(BETA)	1001	SE	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN SULFATE	0001	SE	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDOSULFAN SULFATE	1001	SE	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN	0001	SE	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN	1001	SE	MG/KG	0.005	0.005	U	0.005	UJ	I
ENDRIN ALDEHYDE	0001	SE	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDRIN ALDEHYDE	1001	SE	MG/KG	0.0191	0.0191	U	0.0191	UJ	I
ENDRIN KETONE	0001	SE	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDRIN KETONE	1001	SE	MG/KG	0.02	0.02	U	0.02	UJ	I
ETHYLBENZENE	0001	SE	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	SE	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	SE	MG/KG	0.84	5.2		5.2	J	I
FLUORANTHENE	1001	SE	MG/KG	0.82	2.9		2.9	J	I
FLUORENE	0001	SE	MG/KG	0.84	0.29	J			I
FLUORENE	1001	SE	MG/KG	0.82	0.13	J			I
GAMMA CHLORDANE	0001	SE	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA CHLORDANE	1001	SE	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA-BHC (LINDANE)	0001	SE	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
GAMMA-BHC (LINDANE)	1001	SE	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
HEPTACHLOR	0001	SE	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR	1001	SE	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	SE	MG/KG	0.01	0.01	U	0.01	UJ	I
HEPTACHLOR EPOXIDE	1001	SE	MG/KG	0.01	0.01	U	0.01	UJ	I
HEXACHLOROBENZENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBENZENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROBUTADIENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
HEXACHLOROETHANE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
HMX	0001	SE	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	SE	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	SE	MG/KG	0.84	1.3		1.3	J	I
INDENO(1,2,3-CD)PYRENE	1001	SE	MG/KG	0.82	0.71	J			I
IRON, TOTAL	0001	SE	MG/KG	1.	11000.		11000.	J	I
IRON, TOTAL	1001	SE	MG/KG	1.	5120.		5120.	J	I
ISOPHORONE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
ISOPHORONE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
LEAD, TOTAL	0001	SE	MG/KG	.2	39.1				I
LEAD, TOTAL	1001	SE	MG/KG	.2	28.6				I
MAGNESIUM, TOTAL	0001	SE	MG/KG	5.	42500.	*			I
MAGNESIUM, TOTAL	1001	SE	MG/KG	5.	34500.	*			I
MANGANESE, TOTAL	0001	SE	MG/KG	.2	562.	*			I

APPENDIX A
Location: MWD33-0130
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MANGANESE, TOTAL	1001	SE	MG/KG	.2	504.	•			I
MERCURY, TOTAL	0001	SE	MG/KG	.11	.11	U			I
MERCURY, TOTAL	1001	SE	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
METHOXYCHLOR	1001	SE	MG/KG	0.1	0.1	U	0.1	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
N-NITROSODIPHENYLAMINE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
NAPHTHALENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
NICKEL, TOTAL	0001	SE	MG/KG	2.	16.4				I
NICKEL, TOTAL	1001	SE	MG/KG	2.	13.				I
NITRATE	0001	SE	MG/KG	1.	1.	U	10.	UJ	I
NITRATE	1001	SE	MG/KG	.1	2.69				I
NITRITE AS NITROGEN	0001	SE	MG/KG	1.	1.	U	10.	UJ	I
NITRITE AS NITROGEN	1001	SE	MG/KG	1.	1.	U			I
NITROBENZENE	0001	SE	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	SE	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
NITROBENZENE	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
PENTACHLOROPHENOL	0001	SE	MG/KG	4.1	4.1	U	4.1	UJ	I
PENTACHLOROPHENOL	1001	SE	MG/KG	4.	4.	U	4.	UJ	I
PERCENT MOISTURE	0001	SE	% MOIST	-	21.				I
PERCENT MOISTURE	1001	SE	% MOIST	-	19.				I
PERCENT MOISTURE	0001	SE	% MOIST	-	21.				I
PERCENT MOISTURE	1001	SE	% MOIST	-	19.				I
PHENANTHRENE	0001	SE	MG/KG	0.84	3.		3.	J	I
PHENANTHRENE	1001	SE	MG/KG	0.82	1.5		1.5	J	I
PHENOL	0001	SE	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	1001	SE	MG/KG	0.82	0.82	U	0.82	UJ	I
POTASSIUM, TOTAL	0001	SE	MG/KG	10.	402.				I
POTASSIUM, TOTAL	1001	SE	MG/KG	10.	402.				I
PYRENE	0001	SE	MG/KG	0.84	3.2		3.2	J	I
PYRENE	1001	SE	MG/KG	0.82	1.7		1.7	J	I
RDX	0001	SE	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	SE	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	SE	MG/KG	.38	.38		0.38	UJ	I
SELENIUM, TOTAL	1001	SE	MG/KG	.37	.37		0.37	UJ	I
SILVER, TOTAL	0001	SE	MG/KG	1.	12.5				I
SILVER, TOTAL	1001	SE	MG/KG	1.	11.7				I
SODIUM, TOTAL	0001	SE	MG/KG	10.	554.				I
SODIUM, TOTAL	1001	SE	MG/KG	10.	538.				I
STYRENE	0001	SE	MG/KG	0.006	0.006	U			I
STYRENE	1001	SE	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	SE	MG/KG	0.006	0.047				I

APPENDIX A
Location: MND33-0130
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRACHLOROETHENE	1001	SE	MG/KG	0.006	0.11				I
TETRYL	0001	SE	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	SE	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	SE	MG/KG	.26	.26		0.26	UJ	I
THALLIUM, TOTAL	1001	SE	MG/KG	.25	.25		0.25	UJ	I
TOLUENE	0001	SE	MG/KG	0.006	0.006	U			I
TOLUENE	1001	SE	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	SE	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	SE	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	78.8				I
% SOLIDS	0002	S	% SOLIDS	-	84.2				I
% SOLIDS	0003	S	% SOLIDS	-	76.5				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MWD33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.013	0.013	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0003	S	MG/KG	0.013	0.013	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-HEXANONE	0001	S	MG/KG	0.013	0.013	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MWD33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-METHYLPHENOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROANILINE	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
4,4'-DDT	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDT	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.013	0.013	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I

APPENDIX A
Location: MND33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
ACETONE	0001	S	MG/KG	0.013	0.003	JB	0.013	U	I
ACETONE	0002	S	MG/KG	0.012	0.013	B	0.013	U	I
ACETONE	0003	S	MG/KG	0.013	0.006	JB	0.013	U	I
ALDRIN	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALDRIN	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	0003	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	5240.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	7520.				I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	14300.				I
ANTHRACENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTHRACENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	14.1		14.1	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	20.		20.0	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	18.		18.0	J	I
AROCLOR-1016	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.21	0.21	U	0.21	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.5		3.5	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	1.2		1.2	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	2.9		2.9	J	I

APPENDIX A
Location: MWD33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BARIUM, TOTAL	0001	S	MG/KG	.2	23.3				I
BARIUM, TOTAL	0002	S	MG/KG	.2	20.7				I
BARIUM, TOTAL	0003	S	MG/KG	.2	20.4				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.1	11.				I X
BENZOIC ACID	0002	S	MG/KG	3.8	5.1		5.1	J	I X
BENZOIC ACID	0003	S	MG/KG	4.2	9.5				I X
BENZYL ALCOHOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.56				I
BERYLLIUM	0002	S	MG/KG	.2	.87		0.87	J	I
BERYLLIUM	0003	S	MG/KG	.2	.97				I
BETA-BHC	0001	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
BETA-BHC	0002	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	0003	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.85	0.92		0.92	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.78	0.2	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.87	1.		1.	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MWD33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.013	0.013	U			I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U			I
BROMOMETHANE	0003	S	MG/KG	0.013	0.013	U			I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	3.9				I
CADMIUM, TOTAL	0002	S	MG/KG	.2	4.				I
CADMIUM, TOTAL	0003	S	MG/KG	.2	5.5				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	45100.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	176000.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	57300.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	20.9				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	33.8		33.8	J	I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	112.				I
CHRYSENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
CHRYSENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CHRYSENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	7.9				I
COBALT, TOTAL	0002	S	MG/KG	1.	11.7		11.7	J	I
COBALT, TOTAL	0003	S	MG/KG	1.	20.7				I
COPPER, TOTAL	0001	S	MG/KG	1.	223.		223.	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	20.1		20.1	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	29.9		29.9	J	I
CYANIDE	0001	S	MG/KG	.13	.13	U	0.13	UJ	I
CYANIDE	0002	S	MG/KG	.12	.12	U			I X
CYANIDE	0003	S	MG/KG	.13	.13	U	0.13	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0077	0.0077	U	0.0077	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	I
DELTA-BHC	0003	S	MG/KG	0.008	0.008	U	0.008	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I

APPENDIX A
Location: MND33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.015	B	0.015	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.014	B	0.014	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.012	B	0.012	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0003	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDRIN	0001	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
ENDRIN	0002	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	0003	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0198	0.0198	U	0.0198	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0186	0.0186	U	0.0186	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0203	0.0203	U	0.0203	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.85	0.14	J			I
FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I

APPENDIX A
Location: MWD33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
FLUORENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
FLUORENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0027	0.0027	U	0.0027	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.011	0.011	U	0.011	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	10700.	*			I
IRON, TOTAL	0002	S	MG/KG	1.	16400.	*	16400.	J	I
IRON, TOTAL	0003	S	MG/KG	1.	28200.	*	28200.	J	I
ISOPHORONE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
ISOPHORONE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ISOPHORONE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	15.1				I
LEAD, TOTAL	0002	S	MG/KG	.2	5.9				I
LEAD, TOTAL	0003	S	MG/KG	.2	5.1				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	16500.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	13100.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	17100.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	243.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	493.				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	691.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.13		0.13	J	I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12				I

APPENDIX A
Location: MWD33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MERCURY, TOTAL	0003	S	MG/KG	.13	.13				I
METHOXYCHLOR	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.097	0.097	U	0.097	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.11	0.11	U	0.11	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	25.6				I
NICKEL, TOTAL	0002	S	MG/KG	2.	30.		30.0	J	I
NICKEL, TOTAL	0003	S	MG/KG	2.	50.8				I
NITRATE	0003	S	MG/KG	1.	1.	U			I
NITRITE AS NITROGEN	0003	S	MG/KG	1.	1.	U			I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
NITROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NITROBENZENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	21.				I
PERCENT MOISTURE	0002	S	% MOIST	-	15.				I
PERCENT MOISTURE	0003	S	% MOIST	-	23.				I
PERCENT MOISTURE	0001	S	% MOIST	-	21.				I
PERCENT MOISTURE	0002	S	% MOIST	-	15.				I
PERCENT MOISTURE	0003	S	% MOIST	-	23.				I
PHENANTHRENE	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
PHENOL	0001	S	MG/KG	0.85	0.85	U	0.85	UJ	I
PHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	822.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	1490.				I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	2840.				I
PYRENE	0001	S	MG/KG	0.85	0.13	J			I
PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PYRENE	0003	S	MG/KG	0.87	0.87	U	0.87	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.75	.75	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.71	.71	U			I

APPENDIX A
Location: MWD33-0131
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	0003	S	MG/KG	.76	.76	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	11.1		11.1	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	20.5		20.5	J	I
SILVER, TOTAL	0003	S	MG/KG	1.	12.8		12.8	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	93.4				I
SODIUM, TOTAL	0002	S	MG/KG	10.	203.				I
SODIUM, TOTAL	0003	S	MG/KG	10.	295.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.5	.5	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.48	.48	U			I
THALLIUM, TOTAL	0003	S	MG/KG	.51	.51	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
TOXAPHENE	0002	S	MG/KG	0.19	0.19	U	0.19	UJ	I
TOXAPHENE	0003	S	MG/KG	0.21	0.21	U	0.21	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	17.3				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	24.4		24.4	J	I
VANADIUM, TOTAL	0003	S	MG/KG	1.	29.8				I
VINYL ACETATE	0001	S	MG/KG	0.013	0.013	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	60.6				I
ZINC, TOTAL	0002	S	MG/KG	.5	37.3		37.3	J	I
ZINC, TOTAL	0003	S	MG/KG	.5	75.				I

APPENDIX A
Location: MND33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	R
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I

APPENDIX A
Location: MWD33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	R
2,4-DINITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2,4-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2,6-DINITROTOLUENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0003	S	MG/KG	0.013	0.003	JB	0.013	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2-CHLOROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.013	0.013	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	R
2-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I

APPENDIX A
Location: MWD33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROANILINE	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.81	0.81	U			I X
2-NITROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
2-NITROPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	R
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	R
3-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
3-NITROANILINE	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4,4'-DDD	0001	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0086	0.0086	U	0.0086	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,4'-DDT	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	R
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
4-CHLOROANILINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.013	0.013	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
4-METHYLPHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	R
4-NITROANILINE	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROANILINE	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	R
4-NITROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
ACENAPHTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ACENAPHTHYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
ACENAPHTHYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.007	JB	0.012	U	I
ACETONE	0002	S	MG/KG	0.012	0.008	JB	0.012	U	I
ACETONE	0003	S	MG/KG	0.013	0.014	B	0.014	U	I
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ALDRIN	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	0003	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	8410.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	10900.				I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	8880.				I
ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTHRACENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	18.3		18.3	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	19.4		19.4	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	21.6		21.6	J	I
AROCLOR-1016	0001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.094	0.094	U	0.094	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.2	0.2	U	0.2	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	2.4		2.4	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	1.7		1.6	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	1.6		1.7	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	22.5	B			I
BARIUM, TOTAL	0002	S	MG/KG	.2	18.5	B			I

APPENDIX A
Location: MWD33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BARIUM, TOTAL	0003	S	MG/KG	.2	25.2	B			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.81	0.1	J			R
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
BENZO(A)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	R
BENZOIC ACID	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZOIC ACID	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
BENZYL ALCOHOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.64	B			I
BERYLLIUM	0002	S	MG/KG	.2	.78	B			I
BERYLLIUM	0003	S	MG/KG	.2	.78	B	0.78	J	I
BETA-BHC	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	0002	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
BETA-BHC	0003	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.81	3.7		3.7	J	R
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.78	0.29	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.84	1.2				I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I

APPENDIX A
Location: MWD33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BROMOMETHANE	0003	S	MG/KG	0.013	0.013	U	0.013	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	4.9				I
CADMIUM, TOTAL	0002	S	MG/KG	.2	3.9				I
CADMIUM, TOTAL	0003	S	MG/KG	.2	4.6		4.6	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	56300.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	73800.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	101000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.013	0.013	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.013	0.013	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	35.				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	31.3				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	42.1		42.1	J	I
CHRYSENE	0001	S	MG/KG	0.81	0.12	J			R
CHRYSENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CHRYSENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	11.9	B			I
COBALT, TOTAL	0002	S	MG/KG	1.	17.9				I
COBALT, TOTAL	0003	S	MG/KG	1.	12.9		12.9	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	446.		446.	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	37.8		37.8	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	17.8		17.8	J	I
CYANIDE	0001	S	MG/KG	.1	.14	B	0.14	J	I
CYANIDE	0002	S	MG/KG	.12	.12	U	0.12	UJ	I
CYANIDE	0003	S	MG/KG	.13	.13	U	0.13	UJ	I
DELTA-BHC	0001	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0071	0.0071	U	0.0071	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0077	0.0077	U	0.0077	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I

APPENDIX A
Location: MND33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
DIBENZOFURAN	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.013	B	0.013	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.006	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	0003	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
DIETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIETHYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
DIMETHYL PHTHALATE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	0002	S	MG/KG	0.0047	0.0047	U	0.0047	UJ	I
ENDRIN	0003	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0181	0.0181	U	0.0181	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.81	0.23	J			R
FLUORANTHENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
FLUORENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MWD33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
FLUORENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0032	0.0032	U	0.0032	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
HEXACHLOROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
HEXACHLOROETHANE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	20900.	•	20900.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	30200.	•	30200.	J	I
IRON, TOTAL	0003	S	MG/KG	1.	20600.	•	20600.	J	I
ISOPHORONE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
ISOPHORONE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ISOPHORONE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	10.3				I
LEAD, TOTAL	0002	S	MG/KG	.2	6.1				I
LEAD, TOTAL	0003	S	MG/KG	.2	3.7				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	18800.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	15500.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	24400.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	307.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	449.				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	449.				I
MERCURY, TOTAL	0001	S	MG/KG	.02	.48		0.48	J	I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12				I
MERCURY, TOTAL	0003	S	MG/KG	.12	.12				I
METHOXYCHLOR	0001	S	MG/KG	0.099	0.099	U	0.099	UJ	I

APPENDIX A
Location: MWD33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
METHOXYCHLOR	0002	S	MG/KG	0.094	0.094	U	0.094	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
NAPHTHALENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	31.5				I
NICKEL, TOTAL	0002	S	MG/KG	2.	35.3				I
NICKEL, TOTAL	0003	S	MG/KG	2.	27.2		27.2	J	I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NITROBENZENE	0001	S	MG/KG	0.81	0.81	U			R X
NITROBENZENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NITROBENZENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.9	1.9	J			R
PENTACHLOROPHENOL	0002	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.81	0.13	J			R
PHENANTHRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	R
PHENOL	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1590.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	2290.				I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	1730.				I
PYRENE	0001	S	MG/KG	0.81	0.19	J			R
PYRENE	0002	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PYRENE	0003	S	MG/KG	0.84	0.84	U	0.84	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.72	.72	U			I
SELENIUM, TOTAL	0002	S	MG/KG	.75	.75				I
SELENIUM, TOTAL	0003	S	MG/KG	.7	.7	U	0.75	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	13.2				I
SILVER, TOTAL	0002	S	MG/KG	1.	13.6				I
SILVER, TOTAL	0003	S	MG/KG	1.	16.8		16.8	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	141.	B			I
SODIUM, TOTAL	0002	S	MG/KG	10.	190.	B			I
SODIUM, TOTAL	0003	S	MG/KG	10.	261.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0132
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.48	.48	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.5	.5	U			I
THALLIUM, TOTAL	0003	S	MG/KG	.47	.47	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TOXAPHENE	0002	S	MG/KG	0.19	0.19	U	0.19	UJ	I
TOXAPHENE	0003	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	23.				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	25.4				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	23.6		23.6	J	I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.013	0.013	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	125.				I
ZINC, TOTAL	0002	S	MG/KG	.5	50.8				I
ZINC, TOTAL	0003	S	MG/KG	.5	45.3		45.3	J	I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
1,2,4-TRICHLOROBENZENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0003	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
1,3-DICHLOROBENZENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0003	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
1,4-DICHLOROBENZENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	2.	2.	U	4.1	UJ	I
2,4,5-TRICHLOROPHENOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2,4,6-TRICHLOROPHENOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2,4-DICHLOROPHENOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	2.	2.	U	4.1	UJ	I
2,4-DINITROPHENOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2,4-DINITROPHENOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2,4-DINITROTOLUENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2,6-DINITROTOLUENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0003	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-BUTANONE	0001	S	MG/KG	0.012	0.012	U			I
2-BUTANONE	0002	S	MG/KG	0.012	0.002	JB	0.012	U	I
2-BUTANONE	0003	S	MG/KG	0.013	0.013	U			I
2-BUTANONE	1001	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2-CHLORONAPHTHALENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2-CHLOROPHENOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0003	S	MG/KG	0.013	0.013	U			I
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2-METHYLNAPHTHALENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2-METHYLPHENOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2-NITROANILINE	0002	S	MG/KG	2.	2.	U	4.1	UJ	I
2-NITROANILINE	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
2-NITROPHENOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	0.84	0.84	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	0003	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
3-NITROANILINE	0002	S	MG/KG	2.	2.	U	4.1	UJ	I
3-NITROANILINE	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0089	0.0089	U	0.0089	UJ	I
4,4'-DDD	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDD	0003	S	MG/KG	0.0095	0.0095	U	0.0095	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDE	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
4,4'-DDT	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	2.	2.	U	4.1	UJ	I
4,6-DINITRO-O-CRESOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
4-CHLOROANILINE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.006	J			I
4-METHYL-2-PENTANONE	0003	S	MG/KG	0.013	0.013	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
4-METHYLPHENOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROANILINE	0002	S	MG/KG	2.	2.	U	4.1	UJ	I
4-NITROANILINE	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	0002	S	MG/KG	2.	2.	U	4.1	UJ	I
4-NITROPHENOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
ACENAPHTHENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
ACENAPHTHYLENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.007	JB	0.012	U	I
ACETONE	0002	S	MG/KG	0.012	0.014	B	0.014	U	I
ACETONE	0003	S	MG/KG	0.013	0.021	B	0.021	U	I
ACETONE	1001	S	MG/KG	0.011	0.007	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALDRIN	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALDRIN	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALPHA CHLORDANE	0003	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0003	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	4210.		4210.	J	I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	11900.				I
ALUMINUM, TOTAL	0003	S	MG/KG	6.	14500.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	11500.		11500.	J	I
ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ANTHRACENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
ANTHRACENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
ANTHRACENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	44.6		44.6	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	3.	19.		19.0	J	I
ANTIMONY, TOTAL	0003	S	MG/KG	3.	13.7		13.7	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	16.9		16.9	J	I
AROCLOR-1016	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1016	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1221	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1232	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1242	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.099	0.099	U	0.099	UJ	I
AROCLOR-1248	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1254	0003	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0003	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	2.6		2.6	J	I
ARSENIC, TOTAL	0002	S	MG/KG	.2	2.5		2.5	J	I
ARSENIC, TOTAL	0003	S	MG/KG	.2	3.5		3.5	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	3.4		3.4	J	I
BARIUM, TOTAL	0001	S	MG/KG	.2	17.7	B			I
BARIUM, TOTAL	0002	S	MG/KG	.2	18.9	B			I
BARIUM, TOTAL	0003	S	MG/KG	.2	21.7	B			I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BARIUM, TOTAL	1001	S	MG/KG	.2	43.4	B			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZENE	0003	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BENZO(A)ANTHRACENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BENZO(A)PYRENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
BENZOIC ACID	0002	S	MG/KG	2.	2.	U	4.1	UJ	I
BENZOIC ACID	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BENZYL ALCOHOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.75	B	0.75	J	I
BERYLLIUM	0002	S	MG/KG	.2	.84	B			I
BERYLLIUM	0003	S	MG/KG	.2	.87	B			I
BERYLLIUM	1001	S	MG/KG	.2	.84	B			I
BETA-BHC	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	0002	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BETA-BHC	0003	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
BETA-BHC	1001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I

APPENDIX A
Location: MWD33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.81	0.94		0.94	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.42	0.36	J	0.72	J	I
BIS(2-ETHYLHEXYL)PHTHALATE	0003	S	MG/KG	0.86	0.53	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.78	0.81		0.81	J	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0003	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BROMOMETHANE	0003	S	MG/KG	0.013	0.013	U	0.013	UJ	I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
BUTYL BENZYL PHTHALATE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	9.3		9.3	J	I
CADMIUM, TOTAL	0002	S	MG/KG	.2	4.4				I
CADMIUM, TOTAL	0003	S	MG/KG	.2	3.7				I
CADMIUM, TOTAL	1001	S	MG/KG	.2	3.9		3.9	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	160000.		160000.	J	I
CALCIUM, TOTAL	0002	S	MG/KG	2.	65900.				I
CALCIUM, TOTAL	0003	S	MG/KG	2.	30200.				I
CALCIUM, TOTAL	1001	S	MG/KG	2.	56200.		56200.	J	I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0003	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0003	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0003	S	MG/KG	0.013	0.013	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0003	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0003	S	MG/KG	0.013	0.013	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	31.4		31.4	J	I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHROMIUM, TOTAL	0002	S	MG/KG	1.	32.5				I
CHROMIUM, TOTAL	0003	S	MG/KG	1.	59.1				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	30.				I
CHRYSENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
CHRYSENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
CHRYSENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
CHRYSENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	9.7	B	9.7	J	I
COBALT, TOTAL	0002	S	MG/KG	1.	16.7				I
COBALT, TOTAL	0003	S	MG/KG	1.	20.3				I
COBALT, TOTAL	1001	S	MG/KG	1.	14.9				I
COPPER, TOTAL	0001	S	MG/KG	1.	270.		270.	J	I
COPPER, TOTAL	0002	S	MG/KG	1.	54.9		54.9	J	I
COPPER, TOTAL	0003	S	MG/KG	1.	31.4		31.4	J	I
COPPER, TOTAL	1001	S	MG/KG	1.	124.		124.	J	I
CYANIDE	0001	S	MG/KG	.12	.12	U			I X
CYANIDE	0002	S	MG/KG	.12	.12	U	0.12	UJ	I
CYANIDE	0003	S	MG/KG	.13	.13	U	0.13	UJ	I
CYANIDE	1001	S	MG/KG	.1	.12	B	.12	J	I
DELTA-BHC	0001	S	MG/KG	0.0073	0.0073	U	0.0073	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DELTA-BHC	0003	S	MG/KG	0.0078	0.0078	U	0.0078	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
DI-N-BUTYL PHTHALATE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
DIBENZOFURAN	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0003	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.011	B	0.011	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.009	B	0.009	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0003	S	MG/KG	0.006	0.012	B	0.012	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.011	B	0.011	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0003	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIELDRIN	1001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I

APPENDIX A
Location: MWD33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIETHYL PHTHALATE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
DIMETHYL PHTHALATE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
ENDOSULFAN I(ALPHA)	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN II(BETA)	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDOSULFAN SULFATE	0003	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN	0001	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	0002	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN	0003	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
ENDRIN	1001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0186	0.0186	U	0.0186	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0189	0.0189	U	0.0189	UJ	I
ENDRIN ALDEHYDE	0003	S	MG/KG	0.0199	0.0199	U	0.0199	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0176	0.0176	U	0.0176	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.019	0.019	U	0.019	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	0003	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0003	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORANTHENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
FLUORANTHENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
FLUORENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
FLUORENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
FLUORENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	0003	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
GAMMA-BHC (LINDANE)	0003	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0003	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLOR	1001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0099	0.0099	U	0.0099	UJ	I
HEPTACHLOR EPOXIDE	0003	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
HEXACHLOROBENZENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
HEXACHLOROETHANE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0003	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
INDENO(1,2,3-CD)PYRENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	9910.	•	9910.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	25300.	•	25300.	J	I
IRON, TOTAL	0003	S	MG/KG	1.	27500.	•	27500.	J	I
IRON, TOTAL	1001	S	MG/KG	1.	23100.	•	23100.	J	I
ISOPHORONE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ISOPHORONE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
ISOPHORONE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
ISOPHORONE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	11.				I
LEAD, TOTAL	0002	S	MG/KG	.2	4.6				I
LEAD, TOTAL	0003	S	MG/KG	.2	6.				I
LEAD, TOTAL	1001	S	MG/KG	.2	7.7				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	70700.		70700.	J	I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	19400.				I
MAGNESIUM, TOTAL	0003	S	MG/KG	5.	14100.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	17300.		17300.	J	I
MANGANESE, TOTAL	0001	S	MG/KG	.2	209.		209.	J	I
MANGANESE, TOTAL	0002	S	MG/KG	.2	530.				I
MANGANESE, TOTAL	0003	S	MG/KG	.2	511.				I
MANGANESE, TOTAL	1001	S	MG/KG	.2	374.		374.	J	I
MERCURY, TOTAL	0001	S	MG/KG	.02	.53		0.53	J	I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12				I
MERCURY, TOTAL	0003	S	MG/KG	.12	.12				I
MERCURY, TOTAL	1001	S	MG/KG	.11	.11		0.11	UJ	I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
METHOXYCHLOR	0001	S	MG/KG	0.097	0.097	U	0.097	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.099	0.099	U	0.099	UJ	I
METHOXYCHLOR	0003	S	MG/KG	0.1	0.1	U	0.1	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
NAPHTHALENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	25.		25.	J	I
NICKEL, TOTAL	0002	S	MG/KG	2.	32.3				I
NICKEL, TOTAL	0003	S	MG/KG	2.	37.7				I
NICKEL, TOTAL	1001	S	MG/KG	2.	28.5				I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0003	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NITROBENZENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
NITROBENZENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
NITROBENZENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	2.	2.	U	4.1	UJ	I
PENTACHLOROPHENOL	0003	S	MG/KG	4.2	4.2	U	4.2	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.8	3.8	U	3.8	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
PHENANTHRENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
PHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENOL	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
PHENOL	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
PHENOL	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	833.	B			I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	2450.				I
POTASSIUM, TOTAL	0003	S	MG/KG	10.	3050.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	2040.				I
PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PYRENE	0002	S	MG/KG	0.42	0.42	U	0.84	UJ	I
PYRENE	0003	S	MG/KG	0.86	0.86	U	0.86	UJ	I
PYRENE	1001	S	MG/KG	0.78	0.78	U	0.78	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.71	.71		0.71	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.73	.73	U			I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	0003	S	MG/KG	.76	.76	U			I
SELENIUM, TOTAL	1001	S	MG/KG	.68	.68	U			I
SILVER, TOTAL	0001	S	MG/KG	1.	20.4		20.4	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	13.4				I
SILVER, TOTAL	0003	S	MG/KG	1.	8.4				I
SILVER, TOTAL	1001	S	MG/KG	1.	11.7		11.7	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	223.	B			I
SODIUM, TOTAL	0002	S	MG/KG	10.	169.	B			I
SODIUM, TOTAL	0003	S	MG/KG	10.	190.	B			I
SODIUM, TOTAL	1001	S	MG/KG	10.	126.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
STYRENE	0003	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0003	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.47	.47	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.49	.49	U			I
THALLIUM, TOTAL	0003	S	MG/KG	.51	.51	U			I
THALLIUM, TOTAL	1001	S	MG/KG	.45	.45	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOLUENE	0003	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0003	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.19	0.19	U	0.19	UJ	I
TOXAPHENE	0002	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TOXAPHENE	0003	S	MG/KG	0.21	0.21	U	0.21	UJ	I
TOXAPHENE	1001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0003	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	28.4		28.4	J	I
VANADIUM, TOTAL	0002	S	MG/KG	1.	26.2				I
VANADIUM, TOTAL	0003	S	MG/KG	1.	27.1				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	27.8				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0003	S	MG/KG	0.013	0.013	U			I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0003	S	MG/KG	0.013	0.013	U			I

APPENDIX A
Location: MND33-0133
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	62.6				I
ZINC, TOTAL	0002	S	MG/KG	.5	60.6				I
ZINC, TOTAL	0003	S	MG/KG	.5	74.1				I
ZINC, TOTAL	1001	S	MG/KG	.5	64.5				I

APPENDIX A
Location: MND33-0134
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	81.2				I
% SOLIDS	0002	S	% SOLIDS	-	79.7				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I

APPENDIX A
Location: MND33-0134
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0002	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.009	JB	0.012	U	I
2-BUTANONE	0002	S	MG/KG	0.012	0.006	JB	0.012	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.012	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2-NITROANILINE	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.7	1.7	U	1.7	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
3-NITROANILINE	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0094	0.0094	U	0.0094	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
4,4'-DDT	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,4'-DDT	0002	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I

APPENDIX A
Location: MND33-0134
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.012	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROANILINE	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.042	B	0.042	U	I
ACETONE	0002	S	MG/KG	0.012	0.043	B	0.043	U	I
ALDRIN	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALDRIN	0002	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	8780.				I
ALUMINUM, TOTAL	0002	S	MG/KG	12.	13200.				I
ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ANTHRACENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	6.	11.7		11.7	J	I
ANTIMONY, TOTAL	0002	S	MG/KG	6.	8.		8.0	J	I
AROCLOR-1016	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.21	0.21	U	0.21	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.4	11.8				I
ARSENIC, TOTAL	0002	S	MG/KG	.4	10.7				I
BARIUM, TOTAL	0001	S	MG/KG	.4	65.8				I

APPENDIX A
Location: MWD33-0134
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BARIUM, TOTAL	0002	S	MG/KG	.4	106.				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(A)PYRENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
BENZOIC ACID	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BERYLLIUM	0001	S	MG/KG	.4	.75	B			I
BERYLLIUM	0002	S	MG/KG	.4	.84	B			I
BETA-BHC	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
BETA-BHC	0002	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.81	0.088	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.4	3.6				I
CADMIUM, TOTAL	0002	S	MG/KG	.4	3.6				I
CALCIUM, TOTAL	0001	S	MG/KG	4.	20400.				I
CALCIUM, TOTAL	0002	S	MG/KG	4.	4990.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0134
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	S	MG/KG	.5	71.66				I
CHLORIDE	0002	S	MG/KG	.5	27.27				I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	2.	20.3				I
CHROMIUM, TOTAL	0002	S	MG/KG	2.	21.2				I
CHRYSENE	0001	S	MG/KG	0.81	0.097	J			I
CHRYSENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	11.5	B			I
COBALT, TOTAL	0002	S	MG/KG	2.	15.7				I
COPPER, TOTAL	0001	S	MG/KG	2.	20.6				I
COPPER, TOTAL	0002	S	MG/KG	2.	18.6				I
CYANIDE	0001	S	MG/KG	.4	.16	B			I
CYANIDE	0002	S	MG/KG	.13	.13	U			I
DELTA-BHC	0001	S	MG/KG	0.0076	0.0076	U	0.0076	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0077	0.0077	U	0.0077	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.013	B	0.013	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.009	B	0.009	U	I
DIELDRIN	0001	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIELDRIN	0002	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I

APPENDIX A
Location: MND33-0134
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDRIN	0001	S	MG/KG	0.005	0.005	U	0.005	UJ	I
ENDRIN	0002	S	MG/KG	0.0052	0.0052	U	0.0052	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0193	0.0193	U	0.0193	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.81	0.16	J			I
FLUORANTHENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
FLUORENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
FLUORENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0035	0.0035	U	0.0035	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	0002	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
IRON, TOTAL	0001	S	MG/KG	2.	16500.				I
IRON, TOTAL	0002	S	MG/KG	2.	24300.				I
ISOPHORONE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
ISOPHORONE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.4	22.7				I
LEAD, TOTAL	0002	S	MG/KG	.4	14.1				I
LITHIUM, TOTAL	0001	S	MG/KG	.2	10.7				I
LITHIUM, TOTAL	0002	S	MG/KG	.2	12.7				I
MAGNESIUM, TOTAL	0001	S	MG/KG	10.	10400.				I

APPENDIX A
Location: MWD33-0134
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MAGNESIUM, TOTAL	0002	S	MG/KG	10.	4830.				I
MANGANESE, TOTAL	0001	S	MG/KG	.4	520.				I
MANGANESE, TOTAL	0002	S	MG/KG	.4	333.				I
MERCURY, TOTAL	0001	S	MG/KG	.12	.12	U			I
MERCURY, TOTAL	0002	S	MG/KG	.13	.13	U			I
METHOXYCHLOR	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.1	0.1	U	0.1	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	4.	31.1				I
NICKEL, TOTAL	0002	S	MG/KG	4.	41.1				I
NITRATE	0001	S	MG/KG	1.	1.	U			I
NITRATE	0002	S	MG/KG	1.	1.	U			I
NITRITE AS NITROGEN	0001	S	MG/KG	1.	1.	U			I
NITRITE AS NITROGEN	0002	S	MG/KG	1.	1.	U			I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0002	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
NITROBENZENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.9	3.9	U	3.9	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	4.1	4.1	U	4.1	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	18.				I
PERCENT MOISTURE	0002	S	% MOIST	-	20.				I
PHENANTHRENE	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENANTHRENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
PHENOL	0001	S	MG/KG	0.81	0.81	U	0.81	UJ	I
PHENOL	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	20.	1290.				I
POTASSIUM, TOTAL	0002	S	MG/KG	20.	978.	B			I
PYRENE	0001	S	MG/KG	0.81	0.14	J			I
PYRENE	0002	S	MG/KG	0.84	0.84	U	0.84	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.91	.91		0.91	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.93	.93		0.93	UJ	I
SILVER, TOTAL	0001	S	MG/KG	2.	6.4		6.4	J	I
SILVER, TOTAL	0002	S	MG/KG	2.5	2.5		2.5	UJ	I
SODIUM, TOTAL	0001	S	MG/KG	20.	128.	B			I
SODIUM, TOTAL	0002	S	MG/KG	20.	354.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0134
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	0002	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.61	.61	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.62	.62	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TOXAPHENE	0002	S	MG/KG	0.21	0.21	U	0.21	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	2.	26.4				I
VANADIUM, TOTAL	0002	S	MG/KG	2.	34.7				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	1.	68.				I
ZINC, TOTAL	0002	S	MG/KG	1.	69.9				I

APPENDIX A
Location: MND33-0135
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.32	.32	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.037	.037	U			I
1,2,3,4,6,7,8-HpCDD	0001	S	NG/G	.11	1.1				I
1,2,3,4,6,7,8-HpCDD	0002	S	NG/G	.072	.072	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.099	.099	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.11	.11	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.13	.13	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.046	.046	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.073	.073	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.1	.1	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.065	.065	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.091	.091	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.1	.1	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.037	.037	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.11	.11	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.16	.16	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.1	.1	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.12	.12	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	S	NG/G	.26	.26	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0002	S	NG/G	.11	.11	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.071	.071	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.1	.1	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.002	J			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0135
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.076	.076	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.11	.11	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.045	.045	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.11	.11	U			I
2,3,7,8-TCDD	0001	S	NG/G	.023	.023	U			I
2,3,7,8-TCDD	0002	S	NG/G	.014	.014	U			I
2,3,7,8-TCDF	0001	S	NG/G	.012	.012	U			I
2,3,7,8-TCDF	0002	S	NG/G	.023	.023	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-BUTANONE	0001	S	MG/KG	0.012	0.023	B	0.023	J	I
2-BUTANONE	0002	S	MG/KG	0.011	0.002	JB	0.011	U	I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-HEXANONE	0001	S	MG/KG	0.012	0.012	U			I
2-HEXANONE	0002	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.7	1.7	U	1.7	UJ	I

APPENDIX A
Location: MND33-0135
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0093	0.0093	U	0.0093	UJ	I
4,4'-DDD	0002	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.012	0.012	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.83	0.1	J			I
ACENAPHTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.012	0.094	B	0.094	J	I
ACETONE	0002	S	MG/KG	0.011	0.01	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ALDRIN	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	12.	9090.				I
ALUMINUM, TOTAL	0002	S	MG/KG	12.	3360.				I
ANTHRACENE	0001	S	MG/KG	0.83	0.091	J			I
ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	6.	12.		12.0	J	I

APPENDIX A
Location: MND33-0135
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTIMONY, TOTAL	0002	S	MG/KG	6.	37.7		37.7	J	I
AROCLOR-1016	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.4	7.2				I
ARSENIC, TOTAL	0002	S	MG/KG	.4	4.7		4.7	J	I
BARIUM, TOTAL	0001	S	MG/KG	.4	77.8				I
BARIUM, TOTAL	0002	S	MG/KG	.4	28.3	B			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.83	0.23	J			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.83	0.13	J			I
BENZO(A)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.83	0.14	J			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.83	0.11	J			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.83	0.12	J			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.	4.	U	4.	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.4	.81	B			I
BERYLLIUM	0002	S	MG/KG	.4	.68	B			I
BETA-BHC	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
BETA-BHC	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0135
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.83	0.12	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.74	0.42	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BROMOMETHANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.4	4.				I
CADMIUM, TOTAL	0002	S	MG/KG	.4	8.2				I
CALCIUM, TOTAL	0001	S	MG/KG	4.	29000.				I
CALCIUM, TOTAL	0002	S	MG/KG	4.	122000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.0734				I
CESIUM-137	0002	S	PCI/G	.1	.0213	U	.0213	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.012	0.012	U			I
CHLOROMETHANE	0002	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	2.	29.9				I
CHROMIUM, TOTAL	0002	S	MG/KG	2.	27.1				I
CHRYSENE	0001	S	MG/KG	0.83	0.32	J			I
CHRYSENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	2.	12.3	B			I
COBALT, TOTAL	0002	S	MG/KG	2.	8.7	B			I
COPPER, TOTAL	0001	S	MG/KG	2.	22.4				I
COPPER, TOTAL	0002	S	MG/KG	2.	16.2				I
CYANIDE	0001	S	MG/KG	.4	.27	B			I
CYANIDE	0002	S	MG/KG	.11	.11	U			I
DELTA-BHC	0001	S	MG/KG	0.0076	0.0076	U	0.0076	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I

APPENDIX A
Location: MND33-0135
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.012	B	0.012	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.013	B	0.013	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIELDRIN	0002	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN	0001	S	MG/KG	0.0051	0.0051	U	0.0051	UJ	I
ENDRIN	0002	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0196	0.0196	U	0.0196	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	S	MG/KG	10.	20.	B	39.3	J	I
EXTRACTABLE HYD AS DIESEL FUEL	0002	S	MG/KG	10.	20.	B	21	J	I
FLUORANTHENE	0001	S	MG/KG	0.83	0.91		0.91	J	I
FLUORANTHENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
FLUORENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0034	0.0034	U	0.0034	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.01	0.01	U	0.01	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEPTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.11	2.9				I

APPENDIX A
Location: MND33-0135
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.072	.072	U			I
HEPTACHLORODIBENZOFURAN	0001	S	NG/G	.11	.73				I
HEPTACHLORODIBENZOFURAN	0002	S	NG/G	.092	.092	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.19	.17	J			I
HEXACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.16	.16	U			I
HEXACHLORODIBENZOFURAN	0001	S	NG/G	.14	.36		.36	J	I
HEXACHLORODIBENZOFURAN	0002	S	NG/G	.1	.1	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.83	0.091	J			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	2.	17100.				I
IRON, TOTAL	0002	S	MG/KG	2.	8420.				I
ISOPHORONE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
ISOPHORONE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.4	86.4				I
LEAD, TOTAL	0002	S	MG/KG	.4	8.4				I
LITHIUM, TOTAL	0001	S	MG/KG	.2	12.3				I
LITHIUM, TOTAL	0002	S	MG/KG	.2	9.2				I
MAGNESIUM, TOTAL	0001	S	MG/KG	10.	12000.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	10.	55800.				I
MANGANESE, TOTAL	0001	S	MG/KG	.4	676.				I
MANGANESE, TOTAL	0002	S	MG/KG	.4	200.				I
MERCURY, TOTAL	0001	S	MG/KG	.13	.13	U			I
MERCURY, TOTAL	0002	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.1	0.1	U	0.1	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.092	0.092	U	0.092	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	4.	32.4				I
NICKEL, TOTAL	0002	S	MG/KG	4.	28.5				I
NITROBENZENE	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
NITROBENZENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.16	11.				I

APPENDIX A
Location: MND33-0135
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
OCTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.1	.1	U			I
OCTACHLORODIBENZOFURAN	0001	S	NG/G	.14	.54				I
OCTACHLORODIBENZOFURAN	0002	S	NG/G	.082	.082	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.26	.26	U			I
PENTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.11	.11	U			I
PENTACHLORODIBENZOFURAN	0001	S	NG/G	.11	.11	U			I
PENTACHLORODIBENZOFURAN	0002	S	NG/G	.11	.11	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	4.	4.	U	4.	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.6	0.12	J			I
PHENANTHRENE	0001	S	MG/KG	0.83	0.76	J			I
PHENANTHRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	0.83	0.83	U	0.83	UJ	I
PHENOL	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	20.	1150.	B			I
POTASSIUM, TOTAL	0002	S	MG/KG	20.	692.	B			I
POTASSIUM-40	0001	S	PCI/G	.5	16.7				I
POTASSIUM-40	0002	S	PCI/G	.5	11.6				I
PYRENE	0001	S	MG/KG	0.83	0.72	J			I
PYRENE	0002	S	MG/KG	0.74	0.74	U	0.74	UJ	I
RADIUM-224	0001	S	PCI/G	.1	.991				I
RADIUM-224	0002	S	PCI/G	.1	.484				I
RADIUM-226	0001	S	PCI/G	.1	.782				I
RADIUM-226	0002	S	PCI/G	.1	.646				I
RADIUM-228	0001	S	PCI/G	.2	1.12				I
RADIUM-228	0002	S	PCI/G	.2	.465				I
SELENIUM, TOTAL	0001	S	MG/KG	.93	.93		0.93	UJ	I
SELENIUM, TOTAL	0002	S	MG/KG	.83	.83		0.83	UJ	I
SILVER, TOTAL	0001	S	MG/KG	2.	8.2		8.2	J	I
SILVER, TOTAL	0002	S	MG/KG	2.	17.9		17.9	J	I
SODIUM, TOTAL	0001	S	MG/KG	20.	157.	B			I
SODIUM, TOTAL	0002	S	MG/KG	20.	276.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.049	.049	U			I
TETRACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.03	.03	U			I
TETRACHLORODIBENZOFURAN	0001	S	NG/G	.057	.057	U			I
TETRACHLORODIBENZOFURAN	0002	S	NG/G	.04	.04	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.62	.62	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.55	.55	U			I
THORIUM-234	0001	S	PCI/G	.5	.909				I
THORIUM-234	0002	S	PCI/G	.5	.948				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0135
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TOXAPHENE	0002	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006				I
VANADIUM, TOTAL	0001	S	MG/KG	2.	28.3				I
VANADIUM, TOTAL	0002	S	MG/KG	2.	24.				I
VINYL ACETATE	0001	S	MG/KG	0.012	0.012	U			I
VINYL ACETATE	0002	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	1.	66.2				I
ZINC, TOTAL	0002	S	MG/KG	1.	29.8				I

APPENDIX A
Location: MND33-0136
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.084	.084	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.052	.052	U			I
1,2,3,4,6,7,8-HpCDD	0001	S	NG/G	.11	.21				I
1,2,3,4,6,7,8-HpCDD	0002	S	NG/G	.035	.035	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	S	NG/G	.12	.12	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0002	S	NG/G	.073	.073	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.084	.084	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.044	.044	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.023	.023	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.056	.056	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.02	.02	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.05	.05	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.067	.067	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.035	.035	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	S	NG/G	.07	.07	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0002	S	NG/G	.037	.037	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.14	.14	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.065	.065	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	S	NG/G	.16	.16	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0002	S	NG/G	.11	.11	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.059	.059	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.12	.12	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
1,2,4-TRICHLOROBENZENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
1,2-DICHLOROBENZENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0002	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I

APPENDIX A
Location: MND33-0136
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-DICHLOROBENZENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	0002	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
1,4-DICHLOROBENZENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	S	NG/G	.092	.092	U			I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0002	S	NG/G	.059	.059	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	S	NG/G	.041	.041	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0002	S	NG/G	.13	.13	U			I
2,3,7,8-TCDD	0001	S	NG/G	.015	.015	U			I
2,3,7,8-TCDD	0002	S	NG/G	.018	.018	U			I
2,3,7,8-TCDF	0001	S	NG/G	.013	.013	U			I
2,3,7,8-TCDF	0002	S	NG/G	.013	.013	U			I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	4.3	4.3	U	4.3	UJ	I
2,4,5-TRICHLOROPHENOL	0002	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2,4,6-TRICHLOROPHENOL	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2,4-DICHLOROPHENOL	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2,4-DIMETHYLPHENOL	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	4.3	4.3	U	4.3	UJ	I
2,4-DINITROPHENOL	0002	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2,4-DINITROTOLUENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2,6-DINITROTOLUENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-BUTANONE	0001	S	MG/KG	0.013	0.046				I
2-BUTANONE	0002	S	MG/KG	0.012	0.012	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2-CHLORONAPHTHALENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2-CHLOROPHENOL	0002	S	MG/KG	0.8	0.094	J			I
2-HEXANONE	0001	S	MG/KG	0.013	0.013	U			I
2-HEXANONE	0002	S	MG/KG	0.012	0.003	J			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2-METHYLNAPHTHALENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2-METHYLPHENOL	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
2-NITROANILINE	0001	S	MG/KG	4.3	4.3	U	4.3	UJ	I
2-NITROANILINE	0002	S	MG/KG	3.9	3.9	U	3.9	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
2-NITROPHENOL	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.8	1.8	U	1.8	UJ	I

APPENDIX A
Location: MND33-0136
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
3,3'-DICHLOROBENZIDINE	0002	S	MG/KG	1.6	1.6	U	1.6	UJ	I
3-NITROANILINE	0001	S	MG/KG	4.3	4.3	U	4.3	UJ	I
3-NITROANILINE	0002	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0097	0.0097	U	0.0097	UJ	I
4,4'-DDD	0002	S	MG/KG	0.009	0.009	U	0.009	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
4,4'-DDE	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
4,4'-DDT	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
4,4'-DDT	0002	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	4.3	4.3	U	4.3	UJ	I
4,6-DINITRO-O-CRESOL	0002	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
4-CHLORO-3-METHYLPHENOL	0002	S	MG/KG	0.8	0.14	J			I
4-CHLOROANILINE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
4-CHLOROANILINE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.013	0.013	U			I
4-METHYL-2-PENTANONE	0002	S	MG/KG	0.012	0.003	J			I
4-METHYLPHENOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
4-METHYLPHENOL	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
4-NITROANILINE	0001	S	MG/KG	4.3	4.3	U	4.3	UJ	I
4-NITROANILINE	0002	S	MG/KG	3.9	3.9	U	3.9	UJ	I
4-NITROPHENOL	0001	S	MG/KG	4.3	4.3	U	4.3	UJ	I
4-NITROPHENOL	0002	S	MG/KG	3.9	3.9	U	3.9	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
ACENAPHTHENE	0002	S	MG/KG	0.8	0.098	J			I
ACENAPHTHYLENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
ACENAPHTHYLENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ACETONE	0001	S	MG/KG	0.013	0.17	B	0.17	J	I
ACETONE	0002	S	MG/KG	0.012	0.008	JB	0.012	U	I
ALDRIN	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ALDRIN	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
ALPHA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
ALPHA-BHC	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	14700.				I
ALUMINUM, TOTAL	0002	S	MG/KG	6.	5500.				I
ANTHRACENE	0001	S	MG/KG	0.88	0.11	J			I
ANTHRACENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	9.1		9.1	J	I

APPENDIX A
Location: MND33-0136
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTIMONY, TOTAL	0002	S	MG/KG	3.	30.1		30.1	J	I
AROCLOR-1016	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1016	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1221	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1232	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1242	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
AROCLOR-1248	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1254	0002	S	MG/KG	0.2	0.2	U	0.2	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
AROCLOR-1260	0002	S	MG/KG	0.2	0.2	U	0.2	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	6.2				I
ARSENIC, TOTAL	0002	S	MG/KG	.2	5.3				I
BARIUM, TOTAL	0001	S	MG/KG	.2	119.				I
BARIUM, TOTAL	0002	S	MG/KG	.2	41.7	B			I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	0002	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.88	0.25	J			I
BENZO(A)ANTHRACENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.88	0.18	J			I
BENZO(A)PYRENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.88	0.17	J			I
BENZO(B)FLUORANTHENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.88	0.16	J			I
BENZO(G,H,I)PERYLENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.88	0.18	J			I
BENZO(K)FLUORANTHENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BENZOIC ACID	0001	S	MG/KG	4.3	4.3	U	4.3	UJ	I
BENZOIC ACID	0002	S	MG/KG	3.9	3.9	U	3.9	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
BENZYL ALCOHOL	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.96	B			I
BERYLLIUM	0002	S	MG/KG	.2	.68	B	0.68	J	I
BETA-BHC	0001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
BETA-BHC	0002	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
BIS(2-CHLOROETHYL)ETHER	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I

APPENDIX A
Location: MND33-0136
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BIS(2-CHLOROISOPROPYL)ETHER	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.88	0.41	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	0002	S	MG/KG	0.8	0.15	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0002	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.013	0.013	U	0.013	UJ	I
BROMOMETHANE	0002	S	MG/KG	0.012	0.012	U	0.012	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
BUTYL BENZYL PHTHALATE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	2.9				I
CADMIUM, TOTAL	0002	S	MG/KG	.2	5.8		5.8	J	I
CALCIUM, TOTAL	0001	S	MG/KG	2.	11900.				I
CALCIUM, TOTAL	0002	S	MG/KG	2.	106000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	0002	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0002	S	MG/KG	0.006	0.006	U			I
CESIUM-137	0001	S	PCI/G	.1	.0334	U	.0334	UJ	I
CESIUM-137	0002	S	PCI/G	.1	.0269	U	.0269	UJ	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	0002	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	0002	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.013	0.013	U			I
CHLOROMETHANE	0002	S	MG/KG	0.012	0.012	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	25.1				I
CHROMIUM, TOTAL	0002	S	MG/KG	1.	28.2		28.2	J	I
CHRYSENE	0001	S	MG/KG	0.88	0.34	J			I
CHRYSENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	15.8				I
COBALT, TOTAL	0002	S	MG/KG	1.	11.3	B	11.3	J	I
COPPER, TOTAL	0001	S	MG/KG	1.	18.7				I
COPPER, TOTAL	0002	S	MG/KG	1.	17.9		17.9	J	I
CYANIDE	0001	S	MG/KG	.2	.2	B	0.20	J	I
CYANIDE	0002	S	MG/KG	.12	.12	U			I X
DELTA-BHC	0001	S	MG/KG	0.008	0.008	U	0.008	UJ	I
DELTA-BHC	0002	S	MG/KG	0.0074	0.0074	U	0.0074	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
DI-N-BUTYL PHTHALATE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I

APPENDIX A
Location: MND33-0136
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DI-N-OCTYL PHTHALATE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
DIBENZO(A,H)ANTHRACENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
DIBENZOFURAN	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	0002	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.005	JB	0.006	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	0002	S	MG/KG	0.006	0.006	JB	0.006	U	I
DIELDRIN	0001	S	MG/KG	0.0017	0.0017	U	0.0017	UJ	I
DIELDRIN	0002	S	MG/KG	0.0016	0.0016	U	0.0016	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
DIETHYL PHTHALATE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
DIMETHYL PHTHALATE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ENDOSULFAN I(ALPHA)	0002	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
ENDOSULFAN II(BETA)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDOSULFAN SULFATE	0002	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ENDRIN	0001	S	MG/KG	0.0053	0.0053	U	0.0053	UJ	I
ENDRIN	0002	S	MG/KG	0.0049	0.0049	U	0.0049	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0202	0.0202	U	0.0202	UJ	I
ENDRIN ALDEHYDE	0002	S	MG/KG	0.0188	0.0188	U	0.0188	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.021	0.021	U	0.021	UJ	I
ENDRIN KETONE	0002	S	MG/KG	0.02	0.02	U	0.02	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	0002	S	MG/KG	0.006	0.006	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0002	S	MG/KG	5.	5.	U			I
FLUORANTHENE	0001	S	MG/KG	0.88	0.76	J			I
FLUORANTHENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
FLUORENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
FLUORENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.012	0.012	U	0.012	UJ	I
GAMMA CHLORDANE	0002	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0036	0.0036	U	0.0036	UJ	I
GAMMA-BHC (LINDANE)	0002	S	MG/KG	0.0033	0.0033	U	0.0033	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0026	0.0026	U	0.0026	UJ	I
HEPTACHLOR	0002	S	MG/KG	0.0025	0.0025	U	0.0025	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
HEPTACHLOR EPOXIDE	0002	S	MG/KG	0.0098	0.0098	U	0.0098	UJ	I
HEPTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.11	.5				I
HEPTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.035	.035	U			I

APPENDIX A
Location: MWD33-0136
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEPTACHLORODIBENZOFURAN	0001	S	NG/G	.099	.099	U			I
HEPTACHLORODIBENZOFURAN	0002	S	NG/G	.061	.061	U			I
HEXACHLOROBENZENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
HEXACHLOROBENZENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
HEXACHLOROBUTADIENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
HEXACHLOROCYCLOPENTADIENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.073	.073	U			I
HEXACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.039	.039	U			I
HEXACHLORODIBENZOFURAN	0001	S	NG/G	.13	.13	U			I
HEXACHLORODIBENZOFURAN	0002	S	NG/G	.057	.057	U			I
HEXACHLOROETHANE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
HEXACHLOROETHANE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.88	0.14	J			I
INDENO(1,2,3-CD)PYRENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	23800.		23800.	J	I
IRON, TOTAL	0002	S	MG/KG	1.	14900.		14900.	J	I
ISOPHORONE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
ISOPHORONE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	15.2				I
LEAD, TOTAL	0002	S	MG/KG	.2	7.9				I
LITHIUM, TOTAL	0001	S	MG/KG	5.	14.8		14.8	U	I
LITHIUM, TOTAL	0002	S	MG/KG	5.	11.		11.0	U	I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	5330.				I
MAGNESIUM, TOTAL	0002	S	MG/KG	5.	32600.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	914.				I
MANGANESE, TOTAL	0002	S	MG/KG	.2	444.				I
MERCURY, TOTAL	0001	S	MG/KG	.13	.13	U			I
MERCURY, TOTAL	0002	S	MG/KG	.12	.12	U			I
METHOXYCHLOR	0001	S	MG/KG	0.11	0.11	U	0.11	UJ	I
METHOXYCHLOR	0002	S	MG/KG	0.098	0.098	U	0.098	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
N-NITROSODIPHENYLAMINE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
NAPHTHALENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	26.3				I
NICKEL, TOTAL	0002	S	MG/KG	2.	28.5		28.5	J	I
NITROBENZENE	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
NITROBENZENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	1.5	1.5	U			I
OCTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.082	.082	U			I
OCTACHLORODIBENZOFURAN	0001	S	NG/G	.2	.2	U			I

APPENDIX A
Location: MND33-0136
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
OCTACHLORODIBENZOFURAN	0002	S	NG/G	.04	.04	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.16	.16	U			I
PENTACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.11	.11	U			I
PENTACHLORODIBENZOFURAN	0001	S	NG/G	.099	.099	U			I
PENTACHLORODIBENZOFURAN	0002	S	NG/G	.12	.12	U			I
PENTACHLOROPHENOL	0001	S	MG/KG	4.3	4.3	U	4.3	UJ	I
PENTACHLOROPHENOL	0002	S	MG/KG	3.9	3.9	U	3.9	UJ	I
PHENANTHRENE	0001	S	MG/KG	0.88	0.56	J			I
PHENANTHRENE	0002	S	MG/KG	0.8	0.8	U	0.8	UJ	I
PHENOL	0001	S	MG/KG	0.88	0.88	U	0.88	UJ	I
PHENOL	0002	S	MG/KG	0.8	0.16	J			I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	1740.				I
POTASSIUM, TOTAL	0002	S	MG/KG	10.	866.	B			I
POTASSIUM-40	0001	S	PCI/G	.5	16.8				I
POTASSIUM-40	0002	S	PCI/G	.5	13.4				I
PYRENE	0001	S	MG/KG	0.88	0.62	J			I
PYRENE	0002	S	MG/KG	0.8	0.12	J			I
RADIUM-224	0001	S	PCI/G	.1	1.01				I
RADIUM-224	0002	S	PCI/G	.1	.696				I
RADIUM-226	0001	S	PCI/G	.1	.736				I
RADIUM-226	0002	S	PCI/G	.1	.872				I
RADIUM-228	0001	S	PCI/G	.2	.996				I
RADIUM-228	0002	S	PCI/G	.2	.621				I
SELENIUM, TOTAL	0001	S	MG/KG	.2	.83		0.83	J	I
SELENIUM, TOTAL	0002	S	MG/KG	.48	.48		0.48	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	4.9		4.9	J	I
SILVER, TOTAL	0002	S	MG/KG	1.	17.5		17.5	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	363.	B			I
SODIUM, TOTAL	0002	S	MG/KG	10.	363.	B			I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	0002	S	MG/KG	0.006	0.006	U			I
TETRACHLORODIBENZO-P-DIOXIN	0001	S	NG/G	.045	.045	U			I
TETRACHLORODIBENZO-P-DIOXIN	0002	S	NG/G	.034	.034	U			I
TETRACHLORODIBENZOFURAN	0001	S	NG/G	.043	.043	U			I
TETRACHLORODIBENZOFURAN	0002	S	NG/G	.05	.05	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
THALLIUM, TOTAL	0001	S	MG/KG	.52	.52	U			I
THALLIUM, TOTAL	0002	S	MG/KG	.32	.32	U			I
THORIUM-234	0001	S	PCI/G	.5	1.25				I
THORIUM-234	0002	S	PCI/G	.5	1.44				I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	0002	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0136
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TOTAL XYLENES	0002	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.21	0.21	U	0.21	UJ	I
TOXAPHENE	0002	S	MG/KG	0.2	0.2	U	0.2	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	0002	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	35.				I
VANADIUM, TOTAL	0002	S	MG/KG	1.	27.7		27.7	J	I
VINYL ACETATE	0001	S	MG/KG	0.013	0.013	U			I
VINYL ACETATE	0002	S	MG/KG	0.012	0.012	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.013	0.013	U			I
VINYL CHLORIDE	0002	S	MG/KG	0.012	0.012	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	65.5				I
ZINC, TOTAL	0002	S	MG/KG	.5	43.1				I

APPENDIX A
Location: MND33-0139
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
% SOLIDS	0001	S	% SOLIDS	-	89.4				I
% SOLIDS	1001	S	% SOLIDS	-	89.1				I
1,1,1-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,1-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2,2-TETRACHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1,2-TRICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,1-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2,4-TRICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2,4-TRICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,2-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,2-DICHLOROETHANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHANE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	0001	S	MG/KG	0.006	0.006	U			I
1,2-DICHLOROPROPANE	1001	S	MG/KG	0.006	0.006	U			I
1,3,5-TRINITROBENZENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3,5-TRINITROBENZENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-CIS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-CIS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,3-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,3-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
1,3-DNB	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-DNB	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	S	MG/KG	0.006	0.006	U			I
1,3-TRANS-DICHLOROPROPENE	1001	S	MG/KG	0.006	0.006	U			I
1,4-DICHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
1,4-DICHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,5-TRICHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,5-TRICHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4,6-TRICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4,6-TRICHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4,6-TRINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4,6-TRINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,4-DICHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DICHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DIMETHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DIMETHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,4-DINITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I

APPENDIX A
Location: MWD33-0139
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	.24	.24	U	.24	UJ	I
2,4-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,4-DINITROTOLUENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
2,6-DINITROTOLUENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2,6-DINITROTOLUENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-AMINO-4,6-DINITROTOLUENE	0001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-AMINO-4,6-DINITROTOLUENE	1001	S	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	S	MG/KG	0.011	0.011	U			I
2-BUTANONE	1001	S	MG/KG	0.011	0.011	U			I
2-CHLORONAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLORONAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-CHLOROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-CHLOROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-HEXANONE	0001	S	MG/KG	0.011	0.011	U			I
2-HEXANONE	1001	S	MG/KG	0.011	0.011	U			I
2-METHYLNAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLNAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
2-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
2-NITROPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
2-NITROPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
3,3'-DICHLOROBENZIDINE	0001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3,3'-DICHLOROBENZIDINE	1001	S	MG/KG	1.5	1.5	U	1.5	UJ	I
3-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
3-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,4'-DDD	0001	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDD	1001	S	MG/KG	0.0084	0.0084	U	0.0084	UJ	I
4,4'-DDE	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDE	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
4,4'-DDT	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,4'-DDT	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
4,6-DINITRO-O-CRESOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4,6-DINITRO-O-CRESOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-BROMOPHENYL-PHENYL ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLORO-3-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROANILINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-CHLOROANILINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I

APPENDIX A
Location: MND33-0139
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLOROPHENYL-PHENYLETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-METHYL-2-PENTANONE	0001	S	MG/KG	0.011	0.011	U			I
4-METHYL-2-PENTANONE	1001	S	MG/KG	0.011	0.011	U			I
4-METHYLPHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
4-METHYLPHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
4-NITROANILINE	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROANILINE	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
4-NITROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
ACENAPHTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACENAPHTHYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ACENAPHTHYLENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ACETONE	0001	S	MG/KG	0.011	0.005	JB	0.011	U	I
ACETONE	1001	S	MG/KG	0.011	0.006	JB	0.011	U	I
ALDRIN	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALDRIN	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ALPHA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
ALPHA-BHC	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALPHA-BHC	1001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
ALUMINUM, TOTAL	0001	S	MG/KG	6.	3200.				I
ALUMINUM, TOTAL	1001	S	MG/KG	6.	2650.				I
ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ANTIMONY, TOTAL	0001	S	MG/KG	3.	33.7		33.7	J	I
ANTIMONY, TOTAL	1001	S	MG/KG	3.	35.7		35.7	J	I
AROCLOR-1016	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1016	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1221	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1221	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1232	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1232	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1242	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1242	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1248	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1248	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
AROCLOR-1254	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1254	1001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
AROCLOR-1260	1001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
ARSENIC, TOTAL	0001	S	MG/KG	.2	3.8		3.8	J	I
ARSENIC, TOTAL	1001	S	MG/KG	.2	2.9		2.9	J	I
ARIUM, TOTAL	0001	S	MG/KG	.2	17.4				I

APPENDIX A
Location: MND33-0139
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BARIUM, TOTAL	1001	S	MG/KG	.2	15.9				I
BENZENE	0001	S	MG/KG	0.006	0.006	U			I
BENZENE	1001	S	MG/KG	0.006	0.006	U			I
BENZO(A)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(A)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(A)PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(B)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(B)FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(G,H,I)PERYLENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(G,H,I)PERYLENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZO(K)FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZO(K)FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BENZOIC ACID	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZOIC ACID	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
BENZYL ALCOHOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BENZYL ALCOHOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BERYLLIUM	0001	S	MG/KG	.2	.68				I
BERYLLIUM	1001	S	MG/KG	.2	.68				I
BETA-BHC	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BETA-BHC	1001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHOXY)METHANE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROETHYL)ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	S	MG/KG	0.75	0.11	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	S	MG/KG	0.74	0.098	J			I
BROMODICHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
BROMODICHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	0001	S	MG/KG	0.006	0.006	U			I
BROMOFORM	1001	S	MG/KG	0.006	0.006	U			I
BROMOMETHANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
BROMOMETHANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
BUTYL BENZYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
BUTYL BENZYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
CADMIUM, TOTAL	0001	S	MG/KG	.2	7.				I
CADMIUM, TOTAL	1001	S	MG/KG	.2	7.8				I
CALCIUM, TOTAL	0001	S	MG/KG	2.	143000.				I
CALCIUM, TOTAL	1001	S	MG/KG	2.	141000.				I
CARBON DISULFIDE	0001	S	MG/KG	0.006	0.006	U			I
CARBON DISULFIDE	1001	S	MG/KG	0.006	0.006	U			I
CARBON TETRACHLORIDE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0139
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON TETRACHLORIDE	1001	S	MG/KG	0.006	0.006	U			I
CHLORIDE	0001	S	MG/KG	.5	5.63		5.6	J	I
CHLORIDE	1001	S	MG/KG	.5	8.26		8.3	J	I
CHLOROBENZENE	0001	S	MG/KG	0.006	0.006	U			I
CHLOROBENZENE	1001	S	MG/KG	0.006	0.006	U			I
CHLOROETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHLOROFORM	0001	S	MG/KG	0.006	0.006	U			I
CHLOROFORM	1001	S	MG/KG	0.006	0.006	U			I
CHLOROMETHANE	0001	S	MG/KG	0.011	0.011	U			I
CHLOROMETHANE	1001	S	MG/KG	0.011	0.011	U			I
CHROMIUM, TOTAL	0001	S	MG/KG	1.	27.5				I
CHROMIUM, TOTAL	1001	S	MG/KG	1.	26.7				I
CHRYSENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
CHRYSENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
COBALT, TOTAL	0001	S	MG/KG	1.	8.2				I
COBALT, TOTAL	1001	S	MG/KG	1.	7.7				I
COPPER, TOTAL	0001	S	MG/KG	1.	18.2				I
COPPER, TOTAL	1001	S	MG/KG	1.	17.8				I
CYANIDE	0001	S	MG/KG	.11	.11	U			I
CYANIDE	1001	S	MG/KG	.11	.11	U			I
DELTA-BHC	0001	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DELTA-BHC	1001	S	MG/KG	0.0069	0.0069	U	0.0069	UJ	I
DI-N-BUTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-BUTYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DI-N-OCTYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DI-N-OCTYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZO(A,H)ANTHRACENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBENZOFURAN	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIBENZOFURAN	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIBROMOCHLOROMETHANE	0001	S	MG/KG	0.006	0.006	U			I
DIBROMOCHLOROMETHANE	1001	S	MG/KG	0.006	0.006	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	S	MG/KG	0.006	0.009	B	0.009	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	S	MG/KG	0.006	0.013	B	0.013	U	I
DIELDRIN	0001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIELDRIN	1001	S	MG/KG	0.0015	0.0015	U	0.0015	UJ	I
DIETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIETHYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
DIMETHYL PHTHALATE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
DIMETHYL PHTHALATE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
ENDOSULFAN I(ALPHA)	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN I(ALPHA)	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
ENDOSULFAN II(BETA)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I

APPENDIX A
Location: MND33-0139
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ENDOSULFAN II(BETA)	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
ENDOSULFAN SULFATE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDOSULFAN SULFATE	1001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN	0001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN	1001	S	MG/KG	0.0046	0.0046	U	0.0046	UJ	I
ENDRIN ALDEHYDE	0001	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
ENDRIN ALDEHYDE	1001	S	MG/KG	0.0175	0.0175	U	0.0175	UJ	I
ENDRIN KETONE	0001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ENDRIN KETONE	1001	S	MG/KG	0.018	0.018	U	0.018	UJ	I
ETHYLBENZENE	0001	S	MG/KG	0.006	0.006	U			I
ETHYLBENZENE	1001	S	MG/KG	0.006	0.006	U			I
FLUORANTHENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORANTHENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
FLUORENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
FLUORENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
GAMMA CHLORDANE	0001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA CHLORDANE	1001	S	MG/KG	0.011	0.011	U	0.011	UJ	I
GAMMA-BHC (LINDANE)	0001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
GAMMA-BHC (LINDANE)	1001	S	MG/KG	0.0031	0.0031	U	0.0031	UJ	I
HEPTACHLOR	0001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR	1001	S	MG/KG	0.0023	0.0023	U	0.0023	UJ	I
HEPTACHLOR EPOXIDE	0001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEPTACHLOR EPOXIDE	1001	S	MG/KG	0.0092	0.0092	U	0.0092	UJ	I
HEXACHLOROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROBUTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROBUTADIENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROCYCLOPENTADIENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HEXACHLOROETHANE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
HEXACHLOROETHANE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
HMX	0001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
HMX	1001	S	MG/KG	2.9	2.9	U	2.9	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
INDENO(1,2,3-CD)PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
IRON, TOTAL	0001	S	MG/KG	1.	9120.				I
IRON, TOTAL	1001	S	MG/KG	1.	9190.				I
ISOPHORONE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
ISOPHORONE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
LEAD, TOTAL	0001	S	MG/KG	.2	5.				I
LEAD, TOTAL	1001	S	MG/KG	.2	4.8				I
MAGNESIUM, TOTAL	0001	S	MG/KG	5.	44600.				I
MAGNESIUM, TOTAL	1001	S	MG/KG	5.	50000.				I
MANGANESE, TOTAL	0001	S	MG/KG	.2	252.				I

APPENDIX A
Location: MND33-0139
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
MANGANESE, TOTAL	1001	S	MG/KG	.2	267.				I
MERCURY, TOTAL	0001	S	MG/KG	.11	.11	U			I
MERCURY, TOTAL	1001	S	MG/KG	.11	.11	U			I
METHOXYCHLOR	0001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
METHOXYCHLOR	1001	S	MG/KG	0.092	0.092	U	0.092	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
N-NITROSODIPHENYLAMINE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
N-NITROSODIPHENYLAMINE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NAPHTHALENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NAPHTHALENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
NICKEL, TOTAL	0001	S	MG/KG	2.	26.9				I
NICKEL, TOTAL	1001	S	MG/KG	2.	25.4				I
NITRATE	0001	S	MG/KG	1.	1.	U			I
NITRATE	1001	S	MG/KG	1.	1.	U			I
NITRITE AS NITROGEN	0001	S	MG/KG	1.	1.	U			I
NITRITE AS NITROGEN	1001	S	MG/KG	1.	1.	U			I
NITROBENZENE	0001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	1001	S	MG/KG	1.3	1.3	U	1.3	UJ	I
NITROBENZENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
NITROBENZENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PENTACHLOROPHENOL	0001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PENTACHLOROPHENOL	1001	S	MG/KG	3.6	3.6	U	3.6	UJ	I
PERCENT MOISTURE	0001	S	% MOIST	-	10.				I
PERCENT MOISTURE	1001	S	% MOIST	-	10.				I
PERCENT MOISTURE	0001	S	% MOIST	-	10.				I
PERCENT MOISTURE	1001	S	% MOIST	-	10.				I
PHENANTHRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENANTHRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
PHENOL	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PHENOL	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
POTASSIUM, TOTAL	0001	S	MG/KG	10.	648.				I
POTASSIUM, TOTAL	1001	S	MG/KG	10.	538.				I
PYRENE	0001	S	MG/KG	0.75	0.75	U	0.75	UJ	I
PYRENE	1001	S	MG/KG	0.74	0.74	U	0.74	UJ	I
RDX	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
RDX	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
SELENIUM, TOTAL	0001	S	MG/KG	.66	.66		0.66	UJ	I
SELENIUM, TOTAL	1001	S	MG/KG	.66	.66		0.66	UJ	I
SILVER, TOTAL	0001	S	MG/KG	1.	18.5		18.5	J	I
SILVER, TOTAL	1001	S	MG/KG	1.	18.7		18.7	J	I
SODIUM, TOTAL	0001	S	MG/KG	10.	180.				I
SODIUM, TOTAL	1001	S	MG/KG	10.	174.				I
STYRENE	0001	S	MG/KG	0.006	0.006	U			I
STYRENE	1001	S	MG/KG	0.006	0.006	U			I
TETRACHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I

APPENDIX A
Location: MND33-0139
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRACHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
TETRYL	0001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
TETRYL	1001	S	MG/KG	2.2	2.2	U	2.2	UJ	I
THALLIUM, TOTAL	0001	S	MG/KG	.44	.44	U	0.44	J	I
THALLIUM, TOTAL	1001	S	MG/KG	.44	.44	U			I
TOLUENE	0001	S	MG/KG	0.006	0.006	U			I
TOLUENE	1001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	0001	S	MG/KG	0.006	0.006	U			I
TOTAL XYLENES	1001	S	MG/KG	0.006	0.006	U			I
TOXAPHENE	0001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TOXAPHENE	1001	S	MG/KG	0.18	0.18	U	0.18	UJ	I
TRICHLOROETHENE	0001	S	MG/KG	0.006	0.006	U			I
TRICHLOROETHENE	1001	S	MG/KG	0.006	0.006	U			I
VANADIUM, TOTAL	0001	S	MG/KG	1.	23.1				I
VANADIUM, TOTAL	1001	S	MG/KG	1.	23.1				I
VINYL ACETATE	0001	S	MG/KG	0.011	0.011	U			I
VINYL ACETATE	1001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	0001	S	MG/KG	0.011	0.011	U			I
VINYL CHLORIDE	1001	S	MG/KG	0.011	0.011	U			I
ZINC, TOTAL	0001	S	MG/KG	.5	30.2				I
ZINC, TOTAL	1001	S	MG/KG	.5	34.9				I

APPENDIX A
Location: MND33-0140
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	SE	MG/KG	0.008	0.008	U			I
1,1,2,2-TETRACHLOROETHANE	0001	SE	MG/KG	0.008	0.008	U			I
1,1,2-TRICHLOROETHANE	0001	SE	MG/KG	0.008	0.008	U			I
1,1-DICHLOROETHANE	0001	SE	MG/KG	0.008	0.008	U			I
1,1-DICHLOROETHENE	0001	SE	MG/KG	0.008	0.008	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	SE	NG/G	4.6	4.6	U			I
1,2,3,4,6,7,8-HpCDD	0001	SE	NG/G	4.7	4.7	U			I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	SE	NG/G	16.3	16.3	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	SE	NG/G	1.7	1.7	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	SE	NG/G	3.	3.	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	SE	NG/G	2.6	2.6	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	SE	NG/G	1.3	1.3	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	SE	NG/G	1.4	1.4	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	SE	NG/G	7.8	7.8	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	SE	NG/G	3.8	3.8	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	SE	NG/G	3.8	3.8	U			I
1,2,4-TRICHLOROBENZENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
1,2-DICHLOROBENZENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
1,2-DICHLOROETHANE	0001	SE	MG/KG	0.008	0.008	U			I
1,2-DICHLOROETHENE	0001	SE	MG/KG	0.008	0.008	U			I
1,2-DICHLOROPROPANE	0001	SE	MG/KG	0.008	0.008	U			I
1,3-CIS-DICHLOROPROPENE	0001	SE	MG/KG	0.008	0.008	U			I
1,3-DICHLOROBENZENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	SE	MG/KG	0.008	0.008	U			I
1,4-DICHLOROBENZENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	SE	NG/G	3.2	3.2	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	SE	NG/G	7.5	7.5	U			I
2,3,7,8-TCDD	0001	SE	NG/G	3.1	3.1	U			I
2,3,7,8-TCDF	0001	SE	NG/G	.83	.83	U			I
2,4,5-TRICHLOROPHENOL	0001	SE	MG/KG	26.	26.	U	55.	UJ	I
2,4,6-TRICHLOROPHENOL	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
2,4-DICHLOROPHENOL	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
2,4-DIMETHYLPHENOL	0001	SE	MG/KG	5.4	31.		31.	J	I
2,4-DINITROPHENOL	0001	SE	MG/KG	26.	26.	U	55.	UJ	I

APPENDIX A
Location: MND33-0140
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
2,6-DINITROTOLUENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
2-BUTANONE	0001	SE	MG/KG	0.016	0.013	J			I
2-CHLORONAPHTHALENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
2-CHLOROPHENOL	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
2-HEXANONE	0001	SE	MG/KG	0.016	0.061		0.061	J	I
2-METHYLNAPHTHALENE	0001	SE	MG/KG	5.4	23.		23.	J	I
2-METHYLPHENOL	0001	SE	MG/KG	5.4	13.		13.	J	I
2-NITROANILINE	0001	SE	MG/KG	26.	26.	U	55.	UJ	I
2-NITROPHENOL	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
3,3'-DICHLOROBENZIDINE	0001	SE	MG/KG	11.	11.	U	22.	UJ	I
3-NITROANILINE	0001	SE	MG/KG	26.	26.	U	55.	UJ	I
4,4'-DDD	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
4,4'-DDD	0001	SE	MG/KG	2.4	2.4	U	2.4	UJ	D
4,4'-DDE	0001	SE	MG/KG	0.44	0.44	U	0.44	UJ	I
4,4'-DDE	0001	SE	MG/KG	0.88	0.88	U	0.88	UJ	D
4,4'-DDT	0001	SE	MG/KG	1.3	1.3	U	1.3	UJ	I
4,4'-DDT	0001	SE	MG/KG	2.6	2.6	U	2.6	UJ	D
4,6-DINITRO-O-CRESOL	0001	SE	MG/KG	26.	26.	U	55.	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
4-CHLOROANILINE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
4-METHYL-2-PENTANONE	0001	SE	MG/KG	0.016	0.02				I
4-METHYLPHENOL	0001	SE	MG/KG	5.4	25.		25.	J	I
4-NITROANILINE	0001	SE	MG/KG	26.	26.	U	55.	UJ	I
4-NITROPHENOL	0001	SE	MG/KG	26.	26.	U	55.	UJ	I
ACENAPHTHENE	0001	SE	MG/KG	5.4	5.1	J			I
ACENAPHTHYLENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
ACETONE	0001	SE	MG/KG	0.016	0.063	B	0.063	J	I
ALDRIN	0001	SE	MG/KG	0.44	0.44	U	0.44	UJ	I
ALDRIN	0001	SE	MG/KG	0.88	0.88	U	0.88	UJ	D
ALPHA CHLORDANE	0001	SE	MG/KG	1.5	1.5	U	1.5	UJ	I
ALPHA CHLORDANE	0001	SE	MG/KG	3.	3.	U	3.	UJ	D
ALPHA-BHC	0001	SE	MG/KG	0.33	0.33	U	0.33	UJ	I
ALPHA-BHC	0001	SE	MG/KG	0.65	0.65	U	0.65	UJ	D
ALUMINUM, TOTAL	0001	SE	MG/KG	6.	450.				I

APPENDIX A
Location: MND33-0140
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ANTHRACENE	0001	SE	MG/KG	5.4	38.		38.	J	I
ANTIMONY, TOTAL	0001	SE	MG/KG	6.5	6.5		6.5	UJ	I
AROCLOR-1016	0001	SE	MG/KG	13.	13.	U	13.	UJ	I
AROCLOR-1016	0001	SE	MG/KG	26.	26.	U	26.	UJ	D
AROCLOR-1221	0001	SE	MG/KG	13.	13.	U	13.	UJ	I
AROCLOR-1221	0001	SE	MG/KG	26.	26.	U	26.	UJ	D
AROCLOR-1232	0001	SE	MG/KG	13.	13.	U	13.	UJ	I
AROCLOR-1232	0001	SE	MG/KG	26.	26.	U	26.	UJ	D
AROCLOR-1242	0001	SE	MG/KG	13.	13.	U	13.	UJ	I
AROCLOR-1242	0001	SE	MG/KG	26.	26.	U	26.	UJ	D
AROCLOR-1248	0001	SE	MG/KG	13.	13.	U	13.	UJ	I
AROCLOR-1248	0001	SE	MG/KG	26.	26.	U	26.	UJ	D
AROCLOR-1254	0001	SE	MG/KG	26.	26.	U	26.	UJ	I
AROCLOR-1254	0001	SE	MG/KG	52.	52.	U	52.	UJ	D
AROCLOR-1260	0001	SE	MG/KG	26.	26.	U	26.	UJ	I
AROCLOR-1260	0001	SE	MG/KG	52.	52.	U	52.	UJ	D
ARSENIC, TOTAL	0001	SE	MG/KG	.2	.81		0.81	J	I
BARIUM, TOTAL	0001	SE	MG/KG	.2	15.1				I
BENZENE	0001	SE	MG/KG	0.008	0.008	U			I
BENZO(A)ANTHRACENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
BENZO(A)PYRENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
BENZO(B)FLUORANTHENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
BENZO(G,H,I)PERYLENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
BENZO(K)FLUORANTHENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
BENZOIC ACID	0001	SE	MG/KG	26.	26.	U	55.	UJ	I
BENZYL ALCOHOL	0001	SE	MG/KG	5.4	17.		17.	J	I
BERYLLIUM	0001	SE	MG/KG	.43	.43	U			I
BETA-BHC	0001	SE	MG/KG	0.65	0.65	U	0.65	UJ	I
BETA-BHC	0001	SE	MG/KG	1.3	1.3	U	1.3	UJ	D
BIS(2-CHLOROETHOXY)METHANE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
BROMODICHLOROMETHANE	0001	SE	MG/KG	0.008	0.008	U			I
BROMOFORM	0001	SE	MG/KG	0.008	0.008	U			I
BROMOMETHANE	0001	SE	MG/KG	0.016	0.016	U	0.016	UJ	I
BUTYL BENZYL PHTHALATE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
CADMIUM, TOTAL	0001	SE	MG/KG	.2	1.3				I

APPENDIX A
Location: MWD33-0140
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CALCIUM, TOTAL	0001	SE	MG/KG	2.	12200.				I
CARBON DISULFIDE	0001	SE	MG/KG	0.008	0.008	U			I
CARBON TETRACHLORIDE	0001	SE	MG/KG	0.008	0.008	U			I
CESIUM-137	0001	SE	PCI/G	.1	.0784	U	.0784	UJ	I
CHLOROBENZENE	0001	SE	MG/KG	0.008	0.008	U			I
CHLOROETHANE	0001	SE	MG/KG	0.016	0.016	U			I
CHLOROFORM	0001	SE	MG/KG	0.008	0.008	U			I
CHLOROMETHANE	0001	SE	MG/KG	0.016	0.016	U			I
CHROMIUM, TOTAL	0001	SE	MG/KG	1.	15.5				I
CHRYSENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
COBALT, TOTAL	0001	SE	MG/KG	2.2	2.2	U			I
COPPER, TOTAL	0001	SE	MG/KG	1.	14.				I
CYANIDE	0001	SE	MG/KG	.2	.26				I
DELTA-BHC	0001	SE	MG/KG	0.98	0.98	U	0.98	UJ	I
DELTA-BHC	0001	SE	MG/KG	2.	2.	U	2.	UJ	D
DI-N-BUTYL PHTHALATE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
DI-N-OCTYL PHTHALATE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
DIBENZOFURAN	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
DIBROMOCHLOROMETHANE	0001	SE	MG/KG	0.008	0.008	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	SE	MG/KG	0.008	0.015	B	0.015	U	I
DIELDRIN	0001	SE	MG/KG	0.21	0.21	U	0.21	UJ	I
DIELDRIN	0001	SE	MG/KG	0.42	0.42	U	0.42	UJ	D
DIETHYL PHTHALATE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
DIMETHYL PHTHALATE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
ENDOSULFAN I(ALPHA)	0001	SE	MG/KG	1.3	1.3	U	1.3	UJ	I
ENDOSULFAN I(ALPHA)	0001	SE	MG/KG	2.6	2.6	U	2.6	UJ	D
ENDOSULFAN II(BETA)	0001	SE	MG/KG	0.44	0.44	U	0.44	UJ	I
ENDOSULFAN II(BETA)	0001	SE	MG/KG	0.88	0.88	U	0.88	UJ	D
ENDOSULFAN SULFATE	0001	SE	MG/KG	2.6	2.6	U	2.6	UJ	I
ENDOSULFAN SULFATE	0001	SE	MG/KG	5.2	5.2	U	5.2	UJ	D
ENDRIN	0001	SE	MG/KG	0.65	0.65	U	0.65	UJ	I
ENDRIN	0001	SE	MG/KG	1.3	1.3	U	1.3	UJ	D
ENDRIN ALDEHYDE	0001	SE	MG/KG	2.5	2.5	U	2.5	UJ	I
ENDRIN ALDEHYDE	0001	SE	MG/KG	5.	5.	U	5.	UJ	D
ENDRIN KETONE	0001	SE	MG/KG	2.6	2.6	U	2.6	UJ	I
ENDRIN KETONE	0001	SE	MG/KG	5.2	5.2	U	5.2	UJ	D
ETHYLBENZENE	0001	SE	MG/KG	0.008	0.017				I

APPENDIX A
Location: MND33-0140
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
EXTRACTABLE HYD AS DIESEL FUEL	0001	SE	MG/KG	5.	100000.		116700.		I
FLUORANTHENE	0001	SE	MG/KG	5.4	7.3		7.3	J	I
FLUORENE	0001	SE	MG/KG	5.4	21.		21.	J	I
GAMMA CHLORDANE	0001	SE	MG/KG	1.5	1.5	U	1.5	UJ	I
GAMMA CHLORDANE	0001	SE	MG/KG	3.	3.	U	3.	UJ	D
GAMMA-BHC (LINDANE)	0001	SE	MG/KG	0.44	0.44	U	0.44	UJ	I
GAMMA-BHC (LINDANE)	0001	SE	MG/KG	0.88	0.88	U	0.88	UJ	D
HEPTACHLOR	0001	SE	MG/KG	0.33	0.33	U	0.33	UJ	I
HEPTACHLOR	0001	SE	MG/KG	0.65	0.65	U	0.65	UJ	D
HEPTACHLOR EPOXIDE	0001	SE	MG/KG	1.3	1.3	U	1.3	UJ	I
HEPTACHLOR EPOXIDE	0001	SE	MG/KG	2.6	2.6	U	2.6	UJ	D
HEPTACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	4.7	4.7	U			I
HEPTACHLORODIBENZOFURAN	0001	SE	NG/G	13.6	13.6	U			I
HEXACHLOROBENZENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
HEXACHLOROBUTADIENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
HEXACHLOROCYCLOPENTADIENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	1.5	1.5	U			I
HEXACHLORODIBENZOFURAN	0001	SE	NG/G	6.9	6.9	U			I
HEXACHLOROETHANE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
IRON, TOTAL	0001	SE	MG/KG	1.	4650.				I
ISOPHORONE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
LEAD, TOTAL	0001	SE	MG/KG	.2	11.6				I
MAGNESIUM, TOTAL	0001	SE	MG/KG	5.	3500.				I
MANGANESE, TOTAL	0001	SE	MG/KG	.2	45.1				I
MERCURY, TOTAL	0001	SE	MG/KG	.15	.15	U			I
METHOXYCHLOR	0001	SE	MG/KG	13.	13.	U	13.	UJ	I
METHOXYCHLOR	0001	SE	MG/KG	26.	26.	U	26.	UJ	D
N-NITROSO-DI-N-PROPYLAMINE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
N-NITROSODIPHENYLAMINE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
NAPHTHALENE	0001	SE	MG/KG	5.4	4.5	J			I
NICKEL, TOTAL	0001	SE	MG/KG	2.	17.				I
NITROBENZENE	0001	SE	MG/KG	5.4	5.4	U	11.	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	4.9	4.9	U			I
OCTACHLORODIBENZOFURAN	0001	SE	NG/G	11.4	11.4	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	3.8	3.8	U			I

APPENDIX A
Location: MND33-0140
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
PENTACHLORODIBENZOFURAN	0001	SE	NG/G	7.2	7.2	U			I
PENTACHLOROPHENOL	0001	SE	MG/KG	26.	26.	U	55.	UJ	I
PERCENT MOISTURE	0001	SE	% MOIST	-	38.				I
PHENANTHRENE	0001	SE	MG/KG	5.4	38.		38.	J	I
PHENOL	0001	SE	MG/KG	5.4	22.		22.	J	I
POTASSIUM, TOTAL	0001	SE	MG/KG	10.	190.				I
POTASSIUM-40	0001	SE	PCI/G	.5	3.31				I
PYRENE	0001	SE	MG/KG	5.4	46.		46.	J	I
RADIUM-224	0001	SE	PCI/G	.1	.236				I
RADIUM-226	0001	SE	PCI/G	.1	.172	U	.172	UJ	I
RADIUM-228	0001	SE	PCI/G	.2	.363	U	.363	UJ	I
SELENIUM, TOTAL	0001	SE	MG/KG	.48	.48		0.48	UJ	I
SILVER, TOTAL	0001	SE	MG/KG	1.	3.4		3.4	J	I
SODIUM, TOTAL	0001	SE	MG/KG	10.	184.				I
STYRENE	0001	SE	MG/KG	0.008	0.008	U			I
TETRACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	3.	3.	U			I
TETRACHLORODIBENZOFURAN	0001	SE	NG/G	2.6	2.6	U			I
TETRACHLOROETHENE	0001	SE	MG/KG	0.008	0.008	U			I
THALLIUM, TOTAL	0001	SE	MG/KG	.32	.32				I
THORIUM-234	0001	SE	PCI/G	.5	5.41				I
TOLUENE	0001	SE	MG/KG	0.008	0.028				I
TOTAL XYLENES	0001	SE	MG/KG	0.008	0.15				I
TOXAPHENE	0001	SE	MG/KG	26.	26.	U	26.	UJ	I
TOXAPHENE	0001	SE	MG/KG	52.	52.	U	52.	UJ	D
TRICHLOROETHENE	0001	SE	MG/KG	0.008	0.008	U			I
VANADIUM, TOTAL	0001	SE	MG/KG	1.	48.8				I
VINYL ACETATE	0001	SE	MG/KG	0.016	0.016	U			I
VINYL CHLORIDE	0001	SE	MG/KG	0.016	0.016	U			I
ZINC, TOTAL	0001	SE	MG/KG	.5	71.8				I

APPENDIX A
Location: MND33-0141
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	SE	MG/KG	0.009	0.009	U			I
1,1,2,2-TETRACHLOROETHANE	0001	SE	MG/KG	0.009	0.009	U			I
1,1,2-TRICHLOROETHANE	0001	SE	MG/KG	0.009	0.009	U			I
1,1-DICHLOROETHANE	0001	SE	MG/KG	0.009	0.009	U			I
1,1-DICHLOROETHENE	0001	SE	MG/KG	0.009	0.009	U			I
1,2,3,4,6,7,8-HEPTACHLORODIBENZOFUR	0001	SE	NG/G	.83	.83	U			I
1,2,3,4,6,7,8-HpCDD	0001	SE	NG/G	0.	2.3				I
1,2,3,4,7,8,9-HEPTACHLORODIBENZOFUR	0001	SE	NG/G	1.2	1.2	U			I
1,2,3,4,7,8-HEXACHLORODIBENZO-P-DIO	0001	SE	NG/G	.84	.84	U			I
1,2,3,4,7,8-HEXACHLORODIBENZOFURAN	0001	SE	NG/G	1.4	1.4	U			I
1,2,3,5,7,8-HEXACHLORODIBENZOFURAN	0001	SE	NG/G	1.2	1.2	U			I
1,2,3,6,7,8-HEXACHLORODIBENZO-P-DIO	0001	SE	NG/G	.67	.67	U			I
1,2,3,7,8,9-HEXACHLORODIBENZO-P-DIO	0001	SE	NG/G	.7	.7	U			I
1,2,3,7,8,9-HEXACHLORODIBENZOFURAN	0001	SE	NG/G	1.6	1.6	U			I
1,2,3,7,8-PENTACHLORODIBENO-P-DIOXI	0001	SE	NG/G	1.5	1.5	U			I
1,2,3,7,8-PENTACHLORODIBENZOFURAN	0001	SE	NG/G	1.	1.	U			I
1,2,4-TRICHLOROBENZENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
1,2-DICHLOROBENZENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
1,2-DICHLOROETHANE	0001	SE	MG/KG	0.009	0.009	U			I
1,2-DICHLOROETHENE	0001	SE	MG/KG	0.009	0.009	U			I
1,2-DICHLOROPROPANE	0001	SE	MG/KG	0.009	0.009	U			I
1,3-CIS-DICHLOROPROPENE	0001	SE	MG/KG	0.009	0.009	U			I
1,3-DICHLOROBENZENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
1,3-TRANS-DICHLOROPROPENE	0001	SE	MG/KG	0.009	0.009	U			I
1,4-DICHLOROBENZENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2,3,4,6,7,8-HEXACHLORODIBENZOFURAN	0001	SE	NG/G	1.5	1.5	U			I
2,3,4,7,8-PENTACHLORODIBENZOFURAN	0001	SE	NG/G	1.1	1.1	U			I
2,3,7,8-TCDD	0001	SE	NG/G	.34	.34	U			I
2,3,7,8-TCDF	0001	SE	NG/G	.14	.14	U			I
2,4,5-TRICHLOROPHENOL	0001	SE	MG/KG	5.8	5.8	U	5.8	UJ	I
2,4,6-TRICHLOROPHENOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2,4-DICHLOROPHENOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2,4-DIMETHYLPHENOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2,4-DINITROPHENOL	0001	SE	MG/KG	5.8	5.8	U	5.8	UJ	I

APPENDIX A
Location: MND33-0141
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4-DINITROTOLUENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2,6-DINITROTOLUENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2-BUTANONE	0001	SE	MG/KG	0.018	0.018	U			I
2-CHLORONAPHTHALENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2-CHLOROPHENOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2-HEXANONE	0001	SE	MG/KG	0.018	0.018	U			I
2-METHYLNAPHTHALENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2-METHYLPHENOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
2-NITROANILINE	0001	SE	MG/KG	5.8	5.8	U	5.8	UJ	I
2-NITROPHENOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
3,3'-DICHLOROBENZIDINE	0001	SE	MG/KG	2.4	2.4	U	2.4	UJ	I
3-NITROANILINE	0001	SE	MG/KG	5.8	5.8	U	5.8	UJ	I
4,4'-DDD	0001	SE	MG/KG	0.013	0.013	U	0.013	UJ	I
4,4'-DDE	0001	SE	MG/KG	0.005	0.005	U	0.005	UJ	I
4,4'-DDT	0001	SE	MG/KG	0.015	0.015	U	0.015	UJ	I
4,6-DINITRO-O-CRESOL	0001	SE	MG/KG	5.8	5.8	U	5.8	UJ	I
4-BROMOPHENYL-PHENYL ETHER	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
4-CHLORO-3-METHYLPHENOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
4-CHLOROANILINE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
4-CHLOROPHENYL-PHENYLETHER	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
4-METHYL-2-PENTANONE	0001	SE	MG/KG	0.018	0.018	U			I
4-METHYLPHENOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
4-NITROANILINE	0001	SE	MG/KG	5.8	5.8	U	5.8	UJ	I
4-NITROPHENOL	0001	SE	MG/KG	5.8	5.8	U	5.8	UJ	I
ACENAPHTHENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
ACENAPHTHYLENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
ACETONE	0001	SE	MG/KG	0.018	0.01	JB	0.018	U	I
ALDRIN	0001	SE	MG/KG	0.005	0.005	U	0.005	UJ	I
ALPHA CHLORDANE	0001	SE	MG/KG	0.017	0.017	U	0.017	UJ	I
ALPHA-BHC	0001	SE	MG/KG	0.0037	0.0037	U	0.0037	UJ	I
ALUMINUM, TOTAL	0001	SE	MG/KG	6.	7140.				I
ANTHRACENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
ANTIMONY, TOTAL	0001	SE	MG/KG	3.	69.		69.0	J	I
AROCLOR-1016	0001	SE	MG/KG	0.15	0.15	U	0.15	UJ	I

APPENDIX A
Location: MND33-0141
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1221	0001	SE	MG/KG	0.15	0.15	U	0.15	UJ	I
AROCLOR-1232	0001	SE	MG/KG	0.15	0.15	U	0.15	UJ	I
AROCLOR-1242	0001	SE	MG/KG	0.15	0.15	U	0.15	UJ	I
AROCLOR-1248	0001	SE	MG/KG	0.15	0.15	U	0.15	UJ	I
AROCLOR-1254	0001	SE	MG/KG	0.29	0.29	U	0.29	UJ	I
AROCLOR-1260	0001	SE	MG/KG	0.29	0.29	U	0.29	UJ	I
ARSENIC, TOTAL	0001	SE	MG/KG	.2	3.3		3.3	J	I
BARIUM, TOTAL	0001	SE	MG/KG	.2	90.7				I
BENZENE	0001	SE	MG/KG	0.009	0.009	U			I
BENZO(A)ANTHRACENE	0001	SE	MG/KG	1.2	0.35	J			I
BENZO(A)PYRENE	0001	SE	MG/KG	1.2	0.69	J			I
BENZO(B)FLUORANTHENE	0001	SE	MG/KG	1.2	0.85	J			I
BENZO(G,H,I)PERYLENE	0001	SE	MG/KG	1.2	2.2		2.2	J	I
BENZO(K)FLUORANTHENE	0001	SE	MG/KG	1.2	0.7	J			I
BENZOIC ACID	0001	SE	MG/KG	5.8	0.17	J			I
BENZYL ALCOHOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
BERYLLIUM	0001	SE	MG/KG	.2	.68				I
BETA-BHC	0001	SE	MG/KG	0.0073	0.0073	U	0.0073	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
BIS(2-CHLOROETHYL)ETHER	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
BIS(2-CHLOROISOPROPYL)ETHER	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	SE	MG/KG	1.2	0.3	J			I
BROMODICHLOROMETHANE	0001	SE	MG/KG	0.009	0.009	U			I
BROMOFORM	0001	SE	MG/KG	0.009	0.009	U			I
BROMOMETHANE	0001	SE	MG/KG	0.018	0.018	U			I
BUTYL BENZYL PHTHALATE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
CADMIUM, TOTAL	0001	SE	MG/KG	.2	24.2				I
CALCIUM, TOTAL	0001	SE	MG/KG	2.	49400.				I
CARBON DISULFIDE	0001	SE	MG/KG	0.009	0.009	U			I
CARBON TETRACHLORIDE	0001	SE	MG/KG	0.009	0.009	U			I
CESIUM-137	0001	SE	PCI/G	.1	.163				I
CHLOROBENZENE	0001	SE	MG/KG	0.009	0.009	U			I
CHLOROETHANE	0001	SE	MG/KG	0.018	0.018	U			I
CHLOROFORM	0001	SE	MG/KG	0.009	0.009	U			I

APPENDIX A
Location: MWD33-0141
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CHLOROMETHANE	0001	SE	MG/KG	0.018	0.018	U			I
CHROMIUM, TOTAL	0001	SE	MG/KG	1.	92.1				I
CHRYSENE	0001	SE	MG/KG	1.2	0.66	J			I
COBALT, TOTAL	0001	SE	MG/KG	1.	28.				I
COPPER, TOTAL	0001	SE	MG/KG	1.	92.8				I
CYANIDE	0001	SE	MG/KG	.2	.75				I
DELTA-BHC	0001	SE	MG/KG	0.011	0.011	U	0.011	UJ	I
DI-N-BUTYL PHTHALATE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
DI-N-OCTYL PHTHALATE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
DIBENZO(A,H)ANTHRACENE	0001	SE	MG/KG	1.2	0.16	J			I
DIBENZOFURAN	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
DIBROMOCHLOROMETHANE	0001	SE	MG/KG	0.009	0.009	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	SE	MG/KG	0.009	0.014	B	0.014	U	I
DIELDRIN	0001	SE	MG/KG	0.0024	0.0024	U	0.0024	UJ	I
DIETHYL PHTHALATE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
DIMETHYL PHTHALATE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
ENDOSULFAN I(ALPHA)	0001	SE	MG/KG	0.015	0.015	U	0.015	UJ	I
ENDOSULFAN II(BETA)	0001	SE	MG/KG	0.005	0.005	U	0.005	UJ	I
ENDOSULFAN SULFATE	0001	SE	MG/KG	0.029	0.029	U	0.029	UJ	I
ENDRIN	0001	SE	MG/KG	0.0073	0.0073	U	0.0073	UJ	I
ENDRIN ALDEHYDE	0001	SE	MG/KG	0.0282	0.0282	U	0.0282	UJ	I
ENDRIN KETONE	0001	SE	MG/KG	0.029	0.029	U	0.029	UJ	I
ETHYLBENZENE	0001	SE	MG/KG	0.009	0.009	U			I
EXTRACTABLE HYD AS DIESEL FUEL	0001	SE	MG/KG	5.	12.		23.		I
FLUORANTHENE	0001	SE	MG/KG	1.2	0.72	J			I
FLUORENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
GAMMA CHLORDANE	0001	SE	MG/KG	0.017	0.017	U	0.017	UJ	I
GAMMA-BHC (LINDANE)	0001	SE	MG/KG	0.005	0.005	U	0.005	UJ	I
HEPTACHLOR	0001	SE	MG/KG	0.0037	0.0037	U	0.0037	UJ	I
HEPTACHLOR EPOXIDE	0001	SE	MG/KG	0.015	0.015	U	0.015	UJ	I
HEPTACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	0.	4.1				I
HEPTACHLORODIBENZOFURAN	0001	SE	NG/G	.97	.97	U			I
HEXACHLOROBENZENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
HEXACHLOROBUTADIENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I

APPENDIX A
Location: MND33-0141
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROCYCLOPENTADIENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
HEXACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	.73	.73	U			I
HEXACHLORODIBENZOFURAN	0001	SE	NG/G	1.4	1.4	U			I
HEXACHLOROETHANE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
INDENO(1,2,3-CD)PYRENE	0001	SE	MG/KG	1.2	1.1	J			I
IRON, TOTAL	0001	SE	MG/KG	1.	100000.				I
ISOPHORONE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
LEAD, TOTAL	0001	SE	MG/KG	.2	3100.				I
MAGNESIUM, TOTAL	0001	SE	MG/KG	5.	17200.				I
MANGANESE, TOTAL	0001	SE	MG/KG	.2	829.				I
MERCURY, TOTAL	0001	SE	MG/KG	.16	.16	U			I
METHOXYCHLOR	0001	SE	MG/KG	0.15	0.15	U	0.15	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
N-NITROSODIPHENYLAMINE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
NAPHTHALENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
NICKEL, TOTAL	0001	SE	MG/KG	2.	107.				I
NITROBENZENE	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
OCTACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	0.	16.6				I
OCTACHLORODIBENZOFURAN	0001	SE	NG/G	2.2	2.2	U			I
PENTACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	1.5	1.5	U			I
PENTACHLORODIBENZOFURAN	0001	SE	NG/G	1.1	1.1	U			I
PENTACHLOROPHENOL	0001	SE	MG/KG	5.8	5.8	U	5.8	UJ	I
PHENANTHRENE	0001	SE	MG/KG	1.2	0.27	J			I
PHENOL	0001	SE	MG/KG	1.2	1.2	U	1.2	UJ	I
POTASSIUM, TOTAL	0001	SE	MG/KG	10.	1270.				I
POTASSIUM-40	0001	SE	PCI/G	.5	10.8				I
PYRENE	0001	SE	MG/KG	1.2	0.98	J			I
RADIUM-224	0001	SE	PCI/G	.1	.922				I
RADIUM-226	0001	SE	PCI/G	.1	.83		.830		I
RADIUM-228	0001	SE	PCI/G	.2	.944				I
SELENIUM, TOTAL	0001	SE	MG/KG	.54	.54		0.54	UJ	I
SILVER, TOTAL	0001	SE	MG/KG	1.	13.5		13.5	J	I
SODIUM, TOTAL	0001	SE	MG/KG	10.	560.				I
STYRENE	0001	SE	MG/KG	0.009	0.009	U			I

APPENDIX A
Location: MND33-0141
Report Date: 03/08/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
TETRACHLORODIBENZO-P-DIOXIN	0001	SE	NG/G	.98	.98	U			I
TETRACHLORODIBENZOFURAN	0001	SE	NG/G	.62	.62	U			I
TETRACHLOROETHENE	0001	SE	MG/KG	0.009	0.009	U			I
THALLIUM, TOTAL	0001	SE	MG/KG	.36	.36	U			I
THORIUM-234	0001	SE	PCI/G	.5	1.26				I
TOLUENE	0001	SE	MG/KG	0.009	0.004	J			I
TOTAL XYLENES	0001	SE	MG/KG	0.009	0.009	U			I
TOXAPHENE	0001	SE	MG/KG	0.29	0.29	U	0.29	UJ	I
TRICHLOROETHENE	0001	SE	MG/KG	0.009	0.009	U			I
VANADIUM, TOTAL	0001	SE	MG/KG	1.	41.8				I
VINYL ACETATE	0001	SE	MG/KG	0.018	0.018	U			I
VINYL CHLORIDE	0001	SE	MG/KG	0.018	0.018	U			I
ZINC, TOTAL	0001	SE	MG/KG	.5	791.				I

APPENDIX A
Location: MND33-1140
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	0001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	1001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	2001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	5001	W	UG/L	5.	5.	U			I
1,2,4-TRICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,2,4-TRICHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
1,2-DICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,2-DICHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
1,2-DICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	0001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	1001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	2001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	5001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	0001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	1001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	2001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	5001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	0001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	1001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	2001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	5001	W	UG/L	5.	5.	U			I
1,3-DICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,3-DICHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
1,3-TRANS-DICHLOROPROPENE	0001	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	1001	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	2001	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	5001	W	UG/L	5.	5.	U			I
1,4-DICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,4-DICHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
2,4,5-TRICHLOROPHENOL	0001	W	UG/L	50.	50.	U			I
2,4,5-TRICHLOROPHENOL	1001	W	UG/L	50.	50.	U			I
2,4,6-TRICHLOROPHENOL	0001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MND33-1140
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4,6-TRICHLOROPHENOL	1001	W	UG/L	10.	10.	U			I
2,4-DICHLOROPHENOL	0001	W	UG/L	10.	10.	U			I
2,4-DICHLOROPHENOL	1001	W	UG/L	10.	10.	U			I
2,4-DIMETHYLPHENOL	0001	W	UG/L	10.	41.				I
2,4-DIMETHYLPHENOL	1001	W	UG/L	10.	47.				I
2,4-DINITROPHENOL	0001	W	UG/L	50.	50.	U			I
2,4-DINITROPHENOL	1001	W	UG/L	50.	50.	U			I
2,4-DINITROTOLUENE	0001	W	UG/L	10.	10.	U			I
2,4-DINITROTOLUENE	1001	W	UG/L	10.	10.	U			I
2,6-DINITROTOLUENE	0001	W	UG/L	10.	10.	U			I
2,6-DINITROTOLUENE	1001	W	UG/L	10.	10.	U			I
2-BUTANONE	0001	W	UG/L	10.	10.	U			I
2-BUTANONE	1001	W	UG/L	10.	10.	U			I
2-BUTANONE	2001	W	UG/L	10.	10.	U			I
2-BUTANONE	5001	W	UG/L	10.	10.	U			I
2-CHLORONAPHTHALENE	0001	W	UG/L	10.	10.	U			I
2-CHLORONAPHTHALENE	1001	W	UG/L	10.	10.	U			I
2-CHLOROPHENOL	0001	W	UG/L	10.	10.	U			I
2-CHLOROPHENOL	1001	W	UG/L	10.	10.	U			I
2-HEXANONE	0001	W	UG/L	10.	10.	U			I
2-HEXANONE	1001	W	UG/L	10.	10.	U			I
2-HEXANONE	2001	W	UG/L	10.	10.	U			I
2-HEXANONE	5001	W	UG/L	10.	10.	U			I
2-METHYLNAPHTHALENE	0001	W	UG/L	10.	10.	U			I
2-METHYLNAPHTHALENE	1001	W	UG/L	10.	10.	U			I
2-METHYLPHENOL	0001	W	UG/L	10.	39.				I
2-METHYLPHENOL	1001	W	UG/L	10.	46.				I
2-NITROANILINE	0001	W	UG/L	50.	50.	U			I
2-NITROANILINE	1001	W	UG/L	50.	50.	U			I
2-NITROPHENOL	0001	W	UG/L	10.	10.	U			I
2-NITROPHENOL	1001	W	UG/L	10.	10.	U			I
3,3'-DICHLOROBENZIDINE	0001	W	UG/L	20.	20.	U			I
3,3'-DICHLOROBENZIDINE	1001	W	UG/L	20.	20.	U			I
3-NITROANILINE	0001	W	UG/L	50.	50.	U			I
3-NITROANILINE	1001	W	UG/L	50.	50.	U			I
4,4'-DDD	0001	W	UG/L	1.	1.	U	1.	UJ	D
4,4'-DDD	1001	W	UG/L	1.	1.	U			D
4,4'-DDE	0001	W	UG/L	.4	.4	U	.4	UJ	D
4,4'-DDE	1001	W	UG/L	.4	.4	U			D
4,4'-DDT	0001	W	UG/L	1.	1.	U	1.	UJ	D
4,4'-DDT	1001	W	UG/L	1.	1.	U			D
4,6-DINITRO-O-CRESOL	0001	W	UG/L	50.	50.	U			I
4,6-DINITRO-O-CRESOL	1001	W	UG/L	50.	50.	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	W	UG/L	10.	10.	U			I
4-BROMOPHENYL-PHENYL ETHER	1001	W	UG/L	10.	10.	U			I
4-CHLORO-3-METHYLPHENOL	0001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MND33-1140
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLORO-3-METHYLPHENOL	1001	W	UG/L	10.	10.	U			I
4-CHLOROANILINE	0001	W	UG/L	10.	10.	U			I
4-CHLOROANILINE	1001	W	UG/L	10.	10.	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	W	UG/L	10.	10.	U			I
4-CHLOROPHENYL-PHENYLETHER	1001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	0001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	1001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	2001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	5001	W	UG/L	10.	10.	U			I
4-METHYLPHENOL	0001	W	UG/L	10.	40.				I
4-METHYLPHENOL	1001	W	UG/L	10.	44.				I
4-NITROANILINE	0001	W	UG/L	50.	50.	U			I
4-NITROANILINE	1001	W	UG/L	50.	50.	U			I
4-NITROPHENOL	0001	W	UG/L	50.	50.	U	50.	UJ	I
4-NITROPHENOL	1001	W	UG/L	50.	50.	U	50.	UJ	I
ACENAPHTHENE	0001	W	UG/L	10.	10.	U			I
ACENAPHTHENE	1001	W	UG/L	10.	10.	U			I
ACENAPHTHYLENE	0001	W	UG/L	10.	10.	U			I
ACENAPHTHYLENE	1001	W	UG/L	10.	10.	U			I
ACETONE	0001	W	UG/L	5.	3.	JB	10.	U	I
ACETONE	1001	W	UG/L	5.	2.	JB	10.	U	I
ACETONE	2001	W	UG/L	5.	2.	JB	10.	U	I
ACETONE	5001	W	UG/L	5.	4.	JB	10.	U	I
ALDRIN	0001	W	UG/L	.4	.4	U	.4	UJ	D
ALDRIN	1001	W	UG/L	.4	.4	U			D
ALPHA CHLORDANE	0001	W	UG/L	.5	.5	U	.5	UJ	D
ALPHA CHLORDANE	1001	W	UG/L	.5	.5	U			D
ALPHA-BHC	0001	W	UG/L	.3	.3	U	.3	UJ	D
ALPHA-BHC	1001	W	UG/L	.3	.3	U			D
ALUMINUM, TOTAL	0001	W	UG/L	60.	123.	B			I
ALUMINUM, TOTAL	1001	W	UG/L	60.	129.	B			I
ANTHRACENE	0001	W	UG/L	10.	10.	U			I
ANTHRACENE	1001	W	UG/L	10.	10.	U			I
ANTIMONY, TOTAL	0001	W	UG/L	30.	30.	U			I
ANTIMONY, TOTAL	1001	W	UG/L	30.	30.	U			I
AROCLOR-1016	0001	W	UG/L	10.	10.	U	10.	UJ	D
AROCLOR-1016	1001	W	UG/L	10.	10.	U			D
AROCLOR-1221	0001	W	UG/L	10.	10.	U	10.	UJ	D
AROCLOR-1221	1001	W	UG/L	10.	10.	U			D
AROCLOR-1232	0001	W	UG/L	10.	10.	U	10.	UJ	D
AROCLOR-1232	1001	W	UG/L	10.	10.	U			D
AROCLOR-1242	0001	W	UG/L	10.	10.	U	10.	UJ	D
AROCLOR-1242	1001	W	UG/L	10.	10.	U			D
AROCLOR-1248	0001	W	UG/L	10.	10.	U	10.	UJ	D
AROCLOR-1248	1001	W	UG/L	10.	10.	U			D
AROCLOR-1254	0001	W	UG/L	10.	10.	U	10.	UJ	D

APPENDIX A
Location: MND33-1140
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1254	1001	W	UG/L	10.	10.	U			D
AROCLOR-1260	0001	W	UG/L	10.	10.	U	10.	UJ	D
AROCLOR-1260	1001	W	UG/L	10.	10.	U			D
ARSENIC, TOTAL	0001	W	UG/L	2.	2.	U			I
ARSENIC, TOTAL	1001	W	UG/L	2.	2.	U			I
BARIUM, TOTAL	0001	W	UG/L	2.	7.1	B			I
BARIUM, TOTAL	1001	W	UG/L	2.	7.1	B			I
BENZENE	0001	W	UG/L	5.	5.	U			I
BENZENE	1001	W	UG/L	5.	5.	U			I
BENZENE	2001	W	UG/L	5.	5.	U			I
BENZENE	5001	W	UG/L	5.	5.	U			I
BENZO(A)ANTHRACENE	0001	W	UG/L	10.	10.	U			I
BENZO(A)ANTHRACENE	1001	W	UG/L	10.	10.	U			I
BENZO(A)PYRENE	0001	W	UG/L	10.	10.	U			I
BENZO(A)PYRENE	1001	W	UG/L	10.	10.	U			I
BENZO(B)FLUORANTHENE	0001	W	UG/L	10.	10.	U			I
BENZO(B)FLUORANTHENE	1001	W	UG/L	10.	10.	U			I
BENZO(G,H,I)PERYLENE	0001	W	UG/L	10.	10.	U			I
BENZO(G,H,I)PERYLENE	1001	W	UG/L	10.	10.	U			I
BENZO(K)FLUORANTHENE	0001	W	UG/L	10.	10.	U			I
BENZO(K)FLUORANTHENE	1001	W	UG/L	10.	10.	U			I
BENZOIC ACID	0001	W	UG/L	50.	150.		150.	J	I
BENZOIC ACID	1001	W	UG/L	50.	160.		160.	J	I
BENZYL ALCOHOL	0001	W	UG/L	10.	10.	U			I
BENZYL ALCOHOL	1001	W	UG/L	10.	10.	U			I
BERYLLIUM	0001	W	UG/L	2.	2.	U			I
BERYLLIUM	1001	W	UG/L	2.	2.	U			I
BETA-BHC	0001	W	UG/L	.5	.5	U	.5	UJ	D
BETA-BHC	1001	W	UG/L	.5	.5	U			D
BIS(2-CHLOROETHOXY)METHANE	0001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROETHOXY)METHANE	1001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROETHYL)ETHER	0001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROETHYL)ETHER	1001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROISOPROPYL)ETHER	1001	W	UG/L	10.	10.	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	W	UG/L	10.	4.	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	W	UG/L	10.	25.				I
BROMODICHLOROMETHANE	0001	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	1001	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	2001	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	5001	W	UG/L	5.	5.	U			I
BROMOFORM	0001	W	UG/L	5.	5.	U			I
BROMOFORM	1001	W	UG/L	5.	5.	U			I
BROMOFORM	2001	W	UG/L	5.	5.	U			I
BROMOFORM	5001	W	UG/L	5.	5.	U			I
BROMOMETHANE	0001	W	UG/L	10.	10.	U	10.	UJ	I

APPENDIX A
Location: MND33-1140
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	1001	W	UG/L	10.	10.	U	10.	UJ	I
BROMOMETHANE	2001	W	UG/L	10.	10.	U	10.	UJ	I
BROMOMETHANE	5001	W	UG/L	10.	10.	U	10.	UJ	I
BUTYL BENZYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
BUTYL BENZYL PHTHALATE	1001	W	UG/L	10.	10.	U			I
CADMIUM, TOTAL	0001	W	UG/L	2.	2.	U			I
CADMIUM, TOTAL	1001	W	UG/L	2.	2.	U			I
CALCIUM, TOTAL	0001	W	UG/L	20.	26800.				I
CALCIUM, TOTAL	1001	W	UG/L	20.	28000.				I
CARBON DISULFIDE	0001	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	1001	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	2001	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	5001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	0001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	1001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	2001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	5001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	0001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	1001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	2001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	5001	W	UG/L	5.	5.	U			I
CHLOROETHANE	0001	W	UG/L	10.	10.	U			I
CHLOROETHANE	1001	W	UG/L	10.	10.	U			I
CHLOROETHANE	2001	W	UG/L	10.	10.	U			I
CHLOROETHANE	5001	W	UG/L	10.	10.	U			I
CHLOROFORM	0001	W	UG/L	5.	5.	U			I
CHLOROFORM	1001	W	UG/L	5.	5.	U			I
CHLOROFORM	2001	W	UG/L	5.	4.	J			I
CHLOROFORM	5001	W	UG/L	5.	5.				I
CHLOROMETHANE	0001	W	UG/L	10.	10.	U			I
CHLOROMETHANE	1001	W	UG/L	10.	10.	U			I
CHLOROMETHANE	2001	W	UG/L	10.	10.	U			I
CHLOROMETHANE	5001	W	UG/L	10.	10.	U			I
CHROMIUM, TOTAL	0001	W	UG/L	10.	10.	U			I
CHROMIUM, TOTAL	1001	W	UG/L	10.	10.	U			I
CHRYSENE	0001	W	UG/L	10.	10.	U			I
CHRYSENE	1001	W	UG/L	10.	10.	U			I
COBALT, TOTAL	0001	W	UG/L	10.	10.	U			I
COBALT, TOTAL	1001	W	UG/L	10.	10.	U			I
COPPER, TOTAL	0001	W	UG/L	10.	10.	U			I
COPPER, TOTAL	1001	W	UG/L	10.	10.	U			I
CYANIDE	0001	W	UG/L	2.	2.	U	2.	UJ	I
CYANIDE	1001	W	UG/L	2.	2.	U	2.	UJ	I
DELTA-BHC	0001	W	UG/L	.5	.5	U	.5	UJ	D
DELTA-BHC	1001	W	UG/L	.5	.5	U			D
DI-N-BUTYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DI-N-BUTYL PHTHALATE	1001	W	UG/L	10.	10.	U			I
DI-N-OCTYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DI-N-OCTYL PHTHALATE	1001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MND33-1140
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZO(A,H)ANTHRACENE	0001	W	UG/L	10.	10.	U			I
DIBENZO(A,H)ANTHRACENE	1001	W	UG/L	10.	10.	U			I
DIBENZOFURAN	0001	W	UG/L	10.	10.	U			I
DIBENZOFURAN	1001	W	UG/L	10.	10.	U			I
DIBROMOCHLOROMETHANE	0001	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	1001	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	2001	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	5001	W	UG/L	5.	5.	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	W	UG/L	5.	14.	B	14.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	W	UG/L	5.	5.	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	2001	W	UG/L	5.	5.	B	5.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	5001	W	UG/L	5.	14.	B	14.	U	I
DIELDRIN	0001	W	UG/L	.2	.2	U	.2	UJ	D
DIELDRIN	1001	W	UG/L	.2	.2	U			D
DIETHYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DIETHYL PHTHALATE	1001	W	UG/L	10.	10.	U			I
DIMETHYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DIMETHYL PHTHALATE	1001	W	UG/L	10.	10.	U			I
ENDOSULFAN I(ALPHA)	0001	W	UG/L	.5	.5	U	.5	UJ	D
ENDOSULFAN I(ALPHA)	1001	W	UG/L	.5	.5	U			D
ENDOSULFAN II(BETA)	0001	W	UG/L	.4	.4	U	.4	UJ	D
ENDOSULFAN II(BETA)	1001	W	UG/L	.4	.4	U			D
ENDOSULFAN SULFATE	0001	W	UG/L	1.	1.	U	1.	UJ	D
ENDOSULFAN SULFATE	1001	W	UG/L	1.	1.	U			D
ENDRIN	0001	W	UG/L	.6	.6	U	.6	UJ	D
ENDRIN	1001	W	UG/L	.6	.6	U			D
ENDRIN ALDEHYDE	0001	W	UG/L	1.	1.	U	1.	UJ	D
ENDRIN ALDEHYDE	1001	W	UG/L	1.	1.	U			D
ENDRIN KETONE	0001	W	UG/L	1.	1.	U	1.	UJ	D
ENDRIN KETONE	1001	W	UG/L	1.	1.	U			D
ETHYLBENZENE	0001	W	UG/L	5.	5.	U			I
ETHYLBENZENE	1001	W	UG/L	5.	5.	U			I
ETHYLBENZENE	2001	W	UG/L	5.	5.	U			I
ETHYLBENZENE	5001	W	UG/L	5.	5.	U			I
FLUORANTHENE	0001	W	UG/L	10.	10.	U			I
FLUORANTHENE	1001	W	UG/L	10.	10.	U			I
FLUORENE	0001	W	UG/L	10.	4.	J			I
FLUORENE	1001	W	UG/L	10.	10.	U			I
GAMMA CHLORDANE	0001	W	UG/L	.5	.5	U	.5	UJ	D
GAMMA CHLORDANE	1001	W	UG/L	.5	.5	U			D
GAMMA-BHC (LINDANE)	0001	W	UG/L	.4	.4	U	.4	UJ	D
GAMMA-BHC (LINDANE)	1001	W	UG/L	.4	.4	U			D
HEPTACHLOR	0001	W	UG/L	.3	.3	U	.3	UJ	D
HEPTACHLOR	1001	W	UG/L	.3	.3	U			D
HEPTACHLOR EPOXIDE	0001	W	UG/L	.5	.5	U	.5	UJ	D
HEPTACHLOR EPOXIDE	1001	W	UG/L	.5	.5	U			D
HEXACHLOROBENZENE	0001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MND33-1140
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
HEXACHLOROBUTADIENE	0001	W	UG/L	10.	10.	U			I
HEXACHLOROBUTADIENE	1001	W	UG/L	10.	10.	U			I
HEXACHLOROCYCLOPENTADIENE	0001	W	UG/L	10.	10.	U			I
HEXACHLOROCYCLOPENTADIENE	1001	W	UG/L	10.	10.	U			I
HEXACHLOROETHANE	0001	W	UG/L	10.	10.	U			I
HEXACHLOROETHANE	1001	W	UG/L	10.	10.	U			I
INDENO(1,2,3-CD)PYRENE	0001	W	UG/L	10.	10.	U			I
INDENO(1,2,3-CD)PYRENE	1001	W	UG/L	10.	10.	U			I
IRON, TOTAL	0001	W	UG/L	10.	1980.				I
IRON, TOTAL	1001	W	UG/L	10.	2130.				I
ISOPHORONE	0001	W	UG/L	10.	10.	U			I
ISOPHORONE	1001	W	UG/L	10.	10.	U			I
LEAD, TOTAL	0001	W	UG/L	2.	12.9				I
LEAD, TOTAL	1001	W	UG/L	2.	12.4				I
MAGNESIUM, TOTAL	0001	W	UG/L	50.	3750.	B			I
MAGNESIUM, TOTAL	1001	W	UG/L	50.	3900.	B			I
MANGANESE, TOTAL	0001	W	UG/L	2.	65.9				I
MANGANESE, TOTAL	1001	W	UG/L	2.	68.2				I
MERCURY, TOTAL	0001	W	UG/L	.2	.2	U			I
MERCURY, TOTAL	1001	W	UG/L	.2	.2	U			I
METHOXYCHLOR	0001	W	UG/L	5.	5.	U	5.	UJ	D
METHOXYCHLOR	1001	W	UG/L	5.	5.	U			D
N-NITROSO-DI-N-PROPYLAMINE	0001	W	UG/L	10.	10.	U			I
N-NITROSO-DI-N-PROPYLAMINE	1001	W	UG/L	10.	10.	U			I
N-NITROSODIPHENYLAMINE	0001	W	UG/L	10.	10.	U			I
N-NITROSODIPHENYLAMINE	1001	W	UG/L	10.	10.	U			I
NAPHTHALENE	0001	W	UG/L	10.	10.	U			I
NAPHTHALENE	1001	W	UG/L	10.	10.	U			I
NICKEL, TOTAL	0001	W	UG/L	20.	20.	U			I
NICKEL, TOTAL	1001	W	UG/L	20.	20.	U			I
NITROBENZENE	0001	W	UG/L	10.	10.	U			I
NITROBENZENE	1001	W	UG/L	10.	10.	U			I
PENTACHLOROPHENOL	0001	W	UG/L	50.	50.	U			I
PENTACHLOROPHENOL	1001	W	UG/L	50.	50.	U			I
PHENANTHRENE	0001	W	UG/L	10.	10.	U			I
PHENANTHRENE	1001	W	UG/L	10.	10.	U			I
PHENOL	0001	W	UG/L	10.	52.				I
PHENOL	1001	W	UG/L	10.	55.				I
POTASSIUM, TOTAL	0001	W	UG/L	100.	5110.				I
POTASSIUM, TOTAL	1001	W	UG/L	100.	5400.				I
PYRENE	0001	W	UG/L	10.	10.	U			I
PYRENE	1001	W	UG/L	10.	10.	U			I
SELENIUM, TOTAL	0001	W	UG/L	3.	3.	U			I

APPENDIX A
Location: MND33-1140
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	1001	W	UG/L	3.	3.	U	3.	UJ	I
SILVER, TOTAL	0001	W	UG/L	10.	10.	U			I
SILVER, TOTAL	1001	W	UG/L	10.	10.	U			I
SODIUM, TOTAL	0001	W	UG/L	100.	23300.				I
SODIUM, TOTAL	1001	W	UG/L	100.	24300.				I
STYRENE	0001	W	UG/L	5.	5.	U			I
STYRENE	1001	W	UG/L	5.	5.	U			I
STYRENE	2001	W	UG/L	5.	5.	U			I
STYRENE	5001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	0001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	1001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	2001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	5001	W	UG/L	5.	5.	U			I
THALLIUM, TOTAL	0001	W	UG/L	2.	2.	U			I
THALLIUM, TOTAL	1001	W	UG/L	2.	2.	U			I
TOLUENE	0001	W	UG/L	5.	5.	U			I
TOLUENE	1001	W	UG/L	5.	5.	U			I
TOLUENE	2001	W	UG/L	5.	5.	U			I
TOLUENE	5001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	0001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	1001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	2001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	5001	W	UG/L	5.	5.	U			I
TOXAPHENE	0001	W	UG/L	24.	24.	U	24.	UJ	D
TOXAPHENE	1001	W	UG/L	24.	24.	U			D
TRICHLOROETHENE	0001	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	1001	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	2001	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	5001	W	UG/L	5.	5.	U			I
TRITIUM	0001	W	PCI/L	500.	500.	U	335		I
TRITIUM	1001	W	PCI/L	500.	500.	U	184		I
VANADIUM, TOTAL	0001	W	UG/L	10.	10.	U			I
VANADIUM, TOTAL	1001	W	UG/L	10.	10.	U			I
VINYL ACETATE	0001	W	UG/L	10.	10.	U			I
VINYL ACETATE	1001	W	UG/L	10.	10.	U			I
VINYL ACETATE	2001	W	UG/L	10.	10.	U			I
VINYL ACETATE	5001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	0001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	1001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	2001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	5001	W	UG/L	10.	10.	U			I
ZINC, TOTAL	0001	W	UG/L	5.	24.3		24.3	U	I
ZINC, TOTAL	1001	W	UG/L	5.	26.1		26.1	U	I

APPENDIX A
Location: MND33-1141
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	4001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	4001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	4001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	4001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	0001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	2001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	2002	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	4001	W	UG/L	5.	5.	U			I
1,2,4-TRICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,2,4-TRICHLOROBENZENE	4001	W	UG/L	10.	10.	U			I
1,2-DICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,2-DICHLOROBENZENE	4001	W	UG/L	10.	10.	U			I
1,2-DICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	4001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	0001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	2001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	2002	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	4001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	0001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	2001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	2002	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	4001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	0001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	2001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	2002	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	4001	W	UG/L	5.	5.	U			I
1,3-DICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,3-DICHLOROBENZENE	4001	W	UG/L	10.	10.	U			I
1,3-TRANS-DICHLOROPROPENE	0001	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	2001	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	2002	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	4001	W	UG/L	5.	5.	U			I
1,4-DICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,4-DICHLOROBENZENE	4001	W	UG/L	10.	10.	U			I
2,4,5-TRICHLOROPHENOL	0001	W	UG/L	50.	50.	U			I
2,4,5-TRICHLOROPHENOL	4001	W	UG/L	50.	50.	U			I
2,4,6-TRICHLOROPHENOL	0001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MND33-1141
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2,4,6-TRICHLOROPHENOL	4001	W	UG/L	10.	10.	U			I
2,4-DICHLOROPHENOL	0001	W	UG/L	10.	10.	U			I
2,4-DICHLOROPHENOL	4001	W	UG/L	10.	10.	U			I
2,4-DIMETHYLPHENOL	0001	W	UG/L	10.	3.	J			I
2,4-DIMETHYLPHENOL	4001	W	UG/L	10.	10.	U			I
2,4-DINITROPHENOL	0001	W	UG/L	50.	50.	U			I
2,4-DINITROPHENOL	4001	W	UG/L	50.	50.	U			I
2,4-DINITROTOLUENE	0001	W	UG/L	10.	10.	U			I
2,4-DINITROTOLUENE	4001	W	UG/L	10.	10.	U			I
2,6-DINITROTOLUENE	0001	W	UG/L	10.	10.	U			I
2,6-DINITROTOLUENE	4001	W	UG/L	10.	10.	U			I
2-BUTANONE	0001	W	UG/L	10.	1.	J			I
2-BUTANONE	2001	W	UG/L	10.	10.	U			I
2-BUTANONE	2002	W	UG/L	10.	10.	U			I
2-BUTANONE	4001	W	UG/L	10.	10.	U			I
2-CHLORONAPHTHALENE	0001	W	UG/L	10.	10.	U			I
2-CHLORONAPHTHALENE	4001	W	UG/L	10.	10.	U			I
2-CHLOROPHENOL	0001	W	UG/L	10.	10.	U			I
2-CHLOROPHENOL	4001	W	UG/L	10.	10.	U			I
2-HEXANONE	0001	W	UG/L	10.	10.	U			I
2-HEXANONE	2001	W	UG/L	10.	10.	U			I
2-HEXANONE	2002	W	UG/L	10.	10.	U			I
2-HEXANONE	4001	W	UG/L	10.	10.	U			I
2-METHYLNAPHTHALENE	0001	W	UG/L	10.	10.	U			I
2-METHYLNAPHTHALENE	4001	W	UG/L	10.	10.	U			I
2-METHYLPHENOL	0001	W	UG/L	10.	3.	J			I
2-METHYLPHENOL	4001	W	UG/L	10.	10.	U			I
2-NITROANILINE	0001	W	UG/L	50.	50.	U			I
2-NITROANILINE	4001	W	UG/L	50.	50.	U			I
2-NITROPHENOL	0001	W	UG/L	10.	10.	U			I
2-NITROPHENOL	4001	W	UG/L	10.	10.	U			I
3,3'-DICHLOROBENZIDINE	0001	W	UG/L	20.	20.	U			I
3,3'-DICHLOROBENZIDINE	4001	W	UG/L	20.	20.	U			I
3-NITROANILINE	0001	W	UG/L	50.	50.	U			I
3-NITROANILINE	4001	W	UG/L	50.	50.	U			I
4,4'-DDD	0001	W	UG/L	.1	.1	U	.1	UJ	I
4,4'-DDD	4001	W	UG/L	.1	.1	U	.1	UJ	I
4,4'-DDE	0001	W	UG/L	.04	.04	U	.04	UJ	I
4,4'-DDE	4001	W	UG/L	.04	.04	U	.04	UJ	I
4,4'-DDT	0001	W	UG/L	.1	.1	U	.1	UJ	I
4,4'-DDT	4001	W	UG/L	.1	.1	U	.1	UJ	I
4,6-DINITRO-O-CRESOL	0001	W	UG/L	50.	50.	U			I
4,6-DINITRO-O-CRESOL	4001	W	UG/L	50.	50.	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	W	UG/L	10.	10.	U			I
4-BROMOPHENYL-PHENYL ETHER	4001	W	UG/L	10.	10.	U			I
4-CHLORO-3-METHYLPHENOL	0001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MND33-1141
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
4-CHLORO-3-METHYLPHENOL	4001	W	UG/L	10.	10.	U			I
4-CHLOROANILINE	0001	W	UG/L	10.	10.	U			I
4-CHLOROANILINE	4001	W	UG/L	10.	10.	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	W	UG/L	10.	10.	U			I
4-CHLOROPHENYL-PHENYLETHER	4001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	0001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	2001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	2002	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	4001	W	UG/L	10.	10.	U			I
4-METHYLPHENOL	0001	W	UG/L	10.	2.	J			I
4-METHYLPHENOL	4001	W	UG/L	10.	10.	U			I
4-NITROANILINE	0001	W	UG/L	50.	50.	U			I
4-NITROANILINE	4001	W	UG/L	50.	50.	U			I
4-NITROPHENOL	0001	W	UG/L	50.	8.	J	50.	UJ	I
4-NITROPHENOL	4001	W	UG/L	50.	50.	U	50.	UJ	I
ACENAPHTHENE	0001	W	UG/L	10.	10.	U			I
ACENAPHTHENE	4001	W	UG/L	10.	10.	U			I
ACENAPHTHYLENE	0001	W	UG/L	10.	10.	U			I
ACENAPHTHYLENE	4001	W	UG/L	10.	10.	U			I
ACETONE	0001	W	UG/L	5.	5.	JB	10.	U	I
ACETONE	2001	W	UG/L	5.	4.	JB	10.	U	I
ACETONE	2002	W	UG/L	5.	4.	JB	10.	U	I
ACETONE	4001	W	UG/L	5.	3.	JB	10.	U	I
ALDRIN	0001	W	UG/L	.04	.04	U	.04	UJ	I
ALDRIN	4001	W	UG/L	.04	.04	U	.04	UJ	I
ALPHA CHLORDANE	0001	W	UG/L	.05	.05	U	.05	UJ	I
ALPHA CHLORDANE	4001	W	UG/L	.05	.05	U	.05	UJ	I
ALPHA-BHC	0001	W	UG/L	.03	.03	U	.03	UJ	I
ALPHA-BHC	4001	W	UG/L	.03	.03	U	.03	UJ	I
ALUMINUM, TOTAL	0001	W	UG/L	60.	296.				I
ALUMINUM, TOTAL	4001	W	UG/L	60.	60.	U			I
ANTHRACENE	0001	W	UG/L	10.	10.	U			I
ANTHRACENE	4001	W	UG/L	10.	10.	U			I
ANTIMONY, TOTAL	0001	W	UG/L	30.	30.	U			I
ANTIMONY, TOTAL	4001	W	UG/L	30.	30.	U			I
AROCLOR-1016	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1016	4001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1221	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1221	4001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1232	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1232	4001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1242	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1242	4001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1248	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1248	4001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1254	0001	W	UG/L	1.	1.	U	1.	UJ	I

APPENDIX A
Location: MND33-1141
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
AROCLOR-1254	4001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1260	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1260	4001	W	UG/L	1.	1.	U	1.	UJ	I
ARSENIC, TOTAL	0001	W	UG/L	2.	2.	U			I
ARSENIC, TOTAL	4001	W	UG/L	2.	2.	U			I
BARIUM, TOTAL	0001	W	UG/L	2.	25.7	B			I
BARIUM, TOTAL	4001	W	UG/L	2.	2.	U			I
BENZENE	0001	W	UG/L	5.	5.	U			I
BENZENE	2001	W	UG/L	5.	5.	U			I
BENZENE	2002	W	UG/L	5.	5.	U			I
BENZENE	4001	W	UG/L	5.	5.	U			I
BENZO(A)ANTHRACENE	0001	W	UG/L	10.	10.	U			I
BENZO(A)ANTHRACENE	4001	W	UG/L	10.	10.	U			I
BENZO(A)PYRENE	0001	W	UG/L	10.	10.	U			I
BENZO(A)PYRENE	4001	W	UG/L	10.	10.	U			I
BENZO(B)FLUORANTHENE	0001	W	UG/L	10.	10.	U			I
BENZO(B)FLUORANTHENE	4001	W	UG/L	10.	10.	U			I
BENZO(G,H,I)PERYLENE	0001	W	UG/L	10.	10.	U			I
BENZO(G,H,I)PERYLENE	4001	W	UG/L	10.	10.	U			I
BENZO(K)FLUORANTHENE	0001	W	UG/L	10.	10.	U			I
BENZO(K)FLUORANTHENE	4001	W	UG/L	10.	10.	U			I
BENZOIC ACID	0001	W	UG/L	50.	50.	U			I
BENZOIC ACID	4001	W	UG/L	50.	50.	U			I
BENZYL ALCOHOL	0001	W	UG/L	10.	10.	U			I
BENZYL ALCOHOL	4001	W	UG/L	10.	10.	U			I
BERYLLIUM	0001	W	UG/L	2.	2.	U			I
BERYLLIUM	4001	W	UG/L	2.	2.	U			I
BETA-BHC	0001	W	UG/L	.05	.05	U	.05	UJ	I
BETA-BHC	4001	W	UG/L	.05	.05	U	.05	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROETHOXY)METHANE	4001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROETHYL)ETHER	0001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROETHYL)ETHER	4001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROISOPROPYL)ETHER	4001	W	UG/L	10.	10.	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	W	UG/L	10.	3.	J			I
BIS(2-ETHYLHEXYL)PHTHALATE	4001	W	UG/L	10.	2.	J			I
BROMODICHLOROMETHANE	0001	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	2001	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	2002	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	4001	W	UG/L	5.	5.	U			I
BROMOFORM	0001	W	UG/L	5.	5.	U			I
BROMOFORM	2001	W	UG/L	5.	5.	U			I
BROMOFORM	2002	W	UG/L	5.	5.	U			I
BROMOFORM	4001	W	UG/L	5.	5.	U			I
BROMOMETHANE	0001	W	UG/L	10.	10.	U	10.	UJ	I

APPENDIX A
Location: MND33-1141
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BROMOMETHANE	2001	W	UG/L	10.	10.	U	10.	UJ	I
BROMOMETHANE	2002	W	UG/L	10.	10.	U	10.	UJ	I
BROMOMETHANE	4001	W	UG/L	10.	10.	U	10.	UJ	I
BUTYL BENZYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
BUTYL BENZYL PHTHALATE	4001	W	UG/L	10.	10.	U			I
CADMIUM, TOTAL	0001	W	UG/L	2.	2.1	B			I
CADMIUM, TOTAL	4001	W	UG/L	2.	2.	U			I
CALCIUM, TOTAL	0001	W	UG/L	20.	30600.				I
CALCIUM, TOTAL	4001	W	UG/L	20.	37.3	B			I
CARBON DISULFIDE	0001	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	2001	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	2002	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	4001	W	UG/L	5.	4.	J			I
CARBON TETRACHLORIDE	0001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	2001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	2002	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	4001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	0001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	2001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	2002	W	UG/L	5.	5.	U			I
CHLOROBENZENE	4001	W	UG/L	5.	5.	U			I
CHLOROETHANE	0001	W	UG/L	10.	10.	U			I
CHLOROETHANE	2001	W	UG/L	10.	10.	U			I
CHLOROETHANE	2002	W	UG/L	10.	10.	U			I
CHLOROETHANE	4001	W	UG/L	10.	10.	U			I
CHLOROFORM	0001	W	UG/L	5.	5.	U			I
CHLOROFORM	2001	W	UG/L	5.	5.				I
CHLOROFORM	2002	W	UG/L	5.	5.				I
CHLOROFORM	4001	W	UG/L	5.	5.				I
CHLOROMETHANE	0001	W	UG/L	10.	10.	U			I
CHLOROMETHANE	2001	W	UG/L	10.	10.	U			I
CHLOROMETHANE	2002	W	UG/L	10.	10.	U			I
CHLOROMETHANE	4001	W	UG/L	10.	10.	U			I
CHROMIUM, TOTAL	0001	W	UG/L	10.	10.	U			I
CHROMIUM, TOTAL	4001	W	UG/L	10.	10.	U			I
CHRYSENE	0001	W	UG/L	10.	10.	U			I
CHRYSENE	4001	W	UG/L	10.	10.	U			I
COBALT, TOTAL	0001	W	UG/L	10.	10.	U			I
COBALT, TOTAL	4001	W	UG/L	10.	10.	U			I
COPPER, TOTAL	0001	W	UG/L	10.	10.	U			I
COPPER, TOTAL	4001	W	UG/L	10.	10.	U			I
CYANIDE	0001	W	UG/L	2.	2.	U	2.	UJ	I
CYANIDE	4001	W	UG/L	2.	2.	U	2.	UJ	I
DELTA-BHC	0001	W	UG/L	.05	.05	U	.05	UJ	I
DELTA-BHC	4001	W	UG/L	.05	.05	U	.05	UJ	I
DI-N-BUTYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DI-N-BUTYL PHTHALATE	4001	W	UG/L	10.	10.	U			I
DI-N-OCTYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DI-N-OCTYL PHTHALATE	4001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MND33-1141
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DIBENZO(A,H)ANTHRACENE	0001	W	UG/L	10.	10.	U			I
DIBENZO(A,H)ANTHRACENE	4001	W	UG/L	10.	10.	U			I
DIBENZOFURAN	0001	W	UG/L	10.	10.	U			I
DIBENZOFURAN	4001	W	UG/L	10.	10.	U			I
DIBROMOCHLOROMETHANE	0001	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	2001	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	2002	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	4001	W	UG/L	5.	5.	U			I
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	W	UG/L	5.	14.	B	14.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	2001	W	UG/L	5.	14.	B	14.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	2002	W	UG/L	5.	17.	B	17.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	4001	W	UG/L	5.	16.	B	16.	U	I
DIELDRIN	0001	W	UG/L	.02	.02	U	.02	UJ	I
DIELDRIN	4001	W	UG/L	.02	.02	U	.02	UJ	I
DIETHYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DIETHYL PHTHALATE	4001	W	UG/L	10.	10.	U			I
DIMETHYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DIMETHYL PHTHALATE	4001	W	UG/L	10.	10.	U			I
ENDOSULFAN I(ALPHA)	0001	W	UG/L	.05	.05	U	.05	UJ	I
ENDOSULFAN I(ALPHA)	4001	W	UG/L	.05	.05	U	.05	UJ	I
ENDOSULFAN II(BETA)	0001	W	UG/L	.04	.04	U	.04	UJ	I
ENDOSULFAN II(BETA)	4001	W	UG/L	.04	.04	U	.04	UJ	I
ENDOSULFAN SULFATE	0001	W	UG/L	.1	.1	U	.1	UJ	I
ENDOSULFAN SULFATE	4001	W	UG/L	.1	.1	U	.1	UJ	I
ENDRIN	0001	W	UG/L	.06	.06	U	.06	UJ	I
ENDRIN	4001	W	UG/L	.06	.06	U	.06	UJ	I
ENDRIN ALDEHYDE	0001	W	UG/L	.1	.1	U	.1	UJ	I
ENDRIN ALDEHYDE	4001	W	UG/L	.1	.1	U	.1	UJ	I
ENDRIN KETONE	0001	W	UG/L	.1	.1	U	.1	UJ	I
ENDRIN KETONE	4001	W	UG/L	.1	.1	U	.1	UJ	I
ETHYLBENZENE	0001	W	UG/L	5.	5.	U			I
ETHYLBENZENE	2001	W	UG/L	5.	5.	U			I
ETHYLBENZENE	2002	W	UG/L	5.	5.	U			I
ETHYLBENZENE	4001	W	UG/L	5.	5.	U			I
FLUORANTHENE	0001	W	UG/L	10.	10.	U			I
FLUORANTHENE	4001	W	UG/L	10.	10.	U			I
FLUORENE	0001	W	UG/L	10.	10.	U			I
FLUORENE	4001	W	UG/L	10.	10.	U			I
GAMMA CHLORDANE	0001	W	UG/L	.05	.05	U	.05	UJ	I
GAMMA CHLORDANE	4001	W	UG/L	.05	.05	U	.05	UJ	I
GAMMA-BHC (LINDANE)	0001	W	UG/L	.04	.04	U	.04	UJ	I
GAMMA-BHC (LINDANE)	4001	W	UG/L	.04	.04	U	.04	UJ	I
HEPTACHLOR	0001	W	UG/L	.03	.03	U	.03	UJ	I
HEPTACHLOR	4001	W	UG/L	.03	.03	U	.03	UJ	I
HEPTACHLOR EPOXIDE	0001	W	UG/L	.05	.05	U	.05	UJ	I
HEPTACHLOR EPOXIDE	4001	W	UG/L	.05	.05	U	.05	UJ	I
HEXACHLOROBENZENE	0001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MND33-1141
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROBENZENE	4001	W	UG/L	10.	10.	U			I
HEXACHLOROBUTADIENE	0001	W	UG/L	10.	10.	U			I
HEXACHLOROBUTADIENE	4001	W	UG/L	10.	10.	U			I
HEXACHLOROCYCLOPENTADIENE	0001	W	UG/L	10.	10.	U			I
HEXACHLOROCYCLOPENTADIENE	4001	W	UG/L	10.	10.	U			I
HEXACHLOROETHANE	0001	W	UG/L	10.	10.	U			I
HEXACHLOROETHANE	4001	W	UG/L	10.	10.	U			I
INDENO(1,2,3-CD)PYRENE	0001	W	UG/L	10.	10.	U			I
INDENO(1,2,3-CD)PYRENE	4001	W	UG/L	10.	10.	U			I
IRON, TOTAL	0001	W	UG/L	10.	2610.				I
IRON, TOTAL	4001	W	UG/L	10.	21.8	B			I
ISOPHORONE	0001	W	UG/L	10.	10.	U			I
ISOPHORONE	4001	W	UG/L	10.	10.	U			I
LEAD, TOTAL	0001	W	UG/L	2.	36.				I
LEAD, TOTAL	4001	W	UG/L	2.	2.	U			I
MAGNESIUM, TOTAL	0001	W	UG/L	50.	4880.	B			I
MAGNESIUM, TOTAL	4001	W	UG/L	50.	50.	U			I
MANGANESE, TOTAL	0001	W	UG/L	2.	43.7				I
MANGANESE, TOTAL	4001	W	UG/L	2.	2.	U			I
MERCURY, TOTAL	0001	W	UG/L	.2	.2	U			I
MERCURY, TOTAL	4001	W	UG/L	.2	.2	U			I
METHOXYCHLOR	0001	W	UG/L	.5	.5	U	.5	UJ	I
METHOXYCHLOR	4001	W	UG/L	.05	.05	U	.05	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	W	UG/L	10.	10.	U			I
N-NITROSO-DI-N-PROPYLAMINE	4001	W	UG/L	10.	10.	U			I
N-NITROSODIPHENYLAMINE	0001	W	UG/L	10.	10.	U			I
N-NITROSODIPHENYLAMINE	4001	W	UG/L	10.	10.	U			I
NAPHTHALENE	0001	W	UG/L	10.	10.	U			I
NAPHTHALENE	4001	W	UG/L	10.	10.	U			I
NICKEL, TOTAL	0001	W	UG/L	20.	20.	U			I
NICKEL, TOTAL	4001	W	UG/L	20.	20.	U			I
NITROBENZENE	0001	W	UG/L	10.	10.	U			I
NITROBENZENE	4001	W	UG/L	10.	10.	U			I
PENTACHLOROPHENOL	0001	W	UG/L	50.	50.	U			I
PENTACHLOROPHENOL	4001	W	UG/L	50.	50.	U			I
PHENANTHRENE	0001	W	UG/L	10.	10.	U			I
PHENANTHRENE	4001	W	UG/L	10.	10.	U			I
PHENOL	0001	W	UG/L	10.	4.	J			I
PHENOL	4001	W	UG/L	10.	10.	U			I
POTASSIUM, TOTAL	0001	W	UG/L	100.	5820.				I
POTASSIUM, TOTAL	4001	W	UG/L	100.	100.	U			I
PYRENE	0001	W	UG/L	10.	10.	U			I
PYRENE	4001	W	UG/L	10.	10.	U			I
SELENIUM, TOTAL	0001	W	UG/L	3.	3.	U			I

APPENDIX A
Location: MND33-1141
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SELENIUM, TOTAL	4001	W	UG/L	3.	3.	U			I
SILVER, TOTAL	0001	W	UG/L	10.	10.	U			I
SILVER, TOTAL	4001	W	UG/L	10.	10.	U			I
SODIUM, TOTAL	0001	W	UG/L	100.	10500.				I
SODIUM, TOTAL	4001	W	UG/L	100.	100.	U			I
STYRENE	0001	W	UG/L	5.	5.	U			I
STYRENE	2001	W	UG/L	5.	5.	U			I
STYRENE	2002	W	UG/L	5.	5.	U			I
STYRENE	4001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	0001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	2001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	2002	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	4001	W	UG/L	5.	5.	U			I
THALLIUM, TOTAL	0001	W	UG/L	2.	2.4	B	2.4	U	I
THALLIUM, TOTAL	4001	W	UG/L	2.	2.1	B			I
TOLUENE	0001	W	UG/L	5.	5.	U			I
TOLUENE	2001	W	UG/L	5.	5.	U			I
TOLUENE	2002	W	UG/L	5.	5.	U			I
TOLUENE	4001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	0001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	2001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	2002	W	UG/L	5.	5.	U			I
TOTAL XYLENES	4001	W	UG/L	5.	5.	U			I
TOXAPHENE	0001	W	UG/L	2.4	2.4	U	2.4	UJ	I
TOXAPHENE	4001	W	UG/L	2.4	2.4	U	2.4	UJ	I
TRICHLOROETHENE	0001	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	2001	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	2002	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	4001	W	UG/L	5.	5.	U			I
TRITIUM	0001	W	PCI/L	500.	500.	U	331.		I
TRITIUM	4001	W	PCI/L	500.	500.	U	229	U	I
VANADIUM, TOTAL	0001	W	UG/L	10.	10.	U			I
VANADIUM, TOTAL	4001	W	UG/L	10.	10.	U			I
VINYL ACETATE	0001	W	UG/L	10.	10.	U			I
VINYL ACETATE	2001	W	UG/L	10.	10.	U			I
VINYL ACETATE	2002	W	UG/L	10.	10.	U			I
VINYL ACETATE	4001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	0001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	2001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	2002	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	4001	W	UG/L	10.	10.	U			I
ZINC, TOTAL	0001	W	UG/L	5.	48.5		48.5	U	I
ZINC, TOTAL	4001	W	UG/L	5.	5.	U			I

APPENDIX A
Location: MND33-1142
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,1,1-TRICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,1,1-TRICHLOROETHANE	3001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,1,2,2-TETRACHLOROETHANE	3001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,1,2-TRICHLOROETHANE	3001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHANE	3001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	0001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	1001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	5001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	2001	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	2002	W	UG/L	5.	5.	U			I
1,1-DICHLOROETHENE	3001	W	UG/L	5.	5.	U			I
1,2,4-TRICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,2,4-TRICHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
1,2-DICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,2-DICHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
1,2-DICHLOROETHANE	0001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	1001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	5001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	2001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	2002	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHANE	3001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	0001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	1001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	5001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	2001	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	2002	W	UG/L	5.	5.	U			I
1,2-DICHLOROETHENE	3001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	0001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	1001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	5001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	2001	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	2002	W	UG/L	5.	5.	U			I
1,2-DICHLOROPROPANE	3001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	0001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	1001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	5001	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	2001	W	UG/L	5.	5.	U			I

APPENDIX A
Location: MND33-1142
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
1,3-CIS-DICHLOROPROPENE	2002	W	UG/L	5.	5.	U			I
1,3-CIS-DICHLOROPROPENE	3001	W	UG/L	5.	5.	U			I
1,3-DICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,3-DICHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
1,3-TRANS-DICHLOROPROPENE	0001	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	1001	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	5001	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	2001	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	2002	W	UG/L	5.	5.	U			I
1,3-TRANS-DICHLOROPROPENE	3001	W	UG/L	5.	5.	U			I
1,4-DICHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
1,4-DICHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
2,4,5-TRICHLOROPHENOL	0001	W	UG/L	50.	50.	U			I X
2,4,5-TRICHLOROPHENOL	1001	W	UG/L	50.	50.	U			I
2,4,6-TRICHLOROPHENOL	0001	W	UG/L	10.	10.	U			I X
2,4,6-TRICHLOROPHENOL	1001	W	UG/L	10.	10.	U			I
2,4-DICHLOROPHENOL	0001	W	UG/L	10.	10.	U			I X
2,4-DICHLOROPHENOL	1001	W	UG/L	10.	10.	U			I
2,4-DIMETHYLPHENOL	0001	W	UG/L	10.	10.	U			I X
2,4-DIMETHYLPHENOL	1001	W	UG/L	10.	10.	U			I
2,4-DINITROPHENOL	0001	W	UG/L	50.	50.	U			I X
2,4-DINITROPHENOL	1001	W	UG/L	50.	50.	U			I
2,4-DINITROTOLUENE	0001	W	UG/L	10.	10.	U			I
2,4-DINITROTOLUENE	1001	W	UG/L	10.	10.	U			I
2,6-DINITROTOLUENE	0001	W	UG/L	10.	10.	U			I
2,6-DINITROTOLUENE	1001	W	UG/L	10.	10.	U			I
2-BUTANONE	0001	W	UG/L	10.	10.	U			I
2-BUTANONE	1001	W	UG/L	10.	10.	U			I
2-BUTANONE	5001	W	UG/L	10.	10.	U			I
2-BUTANONE	2001	W	UG/L	10.	10.	U			I
2-BUTANONE	2002	W	UG/L	10.	10.	U			I
2-BUTANONE	3001	W	UG/L	10.	10.	U			I
2-CHLORONAPHTHALENE	0001	W	UG/L	10.	10.	U			I
2-CHLORONAPHTHALENE	1001	W	UG/L	10.	10.	U			I
2-CHLOROPHENOL	0001	W	UG/L	10.	10.	U			I X
2-CHLOROPHENOL	1001	W	UG/L	10.	10.	U			I
2-HEXANONE	0001	W	UG/L	10.	10.	U			I
2-HEXANONE	1001	W	UG/L	10.	10.	U			I
2-HEXANONE	5001	W	UG/L	10.	10.	U			I
2-HEXANONE	2001	W	UG/L	10.	10.	U			I
2-HEXANONE	2002	W	UG/L	10.	10.	U			I
2-HEXANONE	3001	W	UG/L	10.	10.	U			I
2-METHYLNAPHTHALENE	0001	W	UG/L	10.	10.	U			I
2-METHYLNAPHTHALENE	1001	W	UG/L	10.	10.	U			I
2-METHYLPHENOL	0001	W	UG/L	10.	10.	U			I X
2-METHYLPHENOL	1001	W	UG/L	10.	10.	U			I
2-NITROANILINE	0001	W	UG/L	50.	50.	U			I
2-NITROANILINE	1001	W	UG/L	50.	50.	U			I
2-NITROPHENOL	0001	W	UG/L	10.	10.	U			I X

APPENDIX A
Location: MWD33-1142
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
2-NITROPHENOL	1001	W	UG/L	10.	10.	U			I
3,3'-DICHLOROBENZIDINE	0001	W	UG/L	20.	20.	U			I
3,3'-DICHLOROBENZIDINE	1001	W	UG/L	20.	20.	U			I
3-NITROANILINE	0001	W	UG/L	50.	50.	U			I
3-NITROANILINE	1001	W	UG/L	50.	50.	U			I
4,4'-DDD	0001	W	UG/L	.1	.1	U	.1	UJ	I
4,4'-DDD	1001	W	UG/L	.1	.1	U	.1	UJ	I
4,4'-DDE	0001	W	UG/L	.04	.04	U	.04	UJ	I
4,4'-DDE	1001	W	UG/L	.04	.04	U	.04	UJ	I
4,4'-DDT	0001	W	UG/L	.1	.1	U	.1	UJ	I
4,4'-DDT	1001	W	UG/L	.1	.1	U	.1	UJ	I
4,6-DINITRO-O-CRESOL	0001	W	UG/L	50.	50.	U			I
4,6-DINITRO-O-CRESOL	1001	W	UG/L	50.	50.	U			I
4-BROMOPHENYL-PHENYL ETHER	0001	W	UG/L	10.	10.	U			I
4-BROMOPHENYL-PHENYL ETHER	1001	W	UG/L	10.	10.	U			I
4-CHLORO-3-METHYLPHENOL	0001	W	UG/L	10.	10.	U			I X
4-CHLORO-3-METHYLPHENOL	1001	W	UG/L	10.	10.	U			I
4-CHLOROANILINE	0001	W	UG/L	10.	10.	U			I
4-CHLOROANILINE	1001	W	UG/L	10.	10.	U			I
4-CHLOROPHENYL-PHENYLETHER	0001	W	UG/L	10.	10.	U			I
4-CHLOROPHENYL-PHENYLETHER	1001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	0001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	1001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	5001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	2001	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	2002	W	UG/L	10.	10.	U			I
4-METHYL-2-PENTANONE	3001	W	UG/L	10.	10.	U			I
4-METHYLPHENOL	0001	W	UG/L	10.	10.	U			I X
4-METHYLPHENOL	1001	W	UG/L	10.	10.	U			I
4-NITROANILINE	0001	W	UG/L	50.	50.	U			I
4-NITROANILINE	1001	W	UG/L	50.	50.	U			I
4-NITROPHENOL	0001	W	UG/L	50.	50.	U			I X
4-NITROPHENOL	1001	W	UG/L	50.	50.	U			I
ACENAPHTHENE	0001	W	UG/L	10.	10.	U			I
ACENAPHTHENE	1001	W	UG/L	10.	10.	U			I
ACENAPHTHYLENE	0001	W	UG/L	10.	10.	U			I
ACENAPHTHYLENE	1001	W	UG/L	10.	10.	U			I
ACETONE	0001	W	UG/L	5.	65.	B	65.	J	I
ACETONE	1001	W	UG/L	5.	7.	JB	10.	U	I
ACETONE	5001	W	UG/L	5.	4.	JB	10.	U	I
ACETONE	2001	W	UG/L	5.	3.	JB	10.	U	I
ACETONE	2002	W	UG/L	5.	4.	JB	10.	U	I
ACETONE	3001	W	UG/L	5.	5.	JB	10.	U	I
ACETONITRILE	0001	W	UG/L	20.	20.	U			I
ACETONITRILE	1001	W	UG/L	20.	20.	U			I
ACRYLONITRILE	0001	W	UG/L	20.	20.	U			I
ACRYLONITRILE	1001	W	UG/L	20.	20.	U			I

APPENDIX A
Location: MND33-1142
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
ALDRIN	0001	W	UG/L	.04	.04	U	.04	UJ	I
ALDRIN	1001	W	UG/L	.04	.04	U	.04	UJ	I
ALPHA CHLORDANE	0001	W	UG/L	.05	.05	U	.05	UJ	I
ALPHA CHLORDANE	1001	W	UG/L	.05	.05	U	.05	UJ	I
ALPHA-BHC	0001	W	UG/L	.03	.03	U	.03	UJ	I
ALPHA-BHC	1001	W	UG/L	.03	.03	U	.03	UJ	I
ALUMINUM, TOTAL	0001	W	UG/L	60.	60.	U			I
ALUMINUM, TOTAL	1001	W	UG/L	60.	60.	U			I
ANTHRACENE	0001	W	UG/L	10.	10.	U			I
ANTHRACENE	1001	W	UG/L	10.	10.	U			I
ANTIMONY, TOTAL	0001	W	UG/L	30.	30.	U			I
ANTIMONY, TOTAL	1001	W	UG/L	30.	30.	U			I
AROCLOR-1016	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1016	1001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1221	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1221	1001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1232	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1232	1001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1242	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1242	1001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1248	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1248	1001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1254	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1254	1001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1260	0001	W	UG/L	1.	1.	U	1.	UJ	I
AROCLOR-1260	1001	W	UG/L	1.	1.	U	1.	UJ	I
ARSENIC, TOTAL	0001	W	UG/L	2.	2.	U			I
ARSENIC, TOTAL	1001	W	UG/L	2.	2.	U			I
BARIUM, TOTAL	0001	W	UG/L	2.	6.2	B			I
BARIUM, TOTAL	1001	W	UG/L	2.	5.7	B			I
BENZENE	0001	W	UG/L	5.	5.	U			I
BENZENE	1001	W	UG/L	5.	5.	U			I
BENZENE	5001	W	UG/L	5.	5.	U			I
BENZENE	2001	W	UG/L	5.	5.	U			I
BENZENE	2002	W	UG/L	5.	5.	U			I
BENZENE	3001	W	UG/L	5.	5.	U			I
BENZO(A)ANTHRACENE	0001	W	UG/L	10.	10.	U			I
BENZO(A)ANTHRACENE	1001	W	UG/L	10.	10.	U			I
BENZO(A)PYRENE	0001	W	UG/L	10.	10.	U			I
BENZO(A)PYRENE	1001	W	UG/L	10.	10.	U			I
BENZO(B)FLUORANTHENE	0001	W	UG/L	10.	10.	U			I
BENZO(B)FLUORANTHENE	1001	W	UG/L	10.	10.	U			I
BENZO(G,H,I)PERYLENE	0001	W	UG/L	10.	10.	U			I
BENZO(G,H,I)PERYLENE	1001	W	UG/L	10.	10.	U			I
BENZO(K)FLUORANTHENE	0001	W	UG/L	10.	10.	U			I
BENZO(K)FLUORANTHENE	1001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MWD33-1142
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
BENZOIC ACID	0001	W	UG/L	50.	50.	U			I X
BENZOIC ACID	1001	W	UG/L	50.	50.	U			I
BENZYL ALCOHOL	0001	W	UG/L	10.	10.	U			I
BENZYL ALCOHOL	1001	W	UG/L	10.	10.	U			I
BERYLLIUM	0001	W	UG/L	2.	2.	U			I
BERYLLIUM	1001	W	UG/L	2.	2.	U			I
BETA-BHC	0001	W	UG/L	.05	.05	U	.05	UJ	I
BETA-BHC	1001	W	UG/L	.05	.05	U	.05	UJ	I
BIS(2-CHLOROETHOXY)METHANE	0001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROETHOXY)METHANE	1001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROETHYL)ETHER	0001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROETHYL)ETHER	1001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROISOPROPYL)ETHER	0001	W	UG/L	10.	10.	U			I
BIS(2-CHLOROISOPROPYL)ETHER	1001	W	UG/L	10.	10.	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	0001	W	UG/L	10.	10.	U			I
BIS(2-ETHYLHEXYL)PHTHALATE	1001	W	UG/L	10.	10.	U			I
BROMODICHLOROMETHANE	0001	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	1001	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	5001	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	2001	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	2002	W	UG/L	5.	5.	U			I
BROMODICHLOROMETHANE	3001	W	UG/L	5.	5.	U			I
BROMOFORM	0001	W	UG/L	5.	5.	U			I
BROMOFORM	1001	W	UG/L	5.	5.	U			I
BROMOFORM	5001	W	UG/L	5.	5.	U			I
BROMOFORM	2001	W	UG/L	5.	5.	U			I
BROMOFORM	2002	W	UG/L	5.	5.	U			I
BROMOFORM	3001	W	UG/L	5.	5.	U			I
BROMOMETHANE	0001	W	UG/L	10.	10.	U	10.	UJ	I
BROMOMETHANE	1001	W	UG/L	10.	10.	U	10.	UJ	I
BROMOMETHANE	5001	W	UG/L	10.	10.	U	10.	UJ	I
BROMOMETHANE	2001	W	UG/L	10.	10.	U	10.	UJ	I
BROMOMETHANE	2002	W	UG/L	10.	10.	U	10.	UJ	I
BROMOMETHANE	3001	W	UG/L	10.	10.	U	10.	UJ	I
BUTYL BENZYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
BUTYL BENZYL PHTHALATE	1001	W	UG/L	10.	10.	U			I
CADMIUM, TOTAL	0001	W	UG/L	2.	2.	U			I
CADMIUM, TOTAL	1001	W	UG/L	2.	2.	U			I
CALCIUM, TOTAL	0001	W	UG/L	20.	663.	B	663.	U	I
CALCIUM, TOTAL	1001	W	UG/L	20.	604.	B	604.	U	I
CARBON DISULFIDE	0001	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	1001	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	5001	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	2001	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	2002	W	UG/L	5.	5.	U			I
CARBON DISULFIDE	3001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	0001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	1001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	5001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	2001	W	UG/L	5.	5.	U			I
CARBON TETRACHLORIDE	2002	W	UG/L	5.	5.	U			I

APPENDIX A
Location: MND33-1142
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
CARBON TETRACHLORIDE	3001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	0001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	1001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	5001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	2001	W	UG/L	5.	5.	U			I
CHLOROBENZENE	2002	W	UG/L	5.	5.	U			I
CHLOROBENZENE	3001	W	UG/L	5.	5.	U			I
CHLOROETHANE	0001	W	UG/L	10.	10.	U			I
CHLOROETHANE	1001	W	UG/L	10.	10.	U			I
CHLOROETHANE	5001	W	UG/L	10.	10.	U			I
CHLOROETHANE	2001	W	UG/L	10.	10.	U			I
CHLOROETHANE	2002	W	UG/L	10.	10.	U			I
CHLOROETHANE	3001	W	UG/L	10.	10.	U			I
CHLOROFORM	0001	W	UG/L	5.	5.	U			I
CHLOROFORM	1001	W	UG/L	5.	5.				I
CHLOROFORM	5001	W	UG/L	5.	5.	U			I
CHLOROFORM	2001	W	UG/L	5.	5.				I
CHLOROFORM	2002	W	UG/L	5.	5.				I
CHLOROFORM	3001	W	UG/L	5.	5.				I
CHLOROMETHANE	0001	W	UG/L	10.	10.	U			I
CHLOROMETHANE	1001	W	UG/L	10.	10.	U			I
CHLOROMETHANE	5001	W	UG/L	10.	10.	U			I
CHLOROMETHANE	2001	W	UG/L	10.	10.	U			I
CHLOROMETHANE	2002	W	UG/L	10.	10.	U			I
CHLOROMETHANE	3001	W	UG/L	10.	10.	U			I
CHROMIUM, TOTAL	0001	W	UG/L	10.	10.	U			I
CHROMIUM, TOTAL	1001	W	UG/L	10.	10.	U			I
CHRYSENE	0001	W	UG/L	10.	10.	U			I
CHRYSENE	1001	W	UG/L	10.	10.	U			I
COBALT, TOTAL	0001	W	UG/L	10.	10.	U			I
COBALT, TOTAL	1001	W	UG/L	10.	10.	U			I
COPPER, TOTAL	0001	W	UG/L	10.	15.7	B			I
COPPER, TOTAL	1001	W	UG/L	10.	14.2	B			I
CYANIDE	0001	W	UG/L	2.	2.	U	2.	UJ	I
CYANIDE	1001	W	UG/L	2.	2.	U	2.	UJ	I
DELTA-BHC	0001	W	UG/L	.05	.05	U	.05	UJ	I
DELTA-BHC	1001	W	UG/L	.05	.05	U	.05	UJ	I
DI-N-BUTYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DI-N-BUTYL PHTHALATE	1001	W	UG/L	10.	10.	U			I
DI-N-OCTYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DI-N-OCTYL PHTHALATE	1001	W	UG/L	10.	10.	U			I
DIBENZO(A,H)ANTHRACENE	0001	W	UG/L	10.	10.	U			I
DIBENZO(A,H)ANTHRACENE	1001	W	UG/L	10.	10.	U			I
DIBENZOFURAN	0001	W	UG/L	10.	10.	U			I
DIBENZOFURAN	1001	W	UG/L	10.	10.	U			I
DIBROMOCHLOROMETHANE	0001	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	1001	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	5001	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	2001	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	2002	W	UG/L	5.	5.	U			I
DIBROMOCHLOROMETHANE	3001	W	UG/L	5.	5.	U			I

APPENDIX A
Location: MND33-1142
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
DICHLOROMETHANE-METHYLENE CHLORIDE	0001	W	UG/L	5.	14.	B	14.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	1001	W	UG/L	5.	2.	JB	5.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	5001	W	UG/L	5.	5.	B	5.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	2001	W	UG/L	5.	2.	JB	5.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	2002	W	UG/L	5.	6.	B	6.	U	I
DICHLOROMETHANE-METHYLENE CHLORIDE	3001	W	UG/L	5.	5.	B	5.	U	I
DIELDRIN	0001	W	UG/L	.02	.02	U	.02	UJ	I
DIELDRIN	1001	W	UG/L	.02	.02	U	.02	UJ	I
DIETHYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DIETHYL PHTHALATE	1001	W	UG/L	10.	10.	U			I
DIMETHYL PHTHALATE	0001	W	UG/L	10.	10.	U			I
DIMETHYL PHTHALATE	1001	W	UG/L	10.	10.	U			I
ENDOSULFAN I(ALPHA)	0001	W	UG/L	.05	.05	U	.05	UJ	I
ENDOSULFAN I(ALPHA)	1001	W	UG/L	.05	.05	U	.05	UJ	I
ENDOSULFAN II(BETA)	0001	W	UG/L	.04	.04	U	.04	UJ	I
ENDOSULFAN II(BETA)	1001	W	UG/L	.04	.04	U	.04	UJ	I
ENDOSULFAN SULFATE	0001	W	UG/L	.1	.1	U	.1	UJ	I
ENDOSULFAN SULFATE	1001	W	UG/L	.1	.1	U	.1	UJ	I
ENDRIN	0001	W	UG/L	.06	.06	U	.06	UJ	I
ENDRIN	1001	W	UG/L	.06	.06	U	.06	UJ	I
ENDRIN ALDEHYDE	0001	W	UG/L	.1	.1	U	.1	UJ	I
ENDRIN ALDEHYDE	1001	W	UG/L	.1	.1	U	.1	UJ	I
ENDRIN KETONE	0001	W	UG/L	.1	.1	U	.1	UJ	I
ENDRIN KETONE	1001	W	UG/L	.1	.1	U	.1	UJ	I
ETHYLBENZENE	0001	W	UG/L	5.	5.	U			I
ETHYLBENZENE	1001	W	UG/L	5.	5.	U			I
ETHYLBENZENE	5001	W	UG/L	5.	5.	U			I
ETHYLBENZENE	2001	W	UG/L	5.	5.	U			I
ETHYLBENZENE	2002	W	UG/L	5.	5.	U			I
ETHYLBENZENE	3001	W	UG/L	5.	5.	U			I
FLUORANTHENE	0001	W	UG/L	10.	10.	U			I
FLUORANTHENE	1001	W	UG/L	10.	10.	U			I
FLUORENE	0001	W	UG/L	10.	10.	U			I
FLUORENE	1001	W	UG/L	10.	10.	U			I
GAMMA CHLORDANE	0001	W	UG/L	.05	.05	U	.05	UJ	I
GAMMA CHLORDANE	1001	W	UG/L	.05	.05	U	.05	UJ	I
GAMMA-BHC (LINDANE)	0001	W	UG/L	.04	.04	U	.04	UJ	I
GAMMA-BHC (LINDANE)	1001	W	UG/L	.04	.04	U	.04	UJ	I
HEPTACHLOR	0001	W	UG/L	.03	.03	U	.03	UJ	I
HEPTACHLOR	1001	W	UG/L	.03	.03	U	.03	UJ	I
HEPTACHLOR EPOXIDE	0001	W	UG/L	.05	.05	U	.05	UJ	I
HEPTACHLOR EPOXIDE	1001	W	UG/L	.05	.05	U	.05	UJ	I
HEXACHLOROBENZENE	0001	W	UG/L	10.	10.	U			I
HEXACHLOROBENZENE	1001	W	UG/L	10.	10.	U			I
HEXACHLOROBUTADIENE	0001	W	UG/L	10.	10.	U			I
HEXACHLOROBUTADIENE	1001	W	UG/L	10.	10.	U			I
HEXACHLOROCYCLOPENTADIENE	0001	W	UG/L	10.	10.	U			I

APPENDIX A
Location: MND33-1142
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
HEXACHLOROCYCLOPENTADIENE	1001	W	UG/L	10.	10.	U			I
HEXACHLOROETHANE	0001	W	UG/L	10.	10.	U			I
HEXACHLOROETHANE	1001	W	UG/L	10.	10.	U			I
INDENO(1,2,3-CD)PYRENE	0001	W	UG/L	10.	10.	U			I
INDENO(1,2,3-CD)PYRENE	1001	W	UG/L	10.	10.	U			I
IRON, TOTAL	0001	W	UG/L	10.	243.				I
IRON, TOTAL	1001	W	UG/L	10.	217.				I
ISOPHORONE	0001	W	UG/L	10.	10.	U			I
ISOPHORONE	1001	W	UG/L	10.	10.	U			I
LEAD, TOTAL	0001	W	UG/L	2.	2.	U			I
LEAD, TOTAL	1001	W	UG/L	2.	2.	U			I
MAGNESIUM, TOTAL	0001	W	UG/L	50.	221.	B			I
MAGNESIUM, TOTAL	1001	W	UG/L	50.	183.	B			I
MANGANESE, TOTAL	0001	W	UG/L	2.	7.9	B			I
MANGANESE, TOTAL	1001	W	UG/L	2.	7.2	B			I
MERCURY, TOTAL	0001	W	UG/L	.2	.2	U			I
MERCURY, TOTAL	1001	W	UG/L	.2	.2	U			I
METHOXYCHLOR	0001	W	UG/L	.5	.5	U	.5	UJ	I
METHOXYCHLOR	1001	W	UG/L	.5	.5	U	.5	UJ	I
N-NITROSO-DI-N-PROPYLAMINE	0001	W	UG/L	10.	10.	U			I
N-NITROSO-DI-N-PROPYLAMINE	1001	W	UG/L	10.	10.	U			I
N-NITROSODIPHENYLAMINE	0001	W	UG/L	10.	10.	U			I
N-NITROSODIPHENYLAMINE	1001	W	UG/L	10.	10.	U			I
NAPHTHALENE	0001	W	UG/L	10.	10.	U			I
NAPHTHALENE	1001	W	UG/L	10.	10.	U			I
NICKEL, TOTAL	0001	W	UG/L	20.	20.	U			I
NICKEL, TOTAL	1001	W	UG/L	20.	20.	U			I
NITROBENZENE	0001	W	UG/L	10.	10.	U			I
NITROBENZENE	1001	W	UG/L	10.	10.	U			I
PENTACHLOROPHENOL	0001	W	UG/L	50.	50.	U			I X
PENTACHLOROPHENOL	1001	W	UG/L	50.	50.	U			I
PHENANTHRENE	0001	W	UG/L	10.	10.	U			I
PHENANTHRENE	1001	W	UG/L	10.	10.	U			I
PHENOL	0001	W	UG/L	10.	10.	U			I X
PHENOL	1001	W	UG/L	10.	10.	U			I
POTASSIUM, TOTAL	0001	W	UG/L	100.	392.	B			I
POTASSIUM, TOTAL	1001	W	UG/L	100.	377.	B			I
PYRENE	0001	W	UG/L	10.	10.	U			I
PYRENE	1001	W	UG/L	10.	10.	U			I
SELENIUM, TOTAL	0001	W	UG/L	3.	3.	U			I
SELENIUM, TOTAL	1001	W	UG/L	3.	3.	U			I
SILVER, TOTAL	0001	W	UG/L	10.	10.	U			I
SILVER, TOTAL	1001	W	UG/L	10.	10.	U			I
SODIUM, TOTAL	0001	W	UG/L	100.	28100.				I

APPENDIX A
Location: MND33-1142
Report Date: 03/09/93

Parameter	Samp Id	M	Units of Measure	Laboratory Reporting Limit	Laboratory Result	Lab Qual. (1)	Validated Result (2)	Data Val. Qual.	Run Type
SODIUM, TOTAL	1001	W	UG/L	100.	26400.				I
STYRENE	0001	W	UG/L	5.	5.	U			I
STYRENE	1001	W	UG/L	5.	5.	U			I
STYRENE	5001	W	UG/L	5.	5.	U			I
STYRENE	2001	W	UG/L	5.	5.	U			I
STYRENE	2002	W	UG/L	5.	5.	U			I
STYRENE	3001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	0001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	1001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	5001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	2001	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	2002	W	UG/L	5.	5.	U			I
TETRACHLOROETHENE	3001	W	UG/L	5.	5.	U			I
THALLIUM, TOTAL	0001	W	UG/L	2.	2.	U			I
THALLIUM, TOTAL	1001	W	UG/L	2.	2.	U			I
TOLUENE	0001	W	UG/L	5.	5.	U			I
TOLUENE	1001	W	UG/L	5.	5.	U			I
TOLUENE	5001	W	UG/L	5.	5.	U			I
TOLUENE	2001	W	UG/L	5.	5.	U			I
TOLUENE	2002	W	UG/L	5.	5.	U			I
TOLUENE	3001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	0001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	1001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	5001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	2001	W	UG/L	5.	5.	U			I
TOTAL XYLENES	2002	W	UG/L	5.	5.	U			I
TOTAL XYLENES	3001	W	UG/L	5.	5.	U			I
TOXAPHENE	0001	W	UG/L	2.4	2.4	U	2.4	UJ	I
TOXAPHENE	1001	W	UG/L	2.4	2.4	U	2.4	UJ	I
TRICHLOROETHENE	0001	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	1001	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	5001	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	2001	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	2002	W	UG/L	5.	5.	U			I
TRICHLOROETHENE	3001	W	UG/L	5.	5.	U			I
TRITIUM	0001	W	PCI/L	500.	1290.		1286.		I
TRITIUM	1001	W	PCI/L	500.	1300.		1302.		I
VANADIUM, TOTAL	0001	W	UG/L	10.	10.	U			I
VANADIUM, TOTAL	1001	W	UG/L	10.	10.	U			I
VINYL ACETATE	0001	W	UG/L	10.	10.	U			I
VINYL ACETATE	1001	W	UG/L	10.	10.	U			I
VINYL ACETATE	5001	W	UG/L	10.	10.	U			I
VINYL ACETATE	2001	W	UG/L	10.	10.	U			I
VINYL ACETATE	2002	W	UG/L	10.	10.	U			I
VINYL ACETATE	3001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	0001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	1001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	5001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	2001	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	2002	W	UG/L	10.	10.	U			I
VINYL CHLORIDE	3001	W	UG/L	10.	10.	U			I
ZINC, TOTAL	0001	W	UG/L	5.	75.7				I
ZINC, TOTAL	1001	W	UG/L	5.	75.6				I