


ER/WM&I DDT

RFCA


Source/Driver: (Name & Number from ISP, IAG milestone, Mgmt. Action, Corres. Control, etc.)

Closure #: (Outgoing Correspondence Control #, if applicable)


Due Date


Steve Singer

Originator Name


G. D. DiGregorio

QA Approval


N.P. Cypher
J.E. Law

Contractor Manager(s)

Kent A. Dorr

Kaiser-Hill Program Manager(s)

Document Classification
Review Waiver Per
Classification Office

Brian Mathis

Kaiser-Hill Director

Document Subject:

KH00003NS1A

Transmittal of Building 123 Hydrogeologic Characterization Sampling and Analysis Plan - SHS-006-98

June 9, 1998

Discussion and/or Comments:

Enclosed please find seven (7) copies of the draft final report entitled, *Sampling and Analysis Plan for the Hydrologic Characterization of Individual Hazardous Substance Sites (IHSSs) 121 and 148 at Building 123*, dated June 8, 1998. Please forward six (6) copies to DOE for internal DOE and regulatory agency review and approval.

This plan provides for monitoring well installation and groundwater sampling at Building 123 in support of an Environmental Restoration ranking of the IHSSs and post-D&D monitoring. RMRS requests that DOE, CDPHE, and EPA provide an expedited review of this report so that field activities can be conducted concurrently with soil sampling activities now in progress. Comments are requested no later than June 17, 1998. The plan will be finalized immediately following comment receipt and resolution.

Please call Steve Singer at extension 3387, or Robert Smith at 7898 with any questions.

SHS:slm

cc:

N. P. Cypher w/o Encl.
T. Hopkins w/Encl.
J. E. Law w/o Encl.
S. H. Singer w/Encl.
RMRS Records w/Encl.



ADMIN RECORD