



KAISER ♦ HILL
COMPANY

MEMORANDUM

Date: October 9, 2002

Minutes are unclassified and
NOT UCNI: 

To: Jan Robbins

From: Pam Arnold

Subject: WEEKLY STATUS MEETING DOE/LRA for October 9, 2002

Attached are the minutes for the referenced weekly meeting for the Operating Record.
In attendance were:

J. Almon	R. Leitner
P. Arnold	J. Lyle
P. Bakke	S. McNitt
F. Carlson	W. Moe
D. Coyne	D. Onyskiw
D. DelVecchio	S. Thompson
J. Floerke	K. Trice
D. Foss	R. VonFeldt
B. Larsen	

In addition to the attached status, the following was discussed:

1. One action item remains pending (see below).
2. Arnold provided the requisite 7-day notification for RCRA treatment under Part V.C, Treatment Units, Unit Specific Conditions for Unit 881.3b, mercury amalgamation. Onyskiw acknowledged that she was notified; a contaminated mercury thermometer will be amalgamated under the same conditions and using the same work control document as in the past.
3. Bakke asked about the disposition of three waste crates that are criticality deficient and were generated from the stacker maintenance pallet removal. While it is believed that the deficiency is incorrect and measurement instrumentation is being reviewed, a tent will be constructed to allow the repackaging/redistribution of crate contents.
4. Trice reported that the video feed in the stacker was broken; it must be repaired before stacker pallet removal can resume.

ACTION ITEMS FROM THIS MEETING: (to be included in next week's agenda)

1. Arnold monitor the date for the Size Reduction Readiness Assessment currently scheduled for October 21 or 28.

End



ADMIN RES 310

371/4 Project
WEEKLY STATUS MEETING DOE/LRA for October 9, 2002

B371-A-000105

1/14

Arnold, Pam

From: Green, Ken
Sent: Monday, October 14, 2002 7:02 AM
To: Arnold, Pam
Cc: Cunningham, Steven; Green, Ken; Hoffman, Betty; Nesheim, Janet
Subject: FW: WEEKLY DOP MINUTES - reviewed as unclassified and not UCNI

Pam:

Following review, I agree that these files are all unclassified and not UCNI (U/NU).

Please retain this e-mail as your record of classification and UCNI review for public release, of the files:

- TRANSMITTAL MINUTES.doc (26,624 bytes)
- Weekly State Status - (10-9-02)1.doc (63,488 bytes)
- Environmental Matrix1.xls (30,720 bytes)

Thanks,

Ken Green

Worldwide Security Services

X5689

-----Original Message-----

From: Arnold, Pam
Sent: Monday, October 14, 2002 6:35 AM
To: Nesheim, Janet; Green, Ken; Hoffman, Betty
Subject: WEEKLY DOP MINUTES - reviewed as unclassified and not UCNI

Attached is the weekly DOP minutes along with the transmittal memorandum for October 9, 2002. Both documents have been reviewed by Jim Floerke, who has signed on the cover page of the transmittal memorandum, that they are unclassified and not UCNI.

Your return E-mail indicating approval will accompany the minutes to the Administrative Record for access by the public.

Pam



TRANSMITTAL
MINUTES.doc



Weekly State Status -
(10-9-02...



Environmental
Matrix.xls

B371 CLOSURE PROJECT
WEEKLY STATUS MEETING [Every Wednesday, 9:30 a.m. B371 Conference Room]
October 9, 2002
AGENDA

9:30 am INTRODUCTION – Pam Arnold, X6035, (212-4835)

D&D – Jim Floerke, X2850, (212-3292)

- Sets Status
- Tanks
- MAA/PA Closure
- Uncleared Personnel Access to PA
- 15 to 20 D&D Crews

D&D WASTE – Randy Leitner, X3537, (212-2174)

- Gloveboxes to Envirocare
- 3000 legacy drums

CONSTRUCTION / MAINTENANCE – Dan Coyne, X2820 (212-6200)

- B374
- Set 5 Dismantlement
- Set 21 Dismantlement
- Set 56 Dismantlement (B374)
- Area AQ Demolition (B371)
- Area AM Dismantlement (attic reagent tanks)
- Install TGA Equipment
- Upgrade Bldg. Ventilation
- Room 3701 Security Upgrades
- Room 3602 Parts Crushing

PuSPS – Pam Arnold, X6035, (212-4835)

AUTHORIZATION BASIS/BIO – John Almon, X3217 (212-3426))

ENVIRONMENTAL & ACTION ITEMS– Pam Arnold, X6035, (212-4835)

OUTSTANDING ACTION ITEMS:

- Arnold monitor the date for the Size Reduction Readiness Assessment currently scheduled for October 21.

3

**D&D Summary (AAC/AAD)
Week Ending 10/4/02**

D&D

Set 3 (1AD103BD00)

- Mechanical stripout package ready to work.
- Electrical isolation and stripout is complete.

Set 4 (1AD104BD00)

- Mechanical stripout package due from P/E October 18.
- Electrical isolation and stripout is complete.

Set 5 (1AD105BD00)

- Mechanical stripout in process.
- Electrical isolation and stripout is complete.

Set 6 (1AQ31DR02B)

- Scanning of rooms is complete.
- Engineering and Planning activities initiated September 16.

Set 7 Dismantlement (1AD107BD00)

- Electrical dismantlement (Room 3305) is complete.
- Ancillary equipment mechanical isolation (Room 3305) is 90% complete.
- GB 37, 38, and 75 removal is 100% complete.
- GB 36 - Preparing for size reduction and removal (meets Envirocare criteria).
- Room 3303 - Decon to support electrical strip-out in process, mechanical package due from P/E October 9.
- Crated gloveboxes will not be dispositioned at this time. Have relocated the boxes to Room 3408.
- Tent has been delivered to the building.

Set 8 Tank Cerium Decon (1AD108DH00)

- Strip-out package pending, based on coupon results.
- Performing coupon removal activities.

Set 9 (CSV) and Set 12 (Glovebox Removal)

- Finalizing contract with Envirocare to receive 1,147 container pallets as SCO.
- Developing design for removal of 1,147 container pallets.

Set 12 Glovebox Deactivation

- Completed clean out in all gloveboxes. (1AC112EG00)
- Initiate dismantlement engineering October 21. (1AD112AD00)

Set 13 Dismantlement (1AD113BD00)

- Dismantlement engineering to be initiated October 1.

4

Set 14 Dismantlement (1AD114BD00)

- Electrical isolation is 95% complete.
- Draining of waterwalls, port covers and windows is complete.
- Mechanical isolation package is 60% complete.
- GB 12 - Removal is 100% complete. Foaming in process.
- GB 10 - Internal component removal in process (95% complete).
- GB 9 - Removal is 90% complete. Foaming of GBs in process.
- GB 7 - Internal component removal in process (20% complete).
- GB 13 - Internal component removal in process.
- Alarm deactivation is complete.

Set 23 Dismantlement (1AD123BD00)

- Engineering to be initiated December 9.

Set 25 Dismantlement (1AD125BD00)

- Glovebox deactivation complete. (1AC125EG00)
- Electrical stripout in process.
- Mechanical stripout in process.

Set 58 Dismantlement (1AD458BD00)

- Electrical isolation and stripout in process in the field.
- Mechanical isolation and stripout package at final signatures (Operations review).
- GB 118/120 stripout due from P/E November 4.

Tanks

- Set 12 - Raschig ring removal in process. Completed for Room 1105 (Tanks 131A, 229A, and 229B). Removing rings in Room 1115; Completed tanks 400A, 400B, and 400C. (1AC112ET00)
- Set 10 - Ring Removal package due from P/E October 24.

MAA/PA Closure (1AC11PNN20)

- Working with Material Stewardship on next revision to plan.

Uncleared Personnel Access to PA

- No progress due to other security concerns.

Establish 15 to 20 D&D crews who will work simultaneously on Sets – in the next 3 months

- Evaluating sequencing options of Sets.
- Aligning crews loads and assignment areas; waste crews working Set clean-out as available.

D&D Waste

Send gloveboxes to Envirocare with all lead remaining

- Glovebox 12 has been sectioned in preparation for foaming.
- Glovebox 38 is loaded into cargo containers, three of which are being blocked and braced for shipment to Envirocare.
- Glovebox 9 has been foamed and will be loaded into cargo containers this week.

Repackage/disposition the remaining 3000 legacy drums

- Starting inventory (May 3, 2002) = 3,163 (revised to include 220 in B374)
- October 7, 2002 inventory = 2,089

<u>Drum Category</u>	<u># 55 Gallon Drums</u>
No glovebox processing	818
Drum repack (e.g. c-cell)	258
Glovebox processing	103
Empty	156
Unknown - Standards (Waiting disposition)	55
Unknown - Disposition	8
New Generation/New empty	544
Building 371 Total	1,942
Building 374 Total	147
Grand Total	2,089
Net Drum Loss for Week	-17
Material Stewardship containers received to date	38

CONSTRUCTION / MAINTENANCE

B374

- 231 sludge removal - Approving package for 231A sludge removal. Valve vault modifications and B371 modifications are underway to support pumping to 231B.
- Tank Sludge Removal - Sludge removal shall be undertaken by in house assets using technologies from B771 and possibly centrifuge technology. Final characterization studies are pending.

Set 5 Dismantlement [Tank Removal] (1AD105BD00)

- Developing lift plans to remove 8 tanks.

Set 21 Dismantlement (1AD421BD00)

- Electrical isolation and stripout in process.
- Mechanical isolation and stripout package due from P/E October 9.
- Remove plenum filter heat detectors package in review.

Set 56 Dismantlement (1AD456BD00)

- Mechanical stripout package is ready to work.
- Electrical strip out in process.
- Performing air-gapping of electrical and removing electrical.

Area AQ Demolition - B381 and UST (1AD1AQGX20)

- UST
 - Performing required excavations prior to foam filling tanks.

Area AM Dismantlement [Rooms 4101, 4102, 4103 and 4104] (1AD1AMBX00)

- Piping removal 4101. Cut bottom half of 10 fiberglass tanks. Testing plasma arc cutting technology in the area. Electrical removal in 4101 and 4103.

Install TGA that measures moisture in PuSPS

- Punch list being worked for beneficial occupancy. Installing gloves and glovebox ports.

Upgrade building ventilation system

4

- Removal of in-line supply filters expected to start late this week. Filters LSA Characterization plan developed. Filter work on hold for 2 weeks due to other priorities on site. Package to split ventilation systems is approved and is awaiting resources.

Room 3701 Security Upgrades

- Strategy discussions have been initiated. Security is evaluating feasibility of changes.

Room 3602 Parts Crushing

- 4 out of 4 storage trays operational.
- Remaining items for readiness include installation of metal mesh shrouds and fabrication of parts holder for press.
- Modifying shear to guillotine shear.
- Installed over the counter guillotine shear. Shear tested satisfactorily in shop.
- Fabricating 12 heat sinks.
- Tested press satisfactorily. Machining parts for existing shear.
- Readiness scheduled for October.

PuSPS

There are a total of 1030 good cans that are in final review; this is an increase of 16 cans from last week. Of those:

- **992** have data packages and are ready to ship; this is an increase of 8 cans from last week.
- There are 1076 POC's to be sent to WIPP; waiting on ROD to be signed.

Basis for Interim Operations (BIO)

Week Ending 10-11-02

PuSPS

- Install TGA/IR in Room 3701. **Implementation in progress.**
- Page change to process remaining IDCs (pre-treatment) through PuSPS. **With DOE, RFFO for Approval. Approval expected by 10/10/02**
- Page change to authorize IDCs for PuSPS after Furnace event. **Approved by DOE; implementation in progress for IDC 550.**

Operations

- Streamlined Page Change for combustible loading (phase 2). **Scheduled for implementation 10/15/02.**
- Oxide blending. **To JET (10/8/02).**

D&D Support

- JCO for transferring large/long items through airlocks **(On Hold)**
- Page Change to allow storage of drums and SWBs in B374 **(In draft)**

DBIO Development And Implementation.

- Submitted to DOE, RFFO for Review and Approval 7/1/02.
RFFO to complete review 10/15/02. Cross table the week of 10/28/02
- Out-of-commission - USQDs for placing dismantlement sets out-of-commission:

Set	Date Completed	Date to DOE	Response Due	Response/ Approval
Pending				
6 & 16				
17				
12				
Complete				
58	8/9/02	8/16/02	8/23/02	9/12/02
25	9/9/02	9/10/02	9/17/02	9/20/02
21, Ph. II	7/2/02	7/3/02	7/10/02	7/26/02
3, 4, 5	6-4-02	6/10/02	6/17/02	6/14/02
Bldg. 374 Process Steam	5-16-02	5-20-02	5-27-02	5-23-02
24	9-27-01	10-1-01	10-8-01	10-1-01
7	10-24-01	10-30-01	11-6-01	11-6-01
14	11-13-01	11-28-01	12-5-01	12-05-01
13	12-13-01	12-18-01	12-25-01	1-30-02
21, Ph. I	12-11-01	1-15-02	1-22-02	1-29-02
12, Ph. I	1-2-02	1-15-02	1-22-02	1-29-02
15	1-9-02	1-24-02	1-31-02	N/A
15 (USQD Rev 1)	2-19-02	2-26-02	3-05-02	3-19-02
AM, Ph. I	2-27-02	3-11-20	3-18-02	3-18-02
Process Vent, Sets 12/13	3-13-02	4-11-02	5-02-02*	5-01-02
Caustic transfer line	4-01-02	4-15-02	4-30-02*	5-01-02
56	4-3-02	4-15-02	5-2-02	Revision requested
56 (USQD Rev 1)	5-7-02	5-9-02	5-16-02	5-15-02
PWTS	Cancelled			

8

ENVIRONMENTAL STATUS
REGULATED ITEMS

Location	SET	AREA	RCRA UNIT DESCRIPTION	Unit #/Idle Equip. #	Status
3517	3		Tanks: D132A/B/C	MRT	Raschig Rings removed from Tanks D132A/B/C. No visible sludge or rings remaining; these tanks will be closed pursuant to "Unit Removal without On-Site Treatment" (Section 5.1.3, Component Removal RSOP) and dispositioned as non-hazardous waste.
3517	3		Tanks: D64, D65		
3517	3		Nitric Acid Recirc pump 31-11, P28A	IE: 0049	
3517	3		Nitric Acid Recirc pump 31-11, P28B	IE: 0050	
3517	3		Nitric Acid Recirc pump 31-11, P29A	IE: 0051	
3517	3		Nitric Acid Recirc pump 31-11, P29B	IE: 0052	
3517	3		Nitric Acid pump 31-15, P63	IE: 054	
3517	3		Pumps P-28A/B, P-29A/B	IE: 0107	
3517	3		Pumps P-33A/B, P-34A/B	IE: 0109	
3571	4		Tanks: D133, D150, D151, D152A/B	MRT	Raschig Rings removed from Tanks D152A and D152B. No visible sludge or rings remaining; these tanks will be closed pursuant to "Unit Removal without On-Site Treatment" (Section 5.1.3, Component Removal RSOP) and dispositioned as non-hazardous waste.
3571	4		Ancillary Equipment: Evaporator-reboiler E-55, Evaporator Bottoms Cooler E-56, Condenser E-57, and Nitric Acid Feed Heat Exchanger E-62	MRT	
3571	4		Evaporator Bottoms Pump 31-18 P49A	IE: 0079	
3571	4		Evaporator Bottoms Pump 31-18 P49B	IE: 0080	
3571	4		Pumps 33 A/B, 34A/B	IE: 0109	
3573	5		Tanks: D134A/B/C, D135A/B, D289A/B, D289C.	MRT	
3543	6		Container Storage - Room	90.4	
3545	6		Spent Resin transfer Pump 31-11, P-18	IE: 0067	
3549	6		Tanks: T6A/B/C/D, T-7A/B/C/D, T-9A/B, D-68A/B, D-173A/B,	MRT	
3553	6		Tanks: T-4A/B/C, T-5A/B/C, T-28A/B/C, D-66A/B, D-72A/B,	MRT	
3553	6		Evaporator 31-14, P60A, P-66B	IE: 0068	

9

ENVIRONMENTAL STATUS
REGULATED ITEMS

Location	SET	AREA	RCRA UNIT DESCRIPTION	Unit #/Idle Equip. #	Status
3553	6		Evaporator Pump 31-14, P-60B, P-66B	IE: 0069	
3559	6		Tanks: D-50A/B, D-51A/B, D-55A/B, D59, D-69A/B/C	MRT	
3559	6		Additives Measuring Tank 31-11, D-63A	IE: 0072	
3559	6		Additives measuring Tank 31-11, D63B	IE: 0073	
3563	6		Tanks: D-49A/B/C/D, D-52A/B	MRT	
3563	6		Additives Measuring Tank 31-11, D-57A	IE: 0075	
3563	6		Additives measuring Tank 31-11, D57B	IE: 0076	
3563	6		Additives measuring Tank 31-11, D57C	IE: 0077	
3563	6		Additives measuring Tank 31-11, D57D	IE: 0078	
3567A	6		Container Storage - Room	90.8	
3303	7		Mixed Residue Tank - Ancillary Equipment only	MRT	
3305	7		Container Storage - Room	371.1A	The container storage refers to 3 crated gloveboxes only. All 3 gloveboxes have been uncrated, characterized, and wrapped for storage. They are temporarily stored in room 3408 until a size reduction/decontamination tent is constructed. The gloveboxes will either be further decontaminated to meet SCO or the lead will be removed for disposal.
3305	7		Pumps: P171, P172, P173, P174, P175, P176, P177, P178, P179, P180	IE: 0122	All pumps have been removed and wasted as RCRA non-hazardous.
3305	7		Mixed Residue Tank - Ancillary Equipment only	MRT	
3305	7		Mixed Residue Piping in room 3305	MRT	Piping to be removed using the walls in the room as the boundary. The piping portion of the unit will be closed using Clean Closure Option #1 under the B371/4 DOP.
3305	7		Container Storage - Glovebox 37C	90.104	GB37C has been closed by "Unit Removal in Conjunction with 'Debris Rule' Treatment".
3315	7		Container Storage - Room	371.1A	
1208	9		Vault Container Storage	371.1C	RCRA Stable 7/9/02
1101	12		Vault Container Storage	371.1C	
1103	12		CWTS: GB 2402, 2403	371.3A	

ENVIRONMENTAL STATUS
REGULATED ITEMS

Location	SET AREA	RCRA UNIT DESCRIPTION	Unit #/Idle Equip. #	Status
1103	12	CWTS: Tanks 2401A/B/C/D, 2402A/B, and 2403	371.3A	
1103	12	Container Storage - Room	371.1A	
1105	12	CWTS: GB 401	371.3A	
1105	12	Tanks: Utility Scrubbers D131A/B		
1107	12	Tanks: D-44A-1, D-44A-2, D-44A-4, D-44A-5, D-44A-6, D-44B-1, D-44B-2, D-44B-4, D-44B-5, D-44B-6	MRT	
1109	12	Tanks: D-43A-1, D-43A-2, D-43A-3, D-43A-4, D-43A-5, D-43B-1, D-43B-2, D-43B-3, D-43B-4, D-43B-5	MRT	
1111	12	Container Storage - Room	90.14	Not currently in Permit - to be closed
1113	12	Master process control and alarm panel	N/A	
1115	12	CWTS: GB 18, 23, 2404	371.3A	
1115	12	Container Storage - Room	90.19	Not currently in Permit - to be closed
1115	12	Tanks: D-160A/B/D-400A/B/D, D-179	MRT	Raschig Rings removed from tank 400C
1115	12	Pumps P-140, P-141A, P-141B	IE: 0013	
1117	12	Tanks D-2A/B, D-157A/B, D-238A/B, D240A/B, D170, D171	MRT	
1117	12	Wash Liquid Pump 31-17, P-182	IE: 0008	
1117	12	HAS Waste Pump 34-04, P4B, Tank D4B from E9, T10 to 2, D811	IE: 0009	
1117	12	HAS Waste Pump 34-04, P3A, Tank D3A, from E1, E80 to D811	IE: 0010	
1117	12	HAS Waste Pump 34-04, P3B, Tank D3B, from E1, E80 to D811	IE: 0011	
1117	12	HAS Waste Pump 34-04, P4A, Tank D4A, from E9-E10 to D2, D811	IE: 0012	
1117	12	Pumps P-181 and P-182	IE: 0014	
1125	12	Pumps P-5A/B, P-6A/B, P-7A/B, P-15A/B, P-27A/B, P-107A/B, JP-108A/B	IE: 0015	
1127	12	Tanks: D-293A/B	MRT	Need to remove RRs and evaluate for Idle Equipment
2307	13	Pumps P-21A, P-914	IE: 0117	

**ENVIRONMENTAL STATUS
REGULATED ITEMS**

Location	SET	AREA	RCRA UNIT DESCRIPTION	Unit #/Idle Equip. #	Status
2317	13			MRT	Raschig Rings removed from all Tanks. No visible sludge or rings remaining. They will be dispositioned as non-regulated, non-hazardous.
2317	13		Tank D-292A/B		Evaluate for Idle Equipment
2317	13		Tank D933	IE: 0119	
2317	13		Pumps P-85A/B/C; P-27A, B, C	None	Raschig Rings removed from all Tanks. No visible sludge or rings remaining. They will be dispositioned as non-regulated, non-hazardous.
2317	13		Tanks D922A/B		Evaluating for Idle Equipment and inspection frequency.
2325	14		Container Storage - Room	371.1A	
2325	14		GB 7 & 9	53	Old cementation process - RCRA unit
2325	14		Mixed Residue Piping in room 2325	MRT	Piping to be removed using the walls in the room as the boundary. The piping portion of the unit will be closed using Clean Closure Option #1 under the B371/4 DOP.
2223	15		Tanks D934A/B	MRT	Tanks were removed and closed by "Unit Removal in Conjunction with 'Debris Rule' Treatment".
2223	15		Mixed Residue Piping in room 2223	MRT	
3511	16		Container Storage - Room	90.71	
3521	16		Tank D-70	IE: 0055	Tank not listed in Table 3, DOP Set Descriptions
3523	16		Tanks T-23A/B/C/D	IE: 0104	
3801	18		Tanks: T-11 A/B/C/D, T-12 A/B/C/D, T13 A/B/C/D		Evaluating for Idle Equipment and inspection frequency.
3805	18		Tanks: D816, D817, D818, D819, D820, D821, D822, D823, D826A/B	374.3	Tank D816 has been declared RCRA Stable and transferred to D&D. Awaiting approval for inspection relief.
2804	19		Tanks: D801A/B/C, D802A/B/C, D804A/B/C/D, D811 A/B, D824A/B, D843, D852, D875, D847, D851	374.3	Tank D843 has been declared RCRA Stable and transferred to D&D. Approved for quarterly inspection.
3801	21		Tank: D826C	374.3	
3809	21		Tanks: D883A/B	374.3	Tanks D883A/B have been closed by "Unit Removal in Conjunction with 'Debris Rule' Treatment".
3810	21		Tank: D878	374.3	

ENVIRONMENTAL STATUS
REGULATED ITEMS

Location	SET	AREA	RCRA UNIT DESCRIPTION	Unit #/Idle Equip. #	Status
4802	21		Spray Dryer Baghouse FL803	374.3	
4812	21		Spray Chamber W803	374.3	
3408	24		GB Storage - GB's 72B/C	371.1B	GB's 72B and 72C have been closed by "Unit Removal in Conjunction with 'Debris Rule' Treatment".
3408	24		Mixed Residue Tank - Ancillary Equipment only	MRT	
3412	25		Container Storage - racks only	371.1A	RCRA Stable 9/25/02
3412	25		GB Storage - GB's 47, 48A/B/C, 50A/B, 51A/B/C/E	371.1B	RCRA Stable 9/25/02
3801	56		Tanks: D806, D807A/B, D808, D812, D813, D814, D815, Polishing Filter FL831	374.3	Tanks D806, D807A/B, D808, D813, D814, and D815, have been declared RCRA Stable and transferred to D&D. Approved for quarterly inspection.
3801	56		GB Storage - GB's 107 and 113	374.3	
3810	57		Tank: D827	374.3	
4814	57		Tanks: D830, D832, D834, D876, D879	374.3	Tanks D832, D834, and D876 have been declared RCRA Stable and transferred to D&D. Approved for quarterly inspection.
Outside	57		T802, T803, T804, T805	374.3	Tanks T802, T803, T804, and T805 have been declared RCRA Stable and transferred to D&D. Approved for quarterly inspection.
4805	58		Tanks: D825A/B, D848	374.3	Tanks: 825A/B, D848 have been declared RCRA Stable and transferred to D&D. Approved for quarterly inspection.
4807	58		Tanks: D844A/B	374.3	Tanks: D844A/B have been declared RCRA Stable and transferred to D&D. Approved for quarterly inspection.
3803/4805	58		Sludge Dryer W801, dry Sludge Hopper: H3, FL802A/B, H3, CV813A/B	374.3	Sludge Dryer, Hopper, FL802A/B, H3, CV813A/B have been declared RCRA Stable and transferred to D&D. Approved for quarterly inspection.
3301		AJ	Container Storage - Room	371.1A	RCRA Stable 6/20/02
3315		AJ	GB Storage - GB#32	371.1B	
4101		AM	Tanks: D2860, D206, D208, D211, D212, D213, D214, D216, D217, D251, D841, D837A/B, D383A/B, D849A/B, D839A/B, D840A/B, D850		Evaluating for Idle Equipment and inspection frequency.
4103		AM	Tanks: D200, D241, D242, D243		Evaluating for Idle Equipment and inspection frequency.
4103		AM	Electric Motor/Pump		Evaluating for Idle Equipment and inspection frequency.

13

ENVIRONMENTAL STATUS
REGULATED ITEMS

Location	SET AREA	RCRA UNIT DESCRIPTION	Unit #/Idle Equip. #	Status
4104	AM	Tank D250	IE: 371-01	Contains approximately 200 gallons of HNO ₃ 7.5 N + 1% H ₂ SO ₄ . Greater than 2% of volume; remaining liquid is RCRA waste.
4104	AM	Tank D254A	IE: 371-02	
4104	AM	Tank D205	IE: 371-03	