

00212-RF-05

STATE OF COLORADO

Bill Owens, Governor
Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory and Radiation Services Division
Denver, Colorado 80246-1530 8100 Lowry Blvd.
Phone (303) 692-2000 Denver, Colorado 80230-6928
TDD Line (303) 691-7700 (303) 692-3090
Located in Glendale, Colorado
<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

April 12, 2005

Mr. Joe Legare
Director, Project Management Division
U.S. Department of Energy, Rocky Flats Project Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE: Pre-Demolition Survey Report (PDSR) for Building 371 Phase III - Area AP (Column Lines 1-12 & T-Y) and Building 373 and Cooling Tower 911 - Approval of B371 Area AP and Cooling Tower 911-00212-RF-05

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the PDSR for Building 371 Phase III, Revision 0, dated April 4, 2005. We have also received a copy of your letter regarding this PDSR, dated April 11, 2005. Based on the information contained in this PDSR, we are hereby approving the PDSR for Building 371 Phase III, including the B371 Area AP from column lines 1-12 and T-Y and the Cooling Tower 911.

However, we are not approving the PDSR for B373 at this time. Although we have no issues with the current information or conclusions as provided, as previously discussed during our walkdown of this area on April 4, 2005, the tank or vault on the north side of B373 needs to be properly investigated. This tank currently contains water that needs to be characterized and removed. Once this tank has been drained then the appropriate PDS information will need to be collected and provided to us for our review and approval. As such, once this supplemental information is provided we should be able to provide our approval of the PDSR for B373. Rather than submit this supplemental information through another PDSR, we believe that a Contact Record would be sufficient to provide this information and record our final approval (and resolution of any issues that may arise) of the PDSR for B373.

If you have any questions regarding this correspondence please contact me at (303) 692-3367, Denise Onyskiw at (303) 692-3371 or (303) 966-6687, or David Kruchek at (303) 692-3328.


Sincerely,

Steven H. Gunderson
RFCA Project Coordinator

cc: Warren Seyfert, DOE
Dave Shelton, KH
Steve Nesta, KH
Karen Wiemelt, KH

Chris Gilbreath, KH
Mark Aguilar, EPA
Sam Garcia, EPA

Administrative Records - Mountain View



ADMIN RECORD

B371-A-000268

1/1