Revised 02/03

CORRES. CONTROL
INCOMING LTR NO.

02061 RF03

DUE DATE
ACTION

DIST.	LTR	ENC
BERARDINI, J. H.	X	
BOGNAR, E. S.	X	
CROCKETT, G. A.		
DECK, C. A.	X	
DEGENHART, K. R.		
DIETER, T. J.		
DIETERLE, S. E.		
FERRERA, D. W.	X	
FERRI, M. S.		
GERMAIN, A. L.		
GIACOMINI, J. J.		
ISOM, J. H.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NORTH, K.		
PARKER, A. M.	X	
POWERS, K. P.		
RODGERS, A. D.		
SHELTON, D. C.	X	
SPEARS, M. S.		
TRICE, K. D.		
TUOR, N. R.	X	
WILLIAMS, J. L.		
NESTA, S.	X	
BROOKS, C.	X	

COR. CONTROL	X	
ADMIN. RECORD	X	
PATS/130		

Reviewed for Addressee
Corres. Control RFP

3/13/03 bg
Date By

Ref. Ltr. #

DOE ORDER #
5400.1

RECEIVED

2003 MAR 13 P 2:14
CORRESPONDENCE
CONTROL

STATE OF COLORADO

Bill Owens, Governor
Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, Colorado

Laboratory Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090

http://www.cdphe.state.co.us

Colorado Department
of Public Health
and Environment

March 6, 2003

Mr. Richard J. DiSalvo, Acting Assistant Manager
Environment and Stewardship
U.S. Department of Energy, RFFO
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE: Notification by Rocky Flats Environmental Technology Site (RFETS) to invoke the *Rocky Flats Cleanup Agreement Standard Operating Protocol (RSOP) for Facility Component Removal, Size Reduction, and Decontamination Activities* for Buildings 444, 445, 447, 448, 450, 451, and 455

Dear Mr. DiSalvo:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the "Division") has reviewed the January 30, 2003 letter from DOE-RFFO and the accompanying notification package received on February 4, 2003, notifying us of your intent to utilize the *RSOP for Facility Component Removal, Size Reduction, and Decontamination Activities* (the "Component RSOP") for the decontamination, size reduction, and component removal needed in order to bring Buildings 444, 445, 447, 448, 450, 451, and 455 to the unrestricted release criteria. We hereby formally agree that the activities described in the notification may proceed utilizing the Component RSOP and the active consultative process described in your notification letter. As mentioned in your letter, the building shell, including the floor, must not be breached during component removal activities without specific approval on a case-by-case basis from the Division. If you have any questions regarding this correspondence, please contact me at (303) 692-3367 or James Hindman at (303) 692-3345.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinator

cc: S. MacLeod, DOE-RFFO
S. Tower, DOE-RFFO
S. Nesta, K-H RISS
D. Shelton, Kaiser-Hill
T. Rehder, EPA Region VIII
D. Miller, AGO
D. Kruchek, CDPHE
J. Schieffelin, CDPHE
RFETS Administrative Records, Building T130G

MAR 2003
RECEIVED
RECORDS CENTER

ADMIN RECORD

1/1