

STATE OF COLORADO

Bill Owens, Governor
Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory and Radiation Services Division.
Denver, Colorado 80246-1530 8100 Lowry Blvd.
Phone (303) 692-2000 Denver, Colorado 80230-6928
TDD Line (303) 691-7700 (303) 692-3090
Located in Glendale, Colorado
<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

March 10, 2005

Mr. Joe Legare
Director, Project Management Division
U.S. Department of Energy, Rocky Flats Project Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE: Pre-Demolition Survey Report (PDSR) for Building 450 - Approval

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the PDSR for Building 450 (Version 0, dated February 28, 2005). Your letter regarding this PDSR was received by fax on March 9, 2005. Based on the information contained in this PDSR, we are hereby approving the PDSR for Building 450.

As stated in this PDSR, B450 (including the ducts, slab and below grade infrastructure) remains radiologically contaminated and will be appropriately protected, demolished, removed, and disposed as LLW-PCB Bulk Product Waste.


If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinator

cc: Gary Morgan, DOE
Dave Shelton, KH
Steve Nesta, KH
Duane Parsons, KH

J. Mike Swartz, KH
Mark Aguilar, EPA
Sam Garcia, EPA
Administrative Records Building T130G



ADMIN RECORD

B444-A-000122